

Index

a

- acoustic energy transfer, for implantable
 - biomedical devices 191, 192
- active sensors 2
- aeroacoustics-driven jet-stream wind
 - energy harvester 8, 161–165
- aeroelastic flutter energy harvester 156
- American sign language (ASL)
 - recognition 229
- array cantilever beam topology 13
- artificial intelligence (AI) 217
 - algorithm
 - deep learning (DL) 220
 - intelligent glove platforms 225–231
 - machine learning 219–222
 - object detection 220
 - future direction 248
 - for intelligent sensor and system
 - 223–224
- artificial intelligence of things (AIoT) 6,
 - 140, 217, 219, 240, 246
- artificial intelligence of things (AIoT)
 - 1–3, 5, 6, 8, 140, 141, 145, 171, 217,
 - 219, 240, 246
- automatic speech recognition (ASR) 222

b

- bandwidth piezoelectric energy harvester
 - 14
- battery-powered wireless sensing network
 - technology 6
- beryllium bronze 44, 46, 85, 89, 90, 98,
 - 99, 103, 108, 129, 163

- bimorph PEH
 - application of 97–98
 - finite element analysis 89–90
 - optimized 98–102
 - normalized power density 101–102
 - output performance 100–102
 - output performance 93–98
 - performance comparison 98
 - micromachining process 89, 91
 - stability testing 96–97
- bioenergy 187, 188
- bioinspired interlocked and hierarchical
 - design, of ZnO nanowire arrays
 - 207
- biomechanical energy conversion 187,
 - 192
- bistable magnetic repulsion harvester 14
- body sensor network, for healthcare
 - monitoring/motion recognition
 - 209–210
- bound charges 3
- bridge-type piezoelectric energy
 - harvesters 20
- broadband bi-stable flow energy harvester
 - 157
- broadband E-shaped piezoelectric energy
 - harvester 160–161
- buckled beam harvester 14
- buckled drum structure piezoelectric
 - energy harvesters
 - open-circuit output voltage 47, 124
- buckled-type piezoelectric energy
 - harvesters 20–21

c

- cantilever beam energy harvester
 - cantilever beam length effect 41
 - cantilever beam width effect 40–41
 - mass effect 42–43
 - piezoelectric layer length effect 36–39
 - piezoelectric layer thickness effect 39–40
- cantilever beam vibration energy
 - harvesters 11, 13, 36, 39, 43, 56, 69, 84–89, 98, 99, 101, 102
- cantilever PEH 24, 83
 - normalized power density 88
 - output power calculation 86
- capsular piezoelectric energy harvester 191, 193
- ceramic-type IPEH 189–192
- computer vision 220, 221
- core-shell type piezoelectric fabric energy harvester 16
- cowpea-structured PVDF/ZnO nanofibers
 - piezoelectric sensors 75
- Cu/P(VDF-TrFE) fiber 172–173
- cymbal-type piezoelectric energy harvesters 21

d

- data-driven optimization strategy 50, 51, 53–55
- deep learning (DL) 219–223, 225, 230, 231, 242–244, 246
- deep learning-enabled smart mat (DLES-mat) array 243
- diaphragm-type piezoelectric energy harvesters 19, 20
- digital twin based intelligent system 242, 243
- drum-shaped piezoelectric energy harvester 123
- dual-functional PAN-C/BTO-based sensors 236

e

- edge-tones 162, 163
- edge-tones generation systems 162

- electrochemically driven energy harvesters 3
 - electromagnetic energy harvesting technology 3, 6
 - electromechanical coupling analysis 25–30
 - electronic skin (e-skin) 207, 210, 225, 234, 248
 - electrospinning piezoelectric film 74–76
 - electrostatic energy harvesting techniques 3
 - E-shaped piezoelectric energy harvester 160–161
 - Euler–Bernoulli beam theory 25, 31
 - exocardial pacing method 191, 193
- f**
- fiber-structure PEH 172–174
 - filter methods 236
 - finite element analysis 24, 36–45, 84
 - piezoelectric buckled-bridge energy harvester 119–123
 - flexible 1D PVDF piezoelectric fiber 172, 173
 - flexible d_{33} mode piezoelectric energy harvester 190
 - flexible buckled-bridge PEH 108, 125–130
 - flexible buckled-bridges stacked PEH 128–129
 - flexible Doppler ultrasound device, for blood flow velocity monitoring 205, 206
 - flexible electronics 4, 64, 65, 172, 199, 217, 222, 223, 225
 - flexible piezoelectric composite layer preparation technology 107
 - flexible piezoelectric energy harvester 11, 64
 - based on piezoelectric ceramics 16–17
 - based on PZT ribbon array 16–17
 - data-driven optimization 50–54
 - electrical output analysis 31–34
 - electromechanical coupling analysis 25–30

- multi-layer piezoelectric composite
 - structure 21, 22
 - nomenclature 25–26
 - output performance 34–36
 - structural design challenges
 - bandwidth 13–14
 - flexibility 15–17
 - low-frequency 11–13
 - structural design types 17–21
 - bridge-type structure 19–20
 - buckling-type structure 20–21
 - cantilever beam structure 19
 - cymbal type structure 21
 - diaphragm structure 19
 - piezoelectric stack type structure 21
 - structural strain distribution analysis 45
 - flexible piezoelectric energy harvesting 2, 4, 8, 15
 - flexible piezoelectric sensor 2
 - based on 1-3 type piezoelectric composites 16–17
 - body sensor network for healthcare monitoring/motion recognition 209–210
 - pressure/force sensors
 - piezoelectric ceramics 201
 - PVDF 200
 - requirements for 8
 - strain sensor 202
 - ultrasonic sensor 203–206
 - flexible piezoelectric ultrasonic energy
 - harvester array 203, 205
 - for bio-implantable wireless generator 203, 205
 - flexible PZT membrane 231, 233
 - flexible substrate cantilever beam
 - piezoelectric energy harvester excitation intensity effect on 44–45
 - flexible three-dimensional cellular sensor
 - array based on PZT 201
 - flexible wireless electronic skin sensor system 210
 - flexoelectric effect 3
 - flow-induced motions, classification of 153, 154
 - flow-induced PEH
 - flutter-type 156–157
 - galloping-type 157–158
 - rotating-type 153–155
 - vortex-excited vibration 158–160
 - flutter piezoelectric fluid vibration energy harvester 156, 165
 - forced-vibration nonlinear PEH
 - nonlinear mechanism 133–137
 - free-vibration nonlinear PEH
 - energy equation 110–119
 - theoretical analysis 108–110
- g**
- galloping-based piezoaeroelastic energy harvester 157
 - galloping-type PEH 157–158
 - Gaussian Mixture Model (GMM)
 - algorithm 232, 233
 - gear structural TENG sensor 239
 - generalized pattern search (GPS)
 - algorithm 51–54, 56, 248
 - generative adversarial network (GAN) 221, 225
 - go-to methodology 225
 - green energy 141
- h**
- hardening nonlinear mechanism 124
 - heart-worn battery less and leadless pacemaker strategy 191–192
 - heel harvester 177
 - hierarchical cluster analysis 224
 - high efficient bimorph piezoelectric energy harvester 64
 - high-performance piezoelectric energy harvester 12, 47
 - human motion decoding, intelligent glove
 - platforms for 225–231
 - human voice stimulation, of TIDIGITS dataset 233
 - human-motion-based energy harvesting 176

- hybrid-flexible bimodal sensing wearable glove system 228
 - hybrid-flexible capacitive sensing wearable glove 228
 - hybrid self-powered flexible sensor 236–238
- i**
- impact-induced resonance 154, 155
 - implantable PEH
 - ceramic-type 189–192
 - PVDF-based 189
 - ZnO nanowires-based 188–189
 - intelligent floor monitoring system 243
 - intelligent glove platforms 225–231
 - intelligent piezoelectric energy harvesters 107
 - Internet of Things 1–3, 5, 6, 145, 171
 - in vivo biomechanical energy conversion 192
 - IoT sensor system 217
 - IoT system application
 - hybrid self-powered flexible sensor 236–238
 - piezoelectric sensor 231–236
 - triboelectric sensor 238–248
 - “I” shaped piezoelectric energy harvester 129, 161
- k**
- kinematic tolerance trial functions 112
 - kinetic energy 1–4, 6, 17, 18, 45, 111–113, 135, 136, 138, 139, 145, 153, 165, 174, 175, 177, 180, 181, 189, 191
 - kinetic energy harvesting methods 3
 - advantages and disadvantages of 4
 - kinetic energy harvesting technology 2
 - Kirchhoff hypothesis 110
- l**
- lead-free flexible piezoelectric sensor 201
 - low-cost 3D-printed glove HMI 238
 - low-cost textile-based TENG pressure sensor 244
 - low-cost T-TENG pressure sensor 245
 - low-cost triboelectric intelligent socks (LTIS) 241, 242
 - low-power wide-area network (LPWAN) technologies 141
 - low-profile membrane-based stretchable ultrasonic probe 203, 205
- m**
- machine learning (ML) 219, 220, 232
 - magnetic-assisted noncontact energy harvester (MN-EH) 142, 143, 145
 - magnetic attraction harvester 14
 - magnetic force exciter, for small-scale windmill 154
 - mechanical deformation-limiting method 107
 - microelectromechanical systems (MEMS) process 67
 - cantilever beam energy harvester vibration energy harvesters 12
 - microelectronics technology 1
 - microscale cantilever PEH optimization 24, 84
 - ML-based speaker recognition 231, 232
 - modified dice-and-fill technique 205
 - multifunctional piezoelectric force sensor 203
 - multi-functional walking stick 246, 247
 - multilayer perceptron (MLP) 225
- n**
- narrowband IoT (NB-IoT) 140–145
 - near-field communication (NFC) technology 208–210
 - non-uniform cantilever PEH 50
 - with optimal piezoelectric layer length 84
 - nonlinear hardening effects 125, 130
 - nonlinear piezoelectric energy harvesting technique 107
 - nonlinear piezoelectric wideband vibration energy harvesters 107

- nonlinear piezoelectric wind turbine transducer 155
- nonlinear softening effect 125, 130
- nonlinear vibration energy harvester 14, 121, 123, 128, 130
- nonwoven fabric piezoelectric energy harvester 16
- normalized power density 47, 53, 54, 88–89, 98, 101–103, 128

- O**
- object detection algorithm 221
- 1D CNN method 241

- P**
- pacemaker technology 187
- PAN-C/BTO-based sensor 236–238
- particle swarm optimization (PSO) algorithm 51
- passive sensors 1–2
- PENG-based gloves 231
- piezo-disk energy harvester 155
- piezo-windmill energy harvester 155
- piezoelectric bimorph multilayer composite structure preparation 90
 - piezoelectric and metal foil bonding 90–91
 - piezoelectric bimorph multilayer
- piezoelectric buckled-bridge energy harvester
 - calculated peak displacement vs. applied frequency 115
- piezoelectric buckled-bridge model 108
- piezoelectric buckled-bridge PEH schematic illustration 134
- piezoelectric ceramic thick film 68
 - leading wire 72
 - magnetron sputtering 70
 - mechanical polishing technology 68
 - mechanical thinning 71
 - metal foil polishing 70
 - piezoelectric and metal foil bonding 70
 - piezoelectric sheet polishing 70
- piezoelectric ceramic thin film 16, 65–68, 77
- piezoelectric compliant mechanism (PCM) 47, 64
- piezoelectric crystal materials 66
- piezoelectric devices 8, 65, 74, 172, 174
- piezoelectric effect 3, 8, 17, 23, 63, 65, 67, 83, 120, 154, 199, 205, 236
- piezoelectric energy harvesters (PEH)
 - objective 66
 - fabrication 46
 - output performance 46–50
 - results 46
- piezoelectric energy harvesting methods 3–4
- piezoelectric fluid vibration energy harvesting technology 153
- piezoelectric force sensor 201–203, 208–209
- piezoelectric instanton equation 109, 133
- piezoelectric materials
 - classification 66, 68
 - research status 67
- piezoelectric MEMS technologies 65
- piezoelectric rotary motion energy harvester 137–140
 - three dimensional model of 138
- piezoelectric stack type structure 21
- piezoelectric static sensing 207
- piezoelectric ultrasonic energy harvester 191–192, 203, 205
- piezoelectric wearable energy harvester 174–176
 - backpack 180
 - clothes motion 178–180
 - foot motion 177–178
 - hand motion 174
 - joint rotation 180–181
 - knee-joint energy harvesting 176–177
 - wrist and elbow motion 175–176
- piezoelectricity 17, 54, 75
- PMN-PZT single crystal piezoelectric ceramic material 190

- pneumatic soft actuator 229
 - polarized charges 3, 18
 - polling 52–53
 - polyvinylidene fluoride (PVDF) 200
 - based IPEH 189
 - based non-woven nanogenerator 178
 - based piezoelectric energy harvester 181
 - portable handheld piezoelectric energy harvesters 174
 - portable NFC based sensor monitoring circuit bulk diagram 208
 - power consumption
 - for IoT applications 7
 - of medical and implantable devices 5
 - pressure/force sensors
 - piezoelectric ceramics 201
 - PVDF 200
 - PVDF/AlO-rGO wearable nanogenerator 178
 - PVDF-NaNbO₃ nanofiber nonwoven fabric 180
- q**
- quadratic discriminant analysis (QDA) classifier 229
- r**
- Random Forest Classifier 235
 - regression algorithm 225
 - rotating piezoelectric fluid vibration energy harvester 153–154, 165
 - rotational energy harvesters, for IoT applications 144
 - rotational piezoelectric wind energy harvesting 155
- s**
- scalable tactile glove (STAG) based on resistive sensor array 226–227
 - self-powered 5G NB-IoT system 140–143, 145
 - self-powered remote wireless fire monitoring system 142
 - self-powered sensors 2, 200, 202, 226, 229, 239, 244
 - self-powered tire pressure monitoring systems 138–140
 - self-powered triboelectric auditory sensor (TAS) 221
 - self-powered wireless monitoring systems 141
 - self-propelled TPMS 138, 140, 143, 145
 - sign language recognition and communication system 230–231
 - single-crystal PMN-PT-based d_{31} -mode piezoelectric energy harvester 190
 - small volume piezoelectric MEMS energy harvesting strategy 192
 - smart sock for digital twin based intelligent system 242
 - smart soft robotic manipulator 239–240
 - softening nonlinear mechanism 124–125
 - solution-derived P(VDF-TrFE) piezoelectric thin films on cellulose paper substrates 181
 - speaker recognition 221, 231–233
 - spinning-coated PVDF film 72–74
 - spiral-shaped piezoelectric harvesters 192
 - standard distributed parameter theoretical model 50
 - STFT method 233
 - strain sensor 202–203, 222
 - strain-induced PEHs 84, 207
 - structural strain distribution analysis 45
 - sustainable clean energy harvester 171
- t**
- tactile sensors 3, 8, 65, 222, 238–239
 - tactile TENG sensor 239
 - TENG tactile (T-TENG) 222, 244–246
 - TENG-based floor mat, for smart home 244
 - TENG-enhanced smart soft robotic manipulator 240

- three-dimensional finite element simulation model 120
 - 3GPP 5G technology with NB-IoT 141
 - tire pressure monitoring systems (TPMS) 138–140, 143, 145
 - triboelectric energy harvesting methods 4
 - triboelectric energy harvesting technology 3
 - triboelectric sensor 222, 238–248
- U**
- ultrasonic sensor 199, 203–206
 - ultrathin and flexible sensor (UFS) 222
 - ultrathin flexible piezoelectric sensor, for monitoring eye fatigue 202
 - unimorph cantilever beam vibration energy harvester 69, 88–89, 101
- V**
- vibration-based MEMS piezoelectric energy harvester 24, 84
 - vibration-based piezoelectric energy harvesters 23, 63, 83
 - voice-based interaction 222
 - voice information 220–222, 231, 233
 - voice user interface (VUI) 231
 - volatile organic compounds (VOCs) recognition system 223
 - Von Kármán vortex street 158
 - vortex-excited vibration fluid vibration energy harvesters 158–160
- W**
- walking gait 241
 - watch-like piezoelectric energy harvesters 175
 - water vortex shedding-induced PEH 160–161
 - wavy-substrate self-powered sensors 200
 - wearable devices 172, 206, 209, 219, 223
 - wearable Doppler device 206
 - wearable flexible sensor intelligent system based on 218
 - wearable glove-based gesture recognition 226
 - wearable piezoelectric sensors 206, 207
 - wireless communication technologies 142, 143, 207–209
 - wireless monitoring system 140–141
 - wireless sensor network (WSN) 1–2, 161
 - wireless transmission system 203
 - woven fabric piezoelectric energy harvester 16
 - wrapper methods 236
- Y**
- You Only Look Once (YOLO) 221
- Z**
- ZnO nanowires-based IPEH 188

