

Index

a

activated carbon (AC) 307
 activated microwave exfoliated graphite
 oxide (aMEGO) 308
 alkylammonium chains 335
 alkylammonium salts 331
 3-(aminomethyl)pyridinium (3AMPY)
 329
 4-(aminomethyl)pyridinium 329
 ancient terrestrial analogs 429
 angle-resolved photoelectron
 spectroscopy (ARPES) 240, 243
 anisotropy 89
 anode materials 309
 antiferromagnetic (AFM) material 242
 antimicrobial peptides (AMP) 126
 arc discharge (AD) method 6, 35
 artificial intelligence (AI) 454
 computing requirements 468–469
 nano science applications in 456–457
 artificial neural networks (ANNs) 456,
 461
 Asahi Kasei Corporation 363
 astromaterials 421, 435, 436
 atomic force microscopy (AFM) 348
 attenuated total reflection (ATR) 16
 Auger recombination 180
 Aurivilius (AV) phase 326

b

backward wave oscillators (BWO) 149
 bandgap energy 167
 beam energy 166

beam-splitting 157
 Becquerel effect 317
 Bernal stacking 78, 80
 bifunctional reagent 273
 biosensors 277
 Bloch wavefunctions 239
 boron-doped few-layer graphene (BFLGr)
 nanosheets 20
 Brillouin zone 78
 2-bromoethylamine (BEA⁺) 331
 Brust-Schiffrin method 188, 193–194

c

calibration factor 159, 160
 carbonate minerals 422, 424, 426
 carbon fibres (CNFs) 39, 40
 carbon materials 303
 carbon nanotube (CNT) 36, 39, 263, 307
 advantages of 278
 biosensors 277
 characterization of 10–11
 chemical functionalization 266, 273
 chemical sensors 277
 disadvantages of 278
 electrical properties 267, 269, 272
 electrochemical sensors 278
 gas sensors 19–20, 276–277
 mechanical properties 269–270, 272
 optical properties 269–271
 physical properties 271–272
 pressure sensors 278
 structural materials 267
 temperature sensors 278

- carbon-detected long range correlation coupling (COLOC) 113
 - carbon-encapsulated metal nanoparticles (CEM-NPs) 35–37
 - carbon quantum dots (CQDs) 43
 - carboxyl (-COOH) groups 7
 - catalytic chemical vapour deposition (CCVD) method 36
 - cathode materials 307, 308
 - cation exchange 334
 - cavity-IMPATT diode oscillator (CIDO) 165, 168
 - cavity methods 150
 - CCD camera 419
 - $\text{CdS}_x\text{Se}_{1-x}$ nanowires
 - millimeter-wave signal coherence and decay response 176–181
 - transmission and reflection response spectra for 174–176
 - charge carrier concentration 165, 167
 - charge carrier density 155
 - chemical functionalization
 - chemical 274–275
 - electrochemical 273–274
 - electrons/ions irradiation 275
 - photochemical 274
 - specialized 275–276
 - thermally activated 273
 - chemical sensors 277
 - chemical shift anisotropy (CSA) 107
 - chemical shift perturbation (CSP) 106
 - chemical vapor deposition (CVD) 5, 11, 264, 292
 - chemiresistors 3
 - Chern number 240
 - chronoamperometry 45
 - cluster-of-cluster geometry 191
 - cobalt carbonyl 36
 - combinatorial solution deposition technique 24
 - computational power 465
 - confined (C) mode 84
 - confocal Raman mapping 431
 - consumer of the shelf (COTS) 470
 - continuous wave (CW) 150
 - conventional battery-type 309
 - copolymers 353
 - correlation spectroscopy (COSY) 110
 - covalent chemical functionalization 272
 - cross-polarization (CP) technique 108
 - cross validation method 465
 - crystal recycling 436
 - Czochralski growth method 317
- d**
- data analysis 455
 - data availability 464–465
 - data collection 473
 - data exploration 473
 - data processing 455
 - data science 455–456
 - dataset 464–465
 - Decision Tree 459
 - decision tree algorithms 461–462
 - dedoping–redoping processes 304
 - density functional theory (DFT) 43, 242
 - dielectric barrier discharge (DBD) 7
 - diffusion coefficients 114
 - diffusion ordered spectroscopy (DOSY) 114
 - dimensionality reduction (DR) 463–464
 - dimethylsulfoxide (DMSO) 320
 - Dion-Jacobson (DJ) 326, 327
 - Dirac electron spectrum 67
 - divalent cations 425
 - divide-and-protect model 189
 - double quantum filtered COSY (DQF-COSY) 110
 - double walled carbon nanotubes (DWCNTs) 263
 - Drude-Smith (DS) model 152
 - dye sensitized solar cell (DSSC) 318
 - dynamic light scattering (DLS) 102
 - dynamic nuclear polarization (DNP-NMR) 107
 - dynamic range (DR) 159
- e**
- Earth's crust 435
 - Edward-Anderson (EA) order 57, 58, 63

- elastic scattering 152
 electrical double-layer capacitors (EDLC) 299
 electrochemical efficiency 292
 electrochemical functionalization 273, 274
 electrochemical modification (ECM) 274
 electrochemical sensors 278
 electrochemical stability 309
 electrochemical surface area (ESA) 45
 electrochemical synthesis 38
 electromagnetic radiation 106
 electron beam irradiation 38
 electron/ions irradiation techniques 275
 electron-phonon coupling 270
 electron-spray ionization (ESI) 189
 electron transport layer (ETLs) 43
 electro-spray ionization mass spectrometry (ESI-MS) 196
 energy conversion 45, 46
 enhanced permeability and retention (EPR) effect 352, 354
 epitaxial graphene
 mechanical properties 68, 75
 optical location of 68, 71
 etching method 195
 exclusive COSY (ECOSY) 110
 exfoliated graphene (EG) nano-sheets 293
 expert systems 463
 extended (EX) mode 84
 external quantum efficiency (EQE) 321
- f**
- fast photodiode detector 158
 ferromagnetic correlation 57
 few-layer graphene (FLG) 7
 field-cooled (FC) magnetizations 56
 field effect transistor (FET) 3, 270
 field programmable gate arrays (FPGAs) 470
 finite-rate-of-innovation NMR (FRI-NMR) 126
 first generation of solar cells 317
- Floating Point Operations per second (FLOPs) 469
 formamidineum iodide (FAI) 320
 formamidineum lead iodide (FAPbI₃) 320
 Fröhlich interaction 96
 free-carrier absorption (FCA) 164
 free induction decay (FID) 106
 freeze-drying process 308
 full width at half maximum (FWHM) 15, 69, 151
 fullerenes 35
- g**
- gadolinium- hyaluronic acid nanoparticle (Gd-HA NPs) 130
 gallium arsenides (GaAs) 97–98, 151
 transmission and reflection response for 162
 gas sensors 22, 276–277
 gate pulse 152
 Gaussian beam analysis 157
 G band splitting 76
 geologic deposits 427
 Gibbs free energy 418
 G mode investigation 74, 76
 gold nanoclusters 189
 phosphine-protected Au-NCs (Au:PR3) 190–193
 protecting agents 202
 thiol-protected nanoclusters 193–200
 gold nanomaterials, characterization of 115–119
 gold nanoparticles (NPs) 187
 graphene 287
 characterization of 11–14
 doping of 302
 electronic conductivity of 302
 -based gas sensors 20–21
 and mesoporous carbon 307
 size domain of 77
 based sulfur cathodes 297–298
 two-dimensional (2D) material 4
 graphene electronic structure 40
 graphene foam (GF) 291, 293

- graphene/lithium titanium oxide (LTO) (G-LTO) 310
- graphene/metal oxide composites 305, 306
- graphene-MnO₂ nanocomposites 305
- graphene nanoplatelets (GnPs) 5, 12
 characterization of 11, 14
 -based gas sensors 20, 21
- graphene oxide (GO) 12
 based sulfur cathodes 298, 299
- graphene-PANi composite 304
- graphene/polymer composites 303, 305
- graphene-PTh nanocomposites 304
- graphene quantum dots (GQDs) 321
- graphene Raman modes 68
- graphene sheet 264, 308–310
- graphene-substrate interface 77
- graphene 2D mode 71–72
- graphite sheet 263
- graphitic nanomaterials 3, 5, 9
 -based gas sensors 19–21
 synthesis of 5–8
- Gruneisen parameter 76
- Gunn oscillators 157
- h**
- Helmholtz-Zentrum Berlin 324
- heteronuclear correlation spectroscopy (HETCOR) 110
- heteronuclear dipole coupling (HDC) 110
- heteronuclear multiple bond coherence (HMBC) spectroscopy 111–113
- heteronuclear single/multiple quantum coherence spectroscopy (HSQC/HMQC) 112–113
- high C-rate LiFePO₄ battery cathodes, graphene nanoplatelet additives
 characterizations and electrochemical measurements 382
 composite cathode preparation and battery assembly 381
 results and discussion 382–386
- high C-rate performance, LiFePO₄/carbon nanofibers composite cathode
 characterization 376
 preparation of composite cathode 375
 results and discussion 376–378
- high resolution electron microscopy (HREM) 194
- highest occupied molecular orbitals (HOMO) 332
- highly ordered pyrolytic graphite (HOPG) 7
- highly oriented graphene (HOG) 309
- highly oriented pyrolytic graphite (HOPG) 11
- hole transport layer (HTL) 43, 319, 332
- homonuclear correlation spectroscopy (HOMCOR) 110
- Homonuclear Hartmann-Hahn (HOHAHA) 112
- Hummer-Offeman's method 41
- hybrid/asymmetric capacitors 299
- hybrid nanomaterials 43
- hydrated minerals 424
- hydrodynamic radius 114
- hydrogen adsorption energies 43
- hydrogen storage 42–43
- hydrothermal method 292
- hydrothermal synthesis 38
- hydroxyapatite crystals 126
- hydroxyl (-OH) groups 7
- i**
- impact ionization avalanche transit time diodes (IMAPTT) 157, 165
- InAs/GaSb 97–98
 Raman study on 84–85
- InAs/InAs_{1-x}Sb_x 97–98
- infrared (IR) detection 83
- inorganic-inorganic solar cell 323
- inorganic-inorganic structure 322
- inorganic nanoparticles 349–350
- Insensitive Nuclei Enhanced by Polarization Transfer (INEPT) 107–108
- integer quantum Hall effect (IQHE) 239
- interdigitated electrode (IDE) 20
- interface (IF) mode 84

- internal battery cell components
 - anode 366
 - cathode 365
 - electrolyte 366
- interplanetary dust particles (IDPs) 417
- intrinsic magnetic topological insulators (I-MTIs) 242
- intrinsic resistivity 174
- intrinsically disordered protein (IDP) 126
- ion bombardment 38

- j**
- J*-coupling 106

- k**
- Kapton grid polarizer 157
- Klassens' model 160
- K Nearest Neighbour (KNN) 459

- l**
- Large-scale Atomic/Molecular Massively Parallel Simulator software program (LAMMPS) 12
- Larmor frequency 106
- laser ablation method 39
- laser data 166
- laser desorption ionization (LDI) 188
- laser desorption ionization mass spectrometry (LDI-MS) 195
- laser desorption mass spectrometry (LDMS) mode 467
- laser power 166
- laser power meter 175
- laser pulse photons 167
- laser-vaporization (LV) method 5
- lead-acid battery 363, 364
- Li intercalation/de-intercalation reaction 309
- Li-S cells
 - advantages of 295
 - challenges of 296–297
 - graphene based sulfur cathodes for 297–298
 - graphene oxide based sulfur cathodes for 298–299
 - working of 295
- life cycle assessment (LCA) 104
- LiFePO₄ (LFP) battery 292, 361, 365, 369, 373, 374, 375
- LiFePO₄ battery cathodes
 - PANI/CNF additive
 - conducting agent and coin Cell 387
 - experimental 386
 - results and discussion 387–389, 391–392
 - reduced graphene oxide 393
- ligand exchange induced structural transformation (LEIST) 193, 200
- linear regression 460
- liquid electrolyte 374
- lithium difluoro(oxalate)borate (LiODFB) 308
- lithium-ion batteries (LIBs)
 - battery cell classifications
 - internal battery cell components 366
 - primary/non-rechargeable batteries 363
 - secondary/rechargeable batteries 363
 - battery safety 373–374
 - battery terminology 371–373
 - carbon nanofiber anode 398–401
 - crystal structure of active materials
 - layered LiCoO₂ 367
 - olivine LiFePO₄ 368–369
 - spinel LiM₂O₄ 367
 - crystal structure of active materials, NCM 369–370
 - graphene foam 291, 293
 - high C-rate performance (*see* high C-rate performance)
 - internal battery cell components 364–365
 - LiFePO₄/carbon nanofibers composite cathode, preparation of composite cathode 376
 - Li-S 294, 299

- lithium-ion batteries (LIBs) (*contd.*)
 - liquid electrolyte 374
 - principle of operation 370–371
 - rechargeable battery, genesis of 362
 - supercapacitors 299, 310
 - working mechanism 289–291
 - lithium-ion capacitors
 - anode materials 309
 - cathode materials 307–308
 - working principle 306–307
 - lithium titanate (LTO) 292
 - logistic regression 459–461
 - Lorentzian fit 71, 76
 - low field NMR (LF-NMR) 123
 - low-dimensional carbon nanomaterials
 - 34
 - synthesis and properties of 35–39
 - low-dimensional materials 33
 - Lunar Rocks 431–434
- m**
- machine learning (ML) 454
 - computing requirements 468–469
 - embedded hardware 471–473
 - implementation 465–466
 - methods and tools 457
 - reinforcement 460
 - semi-supervised 460
 - space applications 466–468
 - supervised 457–459
 - unsupervised 459–460
 - macromolecular carbon
 - alteration veins 437
 - aqueous alteration 437
 - in astromaterials 435–436
 - biological alteration 438
 - definition and description of 434–435
 - on the Earth 435–436
 - inclusions 437
 - matrices 438
 - in petrographic context 437–439
 - thermal alteration of 434
 - magic angle spinning (MAS) 107
 - magnetic contrast agents (MR-CAs) 110, 115, 128
 - magnetic field effect 67
 - magnetic nanoparticle (MNP) 123
 - magnetic resonance imaging (MRI) 128
 - magnetic topological insulators (MTIs)
 - 239
 - magnitude-squared coherence (MSC)
 - 176, 177
 - mask-assisted filtration method 293
 - mass spectrometry 194
 - matrix (metalloproteinases) (MMPs),
 - 354
 - matrix assisted laser
 - desorption/ionization (MALDI) 188
 - maximum tolerable dose (MTD) 351
 - mechanical exfoliation 41
 - mesoscale spin glass dynamics 60, 64
 - mesoscopic glassy systems 55
 - metal organic chemical vapor deposition
 - (MOCVD) 85, 93–95
 - metal oxide(s) 8–10
 - metal oxide gas sensors 21–24
 - Meteorites 431–434
 - methylammonium iodide (MAI) 321
 - micro-electromechanical systems
 - (MEMS) 20
 - micro-Raman imaging 430
 - microgel 126
 - microwave interaction 149
 - microwave plasma chemical vapour
 - deposition 38
 - microwave reflection technique 164
 - microwave/millimeter-wave (mmW)
 - spectroscopy 149
 - millimeter-wave 150, 166
 - mixed metals alloy nanoclusters,
 - 202–203
 - MnBi_2X_4 (MBX) 252
 - MnBi_2Te_4 (MBT) 243–251
 - modern terrestrial analogs 427, 429
 - modified Brust-Schiffrin synthesis 194, 196
 - molecular beam epitaxy (MBE) 85, 93–95

- Molecular Dynamics (MD) simulations
12
- molecular weight distribution 114
- MOMA Engineering Test Unit (ETU),
467
- Monte Carlo simulation 58
- multi-walled carbon nanotubes
(MWCNTs) 5, 39, 263–264
vs. SWCNTs 265–268
- multiple-walled structures 263
- Mylar beam-splitter (MBS) 242–243
- n**
- nanoclusters (NCs) 189
mixed metals alloy 202–203
- nanodiamond 37–38
characterization of 120
- nanodiscs 120–123
- nano-formulations 126, 358
- nanomaterials 101, 345–346
categorization of 102
characterization of 103–104
life cycle assessment (LCA) of 104
origin and historical perspectives 346
physico-chemical properties of 102
in radiation therapy 358
relaxometry 109
size and dimensions 34
synthesis of 101, 349–350
use of 358
viral infections 356–358
- nanomaterial scaffold (NMS) 114
- nanomedicine 351
drug delivery 351
improvement function 351
polymer therapeutics as 351–354
targeting moiety 354–355
use of linkers 354
- nanopillars 324, 326
- nanoscience
applications in 456–457
datasets 456
- nanostructured perovskites 318, 321
- nano-structured solar cells 318
- nanowires, perovskite 324, 326
- neural networks (NN) 461, 463
- neutral density (ND) filter 166, 171, 175
- N-heterocyclic carbenes (NHCs) 202
- nickel-cadmium (Ni-Cd) batteries 364
- Ni-MH batteries 364
- Nickel Cobalt Manganese (NCM) 361,
402
- nitrogen-doped graphene nanomaterials
(NG) 45
- non-rechargeable batteries 363
- non-resonant quasi-optical setup 150
- nuclear magnetic resonance (NMR)
spectroscopy 105
advantages of 114–115
applications of 115
COSY 110
disadvantages of 114–115
in nanomaterial characterization
106–107
one dimensional NMR (1D) 108
principle 106–107
relaxometry 108–109
two dimensional 110–114
- nuclear Overhauser effect 106
- nuclear Overhauser enhancement
spectroscopy (NOESY) 113–114
- numerical aperture (NA) 419
- o**
- one-dimensional carbon nanomaterials
39–40
- onion-like carbons 38–39
- optical fiber sensors (OFS) 3
- organic nanomaterials, characterization
of 119
- ortho-dichloro benzene (ODCB) 6
- osmium tetroxide (OsO₄) 274
- overfitting 465
- oxide minerals 424
- oxygen reduction reaction (ORR) 45
- p**
- Paclitaxel (PTX) 130
- paramagnetic relaxation enhancement
(PRE) NMR 120–123

- para*-mercaptobenzoic acid (*p*-MBA) 188
 peak voltage 158
 Pearson's correlation 171, 181
 perovskite quantum dots (PQDs) 321–324
 perovskite solar cells (PSCs) 44, 319, 333
 phase stability 322
 phosphine-protected Au-NCs (Au-PR3) 190–193
 photochemical functionalization 274
 photoconductance (PC) 150, 160, 171–174
 photoconductivity 155
 photoirradiation 274
 photoluminescence (PL) imaging technique 173
 photoresistive devices 270
 photothermal effect 270
 photovoltaic devices 318
 photovoltaic effect 270, 317
 photovoltaic materials 318, 321
 phyllosilicates 425
 plagioclase minerals 422
 planar geometry 189
 Planck's constant 106, 155
 π - π interactions 45
 p-n junctions 317
 p-polarization 79
 polarized Raman spectroscopy 278
 poly acrylic acid (PAA) 129
 polyacrylamide gel-electrophoresis 196
 polychlorinated biphenyl 77 (PCB77) 123
 poly (ethyl acrylate-co-methacrylic acid) 126
 poly (ethylene glycol) (PEG) 297
 polymer nanocomposites 265
 polymeric drugs 355
 polymeric-drug conjugates 355–356
 polymer–protein conjugate 356
 polynomial regression 461
 polypyrrole (PPy) 304
 porous Bi₂O₂CO₃ hexagonal nanoplate (PBHN) 45
 post-transition metallic element 9
 power conversion efficiencies (PCEs) 43, 319–320
 power to voltage conversion factor 167
 preliminary electrochemical coating (PEC) 308
 pressure sensors 278
 primary batteries 363
 pristine few-layer graphene (PFLGr) 20
 probe signal transmission 164
 propane-1,3-diammonium (PDA) 329
 pseudo-capacitors 299
 pulse laser bombardment 38
 pulse sequence 108
 pulsed field gradient spin echo (PGSE) 114
 pulsed laser deposition (PLD) method 292
 pump frequency 155
 pyroxenes 422
- q**
- quantum dots (QDs) 318
 characterization of 120
 quantum efficiency 168
 quantum spin Hall effect (QSHE) 240
 quasi-confined (QC) mode 84
 quasi-optical methods 149
- r**
- radiation therapy effects 358
 radio frequency (RF) 106
 radiofrequency plasma-enhanced chemical vapor deposition (rf-PECVD) 19
 Raman geothermometry 435
 Raman imaging microscopy 419
 Raman intensity 70
 Raman mapping analysis 71, 72, 75
 Raman scattered light 417
 Raman shift 73
 Raman signals 91
 Raman spectroscopy 10, 68, 417, 432

- mechanism 417
- polarization 77–80
- scattered light 417
- Raman study
 - InAs_{1-x}Sb_x alloys 90–92
 - on InAs/GaSb SL 84–85
 - on InAs/InAs_{1-x}Sb_x SL 90
- Random Forest 459
- Rayleigh scattered light 417
- rechargeable batteries 363
 - genesis of 362
- reduced graphene oxide (RGO) 12, 303
- refractive index, silicon 154
- regression techniques 460–461
- reinforcement learning 460
- relaxometry 108–109
- resonant cavity 154
- rotating frame Overhauser enhancement
 - spectroscopy (ROESY) 114
- rotational echo double resonance (REDOR) 110
- Ruddlesden-Popper (RP) 326
- S**
- scalar coupling 106
- scanning electron microscope (SEM) 102
- scanning probe microscopy (SPM) 456
- scanning transmission electron microscopy (STEM) 243
- scanning tunneling microscopy (STM) 240, 243
- scattering geometry
 - analysis on (001) 85–86, 93–94
 - analysis on (110) 86–89, 94–96
- Shockley-Queisser limit 324
- Schottky barrier 317
- Schottky detector 174
- Schottky diodes 158
- scikit-learn algorithm 457
- secondary batteries 363
- second-generation solar cells 318
- second-order Raman mode scattering 68
- semi-supervised learning 460
- semiconductor metal oxide (SMO) 23
- Shockley-Queisser limit 320
- silicon carbide (SiC) modes 74
- silicate minerals 421
- silicon nanowires 293
- silicon response 162, 165
- silver nanoparticle 126
- single crystal X-ray diffraction (SCXRD) 188
- single walled carbon nanotube (SWCNT) 5, 263, 270, 271
 - vs MWCNTS 265, 268
- single-walled nanotube (SWNTs) 39
- size-exclusion method 193
- size-focusing method 193, 197, 200
- sklearn 457
- solar cells 43–44
- solar system
 - indicators of life and habitability 425–427
 - minerals in 421–426
- solvent etching 325
- sp² hybridization 42, 269
- sp³-hybridization 269–272
- space community 469–471
- spectroscopy 435
- spin coating method 41
- spin glass 56–57
 - correlation 57–59
 - four-spin correlation function for 55
 - free energy barriers 62
 - self-overlap of 57
 - magnetization 56
- spin-lattice relaxation 109
- spin-orbit coupling (SOC) 239
- spin-spin relaxation 109
- s-polarization 79
- State of Charge (SOC) 365
- strain percentage 75, 76
- stromatolites 430
- sulfate minerals 426
- supercapacitors
 - graphene based 300–303
 - graphene/metal oxide composites 305–306

- supercapacitors (*contd.*)
- graphene/polymer composites
 - 303–305
 - working principle 299–300
 - supervised learning 457–459
 - Support Vector Machines (SVM) 459
 - surface passivation 323
 - surface plasmon resonance (SPR) 200
 - Surface-Enhanced Raman Spectroscopy (SERS) technique 10
- t**
- tandem silicon-perovskite solar cell
 - 324
 - targeting moiety 354–355
 - temperature sensors 278
 - tensile strength values 269
 - terrestrial analogs 428
 - ancient 429–431
 - modern 427–429
 - tetraoctylammonium cation 198
 - thermal CVD technique 264
 - thermal storage storage 44–45
 - thermally activated chemical
 - functionalization 273
 - thermally induced absorption
 - enhancement (TAE) 164
 - thermogravimetric analysis (TGA) 101, 189
 - thermoremanent magnetization (TRM)
 - 57
 - thiol-protected nanoclusters
 - 193, 200
 - third-generation of solar cells 318
 - 3D perovskite heterostructures
 - 330–335
 - time resolved-terahertz (TRTS) 149
 - time-resolved microwave conductivity (TRMC)
 - 149–150, 175
 - time-resolved millimeter-wave
 - conductivity measurement
 - apparatus (TR-mmWC) 150, 152, 157
 - charge dynamical parameter
 - correlation table 168–171
 - sample-resistivity 168–171
 - time-resolved photoconductivity 150
 - time-resolved terahertz spectroscopy
 - (TRTS) methods 150
 - time-reversal symmetry (TRS) 239
 - tin dioxide (SnO₂)
 - characterization of 12, 19
 - based gas sensors 23–24
 - topological insulators (TIs) 239
 - total correlation spectroscopy (TOCSY)
 - 112
 - transferred-echo double resonance (TEDOR) 112
 - transmission electron microscope (TEM)
 - 102
 - transparent conducting oxides (TCO) 8
 - triphenylphosphine (TPP) 190
 - tumor endothelial cells (TEC) 355
 - two-dimensional carbon nanomaterials
 - (2-DCN) 40–42
 - 2D NMR techniques 123
 - 2D perovskite heterostructures
 - 330–335
 - 2D perovskite nanostructures 326–330
 - 2p atomic orbital 4
 - two-photon absorption (TPA) 164
 - 2s atomic orbital 4
- u**
- Ullmann coupling 200
 - unsupervised learning 459–460
 - urea-reduced graphene oxide (URGO)
 - 308
 - UV-Vis absorption 196
- v**
- van der Waals (vdW) forces 45
 - van der Waals (vdW) interaction 240
 - volatile organic compounds (VOCs) 23
- w**
- waveguides 150
 - Weyl semimetal (WSMs) 240

X

- X-ray based techniques 101
- X-ray diffraction (XRD) 5, 12, 14, 433
- X-ray photoelectron spectroscopy (XPS)
194

Y

- Young's modulus 269, 272

Z

- zero-bias diode (ZBD) 156
- zero-dimensional carbon nanomaterials
(0-DCNs) 35–39
- zero-field-cooled (ZFC)
56–61
- zig-zag nanotubes 264
- zipper-like mechanism 275

