

Index

a

- AgCl/ δ -Bi₂O₃ p-n junction 122
- Ag₂CrO₄/g-C₃N₄/graphene 471
- AgInS₂/Ti₃C₂ direct Z-scheme junction 122
- Ag quantum dots (QDs) 142
- amino-functionalized Ti-based MOF (Ti-MOF-NH₂) 347
- anthropogenic pollution 125
- apparent quantum efficiency (AQE) 11, 243, 261, 304, 390, 477
- atomic force microscopy (AFM) 169, 182–183
- Aza–Henry reactions 334, 374

b

- band structure
 - charge carriers 80–81
 - light absorption ability 77–78
 - reduction and oxidation ability 78–80
- bimetallic CuPd nanoclusters 341
- binary metal sulfide-based nanocomposite 303
- 4,7-bis(4-formylphenyl)-2,1,3-benzothiadiazole (M-BT) 420
- bismuth-based inorganic compounds 341
- BiVO₄/CeO₂ composite 131
- BiVO₄/g-C₃N₄ 127
- BODIPY 374, 376

- Brunauer-Emmett-Teller (BET) 178, 181, 381

c

- cadmium sulfide (CdS) 254, 256, 350
- carbazolic conjugated microporous polymer (C-CMP) 377
- carbon-based materials 162, 182, 183, 304
- carbon quantum dots (CQDs) 167, 208, 287
- carboxylate-based MOFs 350
- CdS-based photocatalyst
 - construction of
 - CdS-based S-scheme heterojunctions 270–272
 - CdS-based type-II heterojunctions 264–266
 - CdS-based Z-scheme heterojunctions 266–269
 - CdS-cocatalyst heterojunctions 262–264
 - crystal structures and morphology
 - one-dimensional structure 257–259
 - three dimensional structure 259–261
 - two-dimensional structure 259, 260

- CdS-based photocatalyst (*contd.*)
 - zero-dimensional structure
 - 256–257
 - zinc blende and wurtzite 255
- CdS/Cu₃P p-n junction 97, 99
- CdS-decorated MIL-68(Fe)
 - nanocomposites (CdS-M68 NCs) 345
- CdS/graphene 202, 203
- CdS-loaded graphene nanosheets 181
- CdS-TiO₂ photocatalysts 254
- CdS/UiO-bpy/Co composites 364
- cellulose acetate membrane (CAM) 212
- charge carrier migration mechanism
 - metal loading 85–87
 - reactive oxygen species trapping 87–89
 - in situ* irradiated XPS 89
- charge carriers 80
- charge carrier separation efficiency
 - electrochemical test 82–83
 - optical spectroscopy 83–84
- chemical bath deposition 248–249
- chemical exfoliation 171–174
- chemical vapor deposition (CVD) 173–175
- CMPBDP 376
- cobalt phthalocyanine catalyst (CoPPc) 393
- COF-JLU22 405, 406, 408
- conjugated microporous polymers (CMPs) 383
- conjugated porous polymers (CPPs) 372
- COP-NT 372
- CO₂ reduction of 430
 - description of 400
 - organic transformation 405–413
 - photocatalytic H₂ production from water
 - CTFs 426
 - CTF-T1 424
 - FS-COF 419, 420
 - g-C_xN_y-COF 420
 - MoS₂ QDs 425
 - NH₂-UiO-66/TpPa-1-COF 422
 - N_x-COF 418, 419
 - TFPT-COF 416
 - TpPa-2 and CdS-COF hybrid 415
 - TTR-COF 430
 - pollutants degradation 402
 - structural diversity 399
 - synthesis of 399–402
- CO₂ reduction reaction (CRR) 14
- CoS_x nanoparticles 463
- covalent organic frameworks (COFs) 10, 325
- covalent triazine-based frameworks (CTFs) 381, 422
- CsPbBr₃ QDs/UiO-66(NH₂)
 - nanocomposites 364
- Cu₂O/TiO₂ p-n junction
 - photocatalyst 112
- Cu₂S-based photocatalysts
 - construction of
 - Cu₂S/metal oxide composite photocatalysts 296
 - Cu₂S/metal photocatalysts 299–300
 - Cu₂S/metal sulfide photocatalysts 296–298
 - ZnIn₂S₄ 300
 - morphology of
 - one-dimensional structure 292–293
 - three-dimensional structure 294–296
 - two-dimensional structure 293–294
 - zero-dimensional structure 291, 292
- cylindrical free-standing 3D
 - g-C₃N₄/GO aerogel (CNGA) 214

d

- Davar's group 243
- 2D COF materials 399
- 2D/2D MnO₂/g-C₃N₄ heterojunctions 472
- density functional theory (DFT) 31, 111
- 3,6-dicarbaldehyde-N-ethylcarbazole (M-CBZ) 420
- 5-diethoxyphosphoryl-5-methyl-1-pyrroline-N-oxide (DEPMPO) 87
- 5,5-dimethyl-1-pyrroline N-oxide (DMPO) 87
- direct Z-scheme photocatalysts 75, 105
- doped UiO-67 334, 336
- dual photocorrosion 22

e

- electrochemical impedance (EIS) spectra 370
- electrochemical test 82–83
- electron spin resonance (ESR) measurements 347
- energy band structure 13
- enhancing photostability 178–179
- ethylenediamine (EN) 360

f

- facile preparation 145
- Fe-doped TiO₂ nanoparticles (Fe-TiO₂) 402
- Fermi level equilibrium 73
- formaldehyde and methanol (CH₃OH) 3
- formic acid (HCOOH) 3

g

- g-C₃N₄/graphene 212
- g-C₃N₄/NaNbO₃ heterojunction 107, 108
- g-C₃N₄/SnS₂ direct Z-scheme photocatalyst 114

- g-C₃N₄/ZnMoCdS type-II heterojunction 121
- g-C₃N₄/ZnO heterojunction 471
- graphene 182, 184
- graphene-based photocatalysts advantages of
 - conductor behavior 176
 - enhancing photostability 178–179
 - nanoparticle dispersion 179–180
 - photothermal effect 176–177
 - specific surface area 177–178
- characterization methods
 - AFM technique 182–183
 - Raman spectroscopy 182–184
 - TEM technique 180–182
 - XPS 183–186
- chemical exfoliation 171–174
- chemical vapor deposition (CVD) 173–175
- definition 224
- graphene oxide (GO) 163
- graphene quantum dot (GQD) 167
- metal-organic-frameworks (MOFs) 219–224
- metal oxide 186–201
- metal sulfide
 - CdS/graphene 202, 203, 205
 - CdS/NG composite 203
 - CdS QDs/graphene 203
 - MoS₂/CdS/graphene (MCG) 211
 - MoS₂/graphene/CdS 210
 - MoS₂/N-doped graphene 209
 - MoS₂/rGO 208
 - ZnIn₂S₄ 208
- non-metal semiconductor 212–219
- reduced graphene oxide 165–167
- graphitic carbon nitride (g-C₃N₄)
 - challenges 475, 477, 478
 - cocatalyst loading 462–467
 - element doping 458, 460–462

- graphitic carbon nitride (g-C₃N₄)
(*contd.*)
- heterojunction 467
 - 2D layered composites 472
 - type-II structures 467
 - VB of WO₃ 474
 - Z-scheme charge transfer 468
 - morphology design of 455–457
 - photocatalytic CO₂ reduction for hydrocarbon fuel production 454–455
 - photocatalytic H₂O splitting for H₂ generation 453–454
 - photocatalytic N₂ fixation for ammonia production 455
 - pure g-C₃N₄ 448–452
 - self-assembly method 452
 - single-atom deposition 474–476
 - structure of 448
 - surface modification 457–458
 - thermal polymerization method 452
- h**
- Haber-Bosch process 119
 - Hall effect measurement 80
 - heterogeneous photocatalysts 3–9
 - heterojunction photocatalysts
 - activity enhancement 145
 - applications
 - photocatalytic CO₂ reduction 107–119
 - photocatalytic disinfection 136–143
 - Photocatalytic environmental remediation 1257–136
 - photocatalytic N₂ fixation 119–125
 - photocatalytic water splitting 89–107
 - band structure
 - charge carriers 80–81
 - light absorption ability 77–78
 - reduction and oxidation ability 78–80
 - charge carrier migration
 - mechanism
 - metal loading 85–87
 - reactive oxygen species trapping 87–89
 - in situ* irradiated XPS 89
 - charge carrier separation efficiency
 - electrochemical test 82–83
 - optical spectroscopy 83–85
 - classification of
 - direct Z-scheme photocatalysts 75
 - p-n junction photocatalysts 73
 - S-scheme photocatalysts 75–77
 - surface junction photocatalysts 73–75
 - type-II 72–73
 - facile preparation 145
 - material simulation 146
 - mechanism investigation 145
 - H₂ evolution reaction (HER) 350
 - hexamethylenetetramine (HMTA) 92
 - highest occupied molecular orbital (HOMO) 12, 370
 - high-resolution transmission electron microscopy (HRTEM) 181, 350
 - hot metal-free material 217
 - Hummer's method 186
 - hydrofluoric acid (HF) 110
 - hydrogen evolution reactions (HER) 14
 - hydrothermal method 243–245
- i**
- inorganic semiconductor
 - photocatalysis 11
 - In₂S₃-based photocatalysts
 - construction of

- direct Z-scheme heterojunction 282
 - indirect Z-scheme heterojunction 282–284
 - type-II heterojunction 280–282
 - crystal structure and electronic properties 272–273
 - morphology of
 - description of 274
 - one-dimensional structure 276, 277
 - three-dimensional structure 278–280
 - two-dimensional structure 276–278
 - zero-dimensional structure 274–276
 - in situ* irradiated XPS (ISI-XPS) 89, 102, 272
 - interfacial charge transfer (IFCT) 12, 13
 - internal electric field 469
 - ion exchange method 251–253
- l**
- Latimer-Frost diagram 38
 - light absorption ability 77–78
 - linker to a metal cluster charge transition (LCCT) 327
 - lowest unoccupied molecular orbital (LUMO) 12
- m**
- Materials Institut Lavoisiers-68 (MIL-68) 219
 - mesoporous carbon nitride (mpg-CN_x) 393
 - metal-free B-BO₃ (poly (benzoxadiazole) network polymer) 381
 - metal-insulator-semiconductor (MIS) 422
 - metal loading 85–87
 - metallophthalocyanine (MPc) based conjugated microporous polymers (MPc-CMPs) 372
 - metal-organic frameworks (MOFs) 90
 - graphene 219–224
 - photocatalytic degradation of organic pollutants 329–334
 - photocatalytic H₂ production from water 347–352
 - photocatalytic reduction of CO₂ 352, 355
 - CdS/MIL-101(Cr) 360, 364
 - CdS/UiO-bpy/Co composites 364
 - CsPbBr₃ QDs/UiO-66(NH₂) nanocomposites 364
 - MOF-253 360
 - NH₂-MIL-125(Ti) 355
 - PCN-222 355
 - ZIF-8 and g-C₃N₄ 360
 - Zn-MOF nanosheets 357
 - structure of 326
 - synthesis of 326, 327
 - metal oxide
 - AgI/BiOBr/rGO 198
 - Bi₂WO₆ 195–197
 - Cu₂O 198, 200
 - MoS₂/graphene/TiO₂ 190
 - P25/CNTs 187
 - TiO₂/graphene/Au composite 192
 - TiO₂/graphene composite 187
 - TiO₂ nanoflower 187
 - ZnO/GO composite 195
 - ZnO/graphene 195
 - metal sulfide
 - CdS/graphene 202, 203, 205
 - CdS/NG composite 203
 - CdS QDs/graphene 203
 - MoS₂/CdS/graphene (MCG) 211
 - MoS₂/graphene/CdS 210
 - MoS₂/N-doped graphene 209

- metal sulfide (*contd.*)
 - MoS₂/rGO 208
 - ZnIn₂S₄ 208
 - metal sulfide-based semiconductors 99
 - metal sulfide semiconductor
 - photocatalysts
 - CdS-based photocatalyst 254
 - chemical bath deposition 248–249
 - energy and environmental applications
 - photocatalytic H₂ production 301–303, 305
 - environmental and energy applications
 - photocatalytic reduction of CO₂ 305–306
 - photocatalytic removal of environmental contamination 306–307
 - ion exchange method 251–253
 - solution-based methods
 - hydrothermal method 243–245
 - solvothermal method 244, 246–248
 - strategy 241–242
 - template method 249–251
 - MIL-125 221
 - MoS₂/CdS/graphene (MCG) 211
 - MoS₂/CdS p-n junction 99
 - MoS₂/graphene 210
 - MoS₂/graphene/CdS (MGC) 211
 - MoS₂/rGO 208
 - MoS₂/UiO-66/CdS 351
 - Mott-Schottky electrochemical test 80, 81
- n**
- nanoparticle dispersion 179–180
 - N-doped CQDs (N-CQDs) 287
 - N-doped graphene 175
 - N-doped graphene (NG) 203
 - N-GQDs/g-C₃N₄ (N-CNU) 212
 - NH₂-mediated zirconium MOF 329
 - NH₂-MIL-125(Ti) 355
 - NH₂-MIL-125(Ti)/TTB-TTA composite 404
 - NiO/TiO₂ p-n junction photocatalyst 133
 - NiS/CdS p-n junction 99
 - NiS/Zn_{0.5}Cd_{0.5}S/RGO composite photocatalyst 243
 - nitrogen-containing π -conjugated microporous polymers (N-CMPs) 376
 - non-metal semiconductor
 - Ag₂CrO₄/g-C₃N₄/rGO 216–218
 - CNGA 214
 - g-C₃N₄/GO/BiOI 215
 - g-C₃N₄/graphene 212
 - g-C₃N₄/rGO 212
 - g-C₃N₄/ZnO heterojunction 215
 - N-GQDs 213
 - siloxene 218
- o**
- optical spectroscopy 83–84
 - organic photovoltaic (OPV) polymers 386
 - organic polymers photocatalysts, CO₂ reduction 391–396
 - organic semiconductor photocatalysis 11
 - organic transformation 372, 374, 376, 377, 381, 382
 - photocatalytic degradation of pollutants 369–372
 - photocatalytic H₂ production from water
 - CMPs 383, 385
 - conjugated materials 383
 - CTP-2 polymer 391
 - DBTD-CMP1 386
 - PCPs 386
 - PrCMP-3 384
 - TEPB and TEB 389
 - synthesis of 367–369

- oxidative photocorrosion 22
- oxygen evolution reaction (OER) 14
- oxygen reduction reaction (ORR) 14
- p**
- P25/carbon nanotube composite
(P25/CNTs) 187
- PCN-222 355
- B-BO₃ 381
- MIL-100(Fe) 339
- NH₂-UiO-66(Zr) 339, 341
- perylene-containing CMPs (PrCMPs)
384
- photocatalysts organic transformation
 COF formations, 406
- photocatalytic CO₂ reduction 37–41
- CdS/TiO₂ composite 119
- CdS/WO₃ 113
- Cu₂O/TiO₂ p-n junction
 photocatalyst 112
- g-C₃N₄/NaNbO₃ heterojunction
 107, 108
- g-C₃N₄/SnS₂ direct Z-scheme
 photocatalyst 114
- hydrofluoric acid (HF) 110
- TiO₂/CdS film 115, 117
- type-I Ag/AgCl/g-C₃N₄ 108
- type-II Ag/AgBr/g-C₃N₄ 108
- ZnO/g-C₃N₄ 118
- photocatalytic degradation 41–44,
 329–335
- photocatalytic disinfection
- Ag quantum dots (QDs) 142
- Fe₃O₄/CdS 136
- Na₂WO₄·2H₂O 139
- PCN, CeO₂/PCN composite 143
- TEOA, K₂Cr₂O₇ and BQ 143
- TiO₂ nanocrystals 139
- photocatalytic environmental
 remediation
- AgNO₃ 130
- BiOI surface junction 133
- BiVO₄/CeO₂ composite, 131
- BiVO₄/g-C₃N₄ 127
- g-C₃N₄/TiO₂ direct Z-scheme
 photocatalyst 136
- H₂PtCl₆ 135
- NiO/TiO₂ p-n junction
 photocatalyst 133
- SnO₂/TiO₂ composite 128
- photocatalytic H₂ production
 301–303, 305
- binary metal sulfide-based
 nanocomposite 303
- ternary metal sulfide-based
 nanocomposite 303–305
- unary metal sulfide 302–303
- photocatalytic N₂ fixation
- AgCl/δ-Bi₂O₃ p-n junction 122
- AgInS₂/Ti₃C₂ composite 122
- C₃N₄/ZnMoCdS composite 121
- Fe₂O₃/g-C₃N₄ 125
- photocatalytic organic transformation
 334
- CdS-M68 NCs 345
- COF-JLU22 405, 406, 408
- doped UiO-67 334, 336
- MIL-100(Fe) 339
- NH₂-UiO-66(Zr) 339, 341
- TpTt 411
- UiO-66-NH₂ 334, 337
- UiO-68Se 343, 345
- photocatalytic quantum efficiency
 14
- photocatalytic reduction of CO₂
 305–306
- photocatalytic removal of
 environmental contamination
- photocatalytic dye degradation
 307–308
- photocatalytic reduction of
 hexavalent chromium
 308–309
- photocatalytic water splitting 32–37,
 90, 92
- BiVO₄ 97

- photocatalytic water splitting (*contd.*)
 CdS/Cu₃P p-n junction 97, 99
 CdS/ZnO nanofiber composite 90
 metal-organic frameworks 90
 MoS₂/CdS p-n junction 99
 NiS/CdS p-n junction 99
 photoelectrochemical (PEC) 19
 photoelectrochemistry 2
 photogenerated electron-hole pairs
 99
 step-scheme (S-scheme)
 photocatalyst 105
 TiO₂ nanocrystals 92, 94
 TiO₂/NiS core-shell nanofibers
 direct Z-scheme photocatalyst
 102, 104
 TiO₂/WO₃ Z-scheme 102
 WO₃ direct Z-scheme junction
 photocatalyst 99
 WO₃/g-C₃N₄ S-scheme
 photocatalyst 107
 X-ray diffraction 90
 photoinduced interfacial charge
 transfer mechanism 11
 photoluminescence (PL) effect 83
 photothermal effect 176–177
 platinum (Pt) deposition 347
 p-n junction photocatalysts 73
 polymethyl methacrylate (PMMA)
 393
 polyoxometalate-based metal-organic
 frameworks (PMOFs) 334
 porous conjugated polymer (PCP)
 386
 porous coordination polymers (PCPs)
 326
 porous organic polymers (POPs)
 366, 367, 369
 porphyrin-based MOFs 355
 Por-sp²c-COF 406, 410
 Pt-loaded Ti-MOF-NH₂ 347
 pure g-C₃N₄ materials 448, 449, 451
- r**
 Raman spectroscopy 182–184
 reactive oxygen species trapping
 87–89
 Re(bpy)(CO)₃Cl 430
 reduced graphene oxide (rGO)
 165–168
 reduction and oxidation ability
 78–80
 reductive photocorrosion 22
 Rhodamine B (RhB)
 photodegradation 334
- s**
 semiconductor-based heterojunctions
 27
 semiconductor/cocatalyst composites
 30
 semiconductor photocatalysts
 classifications of 25
 design principles of 21–25
 development approaches of 29–32
 modification strategies of 25–29
 siloxene 218
 single-atom deposition 474–476
 SNNU-110 332
 SnS₂-based photocatalysts
 construction of
 cocatalysts 287, 288
 type-II heterojunction composites
 287–288
 Z-scheme heterojunction
 composites 288–290
 morphology of 284–286
 SnS₂ quantum dots 471
 solar energy photocatalysis
 design principles of 24, 25
 dynamics requirements for 14–21
 evaluation of 45–46
 history of 1–11
 IFCT 12
 inorganic 11
 organic 11

- processes of
 photocatalytic CO₂ reduction 37–41
 photocatalytic degradation 41–44
 photocatalytic water splitting 32–37
 SPR 11
 thermodynamic requirements for 13–14
 solar energy semiconductor
 photocatalysis 1
 solar fuels 240
 solar spectrum 240
 solution-based methods 243–245
 solvothermal method 244, 246–248
 S-scheme photocatalysts 75–77
 step-scheme (S-scheme)
 photocatalyst 105
 surface junction photocatalysts 73–75
 surface plasmon resonance (SPR) 11
- t**
- TAPT-BT-COF 404
 Teflon-lined stainless steel autoclave 243
 template method 249–251
 5-tertbutoxycarbonyl-5-methyl-1-pyrroline N-oxide (BMPO) 87
 tetrathiafulvalene (TTF) 430
 the dimethyl sulfoxide (DMSO) 172
 the NH₂-modified UiO-66 (UiO-66(NH₂)) 221
 thermal polymerization method 452
 thioacetamide 243
 three-coordination N atoms (N_{3C}) 246
 3D aromatic polymer (3DAP) 391
 TiO₂-based photocatalysts 10
 TiO₂-based photocatalytic materials 3
- TiO₂/CdS composite material 115, 117
 TiO₂ microspheres 10
 TiO₂ nanoflowers 187
 TiO₂/NiS core-shell nanofibers direct Z-scheme photocatalyst 102, 104
 TP-COP 371
 transient absorption spectroscopy (TAS) 19, 180–182
 triazine 448
 triazine-based polymers 393
 triethanolamine (TEOA) 143, 347
 1,3,5-triethynylbenzene (TEB) 388
 tri-textit-triazine (heptazine) 448
 1,3,5-tris-(4-ethynylphenyl)-benzene (TEPB) 388
 type-II g-C₃N₄-based heterojunction systems 467
 type-II heterojunction photocatalysts 72–73
 type-III heterojunction system 73
- u**
- UiO-66-NH₂ 334, 337
 UiO-68Se 343, 345
 unary metal sulfide 302–303
 United Nations Educational, Scientific and Cultural Organization (UNESCO) 125
 Universitetet i Oslo-66 (UiO-66) 222
- w**
- WO₃ direct Z-scheme junction photocatalyst 99
 WO₃/g-C₃N₄ S-scheme photocatalyst 107
- x**
- X-ray photoelectron spectroscopy (XPS) 85, 183–186

Z

- zeolitic imidazolate framework-8
(ZIF-8) 223
- ZIF-67 MOFs 90
- ZnIn₂S₄ (ZIS) 208
- ZnIn₂S₄ nanocrystals 244
- ZnO/ZnS heteronanostructures 352
- ZnS/graphene 207
- Z-scheme charge transfer mechanism
469

