

Index

a

A β amyloids 278, 279, 281, 282, 309
 aberrant glycolysis 219, 268
 acridine orange 57, 58
 adenosine tri-phosphate (ATP) 36, 232, 330, 334
 aging process 289
 alizarin red S 205
 AlkaP-1 285
 α -cell selective probe 114
 Alzheimer's disease (AD) 116, 170, 214, 230, 231, 234, 278, 283, 309
 amino acid transporters 308
 5-aminolevulinic acid (5-ALA) 267
 aminopeptidase N (APN) 265
 amphiphilicity 44
 amyloid probe, CDy11 116–118
 animal tumor models 269, 275
 antibodies, cell surface 37, 38
 anti-CD 93
 Apo-15 139
 apoptotic cell probe 139
 aptamer 186, 332
 astrocyte probe 149
 atomic force microscopy (AFM) 12
 avidity 124, 332

b

Bacteria Gram-positive Orange (BacGO) method 124
 bacteria probes 125, 154–155

β -Gal (β -Galactosidase) 266
 binding-activated localization microscopy (BALM) 321
 biofilm, component of 126
 bioimaging
 color 1–4
 colorful material 4–6
 definition 1
 light source 6–12
 biological system 217
 ATP 232–233
 histamine 234
 metal ions 221
 NADH 233–234
 pH 218–221
 ROS and RNS 241–243
 temperature 238
 viscosity 234–238
 biomarker, protein 88
 blood–brain barrier (BBB) 214, 267, 302
 blood vessel 3D model 195–196
 B lymphocyte probe 134–138
 boronic acid 122–124, 233, 246, 247

c

Calpain-1 266
 cancer cell line 269–271
 cancer imaging
 animal models 271–275
 biomarker binding 261–263

- cancer imaging (*contd.*)
 circulating tumor cell 269
 clinical diagnosis and prognosis 277–278
 environment 268–269
 ex vivo 3D tumor culture model 275–277
 intraoperative 278
 line 269–271
 metabolism 263–267
 transporter 267–268
 carbocyanine dyes 64
 carbohydrate-oriented live-cell distinction (COLD) 118
 biofilm probe 124–127
 embryonic stem cell probes 122
 gram-positive bacteria probe 122–124
 lectins 121–122
 carbohydrate tumor probes 145
 carbonic anhydrase 263
 carboxyfluorescein diacetate succinimidyl ester (CFDA-SE) 69
 Cathepsin S 162–163
 CD_{10a} and b 167–169
 CD_{yB} 153, 154
 cell city model 35
 cell cycle 58, 289, 325, 326
 cell discrimination 14, 87, 129, 169, 170, 333, 336
 cell division 13, 38, 51, 55, 94, 103–105, 271, 289, 326
 cell membrane, structure of 36
 cell plasma membrane 40–48
 cell-selective imaging 14, 330
 cell, unit of life 35
 chlorotoxin 263
 chromophore 4, 5
 circulating tumor cell (CTC) 269
¹¹C labeled PK11195 307
 cluster of differentiation (CD) 87
 color blindness 4
 Compound of Designation blue 8 (CD_{b8}) 122
 Compound of Designation green 4 (CD_{g4}) 122
 Compound of Designation green 16 (CD_{g16}) 150, 151
 Compound of Designation green 18 (CD_{g18}) 153
 Compound of Designation green B cell (CD_{gB}) 135, 153
 Compound of Designation red 3 (CD_{r3}) 99
 Compound of Designation red 20 (CD_{r20}) 169
 Compound of Designation yellow 1 (CD_{y1}) 96
 Compound of Designation yellow 5 (CD_{y5}) 103
 Compound of Designation yellow 11 (CD_{y11}) 116
 computed tomography (CT) 8, 9, 143, 205, 260, 268, 297, 299
 confocal fluorescence microscopy 316–317
 cornea, bacterial infection on 211–212
 CRANAD 281
 curcumin 281, 282
 cyclooxygenase-2 (COX-2) 61, 262
 CyTOF technique 137, 183
 cytosol, organelle-selective probes 68–69
- d**
 dementia 278, 304, 305, 309
 diabetes imaging 286–287
 dichlorodihydrofluorescein (DCFH) 243
 dihydroethidine 245
 discovery-driven approach 329, 332
 disease, biomarkers for 260
 dithizone 114–116

- diversity-oriented fluorescence library (DOFL) 92, 93
- DNA 50
dyes 53
intercalating dyes 54
sensors 53
structure and double helix 52
- dopamine transporter (DAT) 310
- DOTA 306
- drug delivery 36, 240, 260, 301
- e**
- elastin NIR (ElaNIR) 200
- electromagnetic wave 1, 7, 9, 10, 301, 303
- electron beam 10–12
- electron-rich phenols 249
- electrophilic trifluoromethyl ketone 247
- embryonic stem cell probes 93–99, 122, 146–147
- endocytosis 45, 47–49, 59, 129, 140, 141, 268, 319
- endoplasmic reticulum (ER) 13, 38, 58, 59, 128, 219, 313, 336
- endosomes 39, 47–51, 58, 70, 75, 128, 134, 140, 148, 219
- ER thermometer 238–240
- ethidium bromide 53
- ex vivo 3D tumor culture model 275–277
- ex vivo tissue imaging probes
immunohistochemistry 181–186
with nucleic acid probes 186
organoid 194–195
with small-molecule probes 186–188
- extracellular vesicles (EVs) 69–72
- f**
- filipin 129
- flow cytometry technique 325–327
- fluorescence-activated cell sorter (FACS) 96, 326, 327
- fluorescence correlation spectroscopy (FCS) 324
- fluorescence cross-correlation spectroscopy (FCCS) 324
- fluorescence imaging techniques
multicolor imaging 313–315
ratiometric measurement 315–316
- fluorescence lifetime imaging
microscopy (FLIM) 239, 316
- fluorescence recovery after photobleaching (FRAP) 324
- fluorescence resonance energy transfer (FRET) 161, 264, 330
- fluorescent thermometers 241
- forward scatter (FSC) 22, 325
- frequency doubling 318
- fundus photography 210, 211
- Fura-2 218, 225, 226, 228, 316
- g**
- gamma ray generating radioisotope 303
- gating oriented live-cell distinction (GOLD)
ABC transporters 155–157
astrocyte probe 149
bacteria probes 154–155
cell imaging probes 140–143
free tame dye 157–160
glucose transporters 144–146
macrophage probes 150
Naïve embryonic stem cell probe 146–147
neurotransmitter mimetic probes 147–149
SLC transporters 143–144
- gene sequencing 91, 120
- germanium-rhodamine pH sensor 268, 269
- glibenclamide 60, 61
- global gene network 98

- glucose transporters (GLUTs) 119, 144–146, 152, 189, 268, 307, 330
- γ -glutamyltraspeptidase (GGT) 266
- glycerol phospholipids 40, 41
- Golgi body 13, 19, 38, 43, 58–62, 75, 77, 128, 154, 159, 219, 225, 232, 241
- G-quadruplex (G4) 159
- gram-positive bacteria probe 122–124
- granulocytes 22–24, 99, 126, 134, 170, 171, 234, 286, 325, 335
- granzymes 163–165
- h***
- Hayflick limit 269, 271, 289
- Hela cells 151, 236, 238, 240, 251, 271
- hematoxylin 20, 21, 23, 179, 182, 183
- H&E staining 20, 23, 179–181, 186, 187
- histamine 23, 171, 172, 234
- HLKPLQSKL 68
- Hoechst 33342 155, 156, 196
- Hoechst dyes 54, 55
- horseradish peroxidase (HRP) enzyme 181
- hydrogen peroxide 24, 63, 181, 242, 243, 245, 247
- hydroxyl radical sensors 251
- hypochlorous acid (HOCl) 243, 249
- hypothesis-driven approach 329, 330, 332
- i***
- immunohistochemistry 181–186, 194
- indocyanine green (ICG) 32, 261
- induced pluripotent stem cells (iPS) 94–95, 97
- in vivo whole-body imaging probes
- blood vessel 204
 - bone imaging 205–206
- ElaNIR 200
- eye imaging 208–209
- LipidGreen 203–204
- macrophage imaging 213–214
- NeuO 202–203
- pancreatic islet imaging 206–207
- zebrafish embryo 201–202
- inflammation
- animal models 286
 - environment change 284–285
 - immune cells 285–286
- inositol 217, 308
- insulin 113–116, 145, 188, 191, 207, 230, 231, 287
- intracellular membrane 38
- iron ion 230, 231, 303
- j***
- JC-1 65, 239
- juvenile diabetes 188, 287
- l***
- lectins 121–122
- light vision 1
- lipid composition 47, 135, 136, 333
- lipid droplets (LD) 43, 66–67, 129–130, 153, 171, 172, 203, 235, 241, 288, 335
- LipidGreen 203–204
- lipid oriented live-cell distinction (LOLD)
- activated CD8⁺ lymphocyte probe 138–139
- apoptotic cell probe 139
- B lymphocyte probe 134
- filipin 129
- lipid droplet 129–130
- neuron probes 130
- lipid raft 47, 48, 324
- liver disease 288–289
- LUM015 264, 265
- LysoProbe I and Rlyso 50

- lysosomes 13, 39, 47–51, 58, 75–79, 149, 159, 160, 219, 221, 235, 241, 264, 266, 268, 284
- lysotackers 49
- m**
- M1 macrophages 152–153
- macrocyclic hexaoxazoles (6OTDs) 159
- macrophage imaging 213–214
- macrophage probes 141, 150, 162
- magnetic resonance imaging (MRI) 8, 205, 260, 299, 301
- matrix metalloproteinase 12 (MMP12) 162
- MemBright dyes 46
- metabolism oriented live-cell distinction (MOLD)
- extracellular matrix 160–165
- microglia probe 165–170
- neutrophil probe 170–172
- metal ions
- Ca²⁺ 225–227
 - copper ion 231–232
 - fluorescent sensors 228–229
 - iron ion 230
 - Mg²⁺ 227–228
 - Na⁺ and K⁺ 222–225
 - Zn²⁺ 230–231
- metastasis model 273
- MF800 213, 214
- microglia probe 165–170, 335
- milk proteins 181
- mitochondria 62–66
- mitochondria thermometer 240
- MitoTrackers 65, 113
- molecular imaging techniques 9
- molecular rotor 68, 235, 281, 284
- multicolor imaging 32, 54, 55, 67, 122, 153, 158, 313–315
- Multidimensional Protein Identification Technology (MudPIT) 90–92
- muscle cell probes 110–113
- n**
- Naïve embryonic stem cell probe 146–147
- nicotinamide adenine dinucleotide + hydrogen (NADH) 63, 233
- nanoscopy 11–13, 321
- naphthalene dyes 33, 237
- N-dearylation 248
- near-infrared (NIR) 7, 199, 261, 314
- NeuO stains 132, 133, 202
- neural stem cell probes
- CDr3 99–103
 - CDy5 103–105
- neurodegenerative disease
- A^β amyloid aggregates 278–281
 - AD imaging 281–283
 - animal model 283–284
- neuronal cells 44, 130, 147, 148, 192, 193, 202, 209, 282
- neuronal tissue imaging 191–194
- neuron imaging 20, 202–203, 210–211
- neuron probes 130–132, 148
- neurotransmitter mimetic probes 147–149
- NeutropG 170–172, 335
- Newport green 115, 116, 188, 189, 230, 231
- Nile red 61, 66, 67, 129, 203
- NIR-OH-1 285, 286
- Nissl dyes 131
- non-alcoholic fatty liver disease (NAFLD) 288
- non-membrane-bound condensate 72
- non-optical imaging probes
- MRI 301–303
 - multimodality 310–311
 - PET 306–310
 - SPECT 303–306
 - ultrasound 297–298
 - X-ray contrast agents 298–301
- NOTA 306

- NRER_{Cl} 61
 nucleus 8, 13, 20, 22–24, 38, 39, 50–58,
 72, 73, 75, 77, 94, 143, 179, 182,
 185, 218–220, 227, 235, 241, 301,
 303, 314
- o**
 O-dearylation 251
 Oil red O 67, 129
 optical coherence tomography (OCT)
 209–210
 optical resolution 13, 320
 organelle-selective probes 35–80
 organoid
 blood vessel 3D model 195–196
 for drug screening 196
 orthotopic 4T1 breast tumor mouse
 model 214
- p**
 pancreatic β -cell selective probe
 114–116
 pancreatic cell probes
 β -cell probes 114
 Pancreatic islet Fluorinated probe (PiF)
 115, 207
 pancreatic islet imaging 188–191,
 206–207
 Pancreatic islet Yellow (PiY) 113, 189
 Parkinson’s disease (PD) 278, 309
 peroxisome-targeting signal (PTS) 67,
 68
 peroxynitrite (ONOO[−]) 68, 243, 247,
 284
 PhagoGreen 141, 142
 phalloidin 89, 92
 Phen Green 230, 231
 pHocas-3 141, 142
 phospholipids 35, 40–44, 46, 66, 72,
 74, 76, 128, 139, 298, 301
 photo-activated localization microscopy
 (PALM) 321
- photoacoustic imaging 10, 108, 155,
 199, 201, 241
 photoacoustic mode 108, 311
 photoactivation, of caged molecule
 323–324
 photo dynamic therapy (PDT) 97
 photo multiplier tube (PMT) 313
 PicoGreen 54
 plasma membrane probes 44, 45, 59,
 131
 polyethylene glycol (PEG) 165, 187,
 300
 positron emission tomography (PET)
 9, 144, 205, 268, 299, 306, 329
 post-translational modification (PTM)
 59, 61, 89, 90, 118, 120
 probe41 138
 propidium iodide 53, 188, 189
 prostate cancer 262, 267, 307
 protein oriented live-cell distinction
 (POLD) 88–118
- q**
 qTJ71 165, 166
 quantitative structure–activity
 relationships (QSAR) 67
- r**
 radioactivity 301, 303
 reactive oxygen species (ROS) 63, 86,
 241–251, 267, 330
 retina
 fundus photography 210
 neuron imaging 210–211
 optical coherence tomography
 209–210
 ribonucleoprotein particles (RNPs)
 72
 RNA-binding proteins (RBP) 57, 73
 Roger Y 217
 rough endoplasmic reticulum (rER)
 59
 rRNA 57

s

- scanning electron microscopy (SEM) 10
 screening-based approach 332
 second-harmonic generation (SHG) 318
 selective plane illumination microscopy 318–319
 selective probes
 design of 329–331
 by screening 331–336
 selective transporter 330
 side scatter (SSC) 22, 325
 simplest Chinese box (SCB) model 76
 single-molecule imaging 322–323
 single-photon emission computed tomography (SPECT) 9, 143, 268, 299, 303
 skeletal muscle 110, 228
 small-molecule probe 14, 75, 88, 89, 92, 95, 104, 107, 108, 118, 129, 135, 139, 164, 186–195, 261, 326
 smooth endoplasmic reticulum (sER) 59
 seminaphthorhodafluors (SNARF-1) 220
 soap bubble membrane 35, 36
 spectrin–actin network 38
 sphingolipids 40, 41
 sponges 86, 87, 195
 StatoMerocyanines 67
 stimulated emission depletion (STED) 55, 320
 stochastic optical reconstruction microscopy (STORM) 320–322
 streptozotocin (STZ) 145, 146, 189, 287
 structured illumination microscopy (SIM) 320
 subcellular imaging 12–13, 182
 superoxide 63, 242–245, 247, 251

- super-resolution imaging 55, 185, 320–322
 SYBR Green I 54
 symbiosis 63, 64, 85, 86
 synthetic colorful materials 4

t

- tame dye 157–160, 334
 taxol 89, 92
 T-cell maturation 87, 88
 T1 contrast agents 302
 T2 contrast agents 302, 303
 tetramethylpiperidine-1-yl-oxyl (TEMPO) group 251
 theragnosis 289
 third-harmonic generation (THG) 318
 three-color recognition 3
 thyroid 268, 305
 tissue and organ imaging 14–115
 TO-PRO-3 196
 total internal reflection fluorescence microscopy (TIRF) 319–320
 TPFL-ER 61
 transcription 56, 91, 95, 262
 transcriptomics 91, 92
 translocator protein TSPO 305
 transmission electron microscopy (TEM) 10, 11
 tris buffer (pH 9) 181
 TSA amplification 182
 tyramide signal amplification (TSA)
 method 182
 tumor-initiating cell probe NIR (TiNIR) 108–110, 290
 tumor-initiating cell probes
 TiNIR 108–110
 TiY 105–108
 Tumor-initiating cell probe Yellow (TiY) 106
 2D DIGE 91
 2D gel 89–91, 101, 102
 2D HPLC 89, 90

two-photon excitation fluorescence imaging 317–318
type II diabetes 188, 287

U

ultrasound contrast agent (UCA) 297, 298
ultrasound imaging probes 297–298
V
vesicular monoamine transporter 2 (VMAT2) 148, 310
viscosity 68, 217, 224, 229, 234–237, 241, 268–270, 284, 299, 330, 336
visible light 1, 4–9, 13, 25, 75, 97

W

whole-body imaging 7, 15, 116, 122, 143, 149, 150, 195, 199–214, 287, 297

X

γ -ray 7, 9, 10
X-ray contrast agents 298–301
X-ray light 8

Z

zebrafish embryo 169, 201–204
ZeN probes 201, 202

