

Index

a

absorption spectra 15, 22, 127, 157, 194, 248, 269, 322, 351, 352, 354, 365, 403, 406, 467, 496, 497, 507
 of hemoglobin (Hb) 248
 absorption transitions 22, 127
 acceptor fluorophore 188, 495
 accumulator 289, 400
 active isolated oscillator 101
 active-core/active-shell (ACAS) 430
 aerodynamic levitation method 161
 2-aminoethyl dihydrogen phosphate 253
 aminopropyltriethoxysilane (APTES) 50, 163
 amino-reactive organic dyes doped silica layer 257
 aminosilane coated NaYF₄ 403
 ammonia borane (BH₃NH₃) 480, 481
 amorphous silicon solar cell 320, 323
 amorphous TiO₂ binded UCNPs 471
 amphiphilic polymers 226
 anodization process 148
 anthraquinones 527
 anti-cancer drugs 523
 doxorubicin 523, 526, 531
 anti-counterfeiting technologies 31, 144, 149, 153, 156, 203, 204, 222–224, 230, 232, 233, 236, 308, 319–340
 anti-Stokes emission 2–6, 109, 122, 378
 anti-Stokes luminescence 171, 449
 anti-Stokes shift 22, 132, 133, 172, 221, 294, 303, 397, 496
 atomic force microscopy (AFM) 235

attenuated total reflectance (ATR) 100
 Au/NaTaO₃/Er³⁺:YAlO₃ nanocomposites 472
 Au/NaYF₄:Yb³⁺,Er³⁺/WO₃.0.33H₂O-W₁₈O₄₉ (A/NYYE/WW) heterojunctions 467
 autofluorescence 172, 199, 250, 331, 333, 395, 401, 409, 496, 507, 508, 517–519, 526

b

back energy transfer (BET) 125, 126, 149, 163, 175–177, 291, 296
 backscattered electrons (BSE) 74, 75, 77
 bacteriochlorins 527
 bandshape 418, 423, 424–426
 band shape-based nanothermometry 424
 bandwidth 184, 191, 199, 224, 423, 424, 426–427
 “bare and clean” Au NPs 474
 barley yellow mosaic virus (BaYMV) 507
 Beer–Lambert’s law 82, 88
 bio-functionalization 246–257
 of upconverting materials 247–257
 bio-incompatible capping ligands 247
 BiOBr nanoparticles 473
 BiOBr-based NIR responsive heterojunction photocatalys 466
 biocompatibility test 304
 bioconjugated nanoparticles 252
 biodegradable polymers 248, 253, 530

- bioimaging 199, 200, 333
 - cell imaging 518–520
 - multimodal imaging 520–522
- bioimaging sensitivity 177
- biological sensing 336, 339, 375
- BiVO₄/CaF₂:Er³⁺,Tm³⁺,Yb³⁺ (BVO/CF) 460, 462
- black phosphorus (BP) 363, 478
- blue upconversion 142
- Bohr magneton 21
- bottom-up strategy 34
- Bragg's equation 69
- Bragg's law 70, 71, 77
- breast cancer cells 257
- Bridgman technique 161–163
- Bromocresol green-doped silica 397, 407
- bulk-heterojunction (BHJs) 361
- C**
- calcination process 38
- camptothecin (CPT)/doxorubicin (DOX) delivery 202, 522–526, 531–533
- cancer biomarkers 525
- cancer receptor biomolecule 247
- CAO:Er,Yb 433, 434
- CAO:Tm,Yb Phosphor 436
- carbon-based perovskite solar cells (C-PSC) 360
- carcinoembryonic antigen (CEA) 200, 253, 519
- cathodoluminescence 1, 74, 386
- cell cycle progression 396
- cell death 255, 303, 396, 517, 526–528, 531
- cell imaging 518–520
- cetyltrimethylammonium bromide (CTAB) 39, 48, 76, 222, 247
 - ligands 247
- channelrhodopsin-2 (ChR2) ion channels 205
- characterization techniques and analysis
 - EDS 79–80
 - FESEM 74–76
 - pump power dependent UC 87–88
 - TEM 76–79
 - TGA 81–82
 - XPS 72–74
 - XRD 69–72
- charge-coupled device (CCD) camera 77, 83
- chemical vapor deposition (CVD) 51
- chemiluminescence 131, 267
- chitosan-wrapped ZnPc 530
- chlorins 527
- C₃N₄ nanotubes (C₃N₄ NTs) 477, 478
- co-precipitation method 149, 159, 449, 508
- codoping 144, 147–149, 151–153, 155, 156, 159, 245, 321, 330, 376
- collision-induced energy 84
- colloidal silica particles 46
- color correlated temperature (CCT) 386
- color rendering index (CRI) 197, 198, 386
- colorimeter 88
- colorimetric theory 88–89
- colour tunability 186
- combat thermal quenching 110
- combustion technique 40–42
- Commission Internationale de l'Éclairage (CIE) chromaticity 150, 156, 182, 183, 187, 386–388
- composite materials 245, 246
- computed tomography (CT) 200, 233, 301, 335, 520
- concentration quenching 16, 31, 45, 109, 192–194, 288, 298, 376
- concentration quenching effect 192, 288
- concentration-dependent decay 127
- continuous wave (CW) lasers 243
- continuum X-ray (Bremsstrahlung) 74
- conventional energy resources 384
- cooperative energy state 5
- cooperative energy transfer (CET) 5, 128, 147, 152, 153, 181, 348, 400
- cooperative luminescence 4–6, 174
- cooperative sensitization process 5, 6
- cooperative sensitization upconversion (CSU) 5–6, 378
- coprecipitation technique 35–36

- core@shell
 bio-imaging applications 297–301
 cation-exchange 277
 frequency upconversion 291–297
 inorganic based up-conversion 291–297
 hot-injection 276–277
 optical characterizations 281–291
 loop type and avalanche type
 up-conversion processes 289–291
 normal conversion process 283–289
 photodynamic therapy 303–306
 photothermal therapy 301–303
 security ink 308–310
 structural characterizations 277–281
 synthesis 272–291
 temperature sensor 306–308
 thermolysis 272–276
- core@shell architectures
 gas phase reaction 51
 liquid phase reaction 46–51
 microemulsion technique 48–51
 Stöber technique 46–48
 mechanical mixing 52
 solid phase reaction 45
- core@shell structured upconverting nanoparticles 378
- core@shell structure technique 430
- core-shell nanohybrids 222, 223
- core-shell nanoplates 532
- core-shell nanostructures 45, 222–224, 236
- core@shell systems 430, 432
- core-shell UCNPs 200, 222–224, 502
- counterfeit documents 329
- covalency 22, 157, 242
- covalent interactions 37
- COVID-19 pandemic 509
- $\text{CO}_3@YbPO_4:\text{Er}^{3+}$ hollow spheres 524
- cross relaxation (CR) process 4, 6, 120, 124–126, 128, 177, 181, 183, 290, 348, 378
- crucial dopant ions 179
- crystal field 242
 theory 10–12
 transition metal ions mechanism, in
 crystal field 145–164
- crystal lattice 8, 13, 70, 107, 121, 194
- crystal violet (CV) molecule 105
- crystalline materials 34, 242, 291
- C-Si solar cell 157, 158, 199, 320, 321–324
- cucumber mosaic virus (CMV) 507
- β -cyclodextrin (β -CD) 525
- d**
- 3D anticounterfeiting barcodes 222
- d-d transitions of, 3d transition metal ions 143
- dealcoholization polycondensation 37
- de-Broglie hypothesis 74
- de-Broglie principle 74
- de-excitation 1, 15–18, 32, 109
- degree of polymerization 37, 47
- dehydration polycondensation 37
- dephasing 101
- Dexter theory 18
- Dexter type energy transfer 289
- 4-(dicyanomethylene)-2-methyl-6-(p-dimethylamino)styryl)-4H-pyran (DCM) 386, 387
- dielectric superlensing-mediated strategy 173, 196
- diffracted beams 71
- diffraction angle 70, 155
- diketopyrrolopyrrole-quaterthiophene terpolymer (PDPP4T) 361, 362, 365
- dimethyl maleic anhydride (DMMA) 522, 523, 530
- dimethyl sulfoxide (DMSO) 103
- dimethylmaleic acid (DMMA) 522, 523, 530
- dipole-dipole interaction 16–18, 127, 188, 495
- dithienylethene (DTE) 223, 224
- divalent rare earth ions 13–14
- DNA/protein conjugated systems 418
- dominant energy transfer processes 183
- donor absorbs light 268

- donor fluorophore 188, 495
 - dopant terephthalic acid (TPA)
 - 2, 3, 109
 - doped/undoped metals fluorides 376
 - down-conversion luminescence 159,
 - 160, 171, 267
 - downconversion spectroscopic properties
 - 152
 - down-converting phosphors 197, 328
 - doxorubicin (DOX) 202, 257, 275
 - drug delivery
 - functionalization of UCNPs 525
 - metal organic frameworks 525–526
 - metal oxide-coated UCNPs 525
 - NIR-triggered drug delivery systems (DDS) 526
 - pH-responsive drug delivery system 526
 - photodynamic therapy 526–531
 - polymer coating 524
 - silica-coated UCNPs 524–525
 - thermoreponsive drug release 526
 - dual-center thermometers 424
 - dual-core-shell nanomaterial 525
 - dual-modal imaging modality 48
 - dual-photosensitizers 255
 - dual-wavelength-based optical fiber
 - pH-sensors 401
 - 3d wave function 146
 - dye sensitized solar cells (DSSCs) 156,
 - 195, 320, 324–325
 - dynamic light scattering (DLS) 68, 84–85
- e**
- electric dipole transitions 16, 20
 - electroluminescence 1, 131, 340, 386
 - electromagnetic radiation 1, 15, 16, 45,
 - 69, 72, 195
 - electromagnetic spectrum 44, 117, 398,
 - 418
 - electron exchange (EE) 499, 500
 - electron lattice interaction 147
 - electron multiplier 72
 - electron-electron interaction 8, 12
 - electron-phonon (ion-lattice) coupling
 - 141
 - electronic configuration 7, 9, 10, 13, 15,
 - 33, 141, 142, 152, 173, 268, 291, 293
 - electronic transitions 23, 67, 97, 181,
 - 183, 268, 397, 418, 427
 - electrospinning technology 452
 - electrostatic dipole-dipole interaction
 - 188
 - emission processes
 - emission *via* non-radiative transitions 16
 - ET process 16–18
 - emitted photon energy 2
 - endocytosis processes 396
 - energy dispersive X-ray spectroscopy (EDS) 68, 79–80, 227
 - energy looping process 291
 - energy mediated up-conversion (EMU)
 - 289, 400
 - energy sensitization 224, 225, 229, 230,
 - 236
 - energy transfer (ET) process 16, 122,
 - 126, 127, 151, 153–155, 175, 177, 179, 182, 183, 184, 235, 271, 291, 294, 296, 358
 - energy transfer upconversion (ETU)
 - 4–6, 12, 18, 19, 120–124, 127, 128, 152, 160, 162, 163, 172, 285, 289, 290, 378, 379–380, 399, 496
 - assisted upconversion over ESA 379–380
 - energy-cascaded upconversion (ECU)
 - 191
 - environmental pollution 349, 384, 451,
 - 473
 - Er³⁺ doped fluorooxide glasses 127
 - Er³⁺/Yb³⁺ doped SrWO₄ phosphor 434
 - (1-ethyl-3(3-(dimethylamino)propyl-carbodiimide hydrochloride 529
 - ethylenediaminetetraacetic acid (EDTA)
 - 39–41
 - Eu³⁺-doped organic–inorganic hybrid NPs
 - 419
 - ex-vivo upconversion imaging 253

- excitation energy 2, 5, 6, 16, 32, 121, 131, 147, 148, 157, 163, 173, 183, 194, 195, 224, 235, 236, 242, 243, 267, 271, 278, 289, 291, 294, 349, 466
- excitation monochromator 86
- excitation processes
- charge transfer transition 15
 - f-d* transition 15
 - f-f* transition 15
- excitation spectra 85
- excited atoms/molecules 118
- excited state absorption (ESA) processes
- 3–4, 6, 12, 18–20, 109, 120–123, 148, 152, 157, 158, 160, 162, 163, 175, 179, 290–292, 296, 348, 378–380, 399
 - assisted upconversion over ETU 380
- extensive autofluorescence 199
- external hydrostatic pressure 152, 157
- external quantum efficiency (EQE) 164, 321, 359, 361, 362
- f**
- Fabry–Perot cavity 381
- facile in-situ etching GC method (FIEG) 466
- feedback looping 6, 400
- 4f electron transition characteristics 451
- Field Emission Displays (FED)
- applications 386
- field emission scanning electron microscopy (FESEM) 68, 74–76, 144
- fingerprints 326–328
- finite-difference time-domain (FDTD) analysis 356, 357
- first-order differential equation 118
- flexible opal photonic crystal (OPC) film 232, 233, 331
- flexible planar photodetector 359
- flower-patterned nanodisks 40
- fluorescein isothiocyanate (FITC) 188, 189, 396, 401, 403, 405
- fluorescence based thermal sensors 419
- fluorescence imaging 198, 250, 253, 333
- fluorescence intensity ratio (FIR) 99, 202–205, 307, 308, 419, 424–427, 430, 434, 504
- fluorescence resonance energy transfer (FRET) 188
- mechanism 51
 - system 450
- fluorescence turn-off mode 496
- fluorescence turn-on mode 496
- fluorescent biolabels 200, 253
- fluorescent dyes 188, 248, 395
- fluorescent intensity 175, 202, 203, 252, 306, 307, 419, 424–426, 481, 498, 500, 502, 504
- fluorescent screen/ photographic film 77
- Fluorine-18 253, 301
- fluorophore 85, 87, 120, 188, 200, 242, 243, 495, 518
- focal plane array (FPA) detector 108
- folic acid 201, 234, 256, 257, 275, 288, 297, 304, 305, 306, 518, 519, 522, 525, 529, 531, 532
- foot mouth disease virus (FMDV) 508
- forced electric dipole transitions 16, 20
- Förster resonance energy transfer (FRET) 253, 254, 400, 405, 495–496
- based biosensing 203
- Fourier transform infrared (FTIR) spectroscopy 99
- ATR 100
 - DRIFTS 100
 - of semiconductor, superconductor and hazardous materials 108–109
 - in transmission mode 100
- frequency conversion
- anti-stokes emission 2–6
 - cooperative luminescence 5–6
 - CR 6
 - CSU 5–6
 - GSA/ESA 3–5
 - PA 6
 - stokes emission 2
- frequency upconversion 142
- and mechanisms 144
 - applications 144–145

- frequency upconversion (*contd.*)
 electronic configuration of, transition elements 141–142
 structural and optical characterizations 143–144
 synthesis of, transition metal ions
 activated luminescent nanomaterials 143
 transition metal ions mechanism, in crystal field 145–164
 UC mechanisms in, Co^{3+} and Ni^{2+} -based system 157–158
 UC mechanisms in, Cr^{3+} -based system 153–155
 UC mechanisms in, Cu^{2+} , Zn^{2+} and Zr^{4+} -based system 158–160
 UC mechanisms in, Fe^{3+} -based system 155–157
 UC mechanisms in, Mn^{4+} and Ti^{2+} -based systems 151–152
 UC mechanisms in, Mn-based system 146–151
 UC mechanisms in, Nb^{5+} , Mo^{3+} , Ru and Ag^+ -based system 160–162
 UC mechanisms in, Os^{4+} and Au-based system 162–164
 frequency upconversion mechanism 175
 full width at half maxima (FWHM) 230, 382, 426, 427
 functionalization of UCNPs 193, 525
 fundamental vibrational modes 99
 fungicides
 commercialization 510
 definition 493
 monitoring of 494
 traditional detection methods of 494
 visual detection of
 electron exchange 500
 FRET 495–496
 inner filter effect (IFE) 496–499
 PET 499–500
 significant works 500–504
- g**
 GaAs based solar cell 320, 324
 GC@BiOBr heterojunction photocatalyst 466
 $\text{Gd}_2\text{O}_3:\text{Tm},\text{Yb}$ phosphors 435
 glucopyranosyl antibiotic 493
 gold nanorods (GNRs) 194, 196, 202, 247, 257, 532
 graphene hybrid micro-pyramidal structure 363, 364
 green synthetic approach 52
 ground state absorption (GSA) 3–6, 12, 18, 19, 120, 122, 148, 152, 162, 175, 179, 289, 290, 291, 296, 348, 379
 guanidiniocarbonyl-pyrroles (GCP) 106
 GVO:Tm,Yb 435
- h**
 halide perovskites 197, 357, 361
 Henderson–Hasselbalch equation 401
 hexadecyl trimethyl ammonium bromide (CTAB) 39, 48, 222, 247, 453
 hexagonal boron nitride (h-BN) 363, 365
 hexagonal phase 33, 187, 229, 273, 274, 276, 278, 280, 283, 288, 291, 327, 339
 high resolution TEM (HRTEM) 78, 229, 277, 278, 454
 high-angle annular dark field scanning transmission electron microscopy (HAADF-STEM) 193, 230
 high-energy short-wavelength visible/ultraviolet (UV) light 450
 high-resolution noncontact thermometers 417
 host nanomaterials 110
 hot-injection 272, 276–277
 human epithelial growth factor receptor-2 257
 human-glioma 254
 hybrid upconversion nanomaterials 221
 hybrid upconverting nanoparticles 224–226
 hydro(solvo)thermal technique 39–40
 hydrogen peroxides (H_2O_2) 527

- hydrolysis reaction 37, 39, 47
 hydronium ions 400
 hydrophilic-lipophilic balance (HLB) 49, 50
 hydrophobic UCNPs 50, 529
 hydroresistance 241
 hydrothermal method 40, 143, 148, 153, 155, 198, 222, 451, 453, 455, 460, 467, 471, 529
 hydrothermal technique 40, 149, 155, 156
 hydroxycarbonates 153
 hydroxyl radicals (OH) 349, 350, 451, 460, 527, 530
 (*N*-hydroxysulfosuccinimide) chemistry 529
- i**
- imaging techniques 200, 250
 immune histochemical technologies 257
 incident electromagnetic radiation 195
 incident photon 3–6, 82–85, 109, 196, 221
 incident photon energy 5, 82, 83
 indocyanine green (ICG) dye 191, 192, 200
 inelastic scattering 70, 97
 infrared (IR) spectroscopy 99
 infrared photodetectors (PDs) 357, 365
 inhibitory concentration (IC₅₀) values 253
 inner filter effect (IFE) 495–499, 503, 504
 inorganic nanoparticles 245, 308
 inorganic pollutants degradation 469–473
 inorganic tetrahedron 107
 inorganic-organic hybrid materials 224
 intense absorption spectra 15
 intermolecular processes 117
 Internal Reflection Element (IRE) crystal material 100
 International Centre for Diffraction Data (ICDD) 71
- International Union of Pure and Applied Chemistry (IUPAC) 131
 intersystem crossing (ISC) 224, 527
 intra-cellular pH-quantification 396
 intra-configurational transitions 172, 174
 intra-particle energy transfer 32
 intracellular thermometers 419
 intrinsic quantum yield 134
 ion (donor) transfers 5
 ionic liquids based synthesis 52
 ionic-covalent bindings 241
 ionic-covalent bonds 246
 iron oxide nanoparticles (IONPs) 49, 202, 226, 532
 irradiative energy transfer (IET) 452, 453, 455, 472
- j**
- Jablonski diagram 2, 495, 496
 Joint Committee on Powder Diffraction Standards (JCPDS) 71, 72, 280
 Judd–Ofelt theory 16, 21, 134, 426
 Judd–Ofelt intensity parameters 21, 426
- l**
- ladder-like energy levels of RE³⁺ ions 398
 lanthanide based phosphors 419
 lanthanide complexes 225, 418
 lanthanide doped upconversion nanoparticles 347
 lanthanide doping 33
 lanthanide elements 8, 242, 384
 lanthanide ions 33, 35, 67, 159, 184, 221, 222, 224, 241, 244, 292, 322, 347, 348, 433, 531
 lanthanide organic frameworks (LOFs) 418
 lanthanide-based UCNPs 348, 359, 361, 517, 520
 lanthanides based nanomaterials 418
 lanthanum silicate 178, 179
 lanthanum zirconate nanoparticles 178, 179

- Laporte forbidden Intra-4f transitions 397
- Laporte parity selection rule 15
- Laporte rule 20
- Laporte-forbidden f-f transitions 173
- large anti-Stokes shift 22, 133, 172, 303, 397, 496
- lattice vibrations 99, 385, 426
- lifetime technique 427
- light emission 131, 185, 186, 190, 197, 198, 387, 388, 398, 418, 477
- light emitting diodes (LEDs) 117, 178, 197–198, 241, 385, 386
devices 384
- LiLaP₄O₁₂:Yb³⁺/Er³⁺ 429
- liquid nitrogen 79
- LiYF₄:Yb³⁺/Tm³⁺@SiO₂ UCNPs 532
- Ln³⁺-based materials 418, 419
- localized surface plasmon resonance (LSPR) 106, 195, 196, 202, 233, 330, 467, 478, 480, 481
- longitudinal surface plasmon resonance (LSPR) 195, 196, 202, 233, 330, 432, 467, 478, 480, 481
- Lorentz fitting function 382
- low-power continuous wave (CW)
excitation sources 87, 129, 203, 205, 223, 229, 243, 244, 255, 290, 294, 295, 303, 307, 310, 382, 383, 517
- lowest unoccupied molecular orbitals (LUMO) 191
- luminescence 131, 267
decay kinetics 117
emission 242
intensity 118, 242, 271
resonance energy transfer (LRET) 495–496
thermometry 423
upconverting nanoparticles 143
- luminescent based fully noncontact nano-thermometer 432
- luminescent ions 242, 272, 285
- luminescent phosphors 39, 174, 319
- Lutetium 8, 9, 347, 388
- lymphatic system 253
- m**
- magnetic moment 156, 250, 299, 301, 521
- magnetic nanoparticles (MNPs) 49, 226
- magnetic resonance imaging (MRI) 153, 156, 200, 226, 249, 253, 299, 334, 519, 520
- magnetic-upconverting nanoparticles 226–228
- MAPbI₃ microarrays with UCNPs 359
- matrix materials 449, 451
- maximum luminescence intensity 184
- measurement of, quantum yield
optical methods
absolute method 133–134
measurement of, intrinsic quantum yield 134
relative method 133
other methods 134–135
PAS 134
TL method 135
- mechano-luminescence 131, 267
- meso-Tetra (4-carboxyphenyl) porphine (TCPP)-MOF 531
- mesoporous silica-coated
β-NaYF₄:Yb³⁺/Er³⁺ UCNPs 523, 525, 528, 529
- mesoporous silica-coated UCNPs 525, 529
- metal alkoxides precursors 37
- metal oleate solution 273, 274
- metal organic frameworks 221, 228–230, 474, 525, 530
- metal oxide-coated UCNPs 525
- metal-organic frameworks (MOFs) 474
- methyl orange (MO) degradation 460
- methylamine (MA) 108, 119
- methylene blue (MB) degradation 257, 351, 455
- micro-pyramidal PDMS structure 363

- micro-pyramidal structure 363, 364
microwave heating strategy 44
milli-molar concentration 103
molar absorption coefficient 132
molecular imaging modalities 251
molecular orbital theory (MOT) 10, 12–13
molybdenum disulfide (MoS_2) 363–365, 478
monochromatic light beam 82, 84
monodisperse nanostructures 31
monodisperse single crystal 45
multi-phonon relaxation (MPR) 126, 174, 294
multi-photon absorption 86, 87, 244
multicenter UC nanothermometers 428–430
multicolour emission 186, 187, 203
multifunctional heater-thermometer nano-platforms 419
multifunctional luminescent materials 244
multifunctional nanocarriers 530
multimodal imaging 50, 202, 234, 236, 519, 520–522
multiphonon relaxation 16, 45, 126, 143, 158, 174, 179, 183
multiphoton excitation 141
multiple carboxylate sites 255
multiplexed bioassays 51, 200
- n**
- NaGdF_4 48, 149, 155, 156, 159, 160, 163, 193, 200, 229, 254, 257, 276–281, 283, 284, 286, 288, 289, 298, 299, 301, 302, 304, 308, 309, 322, 323, 334, 335, 352, 378, 383, 384, 387, 405, 428, 430, 432, 466, 501, 519, 520, 522, 524, 526, 531–533
 $\text{NaGdF}_4:\text{Er}^{3+}, \text{Yb}^{3+}$ nanoparticles (UCNPs) 352, 466, 519
nanocomposites 39, 48, 51, 200, 230, 231, 245, 246, 257, 364, 452, 472, 478, 520, 526, 530–533
maskless photolithography 230
nanocrystalline materials 38
nanodimension 241, 244
nanohybrids 39, 222, 223, 227, 400, 408, 466
nanoparticles (NPs) 173
surface 255
homogeneity 76
nanophosphors 159, 175, 177, 179, 181, 182, 184, 192–194, 198, 203, 241, 386, 429, 430
nanoprinting method 233
nanoscale metal-organic framework (NMOF) 229, 525, 530
nano-semiconductor heterostructure (NSH) 481
nanothermometry 225, 429, 430
 $\text{Na}(\text{Yb}/\text{Y})\text{F}_4$ nanocrystals 388
 NaYF_4 376
aminosilane coated NaYF_4 403
prismatic micro-tubes 40
 $\text{NaYF}_4/\text{CdS}/\text{TiO}_2$ (UCNPs/ CdS/TiO_2) composite nanofibers 453
 $\text{NaYF}_4@\text{SiDTTA}-\text{Gd}^{3+}$ 521
 $\text{NaYF}_4/\text{TiO}_2$ (UCNPs/ TiO_2) nanofibers 452
 $\text{NaYF}_4:\text{Tm}^{3+}$ hexagonal UCNPs 467
 $\text{NaYF}_4:\text{Tm}^{3+}/\text{Yb}^{3+}/\text{Gd}^{3+}$ 520
 $\text{NaYF}_4:\text{Tm}^{3+}/\text{Yb}^{3+}/\text{Gd}^{3+}@m\text{SiO}_2$ 520
 $\text{NaYF}_4:\text{Yb}^{3+}, \text{Er}^{3+}$ (NYYE) 429, 467, 469
 $\text{NaYF}_4:\text{Yb}^{3+}, \text{Er}^{3+}$ nanoparticles (UCNPs) 338, 339, 453
 $\text{NaYF}_4:\text{Yb}^{3+}, \text{Er}^{3+}, \text{Tm}^{3+}$ -core porous- TiO_2 -shell 462
 $\text{NaYF}_4:\text{Yb}^{3+}, \text{Er}^{3+}/\text{W}_{18}\text{O}_{49}$ heterostructures 480
 $\text{NaYF}_4:\text{Yb}^{3+}, \text{Er}^{3+}/\text{W}_{18}\text{O}_{49}$ nanowires (NWS) heterostructure 478, 480
 $\text{NaYF}_4:\text{Yb}^{3+}, \text{Er}^{3+}@W^{18}\text{O}_{49}$ NWS quasi-core/shell structure 480
 $\text{NaYF}_4:\text{Yb}/\text{Er}@$ polypyrrole (PPy) 532
 Nb^{5+} ions doped silicate glasses 160–161
near infrared (NIR) 99
active photocatalytic structure 355
excitations 319, 375
light possesses 172

- near infrared (NIR) (*contd.*)
 photons 221
 triggered drug delivery systems (DDS)
 526
- nephelauxetic ratio 22
- neuromodification 205
- nitrobenzene (NB) 467
- noble metal nanoparticles 195, 286,
 302
- non-lanthanide ions 159, 184
- nonlinear absorption process 2
- nonlinear crystal 243
- nonlinear susceptibility 3
- nonlinear transmission 3
- nonradiative multiphonon relaxation
 45, 158
- non-radiative (NR) processes 128, 243,
 423
 relaxation 423, 451
 channels 419
 energy transfer process 16, 188
 transitions 16, 398
- nonradiative relaxation (NRR) process
 16, 157, 177, 248, 376
- nonresonant multiphoton absorption
 244
- norfloxacin (NOR) 466
- NYF@TiO₂-Au microspheres 462
- O**
- octadecene 42, 222, 272–274, 278
- 1-octadecene (ODE) 42, 43, 272–274,
 278
- N*-octadecyloleamide (OOA) 187
- oleic acid (OA) 39, 42, 85, 110, 273, 274,
 276, 277, 335, 523
- oleylamine (OM) 42, 43, 187, 188, 276
- optical emission process 242
- optical heating 417–437
- optical spectra 7, 8, 12, 13, 199
- optical tweezing 235
- optogenetics 109, 173, 205, 221
- optogenetic stimulation 205
- orbital angular momentum 8, 10, 11,
 173, 301
- organic dyes 22, 51, 172, 188, 191, 201,
 248, 250, 308, 339, 350, 410, 418,
 498, 507, 517
- organic pollutants
 Au/NaYF₄:Yb³⁺,Er³⁺/WO₃.0.33H₂O-
 W₁₈O₄₉ (A/NYYE/WW)
 heterojunctions 467
- methylene blue (MB) degradation 455
- methyl orange (MO) degradation
 460–462
- nitrobenzene (NB) 467
- norfloxacin (NOR) 466
- residual antibiotics 466
- rhodamine B (RhB) degradation
 451–455
- tetracycline (TCs) 466
- organic semiconductors 361, 365
- organic waste water treatment 451
- organic-inorganic composites 245
- organic-inorganic hybrids 418
- Ostwald ripening process 273
- Ostwald's repining method 276
- oxidation number 72
- oxide semiconductors 269, 467
- oxygen-rich void BioX 473
- P**
- PC70BM 361–362
- PEG block copolymers 529
- PEG grafted poly(maleic
 anhydride-alt-1-octadecene)
 (C18PMH-PEG) amphiphilic
 polymer 530
- PEG-phospholipid functionalized
 NaGdF₄:Yb/Er nanoparticles 520
- PEGylated amphiphilic polymer-coated
 β -NaYF₄:Yb³⁺/Er³⁺ nanoparticles
 528
- Peltier cooling system 79
- pepper mild mottle virus (PMMoV) 507
- perovskite-based photodetectors 359
- perovskites 107–108, 197, 357, 359, 361
- pH-based drug delivery 396
- pH-responsive drug delivery system 526
- pH-sensitive molecular dyes 400

- pH-sensor film for bacterial growth
detection 405
- phagocytosis 396
- β -phase 71, 274, 278, 283, 526
- phenothiazines 527
- phonon energy 16, 32–33, 121, 179, 376,
397, 427, 430, 449, 451
- phonon-induced heat generation 419
- 6-phosphate-6-deoxy- β -cyclodextrin 525
- phosphors based thermometry 418
- phosphors converted LEDs (pcLEDs)
197
- phosphors converted wLEDs (pc-wLEDs)
197
- photo-acoustic spectroscopy (PAS) 134
- photoactivated chemotherapy (PACT)
202
- photobleaching 31, 109, 331, 395, 410,
518–519
- photocatalysis 221, 347–365, 375, 455,
469, 473–474, 502
UCNPs 349–357
- photocatalytic activity 83, 144, 350–354,
357, 365, 460, 466–467, 471, 478,
480–481
- photocatalytic degradation 83, 352–354,
451, 455, 462, 466, 481, 502
- photocatalytic hydrogen production
473–481
- photocatalytic technology 450, 455
- photodamage is minimal 250
- photodetector
flexible planar photodetector 359
perovskite-based photodetectors 359
UCNPs 357
- photodynamic therapy (PDT) 45, 201,
247, 255, 288, 303–306, 332,
526–531
- photoelectric effect 72
- photoelectrons 68, 72–74
- photo-excitation 172, 243, 467
- photogenerated charge carriers 363–364
- photo-induced electron transfer (PET)
200, 233–234, 236, 253, 359,
362–363, 499–500, 520, 522
- photo-induced therapeutic applications
200
emerging applications
anti-counterfeiting 203–205
NIR image vision, of mammals 205,
206
optogenetic stimulation 205
- PACT 202
- PDT 201
- PTT 201–202
- photoisomers 224
- photoluminescence (PL) 131, 242, 267
decay rate 243
enhancement 144
imaging 252
phenomena 172
spectrophotometer 85
study 85–87
- photoluminescence quantum yield
(PLQY) 44, 197
- photoluminescent materials 2
- photon avalanche (PA) 6, 144, 152, 162,
172, 244, 289, 348, 399
- photon sensitizers 192
- photon upconversion 109, 117, 123–124,
131–133, 152, 157, 221, 287, 395,
397, 401–409, 517–519
emission 395
- photonic applications
LEDs 197–198
photovoltaic applications 198–199
- photonic crystals (PCs) 233
- photonic devices 171, 363
- photoresponsive molecule 256–257
- photo-responsive organic compounds
222
- photoresponsivity 359, 361, 363
- photosensitizers (PS) 50, 201, 255–257,
303–306, 526
- photostability 22, 48, 172, 222, 230, 250,
336, 350, 396, 410, 418, 518
- photo-switching organic chromophore
222–223
- photothermal therapy (PTT) 201–202,
287, 301–303, 531–533

- photovoltaic conversion efficiency 2
 phthalocyanines 201, 305, 527–528
 physical vapor deposition (PVD) 51
 Planck constant 4, 17, 379, 424
 plant virus detection
 biosensing ability of NPs 507
 commercialization 510
 direct interactions 505
 indirect interactions 505, 507
 RNAi process for antiviral protection 507
 significant works 507–509
 plant viruses 494–510
 plasmonic Au nanoparticles 462
 plasmonic dual resonance tactic 196
 plasmonic effect 196, 221, 257, 357
 plasmonic metals 190, 196
 plasmonic MoO_{3-x} NTs 481
 plasmonic nanoparticles 230, 354, 365, 531
 poly(acrylic acid-co-maleic acid) (PAMA) 253
 polyanionic dendrimers 255
 polycondensation 37–38
 polycondensation reaction 37
 poly(dimethylsiloxane) (PDMS) film 363–364, 407
 polyethylene glycol (PEG) 49, 76, 148, 202, 248–249, 251, 275, 297, 306, 340, 431, 519–520, 524–525, 529–530
 poly(ethylene glycol) diacrylate (PEG-DA) polymeric microbeads 196
 poly(ethylene glycol)–phospholipids 251
 polyethyleneimine (PEI) 200–201, 252, 333–334, 404–405, 408, 501, 518, 522–524, 529
 poly(ethylene terephthalate) (PET) 359
 polyethylenimine (PEI) 39, 252–253, 503
 polyglutamic dendritic via energy transfer 255
 poly(3-hexylthiophene) (P3HT) semiconducting polymer 361
 polymers 418
 and hybrid-based materials 430
 coating 524
 polysiloxane coated Gd_2O_3 nanoparticles 249
 polystyrene microspheres 251, 383
 polythieno[3,2-b]
 thiophene-diketopyrrolopyrrole-co-thiophene (DPPTT-T) 361–362
 polyvinylpyrrolidone (PVP) 48, 76, 277, 335, 353, 365, 452, 454, 524
 porphyrin-dendrimers 255
 porphyrins 255, 288, 304, 527–528, 530
 positron emission tomography (PET) 200, 233–234, 236, 253, 335, 359–360, 495, 499–500, 520, 522
 pre-exponential factor 119, 306
 pristine carbon nanotubes 247
 PS rose Bengal (RB) 531
 pulsed radiation 134
 pump photons 3–5, 87, 131, 182, 379
 pump power dependent colour-tunability 186
 pyridine nitrogen 105
- q**
- Q-bands 527
 QDs-UCNPs-bilayer-based device 359–360
 quadratic dependence 127
 quantum cutting process 2
 quantum dots (QDs) 22, 51, 109, 171, 230, 248, 250, 252, 269–270, 308, 333–334, 350, 357–358, 395–396, 408, 410, 418, 498, 505, 507–508, 517–518
 quantum efficiency 20–21, 131–132, 164, 191, 242, 321, 325, 358–359, 384–385, 477–478
 of UCNPs 376
 quantum yield 22, 44, 117, 120, 131–135, 191, 197, 224, 272, 288, 294, 354, 365, 376–378, 386, 410, 418, 450, 495, 527

r

- radiative emission 16, 20–21, 32, 85, 121, 144, 148, 327, 419
 - radiative fluorescence lifetime 118
 - radiative lifetime 20–21, 118, 134, 241, 243
 - radiative relaxation processes 157
 - radiative transitions 5, 15–16, 132, 147, 183, 349, 424
 - radio labeled arginine–glycine–aspartic acid (RGD)-functionalized Er:Yb:NaGdF₄ nanoparticles 254
 - radiological modalities 520
 - Raman non-coincidence effect (NCE) 102
 - Raman scattered light 97
 - Raman scattering 97, 102, 104–107
 - Raman spectroscopy 97–98
 - applications
 - molecular association, in hydrogen bonded systems 100–103
 - RRS 106
 - semiconducting and superconducting 107–108
 - SERS 104–106
 - Raman spectrum of, semiconductors 107–108
 - rare earth (RE)
 - based materials 172
 - ions 2
 - doped crystal host materials 395
 - doped upconverting nanoparticles 172, 380
 - ions-doped upconversion luminescent materials 449
 - metals 347
 - rare earths and properties 8
 - divalent rare earth ions 13
 - trivalent rare earth ions 9–13
 - rare earths in solid materials
 - emission processes 15
 - emission via non-radiative transitions 16
 - emission via radiative transitions 15–16
 - ET process 16–17
 - excitation processes 15
 - f-d* transition 15
 - f-f* transition 15
 - charge transfer transition 15
 - rate equations relevant, to UC mechanism
 - basic three level system 18–19
 - pump power dependent UC emission 19–20
 - ratiometric luminescent thermometers 419
 - ratiometric pH nanosensors 255
 - ratiometric thermometers 419, 424
 - reactive oxygen species (ROS) 201, 255, 257, 303–306, 452–453, 523, 527–528, 530–531
 - red-emission intensity 148, 178
 - reduced graphene oxide (rGO) 363
 - reference molecule 102–104
 - remote-control 222, 224
 - renewable fuels 473
 - repeatability 420, 422–423
 - residual antibiotics 466
 - resonance Raman spectroscopy (RRS) 106
 - reverse microemulsion 46, 50–51
 - rhodamine B (RhB) degradation 190, 451
 - rhodamine chromophore 403–404
 - RNA interference (RNAi) 507
 - Russell–Saunders notation 173
- S**
- sandwich-structured upconversion nanoparticles (SWUCNPs) 159
 - scanning cytometry 251
 - scanning electron microscopy (SEM) 68, 74–76, 79, 144, 277, 359–360, 364
 - scatterer molecules 97
 - scattering of photons 70
 - second harmonic generation (SHG) 2–3, 172, 395
 - secondary electrons (SE) 74–75, 77

- secondary inner filter effect (sIFE) 498
- security ink 3, 132–133, 172, 203, 222, 308–310, 319–340
- seed mediated process 272–273
- selected area diffraction pattern (SADP) 78
- selected area electron diffraction (SEAD) 77
- self-activated host matrix GdVO₄ 434
- self-propagating high temperature synthesis 40
- self-quenching process 6
- semiconducting polymer (SCS) 108, 361
- semiconductors 269
 - photocatalysts 450
 - quantum dots 172
- sensitization luminescence 450
- sensitizer ion 5, 16–17, 67, 124, 193, 319, 348, 376, 398–400, 449
- sensitizer-activator ion pairs 121
- short-pulse upconversion excitation 124
- shortwave infrared (SWIR) source 361–362
- silica-coated UCNPs 51, 524–525, 529, 532
- silver nanostructures 105
- simultaneous two-photon absorption (STPA) 172, 395
- sine-wave modulation 119–120
- single walled carbon nanotubes (SWCNT) 106, 249
- single-band upconversion nanoparticles 257
- single-center thermometers 424–425
- single-center UC nanothermometers 428–430
- single-photon emission computerized tomography (SPECT) 200, 299, 301–302
- smart UCNPs for, security applications 230–233
- smart upconverting nanoparticles 233–236
 - for biological applications 233–234
 - for sensing 235–236
- smartphone-based paper sensor 500–502
- sol-gel technique 36–39, 46
- solid phase reaction 45
- solid state laser 3, 7–8, 144, 171, 181, 380–384
- solid state lighting and displays 384–388
- solid state reaction technique 34–35, 52, 143, 148–153, 157, 161, 197, 330
- solute molecule 100–101
- solvation 37
- solvent corrosion coating 40
- solvothermal method 39, 149, 151, 154, 335, 455, 481, 503
- spectra-structure correlation 103
- spectroscopic behavior of, RE³⁺ ions
 - doped UCNPs
 - colour modulation, in UCNPs 184
 - dopant concentration and combination 184–186
 - emission colour through phonon effects 186–188
 - host/dopant combination 186
 - quenching mechanisms 190
 - tuning UC emission 188, 189
 - physics of, trivalent rare earth ions 173–174
 - tri-doped system 181–184
 - UC mechanisms in, Er-based system 175–179
 - UC mechanisms in, Nd-based systems 181
 - UC mechanisms in, Tm-based systems 179–181
 - Yb³⁺ and Pr³⁺ based systems 174–175
- spectroscopy 1
 - energy dispersive X-ray spectroscopy 79
 - Fourier transform infrared spectroscopy 99
 - infrared spectroscopy 99
 - photo-acoustic spectroscopy 134
 - Raman spectroscopy 97, 98
 - resonance Raman spectroscopy 106
 - spin-orbit interaction 11–12, 145, 173

- spin orbit interaction energy 11
- stable perovskite solar cells 109
- Stark splitting 12, 291–294, 301, 306
- step-scan interferometer 108
- Stoke's shift 2, 171
- Stokes emission 2, 235
- Stokes–Einstein equation 84
- sub-micrometer thermometry 418
- Sugano–Tanabe (T–S) diagram 7, 8, 144–147
- sum frequency generation (SFG) 243–244
- superconductors 107–109
- superoxide anion radicals ($O_2^{\cdot-}$) 527
- superoxide radical ($\cdot O_2^-$) 350, 451
- supramolecular ligands 106
- surface functionalization 246
- surface modification 46, 51, 53, 222, 237, 241–257, 330, 396, 518, 524–526, 529–531
- UCNPs 399
- surface plasmon resonance (SPR) 106, 144, 195–196, 233, 287, 330, 354, 432
- effect 160
- surface silanization 46, 193
- surface-enhanced Raman spectroscopy (SERS) 102–106, 110
- symmetric/antisymmetric hydrogen bond bridging mode 102
- synergetic chemo-/radiotherapy 48
- synthesis protocol of, upconversion nanoparticles
- core@shell architectures 45
 - gas phase reaction 51
 - liquid phase reaction 46–51
 - mechanical mixing 52
 - other synthesis strategies 52
 - solid phase reaction 45
- host matrix 32–33
- synthetic strategy of, UC nanomaterials 33–34
- combustion technique 40–42
 - coprecipitation technique 35–36
 - hydro(solvo)thermal technique 39–40
 - microwave assisted synthesis technique 44–45
 - sol-gel technique 36–39
 - solid state reaction technique 34–35
 - thermolysis technique 42–44
- synthesize upconversion materials 141
- synthetic strategy of, UC nanomaterials
- combustion technique 40–42
 - coprecipitation technique 35–36
 - hydro(solvo)thermal technique 39–40
 - microwave assisted synthesis technique 44–45
 - sol-gel technique 36–39
 - solid state reaction technique 34
 - thermolysis technique 42–43
 - OA based mixed solvents 43
 - OM based mixed solvents 43
 - TOPO based mixed solvents 43–44
- t**
- Ta₂O₅ particles 478
- temperature (T) 417
- color correlated temperature 386
 - color tunability 149
- temperature sensing with luminescence
- bandshape 424
 - bandwidth 426–427
 - fluorescence intensity ratio (FIR) 424–426
 - lifetime technique 427
- temperature sensors
- repeatability 423
 - thermal reproducibility 422
 - thermal sensitivity 421
 - thermal uncertainty 421–422
- tetrabutyl titanate (TBT) 452
- tetracycline (TCs) 465–466
- tetraethyl orthosilicate (TEOS) 37, 46–50, 275
- tetrahydrofuran (THF) 102
- tetramethylrhodamine isothiocyanate (TRITC) 188–189
- texaphyrins 527

- theoretical description, of rare earth ions
20
- Judd–Ofelt (J–O) theory 21
- nephelauxetic effect 22
- thermal decomposition method 222,
230, 319, 449, 466
- thermal lens 135
- thermal lensing (TL) method 134–135
- thermal quenching 110, 385
- thermal reproducibility 422
- thermal sensitivity 418, 420–421,
427–428, 430
- thermal uncertainty 421
- thermally coupled levels 205, 425–426,
428–430
- thermo-responsive poly(N-isopropyl
acrylamide) (pNIPAM) polymer
225
- thermogravimetric analysis (TGA)
techniques 68, 81–82
- thermolysis approach 42–43, 272
- thermo-responsive drug release 526
- thermos 39
- thiophene (THP) 103, 361
- three-photon populating process
186
- time-integrated scheme 423, 424
- TiO₂ nanocrystals 353
- tip enhanced Raman scattering (TERS)
spectra 105
- Tm³⁺ ion 126, 128–130, 149, 179,
181–182, 185, 194, 198, 277,
289–291, 294, 357, 363, 398, 406,
455, 460, 477–478, 519
- crhymesoncentration 129
- TM-lanthanide ions codoped systems
143
- β -Tm³⁺, Yb³⁺:NaYF₄/Ta₂O₅
nanocomposite particles 478
- tobacco mosaic virus (TMV) 494, 505
- tomato ringspot virus (ToRSV) 508
- tomato yellow leaf curl virus (TYLCV)
508
- toxic mycotoxin ochratoxin A (OTA) 110
- traction force microscopy (TFM) 236
- transition metal ions 2, 7–8, 10, 12, 33,
141–164, 172, 184, 236, 291
- transition metals (TMs) 141
and properties 7–8
silver cavity 148
- transmission electron microscopy (TEM)
49, 68, 76–79, 144, 193, 254, 227,
229–230, 235–236, 277–278,
280–283, 290–292, 353, 356–357,
454
- triboluminescence 1, 267
- trioctylphosphine oxide (TOPO) 42–44
- triplet-triplet annihilation (TTA) systems
132, 221, 517
- triply ionized praseodymium (Pr³⁺)
174
- trivalent lanthanides Er³⁺, Tm³⁺ and Ho³⁺
ions 348
- trivalent rare earth ions
electronic structure 9–10
interaction 10
crystal field theory 10–12
Dieke diagram 13
MOT 12–13
- turnip mosaic virus (TuMV) 505
- T₂ weighted magnetic resonance imaging
226, 521
- two photon absorption (TPA) 2–3, 109,
129, 160, 172, 182, 330, 395
- two-photon upconversion process
123–124, 131, 133, 221
- two-to-six photons upconversion
processes 133
- u**
- UC-based metal-organic frameworks
228–230
- UCNPs/CdS/TiO₂ composites 453, 460
- UCNPs@Cu₂O core-shell composites
455
- UCNPs NaYF₄:Yb/Tm 530
- UCNPs-Pt@MOF/Au composite 474,
477
- UCNPs/TiO₂ nanofibers 452–453
- UCNPs@Zn_{0.64}Cd_{0.36}S/TiO₂ catalyst 471

- UCNPs@Zn_xCd_{1-x}S/TiO₂ nanoparticles 471, 472
- UCNPs@Zn_xCd_{1-x}S/TiO₂ yolk-shell composites structure 471
- UCNPs@ZnO core-shell nanoparticles 453
- ultrafast laser excitation 244
- ultrafine particles 245
- ultraviolet (UV) region 117, 198–199, 224, 244, 268–269, 384, 455
- ultraviolet resonance Raman (UVRR) spectroscopy 106
- ultraviolet-visible-near infrared (UV-Vis-NIR) absorption spectroscopy 68, 82–83
- upconversion (UC) 2
 - emission 121
 - nanoengineering 173
 - nanomaterial's properties 68
 - phenomenon 31
- upconversion fluorescence 110, 189, 253, 361, 449
- upconversion luminescence (UCL) 117, 121, 123–124, 128–129, 132, 154, 171–175, 175, 177, 191, 200, 226, 229, 233–235, 255, 271, 302, 532
 - efficiency 449, 451
- upconversion luminescence, in
 - nanoparticles
 - concentration quenching minimization 192
 - confinement of, energy migration 194–195
 - detrimental cross-relaxation removal 193
 - suppression of, surface related quenching 192–193
- dye-sensitization techniques 191–192
- techniques to enhance upconversion
 - emission
 - conjugating surface plasmon resonance technique 195–196
 - constructing active-core/active-shell strategy 195
 - crystal phase modification 195
 - dielectric superlensing-mediated strategy 196
- upconversion luminescent materials 325, 449
- upconversion materials 87, 141, 173, 320–321, 323, 325, 350, 354, 408, 410, 450–451, 453, 469
 - semiconductor based composites 352
- upconversion nanoparticles (UCNPs) 22, 23, 67, 69, 109, 110, 172, 248, 303, 319
 - advantages 395
 - anti-Stoke's process 348
 - basic properties of 397–400
 - basis of, fluorescence decay times
 - depopulation processes and UC decay 120–121
 - ESA and ETU mechanism, based on decay profile 121–123
 - theoretical and experimental approach 123–131
 - biomedical application 331–333
 - biosensing 336–339
 - bioimaging 333–336
 - display and lighting purposes 339–340
 - forensic, security printing and anti-counterfeiting applications 325–331
 - fungicide 493–504
 - in solid state laser 380–384
 - Ln³⁺ ions 428
 - measurement of, quantum yield 131–135
 - role of, quantum yield 132–133
 - optical methods 133–134
 - mechanism of 348
 - optical heating 433–437
 - optoelectronic devices 347
 - pH-sensitive membranes 405
 - pH-sensors
 - NaYF₄ 405
 - response time, range and method 402
 - working principles 400–401
 - photocatalysis 347, 349–357

- upconversion nanoparticles (UCNPs)
(*contd.*)
- photodetector 357–364
 - sensitizer ion 348
 - solar cells 320–321
 - amorphous silicon 323
 - C-Si solar cell 321–323
 - dye sensitized solar cells 324–325
 - in solid state lighting and displays 384–388
 - spectral converting capability of 347
 - temperature sensing with luminescence 423–427
 - temperature sensors 420–423
 - UC emission efficiency 375–378
 - with rate equations 378–380
 - upconverted lasing threshold 382
 - upconverting core-shell nanostructures 222–224
 - upconverting nanomaterials 143–145, 224, 242–245, 251, 255, 410
- V**
- van der Waals forces 37, 361
 - van der Waals or ionic bonds 246
 - vibrational dephasing 101
 - visible light driven photocatalyst
NaTaO₃/Er³⁺:YAlO₃ 471
- W**
- water molecules 37, 46, 99, 103, 248, 254, 304
 - water soluble inorganic precursors 35
 - water (solvent) thermal method 449
 - weak electron-phonon coupling 173
 - Western blotting 257
 - whispering gallery mode (WGM) 382–383
 - white light emitting diodes (wLEDs) 172, 181, 197–198, 386, 388
 - wide-band gap semiconductor photocatalyst 471
- X**
- xanthenes 527
 - xenografted tumor models 254
 - xerogel 38
 - X-ray computed tomography (CT) 301, 522
 - X-ray diffraction (XRD) 68–72, 144, 278, 280, 454
 - X-ray photoelectron spectroscopy (XPS) 68, 72–74, 144, 277–279
 - X-ray photons 70–71
 - X-ray wavelength 69, 71
- Y**
- (Yb,Er)NYF-TiO₂/Au 474
 - Yb(OH)-CO₃@YbPO₄:Er³⁺ hollow spheres 524
 - YF₃:Yb³⁺,Er³⁺ (YYE) nanoparticles 451–452, 477
 - YF₃:Yb³⁺,Er³⁺/ZnS (YYE/ZnS) heterojunction catalyst 477
 - Y₂O₃:Tm,Yb 435
 - Y-shaped water maze 205
 - ytterbium (Yb³⁺) 8, 174, 348
 - Yb³⁺/Er³⁺-doped NPs 419
 - Yb³⁺ and Pr³⁺ based systems 174, 175
 - ytterbium–erbium systems 109
 - ytterbium–thulium systems 109
 - YVO:Tm,Yb phosphors 435
 - YYE/ZnS catalyst 452, 477
 - YYE/ZnS heterojunction photocatalysts 451–452
- Z**
- zeolite imidazole framework (ZIF-90) 531
 - zinc(II)-phthalocyanine (ZnPc) 201, 305–306, 528–530
 - Zn phosphors 433
 - ZnO/β-NaYF₄:Yb³⁺,Tm³⁺@NaYF₄ (ZnO/UCNPs) composite nanofibers 453
 - ZnPc encapsulated mesoporous silica 528
 - ZnPc/MC540 co-loaded UCNPs 529

