

Index

a

- accelerated durability test (ADT) 186, 187, 189
- activated carbon (AC) 93, 105, 149, 152, 266, 268, 278–280, 282, 283, 285, 286, 288
- adenosine monophosphate (AMP)-assisted synthesis 34
- Al-CO₂ battery 103–104
- Al-ion hybrid capacitor (AIHC) 283
- alkaline ZBs 208–209, 221
- all-iron FBs 236–238
- alloxazine 241
- alloxazine 7/8-carboxylic acid (ACA) 241
- alloying anode materials 155–156
- amidoxime-functionalized PIM (AO-PIMs) 247
- ammonium-ion (NH₄⁺) batteries 217–218
- amorphous ordered mesoporous carbon (AOMC) 147, 150
- anions-based batteries (ABs) 218–219
- anode materials 153
 - alloying anode materials 155–156
 - conversion anode materials 156–157
 - intercalation anode materials 154–155
 - metallic anode materials 153–154
- anodized aluminum oxide (AAO) 60
- anthraquinone (AQ) 216, 240, 241
- anthraquinone-2,6-disulfonic acid (AQDS) 240
- 9,10-anthraquinone-2,7-disulphonic acid (AQDS) 240
- anthraquinone-2-sulfonic acid (AQS) 240, 241
- aprotic electrolytes
 - ether electrolytes 73–74
 - Li-S batteries 72–74
 - carbonate electrolytes 73
 - mixed solvent electrolytes 74
- aqueous batteries 9, 108, 203
 - challenges and solutions
 - dendrite growth 220–221
 - side reactions 221
 - water decomposition 219–220
- monovalent metal ions
 - K-ion batteries 207–208
 - LIBs 204–206
 - Na-ion batteries 206–207
- multivalent metal ions 212–214
 - Zn-based batteries 208–212
- non-metallic ions
 - ammonium-ion (NH₄⁺) batteries 217–218
 - anions-based batteries 218–219
 - proton (H⁺) batteries 214–217
- aqueous electrolytes 7, 10, 92, 95, 103, 112, 158, 159, 161–163, 203, 204, 206, 213, 214, 219–222, 249, 264, 266, 318
- aqueous metal-air cells 29
- aqueous organic flow battery (AOFB) 238
- ferrocene derivatives 238

- aqueous organic flow battery (AOFB) (*contd.*)
- heterocyclic derivatives 241–242
 - quinones derivatives 240–241
 - TEMPO derivatives 238–239
 - viologen derivatives 239–240
- aqueous zinc-air batteries (ZABs) 27, 29, 30, 34, 38, 44–46
- artificial engineering 70–72
- asymmetric hybrid capacitor 268, 278, 280, 281
- atomic force microscope (AFM) 163
- atomic layer deposition (ALD) technique 35
- b**
- battery-type electrodes 13, 263, 265, 268, 282–288
- battery type hybrid capacitor 263, 265, 268, 269, 282
- benzoquinones (BQs) 240
- binary metal oxides 273, 279, 283, 285
- binary metal sulfides 274
- bipolar plates (BPs) 11, 12, 233, 247–249, 251
- bis(diphenylamino)benzene (BDB) 147, 151
- bis((3-trimethylammonio)propyl) ferrocene dichloride (BTMAP-Fc) 238
- Brunauer–Emmett–Teller (BET) 150, 174
- c**
- Ca-ion batteries 7, 122, 133, 135, 214
- capacitance, evaluation of 270
- carbonaceous materials 4, 6, 11, 13, 59, 63, 75, 76, 248
- carbonate electrolytes 4, 73, 135
- carbon-based catalysts 31
- catalyst/carbon composite catalysts 35–38
 - non-carbon catalysts 38–39
- carbon catalysts 31–35, 38–39
- carbon cathode materials
- graphite materials 147–149
 - high conductive carbon materials 149
- carbon nanofibers (CNFs) 31, 61, 108, 153, 273, 286, 304
- carbon nanotube fibers (CHF) 103
- carbon-polymer based BPs 248
- carbon quantum dots (CQDs) 106, 107
- carboxymethyl cellulose (CMC) 307
- catalyst/carbon composite catalysts 35–38
- catalysts/carbon-based air cathodes 35
- cathode electrolyte interface /interphase (CEI) 3, 93, 125, 135, 149, 151, 159, 162
- chemical vapor deposition (CVD)
- methods 107, 172–175, 188, 189, 281, 304
- cobalt phthalocyanine (CoPc) 172
- common ion effect 233, 235
- composite electrodes 263, 265, 267, 268, 270, 273–278, 285, 309–310
- composite polymer electrolyte (CPE) 114
- conversion anode materials 156–157
- Coulombic efficiency(CE) 3, 4, 6, 8, 58, 62, 65, 66, 68–70, 107, 125, 148, 149, 153–155, 158, 176, 219, 221, 232, 234, 237, 238, 243, 245, 246, 271
- covalent organic frameworks (COFs) 6, 110, 111
- covalent organic polymers (COPs) 180
- Cu nanowires (CuNWs) 305
- Cu tetraaminephthalocyanine (CuTAPc) 147, 151
- current collectors, HC 267, 272
- cyclic voltammetry (CV) 43, 149, 156, 213, 215–217, 271, 275, 282
- d**
- DBEAQ 241
- degradation mechanisms 186, 244
- delocalizing electron 129–131
- dendrite growth, aqueous batteries 220–221

- density functional theory (DFT) 33, 34, 40, 62, 110, 114, 128, 136, 185, 187, 204, 205, 235
- depths of discharge (DOD) 208
- 1,1'-dicarboxyferrocene (DFc) 151
- differential electrochemical mass spectrometry (DEMS) 32, 34, 35, 96, 97, 100, 114
- diffusion channel engineering 127–129
- 2,6-dihydroxyanthraquinone (2,6-DHAQ) 241
- dihydroxyphenazine-2-sulfonic acid (DHPS) 241
- dimethyl carbonate (DMC) 8, 73, 158, 159, 161, 220
- dioxolane (DOL) 71, 73, 74, 154, 312
- 1,3-dioxolane (DOL) 154, 312
- direct analysis in real-time mass spectrometry (DARTMS) 103
- disproportionation 5, 28–30, 39, 73, 92, 94, 109, 187, 239, 284
- 2,5-di-tert-butyl-1,4-benzoquinone (DBBQ) 112
- dual-ion batteries (DIB)
- anode materials 153–158
 - alloying anode materials 155–156
 - conversion anode materials 156–157
 - intercalation anode materials 154–155
 - metallic anode materials 153–154
 - carbon cathode materials
 - graphite materials 147–149
 - high conductive carbon materials 149
 - cathode materials 146–152
 - developments of 163
 - electrolytes 158–162
 - aqueous electrolytes 161
 - gel polymer electrolytes 162
 - ionic liquid electrolytes 160–161
 - organic electrolytes 158–160
 - organic cathode materials 150–152
 - rocking-chair model 144
- e**
- electrical energy storage (EES) systems 1, 2, 4, 231–233, 238
- electrochemical energy storage (EES) 1, 27, 55, 60, 129, 133, 203, 235
- electrochemical impedance spectroscopy (EIS) 271
- electrochemically reduced graphene oxide (ERGO) 280
- electrochemical quartz crystal microbalance (EQCM) 163
- electrochemical stability window (ESW) 7, 10, 11, 113, 125, 146, 147, 158, 160–162, 203–205, 207, 212, 213, 219, 220, 222
- electrode/electrolyte interfaces 123
- electrodes, FB 247–248
- electrolyte(s) 7
 - aqueous electrolytes 112–113
 - hybrid capacitor 266
 - nonaqueous liquid electrolyte 111–112
 - solid state electrolyte 113–114
- electrolyte chemistry 123, 124
- electrolytes, DIB 158
 - aqueous electrolytes 161–162
 - classification of 159
 - gel polymer electrolytes 162
 - ionic liquid electrolytes 160–161
 - organic electrolytes 158–160
- electrolyte, FB
 - all-iron FBs 236–238
 - aqueous organic FBs 238–242
 - nonaqueous FB 242
 - VFB 233
 - zinc-bromine FB 233–234
 - zinc-iron FB 235–236
- electron energy loss spectroscopy (EELS) 104, 175
- electronic double layer capacitor (EDLC) 263, 264, 267, 268, 270, 272, 273, 278, 282
- energy density 232, 272
 - gravimetric energy density 28, 58, 146, 313

- energy density (*contd.*)
 high energy density 316–318
 energy dispersive spectrometer (EDS) 99
 energy efficiency (EE) 8, 28, 40, 45, 64, 104, 105, 108, 109, 111, 135, 212, 232, 237, 238, 243–247
 energy storage devices 263
 aqueous battery 9–11
 dual-ion battery 7–8
 flexible energy storage devices 13–14
 flow battery 11–12
 fuel cells 8–9
 hybrid capacitors 12–13
 Li–S battery 4–5
 metal–air battery 3–4
 metal–CO₂ battery 5–6
 multivalent-ion battery 6–7
 energy storage system 27, 28, 42, 45, 46, 143, 203, 208, 218, 221, 250
 environmental degradation 1
 environmental transmission electron microscopy (ETEM) 99, 100
 equilibrium differential capacitance 271
 ether electrolytes 4, 73, 111
 1-ethyl-3-methylimidazolium bis(trifluoromethane sulfonyl)imide (EMIM-TFSI) 220
- f**
 Faraday constant 146, 219
 Fe/N/C-based catalysts 183
 engineering coordination environment 179–180
 improving metal loading and site density 181
 nature of 177–179
 porosity and improving site utilization 181–183
 Fenton reactions 183, 186, 187
 Ferrocene (Fc) 11, 238, 250
 Fe-triethanolamine (Fe(TEA)) 237
 figure of merit (FOM) 314–315
 flavin mononucleotide (FMN–Na) 241
 flexible batteries
 disadvantage of 316
 flexible current collectors 305
 conductive nanomaterials 304–305
 metal composites 306
 flexible electrodes
 based on binder-free techniques 309
 freestanding electrodes based on polymeric binders 307–309
 textile composite electrodes 309–310
 flexible energy storage devices 2, 13–14, 162, 299–318
 flexible lithium batteries (FLBs)
 ESDs, multilayer-stacking configuration 300–301
 flexible current collectors
 conductive nanomaterials 304–305
 metal composites 306
 flexible electrodes
 based on binder-free techniques 309
 freestanding electrodes based on polymeric binders 307–309
 textile composite electrodes 309–310
 high energy density
 electrode materials with high specific capacity 316–318
 heavy packaging materials 316
 novel configurations of 313
 1D fiber-shaped FLBs 313–314
 pathway and research strategies 301–303
 with soft materials 303
 with soft structure 302–303
 solid-state electrolytes 310–313
 gel polymer electrolytes 310–311
 hybrid SSEs 311–312
 interface issues of 312–313
 solid polymer electrolytes 310–311
 standard testing and evaluation method
 durability, wearability, and comfortableness 315–316
 FOM of 314–315
 flow battery (FB) 11
 bipolar plates 248–249
 electrodes 247–248

- electrolyte
 all-iron FBs 236–238
 aqueous organic FBs 238–242
 nonaqueous FB 242
 VFB 233
 zinc-bromine FB 233–234
 zinc-iron FB 235–236
 illustration of 232
 membrane research progress
 ion exchange membranes 243–244
 porous membranes 244–247
 modern system 231
 novel FBs
 redox-targeting-based FBs 249–250
 semi-solid FBs 249
 systems and applications 250–251
 fluoroethylene carbonate (FEC) 71, 159, 161, 162
 FOM of FLBs 314–315
 freestanding electrodes based polymeric binders 307–309
 fuel cells 8
 energy storage devices 8–9
 reactions 174
 functionalized graphene sheet (FGS) 32
- g**
 galvanostatic charge/discharge (GCD) test 205, 210, 213, 215, 270, 271, 275, 287
 gel polymer electrolytes (GPEs) 14, 158, 159, 162, 163, 310–311
 Gibbs free energy 40, 97, 219
 graphene/sulfur cathodes 60–63
 graphite intercalation compounds (GICs) 148, 206
 graphite materials 6, 146–150, 152, 154, 163
 gravimetric energy density 28, 58, 146, 313
- h**
 heterocyclic aromatics 241–242
 high angle annular dark field (HAADF) 175
 high conductive carbon materials 8, 149
 high-efficient electrocatalysts 30
 high energy density
 electrode materials with high specific capacity 316–318
 heavy packaging materials 316
 highest occupied molecular orbital (HOMO) 7, 70, 158, 240
 highly fluorinated ether (HFE) 205
 hollow porous carbon fibers (HPCF) 60, 61
 hybrid capacitor (HC) 12–14, 263
 compositions
 anode and cathode 265
 current collectors 267
 electrolytes 265–266
 sealant 267
 separator 266
 electrochemical performance 268
 capacitance 270
 cycle life 272–273
 energy density and power density 272
 resistance 271–272
 steady operating voltage window 270–271
 electrodes 263
 energy storage principle of 264, 267
 energy storage mechanism for 268–269
 recent advances
 with battery-type electrodes 282–288
 with composite electrodes 273–278
 with redox-asymmetric electrodes 278–282
 researches of 264
 hybrid SSEs 311–312
 hydrate-melt electrolyte (HME) 205
 hydrogen evolution reaction (HER) 10, 11, 101, 113, 204, 205, 207, 208, 212, 214, 219–221, 232, 236, 237, 248, 311

hydrogen oxidation reaction (HOR) 171
 4-hydroxy-2,2,6,6-tetramethylpiperidin-
 1-oxyl (4-HO-TEMPO) 238, 239

i

improving site density (SD) 172–174,
 181, 182
 inorganic-based sulfur cathode 63–68
 inorganic oxides 65
 inorganic sulfides 64
 intercalation anode materials 154–155
 intercalation chemistry 123, 127
 delocalizing electronic structure
 129–131
 diffusion channel engineering
 127–129
 properly shielding charges 131–133
 interfacial chemistry 124, 133–136
 ion exchange membranes (IEMs) 239,
 243–244, 247
 ionic liquids (ILs) electrolytes 160, 213
 iron hexacyanoferrate (FeHCF) 211

k

K-CO₂ battery 99–100
 discharge/charge mechanisms of
 93–104
 K-ion batteries 207–208
 monovalent metal ions 207–208

l

large-scale energy storage 11, 121,
 215
 laser-scribed graphene (LSG) 278, 280
 layered double hydroxide (LDH) 209,
 210, 280, 281
 lead-carbon hybrid capacitors (LCHCs)
 279
 Li-air battery 3, 44, 91
 Li-CO₂ battery
 charge mechanisms of 95–98
 discharge mechanisms of 93–95
 Li₁₀GeP₂S₁₂ (LGPS) 43, 44
 light-emitting diode (LED) 44, 280, 308,
 311, 312

Li-metal anode 69
 SEI layer construction
 artificial engineering 70–72
 electrolyte additives 69–70
 Li metal composite yarn (LMCY) 314
 Li/Na/Zn-CO₂ batteries 39–42
 Li-N₂ battery 27, 42–43
 liquid electrolytes 5–7, 43, 76, 103, 113,
 114, 158, 160–163, 310, 312
 development of 114
 vs. solid electrolytes 113
 liquid-state molten salts 160
 lithium-air batteries (LABs) 27, 29, 30,
 43
 lithium anode 57, 68–72
 Li-metal anode 69
 lithium-based DIBs (LDIBs) 143, 151
 lithium bis(oxalato) borate (LiBOB) 70
 lithium bis(trifluoromethane
 sulfonyl)imide (LiTFSI) 74, 112,
 151, 154, 161, 204, 205, 219
 lithium 4-(10*H*-phenothiazin-10-yl)
 benzoate (LiPHB) 147, 150, 151
 lithium-ion batteries (LIBs) 1, 27, 143,
 203
 demand of 121
 monovalent metal ions 204–208
 rocking-chair mechanism 7
 lithium-ion hybrid capacitors (LIHCs)
 268, 284
 lithium-metal batteries (LMBs) 310, 311
 lithium sulfide 56, 59, 67–69
 lithium-sulfur (Li-S) batteries 4, 91, 310
 advantages of 57
 aprotic electrolytes 72–74
 carbonate electrolytes 73
 ether electrolytes 73
 mixed solvent electrolytes 74
 components and mechanism 56–57
 electrochemical efficiency 63
 lithium anode 68–72
 Li-metal anode 69
 overview 55
 separators and functional interlayers
 74–76

- sulfur cathode 58–68
 carbon materials for 59–63
 lowest unoccupied molecular orbital (LUMO) 7, 70, 158, 240
- m**
- maximum power density 34, 42, 186, 272, 284
 membrane electrode assemblies (MEAs) 171, 172, 176–177, 181, 185–189
 mesocarbon microbead (MCMB) 149, 161
 mesoporous/macroporous carbon sphere arrays (MMCSAs) 31, 32
 metal-air battery 3
 carbon-based catalysts 31–38
 cathode catalysts design 30–31
 Li-N₂ battery 42–43
 Li/Na/Zn-CO₂ batteries 39–42
 overview of 27–45
 reaction mechanism of 28–30
 sealed Li/Zn-O₂ batteries 44–45
 solid Li/Zn-air battery 43–44
 metal-air cells 27–29, 46
 metal-CO₂ battery 5, 91
 cathode materials of 105–111
 carbon-based catalysis and additive catalysis 105–107
 noble metal-based catalysis 107–109
 porous framework-based catalysts 110–111
 transition metal-based catalysts 109–110
 electrochemistry mechanism of 92–104
 Al-CO₂ battery 103–104
 K-CO₂ battery 99–100
 Li-CO₂ battery 93–95
 Mg-CO₂ battery 100–102
 Na-CO₂ battery 98–99
 electrolyte of 111–114
 aqueous electrolytes 112–113
 nonaqueous liquid electrolyte 111–112
- metal foil-supported electrodes (MFEs) 300
 metal hexacyanoferrates (MHFs) 280
 metal ion hybrid capacitor (MIHC) 265, 282, 283, 288
 metallic anode materials 153–154
 metal-organic frameworks (MOFs) 6, 9, 35, 96, 110, 151, 173, 174, 183, 221, 264, 265, 278
 metal/polymer composite 306
 Mg-CO₂ battery 100–102
 discharge/charge mechanisms of 100–103
 Mg-ion battery (MIBs) 7, 124, 125, 135, 212, 213
 first aqueous 213
 mixed solvent electrolytes 74
 Mn-based catalysts 109, 110
 M/N/C catalysts for fuel cells
 dual and multimetallic SACs 185–186
 durability of 186–188
 Fe/N/C-based catalysts
 engineering coordination environment 179–180
 improving metal loading and site density 181
 nature of 177–179
 porosity and improving site utilization 181–183
 non-Fe metal centers 183–185
 perspective 188–190
 platinum-based materials 171
 synthesis and characterizations 172–177
 Cs-TEM 175
 CVD 174–175
 pyrolysis 172–174
 RDE and MEA 176–177
 XAS 175–176
 monovalent metal ions 204
 K-ion batteries 207–208
 LIBs 204–206
 Na-ion batteries 206–207
 multi-electron transfer redox reaction 28
 multitudinous flexible devices 13

- multivalent-ion battery 6, 122, 137
 - electrolyte chemistry of 124–126
 - intercalation chemistry of 127–133
 - delocalizing electronic structure 129–131
 - diffusion channel engineering 127–129
 - properly shielding charges 131–133
 - interfacial chemistry 133–136
 - vs. LIBs 121
- multivalent metal ions
 - neutral ZIBs 209–212
 - Zn-based batteries 208–212
- multi-walled carbon nanotubes (MWCNT) 42, 99, 100, 248, 273, 280
- Mxenes 264, 265, 276, 283, 288
- n**
 - Na-CO₂ battery
 - discharge/charge mechanisms of 98–99
 - Nafion 187, 189, 242–244, 267
 - Na-ion batteries (NIBs) 206–208
 - monovalent metal ions 206–207
 - nanofiltration (NF) membranes 244
 - nanoporous carbon nanofiber films (NCNFs) 34
 - naphthoquinones (NQs) 240
 - N-doped graphene hydrogel (NGH) 280
 - near field communication (NFC) 278
 - neutral ZIBs 209–212
 - nickel cadmium battery 2
 - nickel hexacyanoferrate (NiHCF) 211, 217, 280
 - noble metal-based catalysis 107–109
 - non-aqueous electrolytes 203, 213, 214, 264, 266
 - nonaqueous FB 242
 - nonaqueous liquid electrolyte 111–112
 - non-Fe metal centers 183–185, 187
 - non-metallic ions
 - ammonium-ion (NH₄⁺) batteries 217–218
 - anions-based batteries 218–219
 - proton (H⁺) batteries 214–217
- novel FBs
 - redox-targeting-based FBs 249–250
 - semi-solid FBs 249
- nuclear magnetic resonance (NMR) 95, 96
- o**
 - 1D fiber-shaped FLBs 313–314
 - open circuit voltage (OCV) 34, 42, 189, 204, 233, 239, 240
 - organic cathode materials 150–152
 - organic electrolytes 5, 9, 41, 43–45, 56, 67, 70, 92, 93, 152, 157–161, 163, 266, 278, 310
 - organic photovoltaic (OPVs) 277
 - oriented carbon microspheres (OCMS) 284
 - oxygen evolution reaction (OER) 10, 11, 28–31, 33–37, 44, 45, 103, 161, 219, 220, 236, 279
 - oxygen reduction reaction (ORR) 8, 9, 28–31, 33–39, 44, 45, 171, 172, 174–181, 183–188
- p**
 - perfluorinated membranes 243, 244
 - perovskite solar cell (PSC) 286
 - 3,4,9,10-perylenetetracarboxylic dianhydride (PTCDA) 157
 - perylenetetracarboxylic diimide (PTCDI) 157, 161, 208, 217, 218
 - 3,4,9,10-perylenetetracarboxylic diimide (PTCDI) 157, 161, 208, 217, 218
 - phenothiazine 150, 241
 - pine needle derived carbon (PNC) 154
 - plastic-crystal-embedded elastomer electrolyte (PCEE) 312
 - poly(2-acrylamido-2-methyl-1-propane-sulfonic acid) (PAMPS) 266
 - polyacrylonitrile (PAN) 14, 67, 68, 172, 244, 245
 - polyaniline (PANI) 172, 211, 274, 276
 - polyatomic anions 218, 219

polyethersulfone/sulfonated
 polyetheretherketone blend
 (PES/SPEEK) 246
 poly(3,4-ethylenedioxythiophene)
 (PEDOT), 274, 276, 281, 286
 poly(ethylene oxide) (PEO) 162, 311,
 312
 polyethylene terephthalate (PET)
 306–309, 317
 Polymers of Intrinsic Microporosity
 (PIMs) 247
 poly-(naphthalene-4-formyl
 ethylenediamine) (PNFE) 206
 poly[N,N'-(ethane-1,2-diyl)-1,4,5,
 8-naphthalenetetracarboxiimide
 (PNDIE) 214, 215
 poly pyromellitic dianhydride (PPMDA)
 212
 poly(vinylidene fluoride-co-hexafluoro-
 propylene) (PVDF-HFP) 162,
 309
 polyvinylidene fluoride (PVDF) 14, 114,
 243, 248, 266, 267, 307, 309
 porous carbon foil (PCF) 37, 66, 67
 porous carbons 4, 31, 32, 35, 37, 59, 60,
 67, 96, 97, 110, 156, 174, 185, 188,
 278, 279, 281, 284–286
 porous carbon spheres (PCS) 32, 34, 284
 porous coordination polymers 173
 porous membranes 56, 231, 243–247,
 311
 potassium-based DIB (PDIB) 151, 156
 power density 2, 11, 12, 232, 272
 propane-1,3-disulfonate (PDSS) 220
 propylene carbonate (PC) 73, 158, 220
 proton exchange membrane fuel cells
 (PEMFCs) 171, 183
 proton (H^+) batteries 214–217
 Prussian blue analogs (PBAs) 10, 204,
 206, 207, 211, 213, 214, 216, 280
 pseudo-capacitor 12, 263, 267, 268, 278
 pyrene-4,5,9,10-tetraone (PTO) 216

q

quinones 240

r

rate-determining step (RDS) 33, 34, 36,
 188
 RDE 172, 176–177, 181, 188
 reaction mechanism 2, 28–30, 39, 41, 45,
 92, 93, 95, 99, 103, 104, 114, 179,
 218
 rechargeable battery 103, 122, 143
 redox-active species (RAS) 232, 235, 238,
 239, 241, 246, 251
 redox-asymmetric electrodes 263, 265,
 268, 278–281
 redox-targeting-based FB 249–250
 reduced graphene oxide (rGO) 35, 64,
 276, 278–280, 285, 286
 resistance 11, 12, 34, 63, 72, 75, 105, 125,
 159, 160, 162, 163, 174, 176, 181,
 188, 233, 248, 249, 266–268,
 270–273, 305, 307, 312, 313

s

SACs 184–186
 dual and multimetallic 185–186
 sandwiched graphene carbon (SGC) 280
 sealant 267
 sealed Li/Zn- O_2 batteries 44–45
 semi-solid FBs (SSFB) 249
 side reactions 3, 5–7, 10, 13, 34, 38, 39,
 44, 69, 70, 72, 96, 100, 111, 135,
 203, 206, 212, 221, 232, 240
 single atoms (SAs) 107, 171, 175, 176,
 179, 181, 183–186
 sodium-based DIB (SDIB) system 150,
 154, 155, 157, 158, 162
 sodium dodecyl sulfate (SDS) 208, 220
 sodium-oxygen batteries (NOBs) 27
 solar cells 64, 286, 306
 solid-electrolyte interphase (SEI) 4, 122,
 144, 204
 artificial engineering 70–72
 electrolyte additives 69–70
 solid polymer electrolytes (SPEs) 14,
 266, 310–311
 solid-state electrolytes (SSEs) 4, 5, 7, 13,
 43, 95, 111, 113–114, 220, 278, 310

- solid-state electrolytes (SSEs) (*contd.*)
 gel polymer electrolytes 310–311
 hybrid SSEs 311–312
 interface issues of 312–313
 solid polymer electrolytes 310–311
 specific surface area (SSA) 8, 9, 12, 31, 37, 44, 60, 63, 103, 105, 148, 149, 153, 174, 182, 268, 279
 Stone–Wales defective graphene (SWG) 33, 34
 styrene-butadiene rubber (SBR) 72
 sulfur cathode 58
 carbon materials for 59–63
 graphene supported 60–63
 inorganic-based structures 63
 inorganic nitrides 65–67
 inorganic oxides 65
 inorganic sulfides 64
 lithium sulfide 67–68
 porous carbons 59–60
 surface-enhanced Raman (SERS) 40, 97, 107
 surface site density (SD) 172–174, 181, 182
- t**
 TEMPO 11, 238–239
 tetrachlorohydroquinone (TCHQ) 216
 tetraethylene glycol dimethyl ether (TEGDME) 41, 42, 73, 97, 99, 111
 tetramethylene sulfone (TMS) 160
 textile composite electrodes (TCEs) 309–310, 316, 317
 thermogravimetric analysis (TGA)–Fourier transform infrared (TGA-FTIR) 103
 3D porous carbon materials (3DPC) 284
 3D porous microcrystalline carbon (3D-PMC) 147, 149
 transitional metal disulfides (TMDs) 8, 40, 152, 156, 163
 transition metal-based catalysts 6, 109–110
 transition metal layered double hydroxides (TMLDH) 280
 transition metal oxides (TMO) 9, 56, 65, 76, 127, 151, 152, 213, 248, 273, 278, 283
 cathodes 68–69
 transition-metal pyrophosphates 281
 transition metals 5, 6, 9, 28, 37, 40, 56, 58, 108–110, 127, 130, 151, 177, 213, 248, 274, 278, 280, 281, 283
 transition metal sulfides 274
 transmission electron microscope/microscopy (TEM) 31, 32, 36, 94, 98, 99, 106, 114, 163, 204, 205, 215
 triboelectric nanogenerator (TENG) 279
 4-[3-(trimethylammonio)propoxy]-2,2,6,6-tetramethylpiperidine-1-oxyl (TMAP-TEMPO) 239
 tris(trimethylsilyl) borate disodium (TMSB) 220
 turnover frequency (TOF) 181, 182, 184, 188
 2D transitional metal dichalcogenides (TMDs) 40, 152, 156, 163
- v**
 vanadium disulfide (VS_2) 128
 vanadium flow battery (VFB) 231, 233, 244–248, 250, 251
 viologens (Vi^{2+}) 239
 voltage efficiency (VE) 8, 232
- w**
 water decomposition 203, 219–220
 water-in-bisalt electrolyte (WIBE) 204
 water-in-salt electrolyte (WISE) 11, 112, 113, 161, 204, 207, 218–220
 water-in-salt polymer electrolyte 311
- x**
 X-ray absorption fine structure (EXAFS) 175
 X-ray absorption near-edge structure (XANES) 175
 X-ray diffraction (XRD) 98, 101, 163
 X-ray photoelectron spectroscopy (XPS) 34, 103, 176, 204

y

Young's modulus 300, 304

z

zeolitic-imidazolate frameworks (ZIF)

materials 38, 174, 181, 188

zinc-air batteries (ZABs) 27, 29, 30, 34,
38, 44–46

zinc-bromine flow battery (ZBFB) 233

self-discharge suppress 234–235

Zn dendrites 234

zinc hexacyanoferrate (ZnHCF) 211

zinc-iron FB 235–237, 244

zinc oxides (ZnO) 175, 208, 218, 220,
278, 279

Zn-based batteries

multivalent metal ions 208–214

alkaline ZBs 208–209

neutral ZIBs 209–212

Zn-ion batteries 6, 10, 122





