

Index

a

acetamido-2,2,6,6-tetramethylpiperidine
N-oxyl (ACT) 211, 213
 acetic acid 31, 41–43, 225, 261, 279
 Ag-pCN/TiO₂ composite photocatalyst
 292
 ammonia splitting 85
 amorphous graphitic carbon conductor
 79
 anthracenyl (MOF-74) 150
 apparent quantum efficiencies (AQY)
 66, 67, 71, 75
 apparent quantum efficiency (AQE), of
 H₂ evolution 203
 applied bias photon-to-voltage
 conversion efficiency (ABPE)
 97–98
 aquamarine hydrogen 6, 8
 aromatic alcohols 171, 176
 aromatic polycarboxylates 147
 artificial chloroplasts 78–81
 artificial leaves based on semiconductor
 junctions 81–82
 Au/CdS photocatalysts 202
 Au-supported TiO₂ 261
 Au/TiO₂ photocatalysts 196–198

b

band alignment of semiconductors
 146
 barium titanate nanostructures 257
 B-doped TiO₂ photocatalysts 201

1,2,3-benzenetricarboxylate (BTC)
 147, 148
 benzimidazoles, photocatalytic one-pot
 synthesis of 183, 184
 benzimidazolic derivatives 183
 benzoin (BZ) 176
 benzyl alcohol oxidation of 171
 benzylamine 180, 208
 bioassays 295
 biodiesel production-derived
 wastewater 258–261
 bioinspired two-absorber Z-scheme
 configurations 79–81
 biological biomass conversion process
 221
 biomass
 accumulation 191
 metal-based photocatalytic reforming
 of 191–213, 219–238
 biomass-derived intermediates,
 oxidation of 173–174
 biomass processing methods 221
 biophotolysis 13
 bisphenol (BPA) 252, 262, 264
 Bi/TiO₂ composite nanofibers 260
 BiVO₄/MoO₃ bilayer photoanode
 103
 BiVO₄ photoelectrode 104, 105
 black hydrogen 5
 blue hydrogen 5, 6
 boron carbides photocatalysts 209
 brown hydrogen 5

c

cadmium sulfide (CdS) 24, 27, 220, 237

camouflage green hydrogen 6

carbon-based solar fuels 8

carbon containing compounds 169

carbon dioxide emissions and global warming 3–4

carbon dioxide reduction 8, 14

carbon nitride (C₃N₄) 37, 78, 84, 146, 171–174, 202, 209, 210, 284

carboxylic acid-functionalized polypyridyl Ru-based photocatalyst 211

carboxylic acids 42, 149, 183, 225, 226, 295

CdS-based photocatalysts 171, 201–203, 220, 222
for hydrogen evolution 223–226

CdS/SiO₂ catalyst 177

CdS/TiO₂ heterojunction 183

Cd_{1-x}Zn_xS-Cd_{1-y}Zn_yS photocatalyst synthesis, for hydrogen evolution 226–237

Cd_{1-x}Zn_xS photocatalysts, XRD pattern of 233

Cd_{0.6}Zn_{0.4}S/Cd_{0.1}Zn_{0.9}S photocatalyst 228
TEM images and EDX spectra 230

cellulose aqueous suspensions, photocatalytic hydrogen evolution from 232–235

cellulose hydrolysis 195, 235

chemical energy 14, 20, 66, 142, 143, 166

chemisorption, of H₂/D₂ on ZnO 53

chemoselective oxidation, of secondary benzylic alcohols 211

4-chlorophenol (4-CP) 45, 252

ciprofloxacin (CIP) 262, 264

circular-carbon strategies 8

circular economy 245

cobalt co-catalyst Co(OH)₂/Co(O)OH 226

cobalt doped TiO₂ photocatalyst 199

cobalt O₂ evolution co-catalyst (CoOOH) 76

co-catalyst 169
free CoO nanoparticles 73
hydrogen evolution 69
water splitting 69
Zn-doped Ga₂O₃ modified with a Rh_{2-y}Cr_yO₃ 37

co-doping 193, 200

compound parabolic collectors (CPC) 261, 281, 285–289, 296

computational fluid dynamics 112

concerted proton-electron transfer (CPET) mechanism 175

conduction-band bottom energy 20, 24, 27

conjugated polymer semiconductor 78

contaminant treatment 294

CoPi cocatalysts 177

CoP/Zn₂In₂S₅ 176

coronavirus pandemic 1

cost of hydrogen 124

Cu-doped TiO₂ photocatalysts 199

CuO@Cs-H photocatalysts 204–206

Cu₂O semiconductors 73

cyanamide-functionalized carbon nitride (^{NCN}CN_x) 173, 209

d

decarbonized energy schemes 4

dehydrogenative homocoupling reaction of alcohols 175

deoxybenzoin (DOB) 176

diclofenac (DCF) photodegradation 264

diffuse reflectance UV-vis spectra of UiO-66 and UiO-66-NH₂ 154

dihydric alcohols 175

2,5-dimethylfuran (2,5-DMF) 178

2,6-di-*tert*-butylphenol (DTBP) 152

D₂O 36, 37, 40, 43–47, 53, 54, 252

double-beam photoacoustic spectroscopy (DB-PAS) 25, 26

- dual-functional photocatalysis for H₂ evolution 170
- dual-type photocatalysis 167
- dyes-containing wastewaters 256–258
- dye-sensitized photoelectrochemical cell (DSPEC) 211, 213
- dye-sensitized TiO₂ photocatalysts 211–213
- e**
- electrocatalysis 134
- electrocatalytic water splitting 9–10, 128
- electrolysis 5, 7, 9, 64, 83, 97, 106, 112, 128, 130
- energy diagrams, in
semiconductor-based
photocatalytic overall water
splitting 72
- energy losses in photocatalytic water
splitting 282
- enrofloxacin (ENR) 262, 264
- ethylene glycol (EG) 175, 176, 196, 255, 264, 265
- Evonik P25 photocatalytic activity 28
- f**
- Faradaic efficiency for hydrogen
evolution 97
- F-doped Co₃O₄ photocatalysts 204
- Fe and Ni co-doped TiO₂ photocatalysts 200
- Fe-doped strontium titanate 172
- Fermi levels of Au/TiO₂
nanocomposites 197
- fixed catalyst photoreactors 291–293
- flat-band potential (FBP) 24
- fluidized photoreactors 291
- forest green hydrogen 6
- formaldehyde 38, 39, 43–46, 169, 250, 251
- formic acid 38, 43–45, 50, 169, 206, 261, 266
- fossil fuels 2, 5, 95, 141, 219
reserves of 2–3
- total reserves, proved reserves and
consumption of 3
- world annual CO₂ emission 123
- four-electron water oxidation reaction
(WOR) 166
- Fourier-Transform Infrared (FTIR)
spectra in OH/OD stretching
regions for unlabeled, deuterated
and ¹⁸O-labeled TiO₂ 52
- F-TiO₂/Pt photocatalyst 252
- Fujishima–Honda effect 73
- furfural alcohol 173, 174
- g**
- g-C₃N₄ catalyst doped with Bi spheres 265
- g-C₃N₄ materials 264
- Gibbs energy-change reactions 20
- global primary energy supply 2
- glycerol 169, 198, 199, 203, 206, 208, 224, 225, 258, 260, 261, 266, 278, 279, 283
- graphitic carbon nitride (C₃N₄) 53, 78, 85, 146, 171, 172, 174, 202
- graphitic carbon nitride (g-C₃N₄)-based
photocatalysts 209
- gray hydrogen 5, 141
- green economy 123
- green growth 245
- green hydrogen 5–9, 64, 141, 142
- h**
- H₂ as fuel, drawbacks of 142
- HAT-coupled DSPEC cell for PP-ol
oxidation 213
- hematite photoanode PEC system 100
- heterogeneous photocatalysis 19, 35, 143, 167, 192, 193, 291
- heterogeneous photocatalytic H₂
production 167
- heterogeneous semiconductor
photocatalysts, photophysics of
67–69
- heterostructured materials 102
- H-isotopologues of carboxylic acids 42

- homogeneous photocatalysis 167, 192
 - homogeneous photocatalytic H₂
 - production 166, 167
 - H-type photocells 99
 - hybrid CdS-based catalyst 175
 - hybrid PEC-PV systems 109
 - hybrid photoelectrochemical systems
 - 7
 - hydrobenzoin (HB) 176, 177
 - hydrogen
 - color codes 5
 - production costs 6–7
 - as renewable energy carrier 5–6
 - hydrogen evolution 28
 - anatase and rutile particles 28–31
 - from aqueous 2-propanol 27
 - cocatalysts for 24–26, 69
 - heterogeneous photocatalysis 19
 - metal-oxide photocatalysts for 24
 - photocatalysts for 23–24
 - platinum-amount dependence
 - 26–28
 - standard electrode potential
 - 22–23
 - thermodynamic description
 - 19–21
 - hydrogen evolution rate
 - from aqueous solutions of glucose and xylose 231
 - on Cd_{1-x}Mn_xS catalysts 231
 - temperature dependent 228
 - hydrogen evolution reaction (HER)
 - 13, 29, 31, 95, 101, 102, 110, 130, 145–147, 155, 156, 166, 194, 195, 201, 220, 226, 237, 283, 284
 - hydrogen producing process 219
 - hydrogen production 124, 165
 - in CH₃OH–H₂O mixtures 41
 - electrocatalytic water splitting 128
 - from H₂O 123
 - PEC water splitting 95
 - incident photon to current efficiency 98
 - photocurrent density 98
 - photoelectrochemical reactor setup 98
 - photogenerated electron-hole pair
 - role in 96
 - principle 95
 - reactor setup 98–101
 - solar-to-H₂ conversion efficiency
 - 96–98
 - photocatalytic and photoelectrocatalytic water splitting
 - 128–129
 - photocatalytic systems, fundamental principles of 167–170
 - thermal water splitting using metal oxides 124–127
 - hydrogen sulfide 85
 - 5-hydroxymethylfurfurale (HMF) 173, 174, 202
- i*
- IEE-11(Ti) 160
 - IEF-11 structure 160
 - incident photon to current efficiency
 - 96, 98
 - indirect oxidation process 223
 - industrial economy, consequence of 1
 - inflatable artificial leaf with
 - TiCoO_x/BiVO₄ photoanode and Pt/perovskite photocathode 82
 - inorganic electron donor sacrificial agents 169, 220, 227
 - inorganic nitrides 78
 - in situ photodeposition of Ni clusters on ultrathin CdS nanosheets 180
 - integrated GaInP/GaAs/Ge cell 109
 - integrated PEC-PV (IPEC) system 109
 - isotope-enriched KS¹³C¹⁵N 54
 - isotopic labeling 39, 41, 52, 54
 - isotopic shift factor 51, 52
 - isotopic substitution 36
 - on photocatalyst 47
 - H substitution 51
 - O substitution 49
 - Ti substitution 47

- on solvent/substrate
 - alcohols 38–41
 - aromatic compounds 45–46
 - carbonyl compounds 41–45
 - water 36–37
- isotopologues 37, 40–42, 45, 50, 54
- k**
- kinetic isotope effect (KIE) 37, 41, 46, 55
- l**
- ligand-to-metal charge transfer (LMCT) 151, 182
- light absorption efficiency (η_A) 98
- light absorption in single
 - photoelectrochemical cells 107
- light-activated overall water splitting systems 65, 66
- light harvesting 95, 98, 104, 105, 108, 128, 130, 133, 146, 177, 178, 183, 185, 206
- light harvesting efficiency (LHE) 98
- lignocellulose-derived furanics 178
- LiPH8 biocatalysts 200
- low-carbon economy 165
- low-carbon goals and energy sustainability 4–5
- low-carbon technologies 95
- m**
- magnetic resonance techniques 36
- material-based research, in
 - semiconductor photoelectrodes 113
- mechanistic study
 - by EPR spectroscopy 51
 - on methanol photoreforming 38
- melamine-derived g-CN 174
- 3-mercaptopropionic acid (MPA)-capped CdSe quantum dots (MPA-CdSe QDs) 172
- metal-based photocatalytic reforming of biomass
 - CdS-based photocatalysts and co-catalyst loading 201–203
 - metal oxides other than TiO₂-based photocatalyst 204–206
 - metal sulfides other than CdS 203–204
 - nonmetals/TiO₂ photocatalysts 200–201
 - non-precious metals/TiO₂ photocatalysts 198–200
 - TiO₂-based photocatalysts and cocatalysts effect 193–198
 - metal doping, of SrTiO₃ 75
 - metal-free photocatalysts 209–211
 - metal organic frameworks (MOFs) 78, 147, 149
 - advantages and disadvantages 148
 - based photocatalysts 206–209
 - features 147
 - as photocatalysts 149–152
 - H₂ generation 153–156
 - overall water splitting 156–160
 - transition metal ions 151
 - photo-induced ligand to metal charge transfer in 151, 152
 - stability 148
 - metal oxide nanostructures, PEC performance of 102
 - metal-oxide photocatalysts 24
 - metal oxide photoelectrocatalysts 101
 - methane reforming 85, 134
 - methanol 169
 - methanol isotopologues 40
 - 2-methylfuran (2-MF) 178
 - MIL-125-NH₂ ((Ti₈O₈(OH)₄(BDC-NH₂)₆)₂) 206
 - MIL-125-NH₂ catalyst 256
 - MIL-125(Ti)-NH₂, overall water splitting in 157
 - mixed metal oxides 75, 126, 128, 204
 - MJSC-based electrocatalytic system vs. Si-PC cell 133
 - Mn-doped TiO₂ photocatalysts 200
 - Mo-doped ZnIn₂S₄ catalyst 181–182

- MOF-5 148
 photocatalytic degradation activity of 152
 monolithic tandem photoelectrode cell 107
 MoS₂-foam-modified CdS nanorod 175
 MoS_{2-x}@TiO₂-OVs catalysts 262
 multijunction GaAs-based solar cells (MJSC) 131
 drawback 130
 properties 129
 vs. Si-based PV 130
- n**
- naphthyl (MOF-205) rings 150
 Na₂SO₃ sacrificial agent 256
 Na₂S sacrificial agent 256
 natural photosynthesis 8, 13, 14, 66, 145, 162, 291
 N-doped TiO₂ photocatalysts 200, 201
 N-hydroxyphthalimide (NHPI) 211–213
 Ni/CdS photocatalyst 202
 Ni/CdS/TiO₂@MIL-101 photocatalyst 183
 nickel/yttria-stabilised-zirconia (Ni/YSZ) catalyst 112
 Ni-doped TiO₂ catalyst 198
 NiFeOOH and Co-P_i co-catalyst modified BiVO₄ photoelectrode 104
 Ni-modified CdS nanoparticle photocatalyst 171
 Ni-Mo-Zn hydrogen evolution catalyst 10
 NiS/CdS photocatalysts 202–203
 noble-metal-free Ni-based co-catalyst 171
 non-metal doped TiO₂ 200, 258
 non-metals doping 200
 Kohn-Sham one-electron states and spin density plots 201
 nonmetals/TiO₂ photocatalysts 200–201
 nonporous TiO₂ particles 152
 non-precious metals/TiO₂ photocatalysts 198–200
 normal hydrogen electrode (NHE) 157, 168, 207, 276
- o**
- ofloxacin (OXF) 262, 264
 one-pot reforming, of cellulosic biomass 194
 one-semiconductor overall water splitting photocatalysts 72
 open photocells 99
 optical fiber honeycomb reactor 293
 optical fiber reactors, for water splitting 293
 optical-path length (OPL) 285
 organic biomass derivatives 220
 organic electron donor sacrificial agents 169
 organic/metal-organic semiconductors, for photocatalytic water splitting 78–79
 organic polymers, as photocatalytic materials for H₂ production 53
 organic transformations photocatalytic 170–184
 1-(o-tolyl)propan-2-one 182
 outdoor PV-electrolysis experimental set up 132
 overall photocatalytic water splitting reaction 276
 overall water splitting 63
 into H₂ and O₂ 71, 73
 single light absorber configuration based on metal oxide semiconductors 71–82
 for Pt/C₃N₄ with peroxide 84–85
 overall water splitting process 156
 overlapping tandem configuration 107
 overpotentials 10, 25, 69, 71, 104, 109, 128, 146, 157, 168, 194
 oxalic acid 43, 291

- oxidative co-catalysts 104
- oxidative cross-coupling, H₂ production
 - with 182–184
- oxidative quenching 167, 168
- oxygen evolution reaction (OER) 95, 101, 102, 110, 145, 146, 156, 210

- p**
- parallel tandem configuration 107
- pi-conjugated polymers 78
- Pd-supported TiO₂ 261
- Pd/TiO₂ photocatalyst 182, 195–196
- PEC-dye sensitised semiconductor cell (PEC-DSSC) systems 108–109
- PEC H₂ production 95–101
- pharmaceutical wastewater 261–265
- phosphomolybdic acid (PMA) 210
- photoanode materials 101
- photobiocatalysis 13
- photobiocatalytic hydrogen 13
- photocatalysis 7, 12–14, 64, 143, 145
 - advantage 219
 - general principles of 192
 - principle/mechanism 19
 - for overall water splitting, MOF-based 158
- photocatalytic formaldehyde oxidation 45
- photocatalytic gas evolution, using UiO-66 159
- photocatalytic generation, of reactive oxygen species 144
- photocatalytic HER, materials employed for 147
- photocatalytic homogeneous system
 - with oxidative quenching 168
 - with reductive quenching 168
- photocatalytic hydrogen evolution 31
 - from cellulose aqueous suspensions 232–235
 - from starch aqueous suspensions 235–237
- photocatalytic hydrogen, from feedstocks by photoreforming 11–13
- photocatalytic hydrogen generation
 - biodiesel production-derived wastewater 258–261
 - industrial wastewater 251
 - dyes-containing wastewaters 256–258
 - oxic/anoxic condition effects 252–256
 - municipal wastewater 247–251
 - pharmaceutical wastewater 261–265
 - WtE network 246
- photocatalytic hydrogen production
 - from biomass components 221–223
 - efficiencies 8
 - mechanisms 35–55
 - WtE network 245
- photocatalytic organic reactions
 - coupled with H₂ production
 - oxidation
 - of alcohols 170–173
 - of biomass-derived intermediates 173–174
 - rate-limiting step 170
- photocatalytic oxidative coupling reactions
 - C-C coupled products formation 175–179
 - C-N coupled products formation 180–181
 - S-S coupled products formation 181–182
- photocatalytic process 14, 35, 36, 40, 44, 142, 152–154, 159, 167, 170, 173, 237, 247, 250, 257, 266, 279, 290, 294
- photocatalytic reforming 169
 - of aqueous methanol 40
 - of aqueous naphthalene 46
 - of aqueous natural/ deuterated naphthalene 47
 - of benzene 46

- photocatalytic reforming (*contd.*)
 - of biomass 193
 - of formaldehyde 44–46
 - of naphthalene isotopologues 45
 - of oxalic acid 43
- photocatalytic wastewater treatment
 - with simultaneous hydrogen production 296
- photocatalytic water splitting 10, 21, 36, 65, 219
 - catalyst choice and design 169
 - to H₂ and O₂ on semiconductor-based photocatalysts 168
- photocathodes 82, 95, 101–103, 106, 108, 113
- photocells 98
 - incident light intensity 100, 101
 - types of 99
 - window material 100
- photocurrent density 98
 - in single photoelectrochemical cells 107
- photoelectrocatalytic (PEC) systems, stability, and performance 130–133
- photoelectrocatalytic water splitting 9, 128–129
- photoelectrochemical reactor
 - configurations
 - classifications of 106
 - integrated PEC system 109
 - PEC-DSSC systems 109
 - single photoelectrochemical cells 106–107
 - tandem photoelectrochemical cells 107–108
- photoelectrochemical semiconductor materials 101
- morphologies of 101–102
- photoelectrode modification 103–104
 - bilayer structure 103
 - co-catalyst layer 104–105
 - surface passivation coating 105
 - Z-scheme multilayer 103–104
- photoelectrochemical (PEC) water splitting 35, 95
 - design considerations 109
 - decision tree 110
 - semiconductor features 112–113
 - technical challenges 113–114
 - temperature effects 112
 - theoretical studies and models 110–111
- photoexcited pairs 167
- photofermentation 13
- photogenerated charge separation 277
- photo-induced alcohol oxidation
 - mechanism 211
- photo-Kolbe reaction 41, 45
- photophysical mechanism,
 - in semiconductor-based photocatalyst 67, 68
- photophysics of heterogeneous semiconductor photocatalysts 67–69
- photoreactor engineering and process conditions 69–71
- photoreactors
 - feasibility factors 289
 - fixed catalyst 291–293
 - integrated LED lamps in 293
 - slurry 289–291
- photoreforming 294, 295
 - of formic acid 44
 - process 12
- photosensitizer (PS) 167, 206, 211, 213, 285
- photovoltaic electricity 7, 64, 65
- photovoltaic-electrolytic technology 65
- photovoltaics device 145
- pink hydrogen 5
- platinized TiO₂ (Pt/TiO₂)
 - photocatalysts 194–195
- platinum-loaded MOF composite (Pt/PCN-777)
 - for H₂ production 208
- pond green hydrogen 6
- porphyrin-based MOFs 159

- primary energy production trends 1–2
- proton exchange 40, 54
- proton exchange reaction 42
- proton exchange reaction rate 43
- Pt/CdS-ZnS catalysts 251
- Pt/CdZnS photocatalyst
 HAADF TEM imaging and elemental mapping of 234
 HRTEM images of 233
- Pt/Cd_{0.5}Zn_{0.5}S photocatalyst 224
- Pt/CdZnS 120 photocatalyst 229
- P-TiO₂/Pt microsphere catalyst for H₂ production 250
- Pt-loaded brookite nanoflutes 84
- Pt@MIL-125/Au composite photocatalyst 207
- Pt-modified graphitic carbon nitride 53
- Pt@mp-gC₃N₄ thin film catalyst 292
- Pt/RuO₂/TiO₂ system 222
- Pt/TiO₂-N catalysts 251
- PV-electrolysis setup 132
- pyrenyl (NU-1000) 150
- q**
- quadrupole mass spectrometry (QMS)
 signals, for generated CO₂, HD, H₂, D₂ 44
- quadrupole MS signals
 during gas-phase photocatalytic reforming of methanol 38
 during photoreforming of D₂O/CH₃OH vapors 40
- quantum efficiency 14, 30, 31, 77, 172, 199, 235, 236
- r**
- redox mediators 71, 79, 291
- redox photooxidation mechanism 50–51
- red phosphorous (RP)-doped TiO₂ (TiO₂/RP) 201
- reductive quenching 167, 168
- renewable solar fuel technologies 7
- reversed double-beam spectroscopy (RDB-PAS) 26
- RGO/ZnO@ZnS-Bi₂S₃ 203, 204
- Rh-doped strontium titanate 171
- rhodium-chromium co-catalyst 76
- Rietveld method 228, 229, 233
- Ru-doped ZnIn₂S₄ 178
- ruthenium (Ru) (II) tris-bipyridine (bpy) [Ru(bpy)₃]²⁺ 211
- S**
- sacrificial agents 21, 129, 153, 156, 166, 169, 200, 237, 251, 252, 255–257, 262, 265, 266, 277–280, 286, 292–294
- sacrificial electron donors 36–38, 64, 146, 156–157, 159, 161, 169, 183, 195, 202
 in photocatalytic H₂ production 153–155
- Sb₂Se₃ nanorod-thin film bilayer 103
- Scaife's plot 23
- Schottky-type barrier 21
- seawater splitting, photocatalytic 83, 84
- self-assembled 3D ZnO nanosphere 204
- self-healing cobalt-based oxygen evolution catalyst 10
- semiconductor-based photocatalytic overall water splitting 72
- semiconductor-based photocatalytic systems 184
- semiconductors
 into H₂O₂ and H₂ 84, 85
 for water splitting photocatalysis 67–69
- Si-based PV cells 133
- single light absorber materials, H₂/O₂ formation
 based on metal oxide semiconductors 73–75
 doped metal oxides 75–76
 modifications of 76
- single-phase sulfide catalysts 226

- single photoelectrochemical cells 106–107
 - slurry photoreactors 289–291
 - sodium tantalate doped with lanthanide series 75
 - solar-active catalysts, drawback of 102
 - solar electromagnetic radiation 143
 - solar energy 166
 - storage 64, 69, 86
 - solar fuels 7
 - advantages and disadvantages of 144
 - solar hydrogen production 7, 275–296
 - solar photocatalysis 64, 69, 75, 142, 184
 - solar photocatalytic hydrogen
 - production 275
 - considerations 275–278
 - performance affecting factors 280
 - catalyst structure and morphology 280–281
 - light intensity 281–282
 - pH 284
 - photoreforming 278–279
 - temperature 282–284
 - solar photoreactors 285
 - compound parabolic collectors 286
 - non-concentrating collectors 285, 289
 - parabolic trough collectors 285, 288
 - solar-to-H₂ conversion efficiency 96–98
 - solar-to-hydrogen conversion efficiency (STH) 66–67, 69, 71, 73, 76, 78, 82, 84, 294
 - solar-to-hydrogen efficiencies, of photocatalytic water splitting 86
 - solid oxynitride solutions 76
 - solid-state cross-polarization
 - magic-angle-spinning ¹³C-NMR 53
 - Spin-echo ^{47/49}Ti NMR spectra, of macroporous Zn₂TiO₄ 48
 - squarate 160
 - SrTiO₃/Ag/Fe₃O₄/(30 wt% g-C₃N₄) nanostructures 264
 - standard electrode potential (SEP) 20, 22, 23
 - standard hydrogen electrode (SHE) 22–26, 29, 31
 - starch aqueous suspensions, photocatalytic hydrogen evolution from 235–237
 - steam CH₄ reforming (SMR) 123, 124
 - steam reforming of methane (STM) 165, 191
 - surface passivation coating 103, 105
 - surface plasmon resonance (SPR) effect 194, 196, 198, 251, 264
- t**
- tandem photoelectrochemical cells 107–108
 - tandem photoelectrode PEC systems 113
 - tantalates 75
 - techno economy analysis (TEA) 127, 131, 153, 256
 - terephthalate 147, 148
 - tetraphenyl porphyrin (PCN-222) 150
 - thermal water splitting using CeO₂
 - application 125–127
 - limitation 126–127
 - principle 124–125
 - thermochemical process 221, 228
 - thermodynamic principle 20, 21
 - thermosolar catalysis 7
 - thermosolar H₂ production 142
 - time-resolved spectroscopies 36
 - TiO₂-based catalysts 277
 - TiO₂-based photocatalysts
 - Au/TiO₂ photocatalysts 197
 - CdS-based cocatalysts loading 201–203
 - CdS-based photocatalysts 201–203
 - nonmetals/TiO₂ photocatalysts 200–201
 - non-precious metals/TiO₂ photocatalysts 198–200

- Pd/TiO₂ photocatalysts 195–196
 platinumized TiO₂ (Pt/TiO₂)
 photocatalysts 194–195
 ZnS-Bi₂S₃ nanocomposite 203–204
 TiO₂/HKUST-1 composite
 photocatalyst 208
 TiO₂ light harvesting, in visible region
 146
 TiO₂ photocatalyst, for H₂ generation
 145
 TiO₂/ZnO passivation layer 105
 toxicity-biodegradability dichotomy
 295
 toxicity tests 295
 transesterification process 258
 turquoise hydrogen 5
 2D black phosphorus and carbon
 nitride (BP/CN) nanohybrids
 210
 2D MOFs 160
 two dimensional (2D) hexagonal SnS₂
 nanostructures catalysts 257
 two-electron process 22, 27, 29, 31
 two-semiconductor overall water
 splitting photocatalysts 72
- U**
- ultrathin two-dimensional Ni/CdS
 nanosheets 173, 174
- V**
- vibrational spectroscopy 51
 visible-light driven chemical reactions
 179
 visible-light-driven photocatalysis 220
- W**
- waste-to-energy (WtE) 245–247, 275
 wastewater
 biodiesel production-derived
 wastewater 258–261
 industrial wastewater 251
 dyes-containing wastewaters
 256–258
 oxic/anoxic condition effects
 252–256
 municipal wastewater 247–251
 pharmaceutical wastewater
 261–265
 photocatalytic wastewater treatment
 with simultaneous hydrogen
 production 296
 wastewater pretreatment 294
 water-assisted direct oxidation path 39
 water-assisted oxidation 38
 water isotopologues 37, 40
 water splitting 63
 activity of CrO_x/Rh/Al SrTiO₃ 77
 artificial leaves based on
 semiconductor junctions 81–82
 bioinspired two-absorber Z-scheme
 configurations 79–81
 challenging kinetics of 69
 co-catalyst requirements 69
 design differences, of photocatalytic
 vs. photoelectrochemical vs.
 photovoltaic-electrochemical
 approaches 64–66
 light-activated overall water splitting
 systems 65
 light-driven overall water splitting
 66
 one-semiconductor overall water
 splitting photocatalysts 72
 overall photocatalytic water splitting
 276
 overall water splitting 63, 71–85
 overall water splitting process 156
 photocatalytic water splitting 10,
 21, 36, 65, 219
 catalyst choice and design 169
 to H₂ and O₂ on
 semiconductor-based
 photocatalysts 168
 organic/metal-organic
 semiconductors for 78–79
 photoreactor engineering and process
 conditions 69–71

water splitting (*contd.*)
 semiconductor-based
 photocatalytic overall
 water splitting 72
 thermodynamics 66–69
 transformations 63
 two-semiconductor overall water
 splitting photocatalysts 72
wireless photoelectrochemical cell
 design 10
Woodward–Hoffman rules 150

y

yellow hydrogen 5

z

zero-carbon technologies 95
Zn-doped Ga_2O_3 modified with a
 $\text{Rh}_{2-y}\text{Cr}_y\text{O}_3$ 37
ZnIn₂S₄ photocatalyst 176
ZnO/RGO nanocomposite 206
ZnS-Bi₂S₃ nanocomposite photocatalyst
 203, 204
ZnS/NiO core-shell nanostructures
 260
Z-scheme multi-component bioinspired
 approach 79
Z-scheme multilayer photoelectrode
 modification 104

