

Index

a

- Abies chensiensis* 421
- acceptor indolyl olefins 85
- 3-acetonyl-2,3-dehydropiperidines 193
- 2-acetylcyclopropanecarbaldehydes 154
- acetylenedicarboxylate 51
- activated acyclic dienol-type Breslow intermediate 155
- activated cyclopropanes 17–19, 21, 22, 37, 40, 41, 47, 48, 51, 54, 59, 63, 66, 67, 69, 83, 162, 270, 339, 351
- activated vinyl cyclopropane 18
- activation barriers 21, 24–26, 32
- acyclic azadienes 68
- acyclic diene systems 45
- acyclic zwitterionic intermediate 149
- 1-acyl-2-arylcyclopropanes 205
- 1-acyl-2,2-bis(phenylsulfanyl)cyclopropanes 193
- 2-acylcyclopropanecarbaldehydes 154, 157
- γ -acyloxy-substituted aldehydes 147, 350
- 3-acyl-2-styrylcyclopropane-1,1-diester 196
- α -agarofuran 385
- AgNO₃-(NH₄)₂S₂O₈-pyridine system 380
- alkaloids
- (-)-allosecurinine 363–364
 - (±)- β -allokainic acid 375–376
 - (-)-ardeemin 365
 - (+)-aspidofractinine 366
 - Atorvastatin 374
 - (-)-batrachotoxin 374–375
 - (±)-Communesin F 363
 - crispine A 372
 - (-)-daphenylline 378
 - (±)-deethyleburnamonine 371–372
 - (±)-epimeloscine and (±)-meloscine 371
 - (+)-fastigiatine 368
 - (+)-fawcettimine 366, 368
 - FR901483 366–367
 - GB22 376
 - gelsemoxonine 369
 - (±)-gelsenicine 374–375
 - (±)-goniomitine 364
 - (-)-himalensine A 377–378
 - horsfiline 360
 - (±)-jerantinine E 373
 - Lyconesidine B 378
 - melodinus alkaloids 370
 - (±)-melokhanine E 377
 - (+)-nakadomarin A 362
 - (-)-nicotine 374
 - (+)-phyllantidine 361, 362
 - (±)-quebrachamine 365
 - quinolizidine (-)-217A 370
 - spirotryprostatin B 360–361
 - (±)-strychnofoline 360

- 1-alkenyl-2-alkoxycyclopropanecarboxylates 201
- 2-alkenyl-1-arylcyclopropanecarboxylates 216
- 2-alkenyl-2-arylcyclopropane-1,1-diesters 215
- 1-alkenylcyclopropanecarboxylates 201
- 2-alkenylcyclopropane-1,1-dicarboxylates 194, 195
- alkenylcyclopropanes 199, 200, 202, 207, 208, 215
- alkenyl cyclopropyl ketones 214
- 2-alkenylcyclopropyl ketones 216
- 7-alkenyl-2-oxobicyclo[4.1.0]heptanes 200
- 2-alkenyl-2-siloxy-2,3-dihydrofurans 217
- 2-alkenyl-2-(*t*-butyldimethylsiloxy)cyclopropylmethanols 217
- alkoxy cyclopropanecarboxylates 52, 54
- 2-alkoxycyclopropanecarboxylates 192
- alkoxycyclopropane monocarboxylates 42
- alkoxytetrahydrothiophenes 78
- 2-(1-alkyl-2-(het)arylvinyl)cyclopropylmalonates 201
- alkylidenebenzofuranones 142
- alkylidenemalonates 194, 195
- alkylideneoxindoles 142, 153, 156, 318
- 2-alkynylcyclopropylcarbaldehydes 218
- allenylsilanes 73, 87
- β -allokainic acid 375–376
- (–)-allosecurinine 363–364
- allylsilanes 41, 42, 87
- amino-3-aminomethylation of D–A cyclopropanes 173
- 1,3-aminobromination of D–A cyclopropanes 175
- 1,3-aminochalogenation of donor-acceptor cyclopropanes 178, 179
- aminocyclopropane 339
- dicarboxylates 44
- monoesters 54
- 2-amino cyclopropane dicarboxylates 44
- 1,3-aminofunctionalization of D–A cyclopropanes 187
- 1,3-aminothiolation of D–A cyclopropanes using sulfenamides 180–182
- 2-aminoxyethyl-substituted cyclopropane 218
- annulated β -lactams 219
- [3+n] annulations 337, 341
- [BnNEt₃]₂MoS₄ 324
- (3+2) annulation 282
- (3+3) annulation 282–285
- (9-anthracenyl)cyclopropanedicarboxylate 103
- anthranils 99, 100, 348
- anthranyl aldehydes 102
- β -araneosene 404–405
- (–)-ardeemin 365
- (+)-arglabin 380–381
- aromatic aldehydes 61, 63, 108, 109, 286, 287, 339
- 1-aryo-2-arylcyclopropanes 210
- 1-aro-yl-2-arylcyclopropane-carboxylates 211
- aroyl-substituted D–A cyclopropanes
- AlCl₃ or SnCl₄-mediated ring-opening reactions 276
- (3+2) annulation 280–282
- (3+3w) annulation 282–285
- conversion 285–286
- ring-opening reactions with hydrazines 278–280
- synthesis 274–276
- TiCl₄-mediated ring-opening reactions 278
- (+)-arteludovicinolide A 390
- 5-aryl-3-(2-aryl-2-nitrovinyl)isooxazoline N-oxides 209
- aryl 2-[4,4-bis(methylthio)butadienyl]cyclopropyl ketones 200
- arylcyclopropanedicarboxylates 58
- 4-arylcyclopentenes 216
- 2-arylcyclopropane-1,1-diesters 194, 215
- 2-aryl-cyclopropane-1,1-diketones 89
- 2-aryl D–A cyclopropanes 122–123
- 2-aryl-2,3-dihydrofuran-4-carboxylates 204

- 2-aryl-2,3-dihydrofurans 205
 2-arylethylidenemalonates 194, 195
 4-aryl-4-hydroxybutyrophenones 210
 5-aryl-2-methyl-3-R-4,5-dihydrofuran-3-carboxylates 203
 2-aryl-1-nitro-1-(1-nitro-2-arylvinyl)cyclopropane 209
 (3-aryl-1-oxoindan-2-yl)malonates 215
 3-aryl-2-styrylcyclopropane-1,1-dicarboxylates 196
 arylsulfenyl chlorides 146
 2-aryl-1-(tri- or difluoroacetyl)cyclopropanecarboxylates 206
Aspergillus fischeri 365
Aspergillus fumigatus 360
 (+)-aspidofractinine 366
Aspidosperma quebracho 364
 (+)-asteriscanolide 387–388
 a-substituted
 dialkylbromomalonates 155
 Atorvastatin 323, 373, 374
 8-aza- and 8-oxabicyclo[3.2.1]octane derivatives 193
 azeto[2,3-d]isoxazolidine skeleton 219
 aziridines 82, 93, 94, 106, 120, 121, 255
 azodicarboxylate 79, 296
- b**
- Baeyer strain 16
 (+)-barekoxide and (+)-barekol 386
 (-)-batrachotoxin 374, 375
 benzenothiols 145
 benzo[*b*]thiopyrines 145
 benzo[*c*]thiophene derivative 212
 benzocycloheptenes 216
 benzodithioloneimines 100
 benzofuran-based azadienes 45
 (benzofuran-2-yl)acetate 194
 (benzofuran-3-yl)acetic acid 194
 2-(benzofuran-3-yl)cyclopropane-1,1-dicarbonitrile 198
 benzoisothiazolo[2,3-*a*]pyridin-7-one 5,5-dioxides 154
 benzoquinone 121
 1-benzoyl-2-hydroxyphenyl-3,3-dimethylcyclopropane 219
 benzyloxyureas 118
 bezimidazolium precatalyst 152
 BF₃·Et₂O promoted [3+2] cycloaddition 309
 bicyclic alkenylcyclopropanes 199
 bicyclo[4.1.0]heptanes 199, 200, 212
 bicyclo[2.2.2]octane system 88
 2-(biphenyl-2-yl)cyclopropane-1,1-diester 218
 3,4-bis(acylmethyl)furans and-pyrroles 204
 1,3-bisarylation of D-A cyclopropanes 181–183
 1,3-bisfunctionalization of D-A cyclopropanes with arenes and nitrosoarenes 172
 bisfunctionalization of donor-acceptor containing cyclopropyl boronic ester 178
 bishemiaminals 204
 2,2-bis(β-methylstyryl)-substituted cyclopropane 215
 bis-polysubstituted pyrroles 127
 botryococcene 398–401
 β-branched α,γ-dichlorinated aliphatic aldehydes 146
 Breslow intermediates 140, 148–157
 Brønsted acid catalyst activation 352–353
 (±)-bruguierol A 409
 (butadienyl)cyclopropanes 199
 butanolide and butenolide natural products 415
 but-3-enylidenemalonates 196
 γ-butyrolactone 75, 80, 100, 285–287, 289
- c**
- 10-camphorsulfonic acid (CSA) 425
 carbanion-carbonium ion intermediates 9
 carbodimides 75, 76
 carbonyl groups 8, 18, 52, 66, 74–75, 102, 127–128, 210, 238, 255–258, 263, 267, 302, 314, 347
 1,3-carbothiolation of D–A cyclopropanes 183–184

- Carreira's cycloaddition 67
- catalyst free activation of D–A
cyclopropanes 319–327
- catalyst free ring-opening of D–A
cyclopropanes with sodium
azide 323
- with cyanate ion 324
- cyclopropane hemimalonates 319
- cyclopropane-1,1-hemimalonate with
sodium azide 320–321
- formal [4+1] cycloaddition via
photopromoted siloxycarbene
327
- 1-nitro-1-cyclopropyl ketones 322
- non-catalytic reaction of cyclopropane
hemimalonate with indole 320
- with phenoxyanions 322
- reorganization/dealkoxycarbonylation
reaction of 322
- ring-enlargement of donor-substituted
nitrocyclopropanes 327
- ring-opening decarboxylation of
cyclopropane hemiaminoglycate
with sodium azide 320–321
- spontaneous ring-enlargement of 326
- THF unit 325
- with thiophenolates 324–325
- catalytic asymmetric intramolecular
cyclopropanation (CAIMCP) 409,
414, 423
- C≡C triple bond 50
- Charette asymmetric cyclopropanation of
allyl alcohol 403
- Charette cyclopropanation 381
- chartarin 414, 417
- chiral cyclopropanes 150, 333
- chiral imidazolidinone catalyst 146
- chiral Lewis acid catalyzed reactions of
donor-acceptor (D–A)
cyclopropanes
- 2-substituted cyclopropane-1,
1-diketones 341–343
- 2-substituted cyclopropyl diesters
[3+n] annulations 337–341
ring-opening reactions 334–337
- chiral organocatalytic reactions of DA
cyclopropanes
- Brønsted acid catalyst
activation 352–353
- Brønsted base catalyst
activation 350–351
- nucleophilic catalyst
activation 351–352
radical pathway 353–354
- chiral pyrrolidines 68
- chloride-initiated asymmetric
cyclopropane ring opening
reaction 147
- chlorochalcogenation of cyclopropyl
carbaldehydes 170–171, 174
- chloromethyl allylsilanes 87
- Chromodoris norrisi* 410
- Chromodorolide B 395, 396
- chrysantemal 203
- cis*-1-acyl-2-arylcyclopropanecarboxylates
204–205
- cis*-configured cyclopropane substrates
143
- cis*-substituted D–A cyclopropane 26
- cis*-2-vinylcyclopropanecarbaldehyde 217
- (–)-(S, S)-clavukerin A 379
- Clavularia koellikeri* 379
- Cloke–Wilson rearrangement and related
processes
- affording pyrrole derivatives 208–209
- rearrangement of acyl-substituted
cyclopropanes
to 3-dihydrofurans 202–208
- related rearrangements affording other
heterocycles 209–210
- Cloke–Wilson-type rearrangement 160
- (–)-clovan-2,9-dione 391, 394
- clusianone 414, 416
- (±)-communesin F 363
- (–)-connatusin A 386, 388
- (+)-connatusin B 386–387
- conversion of D–A cyclopropanes to
β-hydroxy ketones 182–184
- Cope rearrangement and related
isomerizations 215–218

- copper-catalyzed cyclopropanation 231
 Corey–Chaykovsky cyclopropanation of
 benzylidene 421
 Corey–Chaykovsky reaction 231, 260
 cotylenin A 423, 424
 coumarin-2-ones 150
 covalent organocatalysis 139
 activation of cyclopropanes 140
 Breslow intermediates 148–157
 phosphine/tertiary amine
 catalysis 157–161
 secondary amine catalysis
 enamine activation 141–144
 iminium ion activation 144–148
 crispine A 372
 cyclic annulated nitronates 122
 cyclic 1-azadienes 347
 cyclic dithioacetals 49
 cyclic nitronates 93, 122, 327
 cyclization reactions of 1,1-dicyano
 cyclopropanes 125–126
 cyclizations of cyclopropanes containing
 carbonyl group 127–128
 cyclizations with phenols and nitrogen-
 containing heterocycles 124–125
 cyclizations with sulfur reagents 126–127
 (3+n)-cycloaddition 11
 [3+2] cycloaddition reaction of di-cyano
 cyclopropylketones with
 nitroolefins 315
 cyclodimerization reactions of D–A
 cyclopropanes 38, 112–117
 cyclohepenones 160
 cyclohepta[cd]indoles 216
 cycloheptadienes 143, 215
 cycloheptenones 216
 cyclohexadienedithiones 100
 cyclohexane derivatives 114
 cyclopenta[b]benzofuran 198
 cyclopenta[c]chromene skeleton 53
 cyclopentachromenes 128
 cyclopentaindolines 54
 cyclopentanaphthalenes 56
 cyclopentanes 41, 43, 73, 112, 113, 303,
 315, 339, 345, 350, 353, 354
 cyclopropa[b]benzofurans 194
 cyclopropa[b]thiophene 192
 cyclopropanecarbaldehyde products 144
 cyclopropanecarbaldehydes 145,
 150–151, 153, 157, 261
 cyclopropane dicarboxylates 40, 42–44,
 49, 54, 56, 61–63, 68, 69, 84, 90, 93,
 102, 116, 117, 119–123
 1,1-cyclopropane dicarboxylates 40, 41
 cyclopropane diesters 44, 255, 256, 258
 cyclopropanedinitriles 105
 cyclopropenones 65
 cyclopropylacetaldehyde
 dicarboxylates 142
 cyclopropylacetaldehydes 142, 156
 cyclopropyl acrylaldehydes 158
 cyclopropylketone moiety 53
 cyclopropyl ketones 3, 39, 42, 51, 52, 54,
 59, 67, 112–113, 200, 202, 205, 210,
 211, 214, 216, 257, 259, 267, 306,
 314–316, 322, 342, 353, 354
 cyclopropylmethylenaminol Breslow
 intermediate 157
 1-cyclopropyl-2-methylisoquinolinium
 salt 208
 cyclopropyl monocarbonyls
 applications 270
 heterocyclic synthesis 264–270
 metal catalyzed annulation
 reactions 264–267
 ring expansion and ring opening
 reactions 267–270
- d**
 DABCO catalyzed Cloke–Wislon
 rearrangement of electrophilic
 cyclopropanes 159–160
 DABCO-catalyzed cyclopropane
 ring-opening/Michael/cyclization
 cascade reaction 159–160
 (–)-daphenylline 377–378
 Daphniphyllum alkaloids 377
 (±)-deethyleburnamonine 214, 371–372
 2,3-dehydropiperidines 193
 (±)-1-desoxyhyphnophilin 383

- densely functionalized cyclobutanes 142
- Diachasmimorpha lingicaudata* 409
- Diachasmimorpha tryoni* (Cameron) 409
- 1,1-diacyl-2-aryl/
alkenylcyclopropanes 207
- 1,1-diacyl-2-vinylcyclopropanes 206–207
- 2,5-diarylcyclopent-3-ene-1,1-
dicarboxylates 196
- diarylethenes 43
- diarylprolinol 147, 164
- diastereomerically pure
cyclopropanes 198
- 4,5-diazaspiro[2.4]hept-4-enes 176
- 1,3-diazepines 101
- diaziridines 82, 93, 94
- diazocarbonyl compounds 95, 96
- dibenzacridins 128
- 1,3-dichlorinated products 22
- 3,3-dichlorocyclopentene 197
- 1,1-dichloropenta-1,3-and 1,4-dienes
197
- 1,1-dichloro-2-vinylcyclopropane 197
- Dichrocephala benthamii* 397
- dichrocephones A and B 397, 398
- dicobalt cluster 68
- Dictyopterenes C 425
- dienes as traps for 1,3-zwitterions 97–99
- dihydrobenzodithiepine derivatives 101
- dihydrobenzofurans 219, 220
- 2,3-dihydrobenzofurans 219, 220
- 2,3-dihydrofuran 192, 202–208, 217, 269
- dihydrofurane products 158, 160
- 3,4-dihydro-2*H*-pyrrole derivatives 80
- dihydroindolizine derivatives 70, 208
- dihydroisoquinolines 143
- 4,5-dihydroisoxazoline 209
- dihydronaphthalene 110, 211
- 2,3-dihydropyrroles 192, 202, 342, 343
- dihydroquinolines 142, 349
- dimethoxycyclopropane 40, 51, 67, 79
- 2,2-dimethoxy
cyclopropanecarboxylate 73, 74
- 6,7-dimethoxy-1-(2-phenylcyclopropyl)-3,
4-dihydroisoquinoline 208
- 2,5-dimethylfuran 55, 120
- 2,4-dinitrophenylcyclopropyl
carbaldehyde 150
- 1,4,2-dioxazoles 70
- 1,3-dipolar synthons 11, 229
- disfavored 5-endo-trig cyclization 161
- 2,3-disubstituted cyclopent-3-ene-1,
1-dicarboxylates 201
- disubstituted cyclopropane
dicarboxylates 90
- γ,γ -disubstituted *N*-arylated α -amino
esters 172
- α,β -disubstituted δ -oxoamides 150
- divinylcyclopropane-cycloheptadiene
reaction 17
- (*R*)-(+)-dodecan-4-olide 413
- Dolabella auricularia* 403
- (–)-Doliculide 403–404
- donor-acceptor cyclopropanes (DACs) 19
- computational and kinetic
investigations 22–32
- 1,3-dipolar cycloadditions 3
- 1-ethoxy-1-(trimethylsiloxy)
cyclopropane 5
- hand-drawn scheme 4
- isomerizations to alkenes 192–197
- number of publications 2
- organic synthesis 2
- principles of 6–10
- siloxy-substituted
cyclopropanecarboxylates 4–6
- terminology 10–12
- donor-acceptor cyclopropyl carbonyls
cyclopropane mono-carbonyls 259
- diastereomers and controlled
reactivity 257–258
- not merely a three-carbon
synthon 258
- reduced reactivity 256–257
- two nucleophilic and two electrophilic
sites 258–259
- donor-acceptor cyclopropyl
monocarbonyls
preparation methods 260–263
- from arylthio cyclopropyl
carbaldehydes 262

- from diazo compounds 262–263
 - from 1,2-dicarbonyl compounds 263
 - from homoaldol adducts 261
 - from olefins 260–261
- donor-acceptor (DA)
 - aminocyclopropanes 228
 - classification and reactivity 228
 - formal cycloaddition 244–249
 - ring-opening reactions 235–244
 - intermolecular 240–244
 - intramolecular 236–240
 - synthesis 229
 - acrylates 233
 - cyclopropene 233
 - cyclopropylamines 234–235
 - β -dehydroamino acids 231
 - enamines 231–232
 - 2-haloethylidene malonates 233–234
- donor-acceptor (D–A) cyclopropanes
 - amino-3-aminomethylation of 173
 - 1,3-aminobromination of 175
 - 1,3-aminochalcogenation of 178
 - 1,3-aminofunctionalization of D–A cyclopropanes 187
 - 1,3-aminothiolation using
 - sulfenamides 180–181
 - 1,3-bisarylation of 181–182
 - 1,3-bisfunctionalization of D–A cyclopropanes with arenes and nitrosoarenes 172
- bisfunctionalization of donor-acceptor containing cyclopropyl boronic ester 178
- 1,3-carbothiolation of 183–184
- catalyst free activation of
 - [BnNEt₃]₂MoS₄ 324
 - catalyst free ring-opening of D–A cyclopropanes with sodium azide 323
 - with cyanate ion 323–324
 - cyclopropane hemimalonates 319
 - cyclopropane-1,1-hemimalonate with sodium azide 320–321
- formal [4+1] cycloaddition via
 - photopromoted siloxycarbene 327
- 1-nitro-1-cyclopropyl ketones 322
- non-catalytic reaction of cyclopropane hemimalonate with indole 320
- with phenoxyanions 322
- reorganization/
 - dealkoxycarbonylation reaction of 320, 322
- ring-enlargement of donor-substituted
 - nitrocyclopropanes 327
- ring-opening decarboxylation of cyclopropane hemiaminoglycate with sodium azide 320–321
- spontaneous ring-enlargement of 326
- THF unit 325
- with thiophenolates 324–325
- chiral Lewis acid catalyzed reactions of 334
- chiral organocatalytic reactions of 349–354
- chlorochalcogenation of cyclopropyl carbaldehydes 170–171, 174
- conversion to β -hydroxy ketones 182
- with 4,5-diazaspiro[2.4]hept-4-enes 176
- electricity driven 1,3-oxohydroxylation of 328
- electrochemical promoted ring opening 329
- enantioselective 1,3-dichlorination of formyl group-containing cyclopropanes 168
- four component coupling of 177–178
- halochalcogenation of 174, 243
- halogenation-peroxidation of 178–181
- 1,3-haloamination of 184–185
- low-valent transition metal complexes, VCPs 343

- metal-free electrophilic activation of
 - with alkynes and
 - alkynyl nitriles 304
 - BF₃·Et₂O promoted [3+2] cyclodimerization 309
 - 1,3-bisfunctionalization products 313
 - [3+2] dehydration
 - cycloaddition 303
 - 1,3-dichlorides 312
 - Homo-Nazarov cyclization 306–307
 - iminium–enamine activation 302
 - iminium–enamine activation of 312
 - in-situ* formed boron species
 - promoted ring-opening of 309–310
 - protic ionic liquid (PIL) 306
 - TfOH catalyzed nucleophilic ring 302–303
 - TsOH promoted [3+2] annulation of 305
 - vinylcyclopropanes 309
- metal-free nucleophilic activation of
 - Brønsted base activation for carbonyl substituted 317
 - Brønsted base activation of 315
 - [3+2] cycloaddition reaction of di-cyano cyclopropylketones with nitroolefins 315
 - enamine-activation of cyclopropanes 317
 - enantioselective formal [2+2] cycloaddition reactions of 318
 - formal [8+3] cycloaddition of di-cyano cyclopropylketones with tropone 316
 - N*-heterocyclic carbene promoted nucleophilic activation of 318–319
 - pyrrolo[1,2-*a*]quinolones 318–319
 - quinidine-derived thiourea catalyzed ring opening 315
 - natural products 403
 - nitrogen-containing synthetic bioactive compounds and natural products 228
 - radical 1,3-dichlorination reaction, with iodobenzene dichloride 327
 - ring-opening 1,3-carbocarbonation of 185–186
 - ring-opening 1,3-dichlorination of D-A cyclopropanes 169–170
 - subclass 227
 - synthesis of alkaloids 360–379
 - terpene/Terpenoids 379–403
 - donor cyclopropanes 17
 - dysprosium triflate 70
- e**
 - electrophilic cyclopropane reagent 159
 - electrophilic vinylcyclopropanes 160, 161
 - enamine activation 141–144
 - enamine containing
 - cyclopropanedicarboxylate 141
 - enamines with carbonyl substituents 45
 - enantio-enriched
 - spiro-cyclopentanes 345
 - enantiomerically pure cyclopropane 206
 - enantiomerically pure tetrahydrofuran derivatives 61
 - enantioselective 1,3-dichlorination of formyl group-containing cyclopropanes 168
 - Englerin A-B, (+)-Orientalol F, (–)-Oxyphyllol and (+)-Orientalol E 399
 - enol silyl ethers 42, 48, 341
 - (±)-epimeloscine and (±)-meloscine 371
 - 6-epi-Ophiobolin N 391–392
 - Epstein–Barr virus (EBV) 421
 - 1-ethoxy-1-(trimethylsiloxy) cyclopropane 5
 - ethyl 2,2-dimethoxycyclopropanecarboxylate 40, 51
 - ethyl 2,2-dimethyl-1-nitrocyclopropane-carboxylate 209

f

- (+)-fastigiatine 367–368
- (+)-fawcettimine 368
- five-membered carbocycles 39, 40, 197, 338
- five-membered ketenimines 128
- 4-fluorobenzaldehyde 27, 29
- Fopius arisanus* (Bioesters) 409
- formal [3+1]- and [3+1+1]-cycloadditions 105–106
- formal [3+2]-cycloaddition
 - annulation with aromatic C=C bond 53–57
 - with C=C double bond 40–50
 - C≡C triple bond 50
 - with C=N double bond 66–73
 - with C≡N triple bonds in nitriles 80
 - with C=O double bond 59–66
 - with C=S and C=Se double bonds 77–78
 - with cumulenes and heterocumulenes 73–76
 - general aspects 39–40
 - involving aryl/heteroaryl donor substituent 57–58
 - with N=O and N=N double bonds 78–80
 - with SCN and SeCN 76–77
 - with three-membered heterocycles 80–82
- formal [3+3]-cycloaddition and annulation reactions
 - with allenes, allyl and propargyl derivatives 87–88
 - with aromatic substrates as 1,3-synthons 84–87
 - with azides and diazo compounds 94–96
 - with dinitrogen substrates 93–94
 - general aspects 83
 - with mercaptoacetaldehyde 88–89
 - with nitrones and nitronates 89–93
- formal [4+3]-cycloaddition and annulation

- dienes as traps for 1,3-zwitterions 97–99
- with heterodiene systems and their analogs 99–102
- formal [8+3]-cycloaddition reactions 102–103
- formal stepwise high-order cycloaddition/annulation reactions 103–105
- formylcyclopropanes 144–150, 152–156, 318
- four component coupling of D-A cyclopropanes 177–178
- FR901483 72, 366, 367
- Friedel–Crafts alkylation reaction 242, 336, 376
- functionalized
 - o-mercaptosalicylaldehydes 145
- furopyrimidine 205
- furo[2,3-d]pyrimidines 205
- furopyrrole derivatives 120
- furyl-2-carbaldehydes 120

g

- GaCl₃-mediated cycloaddition/annulation reactions 109–122
- Galbulimima belgraveana* 375
- garsubellin A 414, 416
- GB22 376
- gelsemoxonine 367, 369
- (±)-gelsenicine 374–375
- Geodia exigua* 421
- (±)-goniomitine 213, 364
- (±)-goniomycin 80

h

- (+)-Hagen's gland lactones 409, 411
- haliclolin A 423–425
- halochalcogenation of D-A cyclopropanes 174
- halogenation-peroxidation of D-A cyclopropanes 178–180
- 1,3-haloamination of D-A cyclopropanes 184–186
- Hammett plot 28, 30
- 2*H*-azirines 82

- 1-(hetarylcarbonyl)
cyclopropanecarboxylates 211
- 1-heteroaryl-2-silylmethylcyclopropanes 211
- hexahydro-3,5-methanocyclopenta[*c*]isochromene 120
- hexahydro-3*H*-5,8-methanocyclopenta[*a*]azulene 120
- hexahydropyridazines 118
- hexahydropyrroloquinoline derivatives 72
- (9*H*-fluoren-9-yl)methyl malonates 218
- highly electrophilic alkylideneoxindole/benzofuranone reagent 142
- (-)-himalensine A 377, 378
- (±)-hirsutene 383
- (±)-hirsutic acid C 384
- homoenolate-type enol species 157
- homo-Michael type adduct 145
- homo-Nazarov cyclization of 211–215, 306, 307
- Horner–Emmons homologation of the aldehyde 403
- Horner–Wadsworth–Emmons olefination of dimethylhexenal 383
- horsfiline 360
- 2-*H*-3-substituted indoles 194
- hydrazoyl chlorides 93
- hydroformylation of cyclopropenes 261
- hydropyrrolobenzazoles 338
- hydrotris(3,4,5-tribromopyrazolyl) borate 193
- 2-(2-hydroxyaryl)
cyclopropane-1,1-diester 219
- 2-hydroxyaryl-substituted
cyclopropanes 219
- 7-hydroxybenzothiophene 212
- γ-hydroxybutyric acid (GHB)
derivatives 336
- 1-hydroxy-3,4-dihydronaphthalene
derivatives 211
- 9-hydroxy-4*H*-cyclopenta[*b*]naphthalen-4-one derivatives 121
- basiliolides A1, A2 419–420
- β-hydroxy ketones 182–184, 328
- hyperfoin 414, 415
- i**
- imidalodidinone catalyst 146
- imidazolium derived catalyst 150
- imidazolium precatalyst 152
- imine oxindoles 68
- iminium–enamine activation 302, 311, 350
- iminium ion activation 144–148, 259
- iminium/enamine organocatalysis with palladium(0) catalysis 348
- 1,3-indanedione-and oxindole-fused spiropyrazolidines 347
- indanes 57, 113
- indole spiro derivatives 67
- 2-indolinecarbaldehydes 151
- 3-indolinecarbaldehydes 152
- indolo[2,1-*h*]quinoline derivative 213
- indolo[2,1-*h*]quinolines 213
- indolo[2,3-*h*]quinoline derivatives 212
- (indol-2-yl)acetic acid 194
- 3-indolylacetic acids 193–194
- indolyl acetylenes 84
- (indol-1-yl)-and (pyrrol-1-yl)
carbonylcyclopropanes 214
- 1-(indol-2-ylcarbonyl)-2-
amidocyclopropane 213
- (3-indolyl)cyclopropylketones 113
- 7-(indol-2-ylcarbonyl)-1-azabicyclo[4.1.0]heptanes 212
- inorganic thiocyanates (thiocyanates) 77
- interferon-α Cotylenin A 423
- intermolecular ring-opening 240–244
- internal alkynes 51, 58
- intramolecular nucleophilic ring
opening–ring closure (INRORC)
processes 192, 218–220
- intramolecular ring-opening 236–240
- iridium photocatalysis 376
- isatin derivatives 124
- isatin electrophile 157
- Isatis indigotica* 408
- (+)-isatisine A 408, 409

isobenzofuran 30, 31, 97, 98, 220
 isocyanates 75, 76
 isoedunol 404, 405
 isomeric cyclopent-2-ene-1,
 1-diesters 201
 isooxazoline N-oxides 209
 isoquinolines 122, 247
 isothiocyanates 4, 75, 76, 287–289
 isoxalidines 79

j

JBIR-03 and asporyzin C 396
 jerantinine E 213, 238, 373
 (±)-jerantinine E 373
 Johnson's reaction 59
 Jorgensen-Hayashi catalyst 142
 JTT-010 406

k

ketene dithioacetals 193
 ketenimines 75, 128
 Knoevenagel adducts 47, 84, 103
 Knoevenagel condensation products 47

l

γ-lactam 159
 (S)-Longianone 413
lophira lanceolata 421
 lophirone F hexamethyl ether 421
 lowest unoccupied molecular orbitals
 (LUMOs) 17
 Lyconesidines A and B 378
Lycopodium chinense 378

m

malonodinitriles 120, 121
 maoecrystal P 398, 400
 (±)-martinellic acid 18–19
 melodinus alkaloids 370
Melodinus scandens 370
 (±)-melokhanine E 377
 mercaptoacetaldehyde 88–89, 282–285,
 293–295, 342
 meso-diaminocyclopropanes 336
 meso-2,3-disubstituted
 formylcyclopropanes 146

meso-formylcyclopropanes 146, 147
 metal-free electrophilic activation of D–A
 cyclopropanes
 alkynes and alkynyl nitriles 304
 BF₃·Et₂O promoted [3+2]
 cyclodimerization 309
 1,3-bisfunctionalization products
 313
 [3+2] dehydration cycloaddition 303
 1,3-dichlorides 312
 homo-Nazarov cyclization 307
 iminium–enamine activation 302,
 311–312
in-situ formed boron species promoted
 ring-opening of 310
 protic ionic liquid (PIL) 306
 TfOH catalyzed nucleophilic
 ring 302–303
 TsOH promoted [3+2] annulation
 of 305
 vinylcyclopropanes 309
 metal-free nucleophilic activation of D–A
 cyclopropanes
 Brønsted base activation for carbonyl
 substituted 317
 Brønsted base activation of 314–315
 [3+2] cycloaddition reaction of
 di-cyano cyclopropylketones with
 nitroolefins 315
 enamine-activation of
 cyclopropane 317
 enantioselective formal [2+2]
 cycloaddition reactions of 318
 formal [8+3] cycloaddition of di-cyano
 cyclopropylketones with
 tropone 316
 N-heterocyclic carbene promoted
 nucleophilic activation
 of 318–319
 of pyrrolo[1,2-a]quinolones 318–319
 quinidine-derived thiourea catalyzed
 ring opening 314–315
 methoxycyclopropane dicarboxylates 41
 7-methoxy-1-indanone with
 para-quinone 414

- 2-(4-methoxyphenyl)-1-acetyl-3-R-cyclopropanecarboxylates 203
 4-methoxyphenyl derivative 211
 methylenecyclopropanes 70
 methylenetetrahydropyrans 88
 (5-methyl-2-furyl)
 cyclopropanedicarboxylate 120
 5-methyliden-3-methoxycarbonyl-3-phenyltetrahydropyran-2-one 105
 Michael acceptors 17, 41, 43, 47, 49, 123, 184, 187, 343, 345–347
 Michael initiated ring closure (MIRC)
 methodology 274, 289
- n**
- (+)-nakadomarin A 362
 2-naphthols 56, 242, 303–305, 342
 1-naphthylamines 128, 280
 N-acetylcyclopropa[b]indole 193
 naphthoquinone 121
 N-arylmethaneimine 101
 natural bond orbital (NBO) analyses 24
 natural products
 (±)-bruguierol A 408–409
 butanolide and butenolide 414–415
 chartarin 417
 cotylenin A 424
 dictyopterenes C 425
 (–)-Doliculide 403
 exigurin 423
 (+)-Hagen's Gland Lactones 411
 haliclonin A 423–424
 (+)-isatisine A 409
 isoedunol and β-araneosene 404–405
 JTT-010 406
 lophirone F hexamethyl ether 421
 with mercaptoacetaldehyde 282–285
 nemorosone 410, 412
 with nitriles 280–282
 norrisolide 410, 412
 paraconic acids 404–405
 piperarborenine B 417–418
 (–)-platencin 409–410
 (+)-polyanthellin A 408
 rac-diospongin B 419
 (R)-(+)-dodecan-4-olide 413
 (±)-savinin, (±)-gadain and (±)-peperomin E 425–426
 (S)-longianone 411, 413
 Spirochensilide 421–422
 (S)-vigabatratin 406
 (+)-virgatusin 407
 Nazarov reaction and its
 homo-version 210–215
 N-benzylic sulfonamides 108
 2,N-diaryl-1-carbamoylcyclopropanecarboxylates 220
 nemorosone 410, 412, 414, 416
 N-heterocyclic carbenes (NHCs) 140, 150, 199
 catalysis 148
 Nicolaou's intermediate 409
 (–)-nicotine 323, 374
 2-nitrobenzofurans 55
 2-nitrocyclopropyl carbaldehyde 150
 1-nitro-1-cyclopropyl ketones 322
 nitrones, synthesis of 70
 1-nitro-2-phenylcyclopropane 209
 nitrosoarenes 79, 86, 87, 92, 172
 nitro-substituted D–A cyclopropanes
 BF₃-mediated ring-opening reactions 291–292
 reactions
 with activated aromatics 293
 with 2-aminopyridines 294–295
 with mercaptoacetaldehyde dimer 293–294
 with nitriles 292–293
 synthesis 289–290
 nitro-substituted enines 45
 norrisolide 410, 412
 N-substituted 3-phenyl-, 2-oxaziridines 106
 N-sulfinylamines 76, 78
 N-sulfoxy-substituted 1,3-azadienes 45
 Nucleophilic Catalyst Activation 351–352
 nucleophilic ring-opening of acceptor cyclopropanes 17

nucleophilic ring-opening reactions 7,
21, 278, 313

O

o-aminobenzaldehydes 142, 349
octahydroindolo[2,3-h]quinolines 212
3-aryl-2-arylcyclopropane-1,
1-dicarboxylates 215
Olsson's cycloaddition 67
optically active 2-aryl-2,
3-dihydrofurans 205
optically active cyclopropanes 211, 340
optically active dihydrofurans 204–205
optically active pyrrolidines 70
ortho-bromo cyclopropanes 122
ortho-ethynylbenzaldehydes 48
ortho-nitro arylalkines 92
ortho-OH substituted cyclopropanes
122
8-oxabicyclo[3.2.1]octadiene 215
2-oxabicyclo[3.3.0]octane
derivatives 116
2-oxabicyclo[3.2.1]octa-3,6-diene 217
oxindole 49, 50, 68, 89, 91, 318, 340, 347,
349
2-oxo-6-vinylbicyclo[3.1.0]
hexane-1-carboxylate 199
ozonolysis of vinyl cyclopropanes 261

P

(-)-paeonilide 389
palladium(0)-catalyzed [3+2]
annulation 346
of VCPs 345
paraconic acids 403–405
para-substituted D-A cyclopropanes 28,
30
(-)-pavidolide B 391, 393
Pd(II)-catalyzed dearomative [4+3]
annulations with anthranils 347
perchlorinated quinone 146, 269, 350
2'-phenylbicyclopropyl-1,1-dicarboxylate
196–197
2-phenylcyclopropylmethylenmalonate
195

1-phenyl-2,2-divinylcyclopro-
panecarboxylic acid 198
3-phenyl-2*H*-azirine 70
phenylisocyanate 74
phenyltriazolinedione 79
4-phenyl-1,2,4-triazoline-3,5-dione
(PTAD) 79, 103, 104
2-phenyl-2-vinylcyclopropane-
caroxaldehyde 217
phosphine/tertiary amine
catalysis 157–161
phthalazinium dicyanomethanides
94, 95
Phyllanthus discoides 361
(+)-phyllantidine 361–362
Phyllobates bicolor 374
(±)-picropodophyllone 210
(±)-picropodophyllone:cycloprop
ane 210
piperarborenine B 417–419
Pitzer strain 16
(-)-platencin 409–410
platensimycin 385
p-nitrocinnamaldehyde 144
(+)-polyanthellin-A 65, 408
polycyclic polyprenylated
acylphloroglucinols
(PPAPs) 410, 414
polycyclic spiro derivatives 49, 50
polyfunctional
cyclopentanecarboxylate 40
polyfunctionalized cyclopentane
derivatives 45
polysubstituted alkenes 57
polysubstituted D-A
cyclopropanes 91, 105
polysubstituted pyrroles 125, 127
(*S*)-proline 145
propargyl alcohols 88
protic ionic liquid (PIL) 306
pseudolaric acid B 380–382
Pseudolarix kaempferi Gordon
(pinaceae) 380
pyranoindolones 153
pyranones 153

- pyridazinones 118, 280
 1-(2-pyridyl)-2-styrylcyclopropane-carboxylates 208
 pyrimidoazepinetriones 118
 pyrrolidines 68, 70, 71, 82, 91, 204, 280, 282, 283, 337
 pyrrolo[1,2-*a*]indol-3-ones 151
 pyrrolo[1,2-*b*]isoxazole derivatives 218
 pyrroloisoquinolines 143
 pyrroloisoquinolinium salt 208
 (pyrrol-1-yl)carbonylcyclopropanes 213, 214
- q**
 (±)-quebrachamine 365
 quinolizidine (-)-217A 370
- r**
 rac-diospongin B 419
 radical pathway 185, 244, 353–354
 reaction enthalpies 25, 26
 red-colored acyclic titanium enolate 6
 regioisomeric cyclopentenones 120
 relaxed force constant (RFC) 27, 29
 (-)-rhodomollanol A 401, 403
 rhodomolleins XX and XXII 196, 400, 402
 ring-opening 1,3-carbocarbonation of D-A cyclopropanes 185–186
 ring-opening 1,3-dichlorination of 169–170
 ring-opening reactions 235
 with 2-aminopyridines 294–295
 with hydrazines 278–280
 intermolecular 240–244
 intramolecular 236–240
 with 1-naphthylamines 280
 Rumphelloclovane E 395, 396
- s**
 salicylaldehydes 150
 salicylic aldehydes 101
 (±)-savinin, (±)-gadain and (±)-peperomin E 425–426
 Scheffold and Troxler's desymmetrization-fragmentation 333
 (±)-schindilactone A 388–389
 secondary amine catalysis
 enamine activation 141–144
 iminium ion activation 144–148
 selenocyanates 76, 77
 sesquiterpenes (+)-(R, S)-isoclavukerin 379
Seurinega suffruticosa 361
 siloxycyclopropane 5, 192, 193, 376
 2-siloxycyclopropanecarboxylates 192, 193
 siloxy-substituted cyclopropane-carboxylates 1, 4–6
 silylcyclopropanes 51
 silyl substituted methylidene cyclopentanes 73
 Simmons-Smith cyclopropanation 376, 396, 397
Sordaria araneosa 404
 (-)-sordarin 379, 380
 speciosin H 148, 149
 (-)-speciosin H 149
 spiroactivated vinylcyclopropanes 18
 spiroanthracenoxazolidine 71
 spirochensilide A 421, 422
 spiro[cyclopropane-1,2'-cyclohexane-1,3-diones] 203
 spirocyclopropanenedenones 118
 spiro[indoline-3,2'-pyrrolidin]-2-one derivatives 68
 spiro-linked tetrahydrofurans 65
 spirotryprostatin B 72, 360, 361
 (-)-spirotryprostatin-B 72
 stable dimer (1,4-dithiane-2,5-diol) 88
 stepwise cyclization 118–128
 strain model 15
Streptomyces platensis 409
 (±)-strychnofoline 360–361
Strychnos usambarensis 360
 2-styrylcyclopropane-1,1-dicarboxylates 195, 196, 200
 styrylmalonates 107–109, 194, 195, 200
 β-styrylmalonates 38, 57, 106–109, 113, 117, 120
 (*E*)-styrylmalonates 194

- substituted cyclopentanols 82
- 1, 2-substituted cyclopropane
dicarboxylates 42
- 2-substituted 1,1-cyclopropane
dicarboxylates 40
- 2-substituted cyclopropane-1,
1-dicarboxylates 59
- 2-substituted formylcyclopropanes 145
- substituted methylenecyclohexanes 87
- substituted 1-naphthylamines 128
- substituted tetrahydrofurans 59, 82, 337
- substituted
tetrahydropyrimidinones 118
- substituted 1,3,5-triazines 71
- 2-substituted tropones 102
- γ -substituted- α,β -unsaturated esters 155
- sulfonylketenimines 128
- sulfur-containing spiro derivatives 49
- sulfur diimide derivatives 76, 78
- syn*-bicyclo[3.1.0]hex-2-ene-6-
carbaldehyde 217
- t**
- terpene/terpenoids
- (\pm)- α -agarofuran 385
- (+)-arglabin 380–381
- (+)-arteludovicinolide A 390
- (+)-asteriscanolide 388
- (\pm)-asterisca-3(15),6-diene and
(\pm)-pentalenene 384
- (+)-barekoxide and (+)-barekol 386
- botryococcene 398, 401
- chromodorolide B 391, 395
- (-)-clovan-2,9-dione 391, 394
- (-)-connatusin A 386, 388
- (+)-connatusin B 386–387
- dichrocephones A and B 397
- of Englerin A-B, (+)-Orientalol F,
(-)-Oxyphyllol and (+)-Orientalol
E 398–399
- 6-*epi*-ophiobolin N 391–392
- hirsutene and 1-desoxyhypnophilin
383
- (\pm)-hirsutic acid C 384
- JBIR-03 and asporyzin C 396
- maoecrystal P 398, 400
- (-)-paeonilide 389
- (-)-pavidolide B 391, 393
- platensimycin 385
- pseudolaric acid B 381–382
- (-)-rhodomollanol A 401, 403
- rhodomolleins XX and XXII 400, 402
- rumphellclovane E 395
- (\pm)-schindilactone A 388–389
- (-)-sordarin 380
- (-)-(*S,S*)-clavukerin A and (+)-(*R,S*)-
isoclavukerin 379
- (\pm)-vibrallactone 400, 402
- xanthatin 390
- tert-butyl azadicarboxylate 121
- tetracyanoethylene 40, 48
- tetracyclic cyclopenta-fused
spiroindolines 54
- tetracyclic 1,2,3,4-tetrahydrocyclo-
hepta[de]anthracene skeleton
103
- tetrahydrobenzofuran-2-ones 204
- 2,3,6,7-tetrahydrobenzofuran-4(5H)-
ones 203
- tetrahydro-1*H*-furo[3,4-*c*]pyrrol-
1-ones 80
- tetrahydro-1,2-oxazines 333, 339, 340
- tetrahydrofuran 4, 27, 55, 59–61, 63, 65,
127, 201, 325, 347, 407–408, 421
- tetrahydroindenopyridazinones 118
- tetrahydrooxazine heterocycles 90
- tetrahydrooxazines 90, 91
- tetrahydropyran 88, 201
- tetrahydropyran derivatives 88
- tetrahydropyridazine derivatives 93
- tetrahydropyridazines 70, 93–95, 264
- tetrahydroquinoline derivatives 86
- tetrahydroquinolines 86, 100
- tetrahydrothiepins 100
- tetrahydrothiopyran 88, 284, 342
- tetralin derivatives 86, 110
- tetrasubstituted activated cyclopropanes
47
- TfOH catalyzed nucleophilic ring
302–303

- thiazepines 128
 thiochalcones 100
 thiocyclopentenes 49
 thioisocyanate 74
 tin(IV) chloride-induced rearrangement
 of cyclopropanes 200
 TMSOTf catalyzed isomerization
 of 2-arylcyclopropane-1,
 1-dicarboxylates 307
 torsional strain 16
trans-1-acyl-2-arylcyclopropane-
 carboxylates 206
trans-fused γ -lactones 18
 1,3,5-triazines 71
 tricyclic bisacetals 204
 tricyclic indole derivatives 54
 trifluoroethylcarboxylate substituents 70
 2,4,6-trimethylphenyl-derived
 cyclopropane 194
 2,4,6-trimethylphenyl-substituted
 analogue 194
- U**
 α,β -unsaturated aromatic ketones 86
 α,β -unsaturated aryl ketones 86–87
 α,β - and β,γ -unsaturated compounds 123
 unsubstituted indolylacetylenes 84
 unsubstituted tropone 103
- V**
 (\pm) vibrallactone 400, 402
 vicinally substituted donor-acceptor
 cyclopropanes 19
 (*S*)-vigabatrin 406
 vinilogenous (2-phenylcyclopropyl)
 methylenemalonate 195
 vinyl azides 46
 2-vinyl cyclopropane dicarboxylates
 62
 vinylcyclopropane–cyclopentene
 rearrangement (VCR) 17, 197–202,
 216
 vinyl cyclopropanes (VCPs), 41, 43, 63
 [3+n] annulations 345–349
 ring-opening reactions 344
 vinylcyclopropane-to-cyclopentene
 isomerization 191–192
 5-vinyl-4,5-dihydrofurans 207
 vinylpyrrolidone 18
 2-vinylspiro[cyclopropane-1,3'-oxindoles]
 216
 (+)-virgatusin 65, 407
- W**
 Walsh model 16
 Walsh orbitals of cyclopropane 16
 Wiberg bond index (WBI) 24
- X**
 xanthatin 390
- Y**
 ynamides 52, 246, 247
- Z**
 Z-alkylidenetetrahydrofurans 309, 311
 1,3-zwitterinic synthones 38
 zwitterionic π -allyl palladium
 complex 346
 1,3-zwitterionic building blocks 11
 zwitterionic mesomeric formula 7, 10
 1,3-zwitterionic synthones 37, 38
 1,3-zwitterions 42, 49, 54, 83, 86, 97–99,
 308, 334