

## Index

### **a**

ABA triblock copolymers 155, 267, 406, 427, 429–433  
 AB diblock copolymers 50–54, 184  
 additives, hairy NPs 67–68  
 air–liquid surfaces 244–246  
 air–solid surfaces 243  
 amine-modified polyhedral oligomeric silsesquioxane (POSS-NH<sub>2</sub>) 248  
 4-aminepheol (4-AP) 381  
 (3-aminopropyl)triethoxysilane 2  
 Amonton's law 431  
 amphiphilic star-like triblock copolymer 96, 97, 305  
 anisotropic assembly 237–240  
 anisotropic NPs 171, 194, 227, 237, 365  
 antenna–reactor complexes 360  
 antifouling polymer coatings 243  
 atom transfer radical polymerization (ATRP) 2, 8, 56, 74, 124, 128, 151, 255, 263, 318, 380, 404, 406  
 21-arm  $\beta$ -CD-cored copolymers 81  
 21-arm CD-cored amphiphilic block copolymers (PAA-*b*-PS) 79  
 azo-bis(isobutyronitrile) (AIBN) 180

### **b**

BCP-grafted NPs (B-PGNPs) 209  
 bi-continuous jammed emulsions 249  
 bimodal hairy nanoparticles 31  
 bimodal SiO<sub>2</sub>-*g*-PMMA-*b*-PS hairy nanoparticles 32  
 binary PGNPs 201

block copolymer 49, 74  
 composition 65  
 concentration 66  
 and its derivative templates 24  
 hydrogels 150  
 Boltzmann's constant 246  
 bottlebrush polymers 27, 84, 88, 107, 111, 117, 229, 288–293  
 12-( $\alpha$ -bromoisobutyramido)dodecanoic acid (BiBADA) 11  
 bulk microphase separation  
 of diblock copolymers 50–54  
 of triblock copolymers 54–55

### **c**

calixarene 78  
 carbon dioxide plasma treatment 8  
 CD-cored 7-arm star polymers 81  
 CDs-cored star polymers 78  
 $\beta$ -CD-cored 7-arm star poly(-caprolactone)s (CDSPCLs) 81  
 $\beta$ -CD-cored star polymers 81  
 cetyltrimethylammonium bromide (CTAB) 330  
 chain length disparity 129, 130, 138, 160, 320–324  
 chain transfer agent (CTA) 17, 80, 124, 125, 288, 295, 366, 404–406, 428  
 (3-chloropropyl)triethoxysilane 2  
 coefficient of friction (COF) 401  
 colloidal molecules (CMs) 168–175, 227

- colloidal nanoparticles assemblies
    - 102–104
  - colloidal polymers 176, 180–182
  - concentrated particle brush (CPB) regime
    - 27, 28
  - conjugated-polymer-capped Pb chalcogenide NPs 99
  - copolymerization 21, 79, 81, 103, 148, 176, 177, 182, 254, 269, 273–275, 277–279, 288, 292, 369, 429
  - copper-catalyzed azide-alkyne cycloaddition (CuAAC) 22, 80, 292
  - core particle size 125, 332–335
  - core-shell-chain model 228
  - core@shell nanoparticles 90, 94–97, 116
  - Corriu–Kumada–Tamao (CKT) coupling
    - 393
  - critical degree of polymerization ( $N_c$ ) 29
  - cryo-TEM and electron tomography
    - 335–339
  - CTA-functionalized silica NPs (CTA-NPs)
    - 413, 421
  - cyclic voltammetry 392
  - cyclodextrins (CDs) 78, 90
  - cylindrical polymer brushes 104–111
- d**
- dark mode 356, 357
  - deep reduction products 375
  - degree of polymerization 28, 29, 97, 126, 228, 288, 330, 362–367, 407
  - diblock copolymer 331
    - containing PS 56–59
    - with PTEPM or PGMA components 56
  - dielectric materials 218–219
  - differential scanning calorimetry (DSC)
    - 129, 143, 314, 321
  - diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS)
    - 377
  - 3,4-difluorothiophenol (HSPHF<sub>2</sub>) 377
  - difunctional trithiocarbonate CTA (DiCTA) 429
  - diiodopentane (DIP) 253
  - dimethylformamide (DMF) 381
  - N,N*-dimethylformamide (DMF) 134, 169, 253, 407
  - dipolar interaction 175, 180–182
  - dithioester 17, 22, 272, 273, 275, 294, 380
  - dithiothreitol (DTT) 390
  - DLVO theory 404
- e**
- electrochemical active surface area (ECSA) 391
  - electroreduction efficiency 379, 391
  - electrostatic assembly 248–251
  - energy-dispersive X-ray spectroscopy (EDS) 412
  - entropy 118, 148, 193, 195, 197, 198, 228, 237, 246–247, 285, 324, 325, 343, 344
  - environmentally responsive hairy
    - inorganic particles 125
  - binary mixed homopolymer
    - brush-grafted silica particles
  - computer simulation studies 130
  - experimental study 127
  - melt conditions 126
  - microphase separation 129
  - properties 127–129, 134–140
  - synthesis 130–140
  - Y-initiators 128
  - thermoreponsive polymer
    - brush-grafted silica particles
    - hydrophobic ionic liquid 146–150
    - ionic liquids 147–149
    - linear ABC triblock copolymers 156–160
    - synthesis and thermally induced LCST transition 141–143
    - thermoreversible gelation 150–156
    - water and immiscible organic solvents 144–146
  - ethyl 2-bromoisobutyrate (EBiB) 132, 151, 153, 319, 407, 413

**f**

- Faradaic efficiency (FE) 379, 391
- Flory–Huggins parameter 50, 53, 54, 66, 67, 126, 228, 315
- focused ion beam (FIB) technique 195, 245, 412
- (3-(4-formylphenoxy) propylacrylate) (FPPA) 81
- functionalized nanoparticles, synthesis 8

**g**

- grafting chemistry 1–2, 49
- grafting density 9, 11, 21, 24, 28, 29, 31–33, 84, 87, 88, 123–127, 130, 133, 138, 168, 227–229, 231, 270, 274–276, 294, 297, 303, 313, 315, 319, 320, 323–327, 329–332, 341, 365, 380–383, 389–391, 396, 404, 414, 417, 421
- grafting-from methods 2, 9–21, 24, 33, 85, 87, 93, 101, 123–125, 128, 207, 208, 261, 262, 273, 274, 281, 293, 294, 296, 303, 306, 351, 379, 380, 404, 406
- grafting-onto approach 2, 9, 18, 21–24, 33, 77, 85, 87
- grafting polymer brushes 10, 20, 186, 207, 238, 255, 263, 273, 279, 293, 295, 379
- grafting-to method 123, 124, 128, 207, 208, 261–263, 273, 274, 293, 296, 302, 351, 358, 379, 380, 388–390, 404

**h**

- hairy hollow inorganic nanoparticles (NPs)
  - direct deposition of polymer layers 302
  - direct grafting of polymer brushes 293–296
  - sacrificial template method 305–306
  - sacrificial template strategy 296–301
  - self-assembly method 302–304

- single-molecule templating method 304–305
- synthetic strategies 293–301
- hairy hollow nanoparticles (NPs)
  - sacrificial template method
    - layer-by-layer (LbL) assembly method 281–282
    - precipitation polymerization 273–281
    - surface-initiated polymerizations 263–273
  - self-assembly method 282–288
  - single-molecule templating method 288–293
  - synthetic strategies 262
- hairy nanoparticles (HNPs)
  - bimodal hairy nanoparticles 31–32
  - block copolymer and its derivative templates 24–25
  - conformation of 26–31
  - conventional grafting-onto approach 21–23
  - definition 167
  - interfacial property 227
  - ligand exchange approach 23–24
  - other polymerization techniques 19–21
  - RAFT polymerization 17
  - self-assembly of 168
  - SI-(free) radical polymerization (FRP) 10
  - SI-ATRP 10–17
  - star/bottlebrush polymer templates 25
  - tunable structural parameters 167
- hairy nanoplates 240
- hairy particles 123–126, 129, 132–134, 136, 137, 139–150, 160, 161, 321, 322, 329, 330, 361, 369
- hairy plasmonic nanoparticles
  - acceptors with 361–362
  - isolated and coupled 353
  - photoactive entities with 360–361
  - photothermal heating 358–360
  - plasmonic coupling scenarios

- hairy plasmonic nanoparticles (*contd.*)
    - supercolloidal structures in solution 362–366
    - surface and self-assembly 366–368
    - potential of 352
    - principles 354–358
  - hairy polymer nanoparticles (NPs)
    - bulk microphase separation of diblock copolymers 50–54
    - bulk microphase separation of triblock copolymers 54–55
    - preparation with different shapes 55–61
    - self-assembly of block copolymer 61–62
  - Hersey number 401
  - $^1\text{H}$  NMR spectroscopy 126, 132–135, 140, 142, 156, 406, 407, 409, 414
  - hollow nanoparticles (NPs) 90, 97–99, 261–308
  - homopolymerization 20, 151, 429
  - host–guest molecular recognition 251
  - hybrid system of light and matter 364
  - hydrodynamic/elastohydrodynamic lubrication 401
  - hydrofluoric acid 132, 264, 319
  - hydrophilic homopolymer-grafted NPs 206
  - hydrophobic interaction 60, 169, 171, 173, 175, 178–180, 202–204, 376
  - hydrophobic ionic liquid 146–150, 161
  - hyperbranched polymers 78
- i**
- inorganic nanoparticles (NPs) 24, 25, 313, 401–433
  - inorganic nanospheres 169
  - interfacial property of hairy NPs
    - air–liquid surfaces 244–246
    - air–solid surfaces 243
    - anisotropic assembly 237–240
    - applications 256–258
  - building blocks
    - as colloids 233–234
    - conformation of grafted polymers in good solvents 228–230
    - patchy and Janus geometry in selective solvents 230–233
  - dispersion in polymer nanocomposites 235–237
  - entropy 246–247
  - jamming
    - electrostatic assembly 248–251
    - host–guest molecular recognition 251
  - liquid–liquid interfaces 240–243
  - single-chain NPs
    - efficient synthesis 251–255
    - grafting single-chain at NPs 255
  - ionic Nafion 379
- j**
- Janus asymmetric hairy NPs 59–60
- k**
- Karstedt's catalyst 407
- l**
- lauryl methacrylate (LMA) 406
  - layer-by-layer (LbL) assembly method 263, 281, 282
  - ligand exchange approach 23, 24, 34, 376, 381, 389, 390
  - light-emitting diodes 113
  - Lindlar catalyst 377
  - liquid–liquid interfaces 197, 228, 240–243, 245, 248
  - lithium-ion batteries (LIBs) 94, 112, 114, 115, 293
  - living/controlled polymerization method 405
  - localized surface plasmon resonance (LSPR) 243, 351
  - lower critical solution temperature (LCST) 125, 141, 202, 265, 358, 379, 426
  - LSRP shift 383

**m**

macromolecular chain transfer agent  
(macroCTA) 80

macromolecular linkers 353, 362

magnetic PGNPs 216, 217

7-methylacryloyloxy-4-methylcoumarin  
(MAMC) 80, 81

2-mercaptobenzimidazole (MBI) 382

(3-mercaptopropyl)trimethoxysilane 2

microphase separation 49–61, 69, 126,  
129, 130, 137, 160, 168, 186, 199,  
227, 230–232, 235, 314, 317,  
319–320, 322, 324–327, 329–332,  
334–339, 343, 346

miktoarm star-like polymer 77

mixed homopolymer brush-grafted NPs  
(MBNPs)

chain length disparity 320–324

core particle size 332–335

cryo-TEM and electron tomography  
335–339

molecular weight 327–332, 341–346

overall grafting density 324–327

self-assembled morphology of 315,  
317

solvents 339–341

symmetric PtBA/PS MBNPs 319–320

synthesis of 318–319

mixed homopolymer-grafted NPs  
(M-PGNPs) 206–208

mixed polymer brushes 125–130, 134,  
140, 197, 208, 303, 314, 405

molecular bottlebrushes 9, 84, 86

molecular weight 10, 15–18, 21, 24, 31,  
50, 53, 74, 79, 82, 89, 95, 96, 103,  
104, 107, 118, 124, 126, 129,  
132–134, 137–139, 142, 147, 152,  
153, 160, 170, 182, 227, 229–231,  
234–236, 238, 243, 245, 246, 249,  
250, 253, 264, 275, 282, 294, 305,  
318, 319, 321–324, 326–335,  
341–346, 381–384, 386, 389,  
405–407, 409–416, 419, 428, 429,  
432

**n**

nanodomains 130, 137, 138, 231,  
332–335, 340, 341

nanoreactors 25, 64, 73–118, 187, 188,  
204, 261, 268, 288, 302, 304–307,  
378, 394

nanoring 99–102

2-naphthalenethiol (2-NAT) 171

neat PGNPs 182, 197, 199–200

neutralization reaction 173, 175,  
176–178, 365

neutron scattering 314, 335

NHC-terminated polymers 387–393, 396

N-heterocyclic carbene (NHC) 378, 380

*N*-isopropylacrylamide (NIPAM) 80–81,  
267, 268, 273, 275, 279, 287

4-nitrophenol (4-NP) 265, 381

nitroxide-mediated radical polymerization  
(NMRP) 124, 128, 318, 404

nonlinear block copolymers 75

nonspherical NPs 356

**o**

oil lubrication 123, 401–432

oligo(ethylene glycol)methyl ether  
(OEGMA) 81

one-dimensional (1-D) structures

dipolar interaction 180–182

hydrophobic interaction 178–180

neutralization reaction 176–178

1D rodlike nanostructures 104

organosiloxanes 56

overall grafting density 130, 324–327,  
329, 331, 332

**p**

patchy NPs

anisotropic NPs 171–172

inorganic NPs 169–171

PB<sub>22</sub>-*b*-P2VP<sub>29</sub>-*b*-PtBMA<sub>49</sub> triblock  
copolymer 61

Pd nanocatalysts 377

per-6-iodine- $\beta$ -CD 81

per-6-thiol- $\beta$ -CD 81

- perfluorinated sulfonic acid (PFSA) ionomer 379
- polymer-grafted metal nanoparticles (PGNPs) 377, 393–396
- phase transfer catalysis 144
- PHI-*b*-PCEMA-*b*-PAA core@shell@corona micelles 115
- photoactive entities 360–361
- photoresponsive star-like  $\beta$ -CD-*g*-poly(acrylic acid)-*b*-poly(7-methyl acryloyloxy-4-methylcoumarin) ( $\beta$ -CD-*g*-PAA-*b*-PMAMC) diblock copolymers 80
- photothermal heating 207, 358–360
- pickering emulsions 123, 227, 313
- plain nanoparticles 88–94
- plasmene nanosheets 194, 195
- plasmonic-magnetic PGNPs 217–218
- plasmonic nanorods 357
- plasmonic PGNPs 216
- poly(acrylic acid) (PAA) 379
- poly(alkyl methacrylate) ABA triblock copolymers 429, 431  
alkyl side chains of 416, 420  
dispersibility and stability of 414, 416  
ionic liquid as additives 420, 421  
lubrication performances of 422  
preparation 421, 422  
RAFT polymerization 428, 429  
synthesis of 413  
UCST-type 426, 427
- polycyclic aromatic hydrocarbons 355
- polyglycidyl methacrylate (PGMA) 56
- polyhedral oligomeric silsesquioxane 78
- polyhedral oligomeric silsesquioxane (POSS-NH<sub>2</sub>) 250
- poly(hydroxyethyl methacrylate) (PHEMA) 85
- poly(isobutylene-*alt*-maleic anhydride) (PIMA) 387
- poly(lauryl methacrylate) lubrication properties of 410, 413  
synthesis, dispersibility and stability 406, 410
- polymer brush-grafted nanoparticles 404, 406
- polymer brush-grafted particles 123
- polymer-capped nanoparticles catalysis 115  
light-emitting diodes 113  
lithium ion batteries (LIBs) 114  
solar energy conversion 112
- polymer-grafted inorganic NPs (PGNPs) biological applications magnetic PGNPs 216  
plasmonic PGNPs 216  
plasmonic-magnetic PGNPs 217
- dielectric materials 218
- one-dimensional (1-D) structures dipolar interaction 180  
hard template assisted assembly 182  
hydrophobic interaction 178  
neutralization reaction 176  
polymer films 187  
soft template 184
- patchy NPs anisotropic NPs 171  
inorganic nanospheres 169
- polymer-guided assembly of NPs 172
- 2-D structures BCPs as templates 190  
binary PGNPs 201  
hard template-assisted self-assembly 193  
interfacial assembly 193–195  
PGNPs/homopolymer system 197  
single-component neat PGNPs 199
- 3-D structures clusters 202  
vesicles 206
- 3-D superlattices and crystals binary superlattice assembled at interfaces 214  
in solution 212
- polymer-guided assembly of NPs 172
- polymeric corona 228
- polymer-inorganic hybrid nanoparticles/nanorods 25

- polymer micelle-templated synthesis  
125
- polymer nanocomposites 1
- poly(methyl methacrylate) (PMMA)  
brushes 128
- poly(*N*-isopropylacrylamide) (PNIPAM)  
84, 255, 379, 394
- polystyrene (PS) 89, 99, 124, 131, 169,  
182, 228, 247, 275, 279, 298, 314,  
407, 414, 415, 421, 426
- polystyrene-*b*-poly(2-cinnamoylethyl  
methacrylate) (PS-*b*-PCEMA) 55
- polystyrene-*b*-polybutadiene-*b*-poly  
(*tert*-butyl methacrylate) 60
- polystyrene-*b*-polybutadiene-*b*-  
polymethyl methacrylate 60
- polystyrene-*b*-polyisoprene (PS-*b*-PI) 51
- polystyrene-coated gold NRs 357
- poly(3-(triethoxysilyl)propyl  
methacrylate) (PTEPM) 56
- poly(2-vinylpyridine) 314
- poly(4-vinylpyridine)-*b*-poly(*t*-butyl  
acrylate)-*b*-polystyrene  
(P4VP-*b*-PtBA-*b*-PS) 96
- porous nanosheets 61  
shell nanoparticles 95  
TiO<sub>2</sub> core-shell nanoparticles 116
- pyrocatechol 2
- r**
- resorcinarene 78
- reversible addition-fragmentation chain  
transfer (RAFT) polymerization  
17, 56, 74, 92, 124, 263, 272, 278,  
331, 364, 380, 381, 404, 428, 429
- reversible deactivation radical  
polymerization (RDRP) 10, 74,  
124, 128, 134, 138, 140, 318, 321,  
405, 406, 414
- ring-opening metathesis polymerization  
(ROMP) 19, 20, 85, 288, 405
- ring-opening polymerization (ROP) 20,  
80, 263
- rod-like micelles 62–64, 66, 67
- S**
- sacrificial template method 263  
layer-by-layer (LbL) assembly method  
281–282
- precipitation polymerization  
273–281
- surface-initiated polymerizations  
263–273
- scanning electron microscopy (SEM)  
131, 419
- self-assembly method 49, 65, 284, 285,  
302–304, 307  
of block copolymer 282–288
- SEM-EDS 424–426
- semi-dilute particle brush (SDPB) regime  
27, 28
- shape-isotropic NPs 176
- short-chain polymer ligands 357
- SI-free radical polymerization (FRP) 10
- silane-based coupling agents 2
- silica microcapsules 243
- single-chain nanoparticles (SCNPs) 228,  
251
- size exclusion chromatography (SEC)  
132, 406
- small angle X-ray or neutron scattering  
(SAXS) 314
- small-angle neutron scattering (SANS)  
228, 314
- solar energy conversion 112–113
- sol-gel transition temperature 152, 158,  
430
- solution-based nanoreactors 74
- solvent, nature of 66–67
- shell star-liked diblock copolymers 82
- spherical micelles 62–68, 81, 160,  
283–287
- star/bottlebrush polymer templates 25
- star-like block copolymers  
arm-first method via 83–84  
colloidal nanoparticles assemblies  
102–104  
core-first method 77–83  
core@shell nanoparticles 94–97  
hollow nanoparticles 97–99

- star-like block copolymers (*contd.*)
- nanoring 99–102
  - plain nanoparticles 88–94
- star-shaped PS<sub>7</sub>-P2VP<sub>7</sub>
- polystyrene/poly(2-vinylpyridine) block copolymer 89
- step-growth polymerization 178, 180
- stilbeneamine 78
- strong coupling 358, 364, 369, 370
- surface anchoring groups 3
- surface functionalization 1–9, 11, 14, 29, 33, 167, 219, 271, 296–298, 301, 351, 353, 354, 357, 361
- surface grafting chemistry 49
- surface ligands
- component for nanocatalysis 375–377
  - NHC-terminated polymers 387–393
  - PGNP nanocatalysts 393–396
  - polymers as ligands 377–380
  - thiol-terminated polymers 380–387
- surface modification by chemical treatment
- chemical treatment 2–8
  - plasma treatment 8
- surface-initiated ATRP (SI-ATRP) 10, 124, 319, 321, 405–407, 415
- surface-initiated controlled radical polymerization (SI-CRP) 10, 261–262
- surface-initiated NMRP 319, 321
- surface-initiated polymerization 1, 2, 8–10, 124, 132, 261, 263–273, 404, 405
- surface-initiated RAFT polymerization 413
- surface-initiated reversible deactivation radical polymerization (SI-RDRP) 10, 134, 405, 406, 414
- symmetric diblock copolymers 127, 331
- symmetric PtBA/PS MBNPs 319, 320
- synthetic polymers 167, 212, 353, 377, 379, 391
- t**
- tadpole-like Janus SCNP 256
- tert*-butyl acrylate (tBA) 79, 319, 131, 319
- tetrahydrofuran (THF) 55, 131, 171, 253, 377, 407
- thermogravimetric analysis (TGA) 131, 321, 407
- thermoreponsive polymers 125, 141–161, 286, 406, 426, 428–430, 433
- thermoreponsive water-soluble polymers 141, 147
- thermos-responsive star-like  $\beta$ -CD-*g*-poly(acrylic acid)-*b*-poly(*N*-isopropyl acrylamide) (denoted  $\beta$ -CD-*g*-PAA-*b*-PNIPAM) 80
- thiol-terminated polymers 8, 380–387, 390
- transmission electron microscopy (TEM) 126, 129, 314, 315, 407
- triblock copolymers
- bulk microphase separation of system with PS components 59–61
- tribological test 410–412, 416–426, 432
- trimethoxy(vinyl)silane 2
- trithiocarbonate 17, 286, 358, 378, 428, 429
- 1,3,5-trivinylbenzene 78
- turnover frequency (TOF) 115, 378
- 2D brush-liked polymers 117
- 2D platelet-like MXenes 250
- u**
- ultracentrifugation 407, 413, 414
- ultrasml noble metal nanoclusters 104
- ultrasonication 17, 152, 154, 257, 407, 409, 415, 416
- unimolecular block copolymer micelles 75–77, 88
- upper critical solution temperature (UCST) 125, 141, 364, 426–432
- uranyl acetate 339, 340
- UV-vis spectroscopy 381–384

**V**

valency 180, 334, 335

vesicles 63

BCP-grafted NPs (B-PGNPs) 209–210

co-assembly of binary B-PGNPs or

B-PGNPs/BCPs 210–212

hydrophilic homopolymer-grafted NPs  
206

mixed homopolymer-grafted NPs  
(M-PGNPs) 206–208

**W**

water-soluble Au (also Pd and Pt)  
nanoparticles 115

wet-brush theory 341

**X**

X-ray photoelectron spectroscopy (XPS)  
383, 424–426

**Y**

Y-Initiator 128, 131–134, 140, 318, 321,  
324, 326, 332

Y-Initiator-1 321, 329

Y-Initiator-2 324, 326, 332, 333

**Z**

zinc dialkyldithiophosphates (ZDDPs)  
402

ZnO-based hairy nanoparticles synthesis  
24









