

Index

a

activated multichannel carbon nanofiber
 (a-MCNF) materials 14
 Ag/M-Co₃O₄/NF composite structure 5
 aliphatic esters 133, 139
 aluminum (Al) foil 109
 amorphous CEI on Ni-rich cathode 68
 anode protection
 lithium iodine batteries 34–36
 lithium oxygen batteries 8–11
 lithium selenium batteries 28–29
 lithium sulfur batteries 18–22
 artificial CEI 74, 75
 artificial surface coating, Li-O₂ batteries
 8–9
 Au/Cu@FCu electrodes 6
 average intercalation voltage (AIV) 195

b

baseline electrolyte (BE) 71, 82, 90, 115,
 119, 121
 boron-contained additives 119

c

carbon-free cathodes 6
 cathode design of Li-O₂ batteries 4
 cathode electrolyte interphase (CEI) 102
 formation 102–106
 organic/inorganic hybrid structure
 104
 cathode electrolyte interphase (CEI)
 concept and roles 64

dynamic evolution process on LiCoO₂
 74
 electrolyte regulation 74
 formation and revolution on NCM811
 cathode 71, 73
 structural evolution 74
 time-of-flight secondary ion mass
 spectrometry 68
 types and modification strategies 68
 cathode materials, mechanical fracture
 106–109
 classical molecular dynamics 187
 CMK-3/S cathode 12
 combustion tests 85
 common solvated molecules 190
 condensed-phase flame retardants 80
 conductive PANi layer coated Se/C
 (ET-Se/C/aniline) composites 24
 Co₃O₄@NiCo₂O₄ yolk-shell catalyst 6
 CoS₂@LRC/SeS₂ materials 26, 27
 Coulombic efficiency (CE) 82, 101, 143
 cryo-electron microscopy 200
 cyclic carbonates 56
 cycling stability
 of Li-O₂ batteries 6
 of Li-S batteries 12, 18–22
 of Li-Se/Te batteries 22–31
 of S cathode 12–15
 of Se/C composites 24

d

data-driven method 202
 deep-learning 191

delay/suppress/redirect ordered Li
 dendritic growth 199
 density functional theory (DFT) 4, 125,
 184, 202
 de-solvation 190–192
 dimethyl carbonate (DMC) 56, 79, 133
 dimethyl(2-methoxyethoxy)
 methylphosphonate (DMMEMP)
 85
 dimethyl methylphosphonate (DMMP)
 flame retardant additive 82

e

electric vehicles (EVs) 99
 electrochemical impedance spectroscopy
 (EIS) 134
 electrochemically active monolayer
 (EAM) 142
 electrochemical reaction process, of sulfur
 electrode 15
 electrode-electrolyte interphase 55
 electrode materials 194
 electrolyte additive molecular design
 (EAMD) 63
 electrolyte additive selection 199
 electrolyte design of Li-S batteries 17–18
 electrolytes 41, 199
 bisfluoroacetamide (BFA) addition 43
 compatibility of 56
 cyclic and linear carbonate mixtures 56
 functional 43
 high concentrated 9
 highly concentrated electrolytes 43
 Li plating/stripping 43
 potassium perfluorinated sulfonates
 additives 63, 66
 electrolyte systems 142
 energy density 99
 ether-based electrolytes 199
 ethoxy(pentafluoro)cyclotriphosphazene
 (PFPN) 123
 ethylmethyl carbonate (EMC) 133
 ethyl vinyl sulfone (EVS) 142
 extreme temperature electrolyte 199

f

Faraday constant 183
 Fermi energy levels 186
 flame-retardant electrolytes 79, 80, 201
 flame-retardant mechanism 80
 flame-retarded electrolyte 80
 flammability test
 of EM-5Li-Na electrolyte 95
 of LiPF₆-EC/DEC and LiFSI/TMP
 electrolyte 92
 of LiPF₆ in EC/DMC 95
 liquid D-DES 87, 90
 of tri-salt electrolyte 91
 flammable electrolyte 80
 fluorinated diether (FDE) 17, 19
 fluoroethylene carbonate 86
 fluoromethane (FM) 143
 force field parameters 187
 free energy solving redox potential 184
 free-standing graphene-sulfur cathodes,
 for Li-S batteries 14
 freight containers 143
 functional electrolytes 43
 functionalized graphene sheets (FGSs)
 4, 5
 fluoroethylene carbonate (FEC) 69, 72

g

gas-phase flame retardants 80
 Gibbs free energy 183
 gold anode of rechargeable Li batteries
 199
 graphite 100

h

heteroatom-doped carbonaceous
 materials 14
 high concentration electrolyte (HCE)
 87, 90, 157, 199
 concept, design, strategies 157–158
 developments 158–168
 high concentration nonflammable
 LiFSI-TEP electrolyte 90
 high-energy-density Li metal batteries
 199

- highest occupied molecular orbital (HOMO) 101, 146
- highly concentrated electrolytes (HCE) 43
- high pressure electrolyte 199
- high-temperature electrolytes
 - battery performance 144–148
 - improvement of electrolytes 148–151
- high voltage electrolyte
 - cell components 109–111
 - electrochemical stability and voltage window 101–102
 - engineering, Li-rich cathode 120–121
 - LiCoO₂ 116–120
 - metal ion diffusion 106–109
 - nickel-contained layered oxides 111–116
 - parasitic electrolyte oxidation 102–106
 - polyanionic compounds 121, 123
 - surface structural reconstruction 106–109
- high-voltage-resistant ether electrolytes 199
- i**
- ignition tests 86
- I[−]/I[−]-redox reaction, in aqueous Li-I₂ battery 32
- implicit solvent model 189
- Inorganic Crystal Structure Database (ICSD) 202
- in-situ TEM 200
- ionic liquids (ILs) 91, 114
- l**
- Li₂ 192
- Li₂BDC 191, 192
- Li₂CO₃ 192
- Li/Cu asymmetric cells, voltage curves of 62
- Li deposition morphology 199
- LiDFOB additives 68, 70
- Li₂EDC 191, 192
- LiF 192
- LiF-organic bilayer interphase 61
- LiFSI-DME system 64
- LiFSI in TEP/BTFE electrolyte 90
- LiFSI/TMP electrolyte 89
- lightweight B- and N-doped reduced graphene oxides coated separator 15
- Li ion batteries (LIB) 157
- Li metal batteries (LMBs) 1, 79
 - lithium iodine/bromine batteries 31
 - lithium oxygen batteries 2
 - lithium selenium/tellurium batteries 22
 - lithium sulfur batteries 11
 - TMOs batteries 37
- Li metal plating/stripping 201
- linear carbonates 56
- linear sweep voltammetry (LSV) tests 116
- LiPF₆-EC/DEC electrolyte 82
- LiPF₆ EC/DMC electrolyte flammability test 87, 90
- LiPF₆-ethyl methyl carbonate (EMC) electrolyte 82
- Li plating/stripping cycling test, of Li symmetrical cells 93
- Li-rich cathodes (Li(Li_xM_{1-x})O₂) 120
- Li surfaces, morphology and composition of 61, 65
- LiTFSI-DMMEMP electrolyte 85
- LiTFSI/FEC electrolyte 84
- lithiated oxides 100
- lithium bis(oxalato)borate (LiBOB) 141
- lithium bis(trifluoromethylsulfonyl)imide (LiTFSI) 85, 141
- lithium bromine batteries 36
- lithium deposition 61, 63
- lithium diffusion
 - electrode materials 194–195
 - SEI 192–194
- lithium difluorophosphate (LiPO₂F₂) 69, 72
- lithium hexafluorophosphate (LiPF₆) 146

- lithium iodine batteries
 - anode protection 34–36
 - cathode and interlayer modification 32–34
 - mechanism 31–32
 - lithium ion batteries (LIBs) 99
 - lithium-ion intercalation voltage 194
 - lithium iron phosphate (LiFePO_4) 123
 - lithium-manganese-oxide (LiMn_2O_4) 121
 - lithium metal 199
 - lithium metal batteries (LMBs) 55, 100
 - lithium oxalyldifluoroborate (LiODFB) 141
 - lithium oxygen (Li-O_2) batteries
 - anode protection 8–11
 - artificial surface coating 8–9
 - cathode design 4–8
 - electrolyte additives 9
 - high concentrated electrolytes 9
 - metal alloy 9–11
 - working mechanism 2–4
 - lithium salt 139
 - lithium selenium batteries
 - anode protection 28–29
 - cathode design 24–28
 - electrolytes modification 28–29
 - mechanism 22–24
 - lithium sulfur batteries 11
 - anode protection 18–22
 - charge/discharge operations 11
 - conductive matrixes for S cathode 12–15
 - electrolyte design 17–18
 - modifying separator 15–17
 - lithium tellurium batteries 29
 - lithium trifluoroacetate (LiTFA) additive 59
 - LiX alloys 201
 - local high concentration electrolytes (LCHes)
 - concept, design strategies 169
 - developments 169–178
 - electrochemical performance 178
 - localized high-concentration electrolytes (LHCEs) 43, 87, 168, 169
 - lowest unoccupied molecular orbital (LUMO) 146
 - low-temperature electrolytes 133
 - battery performance 133–137
 - improvement of electrolytes 137–143
- m**
- macropores 12
 - Materials Genome Initiative 202
 - Materials Project 202
 - mesopores 12
 - metal-free catalyst 14
 - metal ion diffusion 106
 - metallic lithium 100
 - methyl formate (MF) 139
 - methyl vinyl sulfone (MVS) 142
 - micropores 12
 - microstrains 108
 - Mn-based spinels 100
 - $\text{Mo}_2\text{C}/\text{C}$ cathode materials 4
 - molecular dipole moment 188
 - molecular layer deposition method 8
 - monofluorinated solvents 143
 - MoS_2 -doped $\text{Li}_2\text{S-P}_2\text{S}_5$ glass-ceramic electrolyte 18
- n**
- nitrile electrolyte 87
 - non-aqueous solution 157
 - non-destructive in-situ characterization techniques 200
 - nonflammability, of EM-5Li-Na electrolyte 92
 - nonflammable EC/FEMC-based electrolyte 87
 - nonflammable electrolytes 79, 80, 85, 93
- o**
- octaphenyl polyoxyethylene 61
 - organic solvents 161
 - oxidation-reduction potential 183

p

parasitic electrolyte decomposition 104
 phosphate-based electrolyte 89
 polyanionic compounds 123
 polyanion-type cathode 100
 polydimethylsiloxane-OCH₃ additive 61
 polyvinylidene fluoride (PVdF) 111
 porous carbon nanofibers/selenium
 composite electrode (Se@PCNFs)
 24
 potassium perfluorinated sulfonate
 additives 63

q

quantum molecular dynamics 187

r

radial distribution function 190
 Raman spectra, of LiTFSI/FEC mixtures
 84
 rechargeable aprotic Li-O₂ batteries 3
 rechargeable Li batteries 199
 redox potential
 of the complex 186
 solvents and salts 185–186
 theoretical basis 183–185
 reduced graphene oxide (rGO) wrapped
 ultrathin tellurium nanowires 29
 reversible battery 183

s

safe electrolyte 199
 safety issue of Li power batteries 79
 salt-derived inorganic SEI 89
 scanning tunneling microscopy (STM)
 200
 selenium-carbon (Se@CoSA-HC)
 cathodes 26
 self-extinguishing time test 88
 semi-open property of Li-O₂ battery 4
 separator of Li-S batteries 15
 SiO₂/GO film protected Li anode 8
 solid electrolyte intermediate phase (SEI)
 157
 solid electrolyte interphase (SEI) 101

additives 58
 concept and roles 55–56
 electrolyte regulation 75
 formation mechanism 64
 lithium solvation 57
 types and modification strategies
 56–66
 solid electrolyte phase interface (SEI)
 137
 solid electrolytes 201
 solid-state electrolyte 79
 solvation analysis 189
 solvation structure
 basic theory 187
 de-solvation 190–192
 influencing factors and implicit solvent
 model 188–189
 solvation analysis 189–190
 solvents and salts 185
 succinonitrile (SN) based dual-anion
 electrolyte 87
 synchrotron radiation 200

t

Tafel plots for Li plating/stripping 60
 Te-doped S@pPAN cathodes 30
 thermally stable ionic liquids 92
 The RuO_x functionalized In₂O₃ coated
 free-standing carbon paper 6
 3D graphene-CNT@Se (3DG-CNT@Se)
 aerogel 24
 3DGT aerogel 29
 Ti₃C₂T_x MXene foam 33
 time-of-flight secondary ion mass
 spectrometry (TOF-SIMS) 105
 titanium monoxide and multiwall carbon
 nanotubes (TiO/MWCNTs) coated
 separator 17
 traditional commercial electrolytes 158
 transition metal oxide (TMO) batteries
 37
 tributylphosphate (TBP) 82
 triethylphosphite (TEP) 85, 115
 trimethyl borate (TMB) 119

trimethyl phosphate (TMP) additive 80,
81
(2-allylphenoxy) trimethylsilane (APTS)
68
triphenylphosphate (TPP) contained
electrolyte 82
tri-salt electrolyte 87
tris(2,2,2-trifluoroethyl)orthoformate
(TFEO) 175
tris(2,2,2-trifluoroethyl)phosphate (TFEP)
85, 86
tris(2,2,2-trifluoroethyl) phosphite (TTFP)
115

U

uncontrolled dendrite growth 199

V

vinylene carbonate (VC) 85, 117, 142

X

X-ray tomography 200

