

## Index

### a

- aberration-corrected scanning
  - transmission electron microscopy (STEM) 288
- ABINIT software 97
- ABO<sub>3</sub> compounds 44
- acoustic (A) modes 136, 171, 176–177, 297, 303, 305, 308–309, 341, 344–345
- acoustic wave propagates 135
- Ag<sub>0.1</sub>Cu<sub>0.9</sub>InP<sub>2</sub>S<sub>6</sub> 163, 240, 246–248
- Ag<sub>0.1</sub>Cu<sub>0.9</sub>InP<sub>2</sub>Se<sub>6</sub> 163, 266
- Ag<sub>0.2</sub>Cu<sub>0.8</sub>InP<sub>2</sub>Se<sub>6</sub> 266
- Ag<sub>x</sub>Cu<sub>1-x</sub>InP<sub>2</sub>(S,Se)<sub>6</sub> compounds 265
- (Ag,Cu)InP<sub>2</sub>(S,Se)<sub>6</sub> layered crystals 265–267
- Ag-centered polyhedron 64
- AgBiP<sub>2</sub>S<sub>6</sub> 79–81, 83, 165, 168, 171, 173, 174
- AgBiP<sub>2</sub>Se<sub>6</sub> 3, 79, 81–83, 161, 164–166, 169, 171, 173, 174
- AgInP<sub>2</sub>(Se<sub>x</sub>S<sub>1-x</sub>)<sub>6</sub> 252–253
- AgInP<sub>2</sub>S<sub>6</sub> 1, 66, 69, 71, 78
  - crystal 64, 95, 131
  - DFT/PBE-D(Grimme) method 131–134
  - phonon dispersion curves and phonons partial DOS 132
  - sound velocity measurements 136
- AgInP<sub>2</sub>Se<sub>6</sub> crystal 80, 165, 173, 176, 178
- ambient topography 276
- anion deformation modes 149
- anisotropy effects 21
  - in thick-layered CuInP<sub>2</sub>S<sub>6</sub> and CuInP<sub>2</sub>Se<sub>6</sub> crystals 223–226
- antisite In<sup>3+</sup>(Cu<sup>+</sup>) doping 288, 290
- antiferroelectrics (AFE) 286
  - qualities 15
  - phase transition, of CuBiP<sub>2</sub>Se<sub>6</sub> crystals 244–246
  - state 283
  - transitions 81
- antiferromagnetic (AF) 15–17, 21–24, 29, 63, 182, 185–186, 194–195, 227, 288
  - anomalies 17
- antisite defects in layered multiferroic CuCr<sub>0.9</sub>In<sub>0.1</sub>P<sub>2</sub>S<sub>6</sub> 287–290
- Arrhenius law 10, 251–252, 257
  - bulk CuInP<sub>2</sub>S<sub>6</sub> and CuInP<sub>2</sub>Se<sub>6</sub> crystals, parameters of 225
- atom-projected phonon density 176
- atomic structures of CuInP<sub>2</sub>(S<sub>1-y</sub>Se<sub>y</sub>)<sub>6</sub> 333
- attenuation coefficient 263–264
- Au/Cr/CIPS/mGr/Au van der Waals heterostructure 363
- automatic computer-controlled pulse-echo method 263

**b**

band excitation polarization switching spectroscopy (BEPS) 277–278  
 Berry phase method 32  
 Birch–Murnaghan 217–218  
 Bloch–Ising type domain walls 339  
 Boltzmann’s constant 7, 173, 254  
 Boltzmann’s emission limit (B-lim) 364–365  
 Born effective charges 34, 59  
 branching number 327  
 Bridgman method 16, 238  
 bright domain walls in  $\text{CuInP}_2\text{S}_6$  crystals 283–287  
 Brillouin zone (BZ) 23, 45, 51, 64–65, 73, 81, 136, 138, 171, 175–176, 192, 194–195, 202, 206, 213, 219, 301  
 bulk ferroelectric 282, 319, 330, 346

**c**

CASTEP package 192  
 cation vibrations 147, 149–150  
 chalcogenophosphate family 1, 148  
 Christoffel equations 134–135  
 Christoffel matrix 134  
 CIPS/germanene vdW HS 363  
 CIPS/h-BN/ $\text{MoS}_2$  2D ferroelectric vdW HS 363  
 CIPS/ $\text{MoS}_2$  2D HS, Fe-FET based on 363  
 CIPS/ $\text{MoS}_2$  vdW NC-FET 364–365  
 CIPS(Se) crystals 78, 95  
 $C2/m$  monoclinic crystal structure 1  
 Cole–Cole 7–8  
   formula 10, 12, 229–231, 234–235  
 Cole–Davidson 7  
 complex domain morphology in  $\text{Sn}_2\text{P}_2\text{S}_6$  nanoparticles 327–332  
 conduction band (CB) 7, 46, 66, 68, 75, 96, 108, 110, 117, 122–123  
 conduction band minimum (CBM) 74–75, 99, 102  
 conductivity spectroscopy 252–253  
 copper chromium thiophosphate ( $\text{CuCrP}_2\text{S}_6$ ) 182, 252  
 AFM phase transition 16  
 Bridgman method 16  
 dilute antiferromagnets 16  
 field dependence of 19–21  
 magnetic susceptibility 16  
 ordered distribution of 16  
 second-order Jahn–Teller instability 16  
 temperature dependence of the magnetization 17–19  
 two-dimensional (2D) materials 15  
 Coulomb effects 1  
 Coulomb repulsion 32, 57, 61, 63  
 critical point analysis, of soft phonon spectra 305–306  
 Cr–S–Cu–S–Cr bridges 18  
 Cruickshank equation 150  
 crystal orbital Hamilton population (COHP) analysis 67, 84  
 $(\text{Cu}_x\text{Ag}_{1-x})\text{CrP}_2\text{S}_6$  252–253  
 $\text{Cu}(\text{Ag})\text{In}(\text{Bi})\text{P}_2\text{S}(\text{Se})_6$  layered crystals 160–180  
 $\text{Cu}_{0.9}\text{Ag}_{0.1}\text{InP}_2\text{S}_6$  crystals 240–241  
   linear and nonlinear dielectric properties of 241  
 Cu-based layered chalcogenides 295, 332  
   polar properties of 295  
 $\text{CuBiP}_2\text{Se}_6$  3  
   compound 165  
   crystals  
     antiferroelectric domains in 247  
     ionic conductivity 244  
     relaxation times, distribution of 246  
     temperature-dependent antiferroelectric ordering 244  
     unpoled and poled, distribution of relaxation times 247  
   layered crystal 177  
 $\text{CuCr}_{0.9}\text{In}_{0.1}\text{P}_2\text{S}_6$  crystals 240, 242  
   linear and nonlinear dielectric properties of 242  
 $\text{CuCrP}_2\text{S}_6$  270  
   crystals 114, 115, 180–186  
   phase transition 227–228

- electric conductivity 228
- temperature dependence of complex dielectric permittivity 228
- Cu-free nonferroelectric 251
- $\text{Cu}(\text{In}_x\text{Cr}_{1-x})\text{P}_2\text{S}_6$  crystals, dipole glass state in 226
- $\text{Cu}(\text{In},\text{Cr})\text{P}_2(\text{S},\text{Se})_6$  system 270–272
- $\text{Cu}(\text{In},\text{Cr})\text{P}_2\text{S}_6$  system 271
- $\text{CuIn}_{0.1}\text{Cr}_{0.9}\text{P}_2\text{S}_6$  crystal
  - phase transition 227–228
- $\text{CuIn}_{0.8}\text{Cr}_{0.2}\text{P}_2\text{S}_6$  228, 233, 272
  - plate 271
- $\text{CuIn}_x\text{Cr}_{1-x}\text{P}_2\text{S}_6$  mixed crystals
  - dipole glass state in 234–236
  - phase diagram of 236–237
- $\text{CuIn}_{1+\delta}\text{P}_2\text{S}_6$  251, 265
  - crystals 265–268
- $\text{CuInP}_2\text{S}_6$  (CIPS) 2, 72, 73, 76, 251, 257, 270, 359
  - based FeTJ 363
  - collinear two-sublattice ferrielectric system 4
  - definition 2
  - ferrielectric 64
  - LGD parameters 319
  - nanoellipsoids 323
  - selenium to phase-transition dynamics 12
  - temperature dependence of dielectric permittivity of 223, 224
  - temperature-stress phase diagrams 319–322
  - thermodynamic potential reconstruction 318–319
  - uncompensated antiferromagnetic two-sublattice ferroelectric system 2
  - XRD investigations of 4
- $\text{CuInP}_2\text{S}_6$  crystals 103, 109, 110, 113, 116, 263, 264
  - electric conductivity 228
  - linear and nonlinear dielectric properties 238
- $\text{CuInP}_2\text{S}_6$  nanoflakes
  - electrocaloric performances of 361
  - piezoactivity of 360
  - pyroactivity of 360–361
- $\text{CuInP}_2\text{S}_6$  nanoparticles
  - labyrinthine domains in 325–327
  - phase diagrams of 326
  - stress-induced phase transitions 322–325
- $\text{CuInP}_2\text{Se}_6$  (CIPSe) 2, 72, 73, 75, 270, 285
  - bright domain walls with enhanced piezoelectric response 339
  - chalcogenides 72
  - domain boundaries 332
  - structure 77
  - temperature dependence of dielectric permittivity of 225
  - ultrathin films 296
- $\text{CuInP}_2\text{Se}_6$  crystals 76, 111, 283, 287
  - DFT methodology 137
  - heat capacity anomalies at dipole and magnetic ordering 180–186
  - paraelectric and ferroelectric phases 137
  - paraelectric phase 138
  - Raman Spectroscopy of 144–151
  - vibrational properties 136
- $\text{CuInP}_2(\text{S},\text{Se})_6$  crystals 7
- $\text{CuInP}_2(\text{S}_{0.25}\text{Se}_{0.75})_6$  9
- $\text{CuInP}_2(\text{S}_x\text{Se}_{1-x})_6$  268, 269
  - crystals 258–259, 268–270
  - mixed crystals 121–127, 151–160
    - dipolar glass phase in 10–11
    - phase diagram 13–15
    - phonon spectra 151
    - relaxor phase 7–10
- $\text{CuIn}_{\text{III}}\text{P}_2\text{X}_6$  (CITP) 275–277, 279, 281, 283
  - surface and bulk 276
- $\text{CuInP}_2\text{X}_6$  (X = S, Se) layered thiophosphates 283
- $\text{CuMP}_2\text{S}_6$  1
- $\text{CuM}^{\text{III}}\text{P}_2\text{X}_6$  275
- $\text{Cu}_{2x}\text{Mn}_{2-x}\text{P}_2\text{S}_6$  149–150
- Curie temperature 7, 19, 239, 280, 305, 310, 313, 318, 328

- Curie–Weiss constants 229, 239, 245  
 Curie–Weiss fit 13  
 Curie–Weiss law 10, 13, 18, 228–229, 239, 242, 244
- d**
- Davydov’s splitting 68, 74  
 Debye approximation 280, 312  
 Debye function 181, 183, 185  
 Debye temperatures 162, 165, 172, 173  
 density functional theory (DFT) 31, 44, 201, 211, 283, 332, 362  
 dielectric anomaly 12, 59, 223, 226, 227, 244  
 dielectric dispersion 7, 8, 12, 14, 224, 226, 228, 229, 234, 236, 244, 246, 247, 258, 268  
   temperature behavior of 229  
 dielectric permittivity 160  
   of  $\text{CuCrP}_2\text{S}_6$  228  
   of  $\text{CuIn}_{0.1}\text{Cr}_{0.9}\text{P}_2\text{S}_6$  229  
   of  $\text{CuIn}_{0.5}\text{Cr}_{0.5}\text{CrP}_2\text{S}_6$  234–235  
   of  $\text{CuIn}_{0.7}\text{Cr}_{0.3}\text{CrP}_2\text{S}_6$   
     frequency dependence 229, 231  
     temperature dependence 228, 230  
   of  $\text{CuInP}_2\text{S}_6$  223, 224  
   of  $\text{CuInP}_2\text{Se}_6$  224–225  
 dielectric spectroscopy 223  
   of  $\text{CuBiP}_2\text{Se}_6$  crystals 244–248  
     antiferroelectric phase transition 244–246  
     freezing phenomena 246–248  
 differential scanning calorimetry (DSC) 182, 227, 284  
 dilute antiferromagnet 16, 19, 21  
 dimensionless parameters, for ferroelectrics-chalcogenides 300  
 dipole glass state  
   in  $\text{Cu}(\text{In}_x\text{Cr}_{1-x})\text{P}_2\text{S}_6$  crystals 226–237  
   in  $\text{CuIn}_x\text{Cr}_{1-x}\text{P}_2\text{S}_6$  mixed crystals 234–236  
 dipole ordering 1  
 2D metalthiophosphates 160, 180  
 double hysteresis 286  
 double-hysteresis switching loop 286  
 dynamic structural disordering 108, 119  
 Dzyaloshinsky transformation 334
- e**
- Edwards–Anderson glass order parameter 234  
 Edwards–Anderson order parameter 10, 236  
 Eiken’s law 171  
 Einstein functions 181, 183, 185  
 Einstein model 104  
 elastic effects 1  
 elastic softening of sound velocity 307  
 electrical conductivity of layered  $\text{CuInP}_2(\text{S}_x\text{Se}_{1-x})_6$  crystals 258–259  
 electromechanical coupling coefficient 270, 271, 360  
 electronic band structure  
    $\text{MM}'\text{P}_2\text{S}(\text{Se})_6$  type compounds  
     Coulomb repulsion 57  
     density functional theory (DFT) 44  
     dipole–dipole interaction 63  
     electron energy spectra 46–47, 58  
     electron lone pair 52  
     electron–phonon interaction 44, 51  
     electronic structure XPS measurements 60  
     ferroelectric instability 44  
     ferroelectric phase 55  
     ferroelectric phase transition 51  
     ferroelectric-semiconductors 44  
     frozen phonons 52  
     Ge  $4s^2$  electron lone pair 62  
     hybridization scheme 46  
     low-frequency dielectric susceptibility temperature 59  
     melting temperature 62  
   Mulliken charges 56  
   NMR spectral line 62  
   paraelectric and ferroelectric phases 53  
   paraelectric phase 55, 61  
   phonon spectra 59

- short-range and long-range interactions 52
  - SOJT 44
  - sp<sup>2</sup> hybridization 61
  - spontaneous polarization 60, 63
  - spontaneous polarization appearance 55, 57
  - structure of 60
  - subbands 48–50
  - total and partial electron densities 48
  - valence band (VB) 45
  - P<sub>2</sub>S(Se)<sub>6</sub> structural groups 41–43
  - electrostatic repulsion 80
  - electrostrictive ultrasonic transducers 271
  - energy gap estimations 95
  - ethane-like groups 1
  - Eu<sub>x</sub>Sr<sub>1-x</sub>TiO<sub>3</sub> 288
  - Euler–Lagrange boundary problem 280
  - Euler–Lagrange equations 313–314, 337, 343
  - exciton (electron)–phonon interaction (EPI) 104, 106, 107, 109, 111–114, 116, 118, 119, 123, 126
  - exfoliated CuCr<sub>0.9</sub>In<sub>0.1</sub>P<sub>2</sub>S<sub>6</sub> specimen 290
  - exfoliated thin films of CITP 279
  - external stimuli 208
- f**
- f-CIPSe 75–78
  - Fe<sub>2</sub>P<sub>2</sub>S<sub>6</sub> 1, 16
  - Fe<sub>2</sub>P<sub>2</sub>Se<sub>6</sub> 4
  - ferrielectrically active CuInP<sub>2</sub>S<sub>6</sub> 267
  - ferrielectric (FEI) domains 283
  - ferrielectric CuInP<sub>2</sub>S<sub>6</sub> 34, 147, 251, 252, 256
  - ferrielectric CuInP<sub>2</sub>Se<sub>6</sub> crystal 140
  - ferrielectric ordering 5, 30, 41, 45, 151, 162, 284
  - ferrielectric phase (f-CIPS) 2, 4, 7, 10, 71–73, 75, 77–79, 83, 84, 105–107, 109, 110, 113, 115, 121–123, 126, 127, 136, 138, 144–153, 164, 168, 171, 234, 239, 276, 284
  - ferrielectrics CuInP<sub>2</sub>Se<sub>6</sub> 151
  - ferroelectric-antiferroelectric layered chalcogenides
    - bright and dark domain walls 337–339
    - LGD-FSM hybrid approach 332–335
    - phase diagrams of order parameters 335–337
  - ferroelectric field effect transistors (Fe-FETs), CIPS/TMDs vdW HS for 361–365
  - 2D ferroelectric flakes 276
  - ferroelectric hysteresis loop 258, 363
  - ferroelectric layered chalcogenides
    - critical point analysis, of soft phonon spectra 305–306
    - elastic softening of sound velocity 307–308
    - LGD free energy functional and Lagrange function 297–301
    - nanoparticles 317–332
    - soft acoustic phonons, behavior of 306–307
    - soft phonon dispersion 302–305, 308–309
    - spatially modulated phases, stability of 301–302
    - static dielectric susceptibility, temperature dependence of 309–311
  - thin film
    - domain structure temperature evolution 314–317
    - phase diagrams and domain splitting in 311–317
    - phase equilibrium 314–317
  - ferroelectric phosphorus chalcogenides 223
  - ferroelectric polarization switching, in 2D vdW HS 362
  - ferroelectric relaxor 3–4
  - ferroelectric soft phonon mode 59
  - FeTJ based on CIPS 2D vdW HS 362

- film thickness–temperature 281  
 finite element modeling (FEM)  
   calculations 325  
 first-order phase transition 2, 4, 124,  
   145, 153, 162, 164, 183, 184, 228,  
   265, 276, 310, 319  
 flexocoupling contribution 296  
 flicker or 1/f noise 254  
 Fogel–Vulcher law 10, 13, 230, 235, 247  
 forbidden energy gap 105, 258  
 Fredholm integral equations 8, 230  
 freezing phenomena, of  $\text{CuBiP}_2\text{Se}_6$   
   crystals 246  
 functional 2D materials 63, 275  
 functional 2D phosphorus chalcogenides  
   223  
 functional 3D heterostructures 275
- g**
- gas vapor transport technology 227  
 generation–recombination (G–R) noise  
   254, 258  
 $\text{GeP}_2\text{Se}_6$  201–207  
 $\text{GeP}_2\text{Te}_6$  compound 34, 201, 202, 205  
 GGA/PBE-D method 65, 66, 67, 70, 71,  
   132, 135  
 graphene/CIPS monolayer/graphene vdW  
   HS, for ultra-thin 2D ferroelectric  
   tunneling junction (FeTJ) device  
   362  
 ground-state polarization 32
- h**
- Hartree–Fock approach 41, 45  
 Havriliak–Negami 7  
 hexachalcogenohypodiphosphates 63,  
   131  
 high-frequency vibrations 154  
 Holstein–Hubbard like models 215  
 Hubbard correction 24, 26–28, 97,  
   100–102  
   parameters 97  
 Hubbard model 98  
 HV polarization 188
- i**
- incommensurate–normal (IC–N) phase  
   transition 183  
 indium-rich nonferroelectric  $\text{CuIn}_{1+\delta}\text{P}_2\text{S}_6$   
   252  
 indium-rich structure  $\text{CuIn}_{1+\delta}\text{P}_2\text{S}_6$  252  
 inelastic scattering of neutrons 186, 194  
 inherently layered van der Waals material  
   system 281  
 inhomogeneous ferrielectrics 228–234  
 $\text{In}_{4/3}\text{P}_2\text{S}_6$  64, 252, 277, 284, 285  
 interband optical absorption coefficient  
   119, 121  
 inter-cluster interaction. 46  
 interplanar AFM bonds 18  
 intrinsic noise types 254–255  
 ionic conductivity 4, 63, 108, 122, 144,  
   150, 223, 226, 227, 244, 251–259,  
   267, 269, 278  
 Ising model 10, 185  
 isovalent cation doping 288  
 isovalent  $\text{In}^{3+}(\text{Cr}^{3+})$  doping 290
- j**
- Jahn–Teller (JT) distortion 1, 2, 41,  
   63–85, 122, 164, 205, 215
- k**
- Khalatnikov mechanism, of polarization  
   relaxation 302  
 Kittel theory 240, 245
- l**
- labyrinthine domains, in CIPS  
   nanoparticles 325–327  
 Lagrange function 297–301, 302  
 Landau–Chalatnikov relaxation theory  
   263, 269, 271  
 Landau–Devonshire theoretical approach  
   317  
 Landau free energy expansion 267  
 Landau–Ginzburg–Devonshire (LGD)  
   approach 341, 342  
   free energy 296  
   free energy functional 297–301

- parameters, for bulk ferroelectric  
 $\text{Sn}_2\text{P}_2\text{S}_6$  329–330  
 theory 283
- Landau–Ginzburg–Devonshire-four  
 sub-lattices model (LGD-FSM)  
 hybrid approach 280, 296,  
 332–335
- Landau–Khalatnikov theory 263, 269,  
 271
- Landau theory fit parameters for  
 $\text{Cu}_{0.9}\text{Ag}_{0.1}\text{InP}_2\text{S}_6$  crystals 240
- Langevin-type functions 19
- layered (Ag,Cu)(In,Cr) $\text{P}_2\text{S}_6$  crystals,  
 non-linear dielectric response of  
 237–243
- layered  $\text{CuInP}_2\text{S}_6$  (CIPS) 30, 72,  
 223–226, 251, 253–258, 265,  
 361–365
- layered multiferroic  $\text{CuCr}_{0.9}\text{In}_{0.1}\text{P}_2\text{S}_6$   
 antisite defects in 287–290
- least squares problem technique 232
- Lifshitz transition 284, 296
- linearized Euler–Lagrange equations,  
 analytical solution of 313–314
- logic inverter with CIPS/MoS<sub>2</sub> vdW  
 NC-FETs 364
- lone pair 84  
 electrons 43–63
- Lorentzian-type spectra 257
- low-frequency noise spectroscopy of  
 layered  $\text{CuInP}_2\text{S}_6$   
 experimental techniques 255–256  
 intrinsic noise types 254–255  
 noise spectroscopy in material science  
 256  
 overview of 256–258
- low-frequency Raman phonon modes  
 193
- low-frequency vibrational modes 190
- low noise amplifier (LNA) 255
- m**
- magnetic excitation spectrum 194
- Maxwell Garnet relaxation 223, 224
- Maxwell–Wagner relaxation 226
- mean free path (MFP) 162, 165, 168,  
 171–173, 176, 178
- $\text{Me1Me2P}_2\text{X}_6$  63
- metal and chalcogen substitutions 3
- metal chalcogenophosphate  $\text{A}^{\text{I}}\text{B}^{\text{III}}\text{P}_2\text{X}_6$   
 crystals 287, 288
- metalselenophosphates 160, 180
- metal thio(seleno)phosphates 252
- mixed  $\text{CuIn}_{0.5}\text{Cr}_{0.5}\text{P}_2\text{S}_6$  crystal  
 relaxation time, distribution of 236
- mixed  $\text{CuIn}_x\text{Cr}_{1-x}\text{P}_2\text{S}_6$  crystals  
 dipole glass state in 234–236  
 phase diagram of 236–237
- mixed  $\text{CuInP}_2(\text{S},\text{Se})_6$  lamellar crystals  
 265
- mixed ferroelectric  $\text{CuIn}_{0.7}\text{Cr}_{0.3}\text{P}_2\text{S}_6$   
 relaxation time, distribution of 233
- mixed phonon–magnon nature 195
- mixed-cation  $\text{A}^{1+}\text{B}^{3+}[\text{P}_2\text{X}_6]^{4-}$  compounds  
 1
- $\text{MM}'\text{P}_2\text{S}(\text{Se})_6$  crystals  
 DFT calculated electronic band  
 structures and optical parameters  
 95–103  
 DFT calculated phonon spectra  
 131–143  
 temperature dependence of the optical  
 absorption 103–121
- $\text{MnPS}_3$  119  
 crystal 131, 140  
 electronic properties 140  
 phonon dispersion curves and  
 phonon DOS 140–141  
 Raman scattering spectra 140–141  
 vibrational modes of 140, 142  
 phonon spectra 140
- $\text{M}_2\text{P}_2\text{S}_6$  41, 45, 108, 117, 122, 149
- $\text{Mn}_2\text{P}_2\text{S}_6$  crystal  
 DFT-D(OBS) correction 26  
 DFT/HSE06 functional 24  
 DFT/LDA-D(OBS) and  
 DFT/LDA-D(OBS)+*U* approaches  
 27  
 DFT/LDA-D(OBS) methodology 26

- $\text{Mn}_2\text{P}_2\text{S}_6$  crystal (*contd.*)  
 DFT/LDA-D(OBS)+ $U$  methodology  
     28–29  
 electronic properties 23, 29  
 energy band spectrum of 22  
 lattice dynamics of 22  
 magnetic moment orientation for 23  
 spin–phonon coupling 186–196  
 structural parameters of 26  
 subband 28  
 transition-metal ions 22  
 van der Waals crystal 22
- $\text{Mn}_2\text{P}_2\text{Se}_6$  4  
 $\text{MoS}_2$ /CIPS NC-FETs 365  
 $\text{MoS}_2$  vdW HS, NC-FET based on 364,  
 365  
 Mossbauer effect 44, 55  
 Mulliken atomic charges 77  
 Mulliken charge population 69  
 Mulliken charges distribution 75
- n**
- negative capacitance field effect  
     transistors (NC-FETs), based on  
     2D vdW HS 364–365  
 noise spectroscopy in material science  
     253, 256  
 nonmonotonic behavior  $E_g(P)$  33, 192,  
 214  
 nonstoichiometric PE-SPS structure 102  
 nonvolatile resistive random-access  
     memory (ReRAM) devices 362,  
     363  
 normal processes 173, 175  
 Nyquist noise 254
- o**
- Omicron AFM/STM 277  
 optic birefringence temperature  
     dependences 159, 160  
 optical (O) modes 303, 344  
 optical absorption edge spectra  
     115, 117  
 optical absorption spectroscopy 209  
 optical birefringence measurements 153  
 optical interband absorption 120, 121  
 “opto-electrical” switches 209  
 $d$ -orbitals 26, 28, 29, 68, 69, 75, 78  
 order–disorder mechanism of transition  
     182  
 out-of-plane polarization component  
     280
- p**
- paraelectric one (p-CIPS) 73  
 paraelectric phase 104, 108, 110, 146  
      $\text{CuInP}_2\text{Se}_6$  crystals 138  
      $\text{MM}'\text{P}_2\text{S}(\text{Se})_6$  type compounds 55, 61  
      $P$ -31c 160  
 paramagnetic–antiferromagnetic phase  
     transition 185  
 partial density of the state (pDOS) 26,  
     27, 65, 74, 95, 99  
 “partially rigid” electric dipoles 58  
 $\text{Pb}_2\text{P}_2\text{S}_6$  crystal 211, 213, 215  
 p-CIPSe 75–78  
 phase diagrams  
     of mixed  $\text{CuIn}_x\text{Cr}_{1-x}\text{P}_2\text{S}_6$  crystals  
     236–237  
     of SPS nanoparticles 330  
     of spherical SPS nanoparticles 328  
 phase transitions 162  
     in  $\text{CuCrP}_2\text{S}_6$  crystal 227–228  
     in  $\text{CuIn}_{0.1}\text{Cr}_{0.9}\text{P}_2\text{S}_6$  crystal 227–228  
 phonon–magnon band 195  
 phonon–phonon scattering 171, 178  
 phosphorous chalcogenides 1–34, 223  
 piezoactivity of  $\text{CuInP}_2\text{S}_6$  nanoflakes  
     360  
 piezoelectricity 223, 265, 267, 268, 269,  
     271, 295  
 piezoresponse force microscopy (PFM)  
     276, 279, 284, 286, 327, 332,  
     338–340  
     measurements 286  
 Planck constant 165, 173  
 $Pnma$  symmetry 219  
 polarization switching 30, 64, 276, 277,  
     284, 362  
 preprocessed  $\text{SiO}_2/\text{Si}$  wafer 289



- primitive cell 72, 73, 146, 187
- projected densities of states (*prDOS*) 67, 74, 75, 77, 78
- Provencher's approach 232
- $P_2S_6$  41
- deformation modes 150
- $(P_2S_6)^{4-}$ -like anions 155
- $P_2Se_6$  bonds 2
- pulse-echo ultrasonic system 265, 266
- pyroactivity, of  $CuInP_2S_6$  nanoflakes 360–361
- pyroelectric signal 161
- q**
- quartz buffer (QB) 265
- quasielastic scattering 151
- quasi two-dimensional  $CuInP_2(Se_xS_{1-x})_6$  mixed crystals 268–270
- r**
- radio frequency pulse (RFP) 7, 265
- Raman- and infrared-active modes 146
- Raman scattering 131, 132, 140, 141, 144, 145, 151, 153–155, 158, 210, 215, 216
- Raman scattering spectra 131, 140, 141, 145, 154, 155
- Raman spectra of  $CuInP_2(Se_kS_{1-x})_6$  crystals 157
- Raman spectroscopy 31, 34, 131, 144–151, 208, 209, 284, 286, 287
- Raman technique 187
- random telegraph signal (RTS) noise 256, 257
- rigid layer modes 158
- rigid layer shifting mode 160
- rippled phase 305
- S**
- scalar approximation 297
- Scotch-tape method 289
- second harmonic generation (SHG) 64, 286, 287
- second-order Jahn–Teller (SOJT) effect 7, 30, 43, 53, 77, 78, 84, 164, 168, 171
- dipole ordering in  $Cu(Ag)InP_2S(Se)_6$  crystals with  $d10 Cu^+$  and  $Ag^+$  cations 63–79
- phase transitions
- $Cu(Ag)BiP_2S(Se)_6$  crystals with a stereoactive electronic lone pair of  $Bi^{3+}$  79–85
- second-order Jahn–Teller instability 2, 16, 41, 63–85, 122, 164, 205
- second-order transition 151, 163, 183, 185, 270
- selenide analog  $CuInP_2Se_6$  crystals 251
- selenium-substituted derivatives 275
- selenophosphate 2, 251
- self-overlapping Ag orbitals 68
- shot noise 254
- Si/SiO<sub>2</sub> substrate 279
- single-oscillator model 104
- $(Sn,Ge)P_2(S,Se,Te)_6$  crystals 201, 203
- $SnP_2S_6$  (SPS)
- dynamical and electronic properties and their pressure dependence 34
- hexathiophosphate 31
- Sn–S interatomic distances 32
- $Sn_2P_2S_6$  crystals 117
- ambient pressure 202
- band gap value 201
- crystal structure of 202
- DFT 211–220
- EPI 118
- ferroelectricity 41, 359
- figures of merit of 359
- phonon subsystem 202
- pressure-induced metal state 208–211
- pyroelectric sensing 359
- structural layers of 204
- $Sn_2P_2S_6$  monoclinic ( $P2_1/c$ ) crystals 211

- soft phonon dispersion 302–305
    - in ferroelectric layered chalcogenides 308–309
  - soft phonon spectra, critical point analysis of 305–306
  - sound propagation velocity 135
  - sound velocity, elastic softening of 307–308
  - spatially modulated phases stability, in ferroelectric layered chalcogenides 301–302
  - special pulse-echo ultrasonic system 265
  - spherical random-bond–random-field (SRBRF) model 10
  - spherical  $\text{Sn}_2\text{P}_2\text{S}_6$  (SPS) nanoparticles, complex domain morphology in 327, 328
  - spin–phonon coupling in  $\text{Mn}_2\text{P}_2\text{S}_6$  crystal 186–196
  - spontaneous polarization 109, 115, 151
    - appearance 55, 57, 60, 63
    - of uniaxial ferroelectric  $\text{CuInP}_2\text{S}_6$  295
  - S–P–S deformation modes 146
  - SQUID magnetometer 17
  - static dielectric susceptibility, temperature dependence of 59, 309–311, 346–347
  - static structural disordering 109, 113, 119
  - stress-induced phase transitions, in  $\text{CuInP}_2\text{S}_6$  nanoparticles 322–325
  - structural phase transitions 81, 209, 215, 237
  - sulphide compounds 163
  - sulphur-rich  $\text{CuInP}_2\text{S}_6$  crystals 268
- t**
- temperature-dependent static dielectric susceptibility 309–311, 346
  - temperature-induced transition 158
  - temperature-thickness phase diagram, of  $\text{S}_2\text{P}_2\text{Se}_6$  film 315
  - thermal anisotropy 162, 180
  - thermal conductivities 168, 170, 173
  - thermal diffusivity 81, 160–163, 165, 171, 178, 180
  - thermal evolution 144, 149
  - thermal expansion coefficient 107
  - thermal or Johnson noise 254
  - thick-layered  $\text{CuInP}_2\text{S}_6$  223–226, 251
    - and  $\text{CuInP}_2\text{Se}_6$  crystals, anisotropy effects in 223–226
  - thin  $\text{CuInP}_2$  (S,Se)<sub>6</sub> samples 226, 267, 270
  - Tikhonov regularization method 9, 230, 232
  - transition enthalpy 182, 184
  - tunneling electroresistance (TER) 362, 363, 365
    - CIPS based FeTJ 363
  - two-dimensional crystals 1, 119
  - two-dimensional  $\text{CuInP}_2\text{S}_6$ /transition metal dichalcogenides van der Waals heterostructures (CIPS/TMDs vdW HS) 362
- u**
- ultrasonic investigation of phase transition in  $\text{CuInP}_2\text{S}_6$  crystals 263–265
  - ultrathin ferroic materials 275
  - Umklapp scattering 173, 177
  - uniaxial ferroelectric  $\text{CuInP}_2\text{S}_6$ , spontaneous polarization of 295
  - Urbach absorption edge convergence point 104, 117
  - Urbach absorption edge energy 122
  - Urbach absorption edge parameters 106, 113, 116, 118, 126
- v**
- Vagerd’s law 18
  - valence band (VB) 7, 27, 33, 41, 74, 80, 103, 108, 110, 117, 119, 122, 123, 211, 213
  - valence band maximum (VBM) 74, 99, 102

- van der Waals (vdW) 64
    - interlayer interactions 1
    - layered chalcogenophosphates 283
  - vibrational spectrum transformation 157
  - VINET equations of states 217
  - virgin  $\text{CuInP}_2\text{S}_6$  layered crystalline plates 270
  - Vogel–Fulcher fits 11
  - Vogel–Fulcher law 10, 13, 230, 235, 247
  - Vogel–Fulcher relationship 7
  - voltage fluctuation spectral density 257
- X**
- x-ray diffraction (XRD) experiments 4, 216, 217, 219
  - X-ray scattering data 195















