

Index

a

- activated carbon (AC) 1, 28, 65–66, 75, 79, 85–87, 121, 132, 137, 152, 156, 174, 191, 205, 214, 238, 241–242, 244
- activated hard carbon 85–86
- activated HMCSs (AHMCSs) 140
- activated polyaniline-derived carbon (APDC) 132, 136
- actual charging and discharging process 54
- adding additives methods 19, 20
- adsorption pseudocapacitance 48–50, 91–93
- adsorption pseudocapacitive cathodes 93
- advanced characterization technologies 257
- alloying reaction anode 69, 72
- alloy-type anodes 117
- anode materials
 - battery-type 128–169
 - EDLC 120–123
 - pseudocapacitive 123–128
- assembled accessories 256
- asymmetric supercapacitors 63, 64, 250
- atomic layer deposition (ALD) 110, 122, 147, 188

b

- battery-type anode 17, 29, 63–66, 69, 73, 115, 117–118, 128–169, 185–211, 250
- battery-type cathode 57, 65, 66, 69, 73, 75, 76, 102–110, 117, 120, 122, 211–217, 250, 251
- battery-type cathode materials 102
 - $\text{Na}_3\text{V}_2\text{O}_2(\text{PO}_4)_2\text{F}$ cathodes 105–107
 - $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ cathodes 104–105
 - sodium metal phosphates 102
 - sodium transitional metal oxides cathodes 107–110
- battery-type materials 28–30, 59, 75, 77, 91, 249, 251, 254
- Bi anode 169

c

- capacitance/pseudocapacitance 14, 35
 - capacitive anode 65–67, 215
 - capacitor-type anodes 116
 - carbonaceous anode 128–142
 - carbon-based materials 77, 196, 221
 - carbon/carbon composite, intercalation materials 140
 - carbon cloth 184, 205–206, 251
 - carbon nanofibers (CNFs) 34, 64, 79–80, 134, 140, 165, 186, 191, 201, 215
 - carbon nanomaterials 198
 - carbon nanotubes (CNTs) 34, 78–79, 145
 - carbon tubular bundles (CTBs) 157
 - cathode-electrolyte interfaces (CEIs) 40, 41
 - cathode materials 3, 11–12, 14, 27, 29–30, 38, 40, 63, 66, 68, 75–110, 122, 136, 154, 160, 185, 211–212, 229, 233
 - cetyltrimethylammonium bromide (CTAB) 52, 124
 - computer technology 257
 - conductive polymers 14, 34, 50–52, 95–96
 - CoO material 154
 - CoSe₂ 164
 - cyclic voltammetry (CV) 35, 48, 54, 79, 100, 249
- ### d
- degradation mechanism 256, 257
 - density functional theory (DFT) 126, 188, 244, 257
 - diethylene glycol dimethyl ether (DEGDME) 122
 - diglyme-based electrolyte 129, 130
 - dimethyl carbonate (DMC) 2, 100
 - dimethyl ether (DME) 9, 122
 - direct contact methods 19
 - disorder carbon 86–89

e

- EDLC anode 65, 66, 69, 120–123
- EDLC cathode 63
 - configurations 69, 70
 - materials
 - carbon nanotubes 78–80
 - characteristics 77
 - charging process 77
 - 3D carbonaceous cathodes 84–90
 - 2D carbon materials 81–84
 - 0D nanomaterials 78
- electric double layer capacitor (EDLC) 28, 30, 48, 184, 249
 - anode materials 120–123
 - type mechanism 45, 46
- electroactive carbonyl compound 169
- electrochemical energy storage (EES) systems 16, 225, 226, 229–231, 235, 236, 244
- electrochemical energy storage devices 1, 65
- electrochemical methods 19, 20, 55, 239
- electrochemical reaction process 76
- electrode-electrolyte interface 35, 37, 128
- electrode materials, exploration of 251
- electrolyte-consuming SIC devices 211
- electrolyte consumption mechanism 29, 30
- electrolyte systems 6, 7, 9, 13, 37, 40, 41, 45, 93, 129, 255
- energy storage mechanism 16, 28, 30, 34, 35, 39, 46, 47, 50, 63, 91, 95, 121, 135, 155, 158, 250, 253, 254, 257
- engineering battery-type electrode 254
- ethylene carbonate (EC) 2, 100, 105, 122

f

- fabrication 89, 184, 196, 198, 206, 208, 217, 241, 252, 255, 258
- Faraday mechanism 16, 34, 35, 48
- Faradic pseudocapacitors 48
- flexible capacitive anode 211–217
- flexible electrodes
 - carbon cloth 205–206
 - carbon nanofiber 186–201
 - graphene substrates 201–205
 - metal foil 208–210
 - MXenes 206–208
- flexible energy storage devices
 - electrolytes 217–222
 - flexible battery-type anode and capacitive cathode 185–210
 - flexible capacitive anode and battery-type cathode 211–217
- flexible graphene fiber fabric (GFF) 203
- folded carbon 89–90

g

- galvanostatic charge-discharge (GCD) tests 32
- garlic-derived hard carbon (GDHC) 132
- glyme-based solvents 128
- Gouy–Chapman model 31
- graphdiyne (GDY), intercalation materials 133
- graphene, intercalation materials 133
- graphene substrates 201–205
- graphite, intercalation materials 128–130
- graphite intercalation compounds (GICs) 118, 128, 130
- Grignard reagents 6

h

- hard carbon, intercalation materials 130–132
- Helmholtz model 31
- hierarchically porous carbons (HPCs) 136, 139
- hollow bowl-like carbon (HBC) 163
- hollow carbon microspheres 78, 84–85
- hybrid capacitors 1, 2, 38, 39, 63, 64, 69, 194, 214, 250
 - configurations 63–64
- hybrid cathode 65, 67–69, 122
- hybrid ionic capacitors 35, 36, 41

i

- inner Helmholtz layer (IHP) 31
- inorganic solid electrolytes 218
- intercalation/de-intercalation mechanism 37, 39, 153
- intercalation pseudocapacitance 49–51, 56, 57, 91–93, 98, 101, 102
 - materials 98–102
- intercalation-type anode materials 194
- iron sulfides 160

l

- layered iron vanadate 127
- lithium-ion batteries (LIBs) 1–3, 15, 30, 36, 67, 93, 128, 183–185, 217–218, 222, 225–236
- lithium-ion capacitor (LIC) 2–3, 5, 13, 15, 29, 37, 41, 76, 87, 147, 159, 194

m

- magnesium-ion batteries (MIBs) 6–7, 38
- metal-ion capacitor 184
- mesocarbon microbead (MCMB) anode 129
- metal foil 208–210, 229, 233
- metal sulfides 13, 56, 154, 157–162
- MnO, conversion-type 155–156
- MnS 162

- molybdenum selenide (MoSe_2) 162–165, 202–203, 211
- MoO_2 156, 196, 198, 199
- mp-CNS 18, 212
- multidimensional active materials 202
- multivalent charge carriers 8, 38
- multivalent hybrid ion capacitors 2, 6, 38–39
- MXene 11, 12, 29, 40, 50–53, 65–66, 75, 98–101, 116, 123–124, 126, 145, 160, 206–208, 211, 239, 241
- n**
- Na adsorption energy 126
- $\text{Na}_{0.67}\text{Co}_{0.5}\text{Mn}_{0.5}\text{O}_2$ 108, 122
- $\text{Na}_2\text{CoPO}_4\text{F}$ 126, 154
- $\text{Na}_2\text{FeSiO}_4$ 153
- Na-ion diffusion kinetic barriers 126
- $\text{Na}_{0.67}(\text{Mn}_{0.75}\text{Al}_{0.25})\text{O}_2$ 107–108
- $\text{Na}_{0.5}\text{Mn}_{0.5}\text{Co}_{0.48}\text{Mg}_{0.02}\text{O}_2$ 109–110, 122
- $\text{Na}_{0.66}\text{Mn}_{0.54}\text{Ni}_{0.13}\text{Co}_{0.13}\text{O}_2$ 110, 122, 211
- $\text{Na}_3\text{V}_2\text{O}_2(\text{PO}_4)_2\text{F}$ cathodes 105–107
- $\text{Na}_3\text{V}_2(\text{PO}_4)_3$ (NVP) 104, 121, 211
- nanotube-like hard carbon (NTHC) 130, 131
- $\text{NaTi}_2(\text{PO}_4)_3$ 82, 148, 194, 209, 211
- NbSe_2 layer-structure 152
- N-doped hard carbon (NHC-5) anode 132
- Nernst equation 31
- nickel sulfides 161
- NiCo_2O_4 156–157, 172, 205, 239
- niobium-based compound 148–152
- nitrogen doped hollow carbon nanowires (N-HCNWs) 134
- nitrogen-doped mesoporous titanium dioxide (NMTiO₂) 142–144
- non-graphitizable carbon 130
- non-woven GF fabric-reinforced ferroconcrete electrodes 203
- N/S-HCNFs 134–135
- o**
- 1D carbonaceous cathodes
carbon nanofibers 79–80
carbon nanotubes 78–79
- 1D nanostructure carbon, intercalation materials 133–136
- optimal energy density 77
- organic electrodes 169–170, 255
- outer Helmholtz layer (OHP) 31
- p**
- polyacene semiconductor (PAS) 2
- polyaniline (PANI) 34, 52, 91, 130, 136
- poly(3,4-ethylenedioxythiophene) (PEDOT) 95, 106, 122–123, 188
- porous carbon nanofibers (PCNFs) 186, 214–216
- potassium-ion batteries (PIBs) 4
- potassium ion capacitor (PIC) 1–2, 4–5, 37
- power density, SICs 77
- practical applications, SICs 252
- pre-lithiation
extra additives 232–236
lithium-ion batteries 226–227
operation with Li metal 227–229
usage of Li-based alternatives 229–232
- pre-metallation effects 226
- pre-sodiation 251
alternatives method 239–241
electrochemical method 239
extra additives 237–238
operation with Na metal 236–237
sacrificial additives method 241–245
sodium ion capacitors 238
sodium-ion batteries 236
usage of Na-based alternatives 237
- pseudo-Faraday mechanism 34, 35
- pseudo-Faraday process 35
- pseudocapacitance mechanism 34, 46
adsorption 50
definition and types of 47–49
electrochemical features of 57–59
electrode materials 51–56
energy storage mechanism of 50–51
evolution of 56–57
intercalation 50–51
redox 50
search for 46, 47
- pseudocapacitive anode 66–67, 73, 128, 250
materials 123–127
- pseudocapacitive cathode 64–66
materials
adsorption 93–95
electrochemical properties 91
intercalation 98–102
motivation 91
redox 95–98
traditional 91
- pseudocapacitive materials, SICs 75
- pseudocapacitive SIBs devices 57
- pseudocapacitor-battery hybrid SIC (PBH-SIC) 127–128
- pseudocapacitors 16, 28, 35, 36, 38, 48, 50–52, 54, 55, 59, 76, 128, 250
- r**
- Randles–Sevcik equation 35
- redox pseudocapacitance 34, 48–50, 91–93, 126
- redox pseudocapacitive materials 95
conductive polymers 95–96

redox pseudocapacitive materials (*contd.*)
 vanadium-based materials 96–99
 rocking chair capacitor 185

S

sacrificial cathode additives method 241
 Sb anode 168–169
 short-plate effect 76
 Sn-based anode 165–168
 Sn₄P₃ 168, 241–243
 SnSe 168
 SnSx 167
 sodium-based energy storage technologies 183
 sodium-based storage system 118
 sodium energy storage cathode materials 212
 sodium-ion batteries (SIBs) 16, 27, 28, 30, 32, 45, 46, 57, 63, 66, 69, 93, 104, 115, 154, 160, 165, 168, 183–185, 196, 208, 225, 236–238, 249
 sodium ion capacitors (SICs) 185
 battery-type mechanism 45–46
 development of 2
 devices
 composition and structure of 27
 equations 32–42
 working principle 30–32
 EDLC-type mechanism 45–46
 pseudocapacitance mechanism 46–59
 sodium ion transport mechanism 30
 sodium metal phosphates 102, 103
 sodium transition metal oxides cathodes
 Na_{0.67}(Mn_{0.75}Al_{0.25})O₂ 107–108
 Na_{0.67}Co_{0.5}Mn_{0.5}O₂ 108–109
 Na_{0.5}Mn_{0.5}Co_{0.48}Mg_{0.02}O₂ 109–110
 Na_{0.66}Mn_{0.54}Ni_{0.13}Co_{0.13}O₂ 110
 sodium tricyanomelaminates 126
 solid electrolyte interface (SEI) 9, 40, 41, 115, 116, 118, 119, 132, 201, 226, 230–232, 237, 238, 252, 256, 257
 solid electrolyte interphase (SEI) 115, 201, 252
 Stern layer 31
 sub-nanoscale effects 198
 supercapacitor device 35, 250
 supercapacitor materials 39, 75

t

3D carbon nanosheet (CNS), intercalation materials 138–140
 3D carbonaceous cathodes 84
 activated hard carbon 85–86

disorder carbon 86–89
 folded carbon 89–90
 hollow carbon microspheres 84–85
 3D macroporous MXene films 206
 3D porous carbon, intercalation materials 136–138
 tin dioxide (SnO₂) 167
 TiS₂ 6, 56, 160
 titanate 145, 146, 194
 titanium-based compound 142–148
 total scattering/pair distribution function (TS/PDF) analysis 126
 traditional pseudocapacitive materials 56, 91
 transition metal carbides (TMCs) 91, 92, 198, 201
 transition metal disulfides (TMDs) 186, 188
 transition metal nitride 55–56
 transition metal oxide (TMO) 28, 53–55, 76, 91, 107–110, 154, 196
 transition metal phosphide (TMP) 154
 transition metal sulfide (TMS) 56, 154
 triethylene glycol dimethyl ether (TEGDME) 122, 128, 129
 2D carbon materials 81
 reduced graphene oxide 81–83
 2D carbon nanosheets 83
 2D carbon nanosheets (CNS) 83

U

Upside-Down configurations 66
 Upside-Down model 76

V

vanadium-based materials 96–98
 vanadium-based oxide 152–153
 vanadium disulfide (VS₂) 188
 vanadium monophosphide (VP) 154
 van der Waals interactions 118, 196

W

WO₃ crystal structure 153
 WS₂ 56, 159, 160
 WSe₂ 163, 164

Z

0D nanomaterials 78
 zinc vanadate 153