

Index

a

active nanocomposite films 264
 active packaging 23, 24, 27, 30, 33, 36,
 52, 65, 121, 169, 209, 219, 223, 226,
 258, 261, 282, 286, 324, 325,
 338, 339
 active/smart carboxymethyl cellulose-
 polyvinyl alcohol composite
 films 39
 agar 12, 40, 61, 92, 200, 205, 207–212,
 218, 226, 243, 258, 263, 266, 338
 agaran 207, 208
 agarose 92, 207–209
 aging 3, 12–14, 144
 agro-waste based biopolymers
 cellulose 76–77
 edible coatings and films 80–82
 hemicellulose 77
 lignin 77–78
 pectin 79
 starch 78–79
 alginate 26, 34–35, 37, 39, 40, 56, 79, 90,
 92, 142, 200, 202–205, 216, 217,
 222, 258, 285, 315, 316
 antifungal activity of curcumin
 167
 aromatic compounds 314, 319–320
Aureobasidium pullulans 299

b

bacterial cellulose 279, 298–299
 bacteriocins 35, 314, 320–321, 323, 325
 bamboo 10, 335
 bentonite-reinforced polymer
 nanocomposite 142–143
 bio-based food packaging films 75, 336
 bio-based polymers 1, 10, 12, 90, 265,
 275, 279, 292, 295
 bio-based polypropylene (Bio-PP) 296
 biodegradable foams 89
 biodegradable food packaging 2, 14, 34,
 143, 224, 242–248, 265, 334–335
 biodegradable nanocomposites
 (NCs) 122, 264, 335
 biodegradable packaging 96–97, 257,
 261, 267, 275, 300, 334, 335,
 340, 344
 biodegradable polyester PHA 6
 biodegradable polymer blends and
 composites
 PCL and polyethylene blends 8–9
 PCL and polyvinyl chloride blends 9
 PLA and acrylobutadiene styrene (ABS)
 blends 8
 poly(butylene succinate) blends 10
 polylactic acid and polyethylene
 blends 8

- TPS and polypropylene blends 9
 TPS/PE blends 9
 biodegradable polymer-clay
 nanocomposites 138
 biodegradable polymers 1, 2, 4–10, 12,
 23, 24, 38, 90, 138, 187, 209,
 257–259, 263, 275, 281, 284,
 334–336, 343
 biofilms 75–79, 81, 83, 106–109, 131,
 167, 218, 286, 316
 bioplastics 3, 243, 275, 335–337
 biopolymers 2, 4, 7, 23, 26, 32, 34, 35,
 38, 39, 41, 52, 55, 76–80, 83, 89, 90,
 139, 141, 149, 180, 187, 188, 190,
 193, 199–226, 242, 243, 245, 257,
 258, 264, 266, 267, 275, 279, 283,
 294, 300, 323, 333, 336–339, 345
 burst strength 279, 283, 294, 295, 301
 butyl-hydroxyanisole (BHA) 23
 butyl-hydroxytoluene (BHT) 23
- C**
- carboxymethylcellulose (CMC) 32, 34,
 39, 40, 77, 92, 97, 98, 141, 248,
 259–261, 263, 264
 carrageenan 114, 168, 170, 200, 213, 214,
 218, 222, 223, 258, 263, 266,
 315, 324
 casein 243, 286, 287
 cello-biohydrolases 11
 cellulose 4, 15, 25, 27, 32–34, 36, 39, 40,
 55, 75–78, 89, 90, 109, 112, 113,
 129, 143, 168–170, 187, 188, 220,
 225, 226, 243, 247, 258, 259, 262,
 263, 279–284, 289, 291, 294,
 298–299, 335, 336, 338, 340, 343
 cellulose and cellulosic derivatives-based
 food packaging films 32–34
 cellulose ester-based films 55
 cellulose nanofibers (CNFs) 79, 112,
 113, 115, 141, 143, 225, 294
 cellulosic reinforcements 188
 chemical hydrogels 90
 chitin 11, 27, 75, 77, 97, 220, 243, 244,
 247, 249, 285, 315, 335
 chitosan 4, 11, 15, 25, 27–30, 33, 36–38,
 41, 55–58, 61, 64, 75, 77–79, 90, 97,
 109, 112–114, 139, 144, 167–170,
 200, 217, 220–226, 241–251, 258,
 261–264, 279, 280, 282, 284–285,
 289, 294, 295, 299, 315, 321, 324,
 335, 338, 340
 chitosan blends/composites 222–224
 chitosan composites/plant extract-based
 food packaging films 36–38
 chitosan (CS)/ hydroxypropyl
 methylcellulose blend 37
 chitosan plant extract-based food
 packaging films 27–29
 clay-based packaging 122
 clay materials classification 127–128
 CMC/ZnO nanocomposite films 264
Codium tomentosum seaweed
 extract (SE) 37
 collagen 34, 76, 92, 222, 287–290, 320,
 335, 340
 collagen-based bioplastics 335
 color agent effects 262–263
 composites/plant extract-based food
 packaging films 35–41
 consequence of storage time 12–14
 containment 122, 256
 curcumin 28
 active food packaging 169
 antimicrobial, antifungal and
 antioxidant properties
 of 166–167
 definition 165
 food packaging 168–169
 intelligent food packaging 170
 nanocomposite food packaging
 169
 nanoencapsulation of 167–168
 structural characteristics of 165–166
 cut jute fibres (CJF) 111, 122
- d**
- diferuloylmethane (1,7-bis(4-hydroxy-
 3-ethoxyphenyl)-1,6-heptadiene-
 3,5-dione) 165

- different biobased packaging materials
 - bioplastics 336
 - biopolymers 336–338
- e**
- eco friendly packaging 341
- edible coatings 2, 3, 24, 80, 89, 245, 316, 320
- edible coatings and films 80–82, 209, 220, 223
- edible films in food packaging 339–340
- elongation at break (EB) 36, 37, 55, 111, 113, 114, 131, 168, 181, 182, 185, 186, 188, 226, 245, 259, 277, 278
- endo-cellulases 11
- environmental impact of food packaging materials 14
- environment and food packaging 341–342
- essential oils (EO) 261, 316
 - antibacterial properties of 61–64
 - antioxidant properties of 58–60
 - barrier properties 56
 - challenges and future trends 65
 - chemistry and classification of 52–54
 - physical properties 56–58
 - tensile properties 55–56
- exo-cellulases 11
- extended polystyrene (EPS) 89
- extraction methods for plant extracts 24–25
- extrusion coating and lamination 108
- f**
- fiber reinforced biofilms, manufacturing of 107–109
- fiber spinning 108
- flame retardant micro-encapsulated ammonium polyphosphate 10
- flax based films 113–114
- flax cellulose nanocrystals (FCN) films 113
- flaxseed gum (FG) films 114
- flexible chitosan films 245
- food packaging
 - system 256
 - thermal properties of 259–260
- food packaging materials 275, 276
 - characteristics of 242
 - chitin and chitosan chemical structure 243
 - chitin/chitosan derivatives 249
 - chitosan 244
 - chitosan and cell signalling pathways 250
 - chitosan film 244–245
 - chitosan-based films 245
 - flexible packaging films 245
 - crop protection 249–250
 - films embedded with clays 246–247
 - films embedded with nanomaterials 245–246
 - films embedded with natural oils and extracts 247–248
 - films embedded with polysaccharide particles, fibres and whiskers 247
 - history of 241–242
 - molecular imprinting technology 250
 - need for biodegradable 242–243
 - resorbable chitosan matrix 250
- food preservation and storage
 - aromatic compounds 319–320
 - available solutions from the natural resources and combination with technology 314–315
 - bacteriocins 320–321
 - different extraction processes employed for natural materials 321–322
 - effects of natural materials 323–325
 - essential oils 316–318
 - major objective of 313–314
 - other animal-based antimicrobials 321
 - phenolic compounds 318–319
 - polysaccharides 315–316
 - proteins 320
- food quality attributes 256
- fossil-based plastics 333
- fucoidan 200, 216–218

g

- gelatin 26, 34–35, 37, 39, 41, 56, 57, 76, 78, 79, 90, 131, 168, 170, 222, 223, 226, 259–262, 264–266, 279, 281, 282, 285, 288–290, 299, 324, 338, 340
- gelatin and Alginate/plant extract-based food packaging films 34–35
- gellan 300
- “Generally Recognized As Safe” (GRAS) 134, 165, 285, 292, 299, 316
- ginger EO (GEO) 57, 262
- glass transition temperature 6, 37, 113, 180, 181, 186, 259, 261, 280, 293, 295
- glucomannan 34, 61, 90, 261
- gluten protein 291–292
- glycerol 5, 9–12, 30, 79, 109, 112, 113, 131, 143, 180–182, 185, 186, 188, 219, 259, 260, 265, 266, 280, 281, 284–286, 288, 289, 295, 300
- glycerol-containing TPS/PP polymer mixtures 9
- green packaging materials 2, 335
- Green Product innovation 334

h

- heat-sealing process 278
- hectorite-reinforced polymer nanocomposite 143–144
- hemicellulose 34, 77, 78, 299
- hemp based films 115
- hot pressing method 183, 184
- hydration-rich polymer gels 90
- hydrogel-based 3D bioprinting 99
- hydrogel-forming microneedles (HFMs) 100
- hydrogels 90
 - biodegradability 97–98
 - biodegradable packaging 96–97
 - classification according to network electrical charge 92
 - classification according to polymeric composition 91

- classification based on configuration 91
- classification based on physical appearance 92
- classification based on the type of cross-linking 91
- classification of 93
- food packaging material 92–93
- functional properties 93
- hydrogel-based 3D bioprinting 99
- hydrogel-forming microneedles (HFMs) 100
- in vitro and food matrices 96
- latest development 98
- other potential applications in the food industry 98
- preparation of hydrogel film 92
- star-PEG-heparin hydrogel platform 100
- unravelling the antimicrobial activity of peptide hydrogel systems 99
- hydroxypropyl methylcellulose (HPMC) 32, 34, 37, 40, 78, 284, 299
- hydroxy propyl methyl cellulose (HPMC)-lignin 78

i

- industrial agars 207
- intelligent food packaging materials 170
- interpenetrating polymer networks (IPN) 90, 91

j

- jute based films 111–112

k

- kaolinite 127, 128, 134, 145
- kenaf based films 114–115

l

- lactoferrin 321
- laponite-reinforced polymer nanocomposite 141
- levan 300
- life cycle assessment (LCA) 2, 14
- lifecycle of films 105

- lignin 4, 25, 77–78, 115, 188–190, 299, 336, 338
- lignin-cellulose nanocrystals (L-CNC) 115
- linear low-density polyethylene (LLDPE) films 37, 39, 122, 133, 140, 262
- lysozyme 97, 144, 321
- m**
- main seaweed polysaccharides 201–202
- marketing of natural materials in packaging 343–344
- microencapsulation 30, 323
- migration 4, 14, 25, 40, 52, 65, 81, 132, 145–149, 209, 315
- modified chitosan
chemical modifications of 220–222
chitosan blends/composites 222–224
nanomaterials 224–226
- Modulus of Elasticity 277
- molecular imprinting technology 250
- montmorillonite (MMT) 77, 128, 131–135, 139–142, 144, 147–149, 262, 335
- montmorillonite (MMT) based nanocomposite 139–141
- multifunctional carboxymethyl cellulose/agar-based smart films 40
- n**
- nanocellulose 4–6, 77, 113, 127, 188, 225
- nanoclay-based food packaging 123, 127, 146
- nanoclay minerals 123
- nanoencapsulation of curcumin 167–168
- nanofibrillated cellulose (NFC) films 34
- nano food packaging 338
- nanotechnology 23, 122, 123, 146, 171, 224, 225, 263, 338, 344
- native agars 207
- natural agars 207
- natural antibacterial agents 338, 339
- natural biodegradable polymers
polyanhydrides 7–8
- poly-caprolactone (PCL) based natural materials 5–6
- polycarbonate based natural materials 7
- polyglycolide-based natural materials 6–7
- poly-hydroxy alkanooate based natural materials 6
- poly-lactic acid-based natural materials 5
- polyurethanes 7
- soy-based bio-degradable polymers 7
- starch-based natural materials 4–5
- natural/biderived monomers 279, 292
- natural clay-based food packaging films
application of 135–145
barrier property 132–133
challenges of 145–149
clay materials classification 127–128
mechanical property 131
oxygen and ethylene scavenging activity 133–134
preparation of 128–130
thermal stability 133
- natural fibers 1, 105–116, 335
- naturally occurring polymers 249, 279–292
- natural materials
drying methods and corresponding properties 323
enhancement of packaging characteristics 323–324
maintenance of physiochemical properties of raw and processed products 324–325
- natural materials properties for food packaging
barrier properties 10–11
biodegradation properties 11–12
consequence of storage time 12–14
- natural polymer-based films 275
- natural polymers 91, 92, 202, 264, 275, 279–300, 338, 339
- nisin 40, 78, 320, 321, 325
- non-degradable plastic packaging 333

p

- package manufacturing 335
- packaging 241
 - active 23, 24, 27, 30, 33, 36, 52, 65, 121, 169, 209, 219, 223, 226, 258, 261, 282, 286, 324, 325, 338, 339
 - biodegradable 96–97, 257, 261, 267, 275, 300, 334, 335, 340, 344
 - biodegradable food 2, 14, 34, 143, 224, 242–248, 265, 334–335
 - clay-based 122
 - eco friendly 341
 - edible films in food 339–340
 - environmental impact of food 14
 - environment and food 341–342
 - green materials 2, 335
 - intelligent food, materials 170
 - marketing of natural materials in 343–344
 - nanoclay-based food 123, 127, 146
 - nano food 338
 - non-degradable plastic 333
 - sustainable 342–343
- packaging films
 - biodegradable polymers 275
 - mechanical properties 276–279
 - microorganisms 296–298
 - natural polymers 279–296
- packaging industry 41, 65, 92, 105, 121, 122, 191, 251, 257, 275, 333–335, 343–345
- PCL and polyethylene blends 8–9
- PCL and polyvinyl chloride blends 9
- pectin 30, 75, 79, 90, 169, 170, 222, 226, 258, 285–286, 299, 316
- pediocins 320, 321, 325
- phenolic compounds 24, 25, 28, 30, 109, 201, 216, 222, 261, 314, 316, 318–319
- photo-or thermo-oxidizable polymers 12
- physical hydrogels 90
- pineapple based films 112–113
- pine needles 28
- PLA and acrylobutadiene styrene (ABS) blends 8
- plant based protein polymers 75
- plant extract 23–41, 248, 257, 259–261, 264, 318, 323, 324, 335, 339
- plant extracts-based food packaging films
 - bibliographic research investigation 25–26
 - cellulose and cellulosic derivatives-based food packaging films 32–34
 - chitosan plant extract-based food packaging films 27–29
 - composites/plant extract-based food packaging films 35–41
 - extraction methods for plant extracts 24–25
 - gelatin and alginate/plant extract-based food packaging films 34–35
 - starch/extract-based food packaging films 30–31
- plastic-based food packaging materials 1, 242
- plasticization, starch 180–183
- plasticizers 5, 9, 11, 13, 14, 30, 55, 80, 109, 111–113, 131, 180–188, 193, 214, 219, 244, 258, 259, 264–267, 280–289, 292, 293, 298–300, 301, 340
- polyanhydrides 7–8
- poly(butylene adipate-co-terephthalate) (PBAT) 39, 56, 187, 188, 190, 279, 281, 292, 294, 296
- poly(butylene succinate) (PBS) 10, 122, 187, 279, 292, 295, 298
- poly(butylene succinate) (PBS) blends 10, 122, 187, 279, 292, 295, 298
- poly-caprolactone (PCL) based natural materials 5–6
- polycarbonate based natural materials 7
- polyethylene 6, 8, 9, 24, 34, 40, 41, 65, 115, 140, 145, 188, 245, 257, 279, 284, 286, 291, 296
- polyethylene furanoate (PEF) 279, 292, 295

- polyglycolide-based natural materials 6–7
- poly-hydroxy alkanooate based natural materials 6
- polyhydroxyalkanoates (PHAs) 6, 41, 78, 279, 296–298, 338
- poly(3-hydroxybutyrate) (PHB) 3, 6, 15, 41, 78, 190, 297, 298
- polyhydroxyl-3-butyrate-co-3-valerate (PHBV) 109–111, 297, 298
- polylactic acid (PLA) 4–6, 8, 15, 26, 39, 41, 65, 79, 111, 112, 122, 129, 139–142, 187, 190, 191, 223, 226, 279, 281, 292–296, 298, 300, 335
- polylactic acid and polyethylene blends 8
- polylactic acid (PLA)-based natural materials 5
- polymer-clay nanocomposites (PCNs) 122, 123, 133, 135, 138, 140, 147, 149
- polymer nanoclay composites 124–126
- polymer nanocomposites (PNCs) 128, 133, 141, 143, 146, 147, 150, 299
- polyols plasticizers 265
- polysaccharides 4, 23, 25, 30, 32, 34, 35, 37, 55, 57, 58, 76, 80, 81, 92, 96, 97, 109, 144, 168, 179, 199–219, 226, 243, 245, 247, 250, 257, 258, 264–266, 267, 279, 280, 285, 286, 298–300, 314–316, 322, 335, 338, 339
- polysaccharides from seaweeds
 agar 205–212
 alginates 202–205
 carrageenan 213–216
 fucoidan 216–218
 main seaweed
 polysaccharides 201–202
 ulvan 218–219
- polyurethanes 7, 122, 338
- poly-vinyl-alcohol (PVA)-starch blend 38
- proteins 4, 7, 23, 34, 55–57, 76, 80, 81, 89, 90, 92, 113, 139, 166–168, 170, 200, 201, 213, 243, 245, 248, 250, 257, 258, 264–267, 279–282, 286–292, 299, 300, 319–324, 335, 339, 340
- proteolytic enzymes 12
- P3HB-co-3HV polymers 6
- P3HB homogeneous polymers 6
- pullulan 223, 299–300
- puncture resistance 127, 276, 279, 286, 287, 295
- q**
- quercetin 248
- r**
- rectorite-reinforced polymer nanocomposite 144
- recycling 2, 122, 146–148, 263, 333, 335, 341
- rice straw based films 109, 110
- s**
- seal strength 276, 278, 283, 285, 294
- sepiolite-reinforced polymer nanocomposite 141–142
- silver nanoparticles (AgNPs) 96, 219, 246, 264
- solution casting process 107
- solution-induced intercalation 130
- soy-based bio-degradable polymers 7
- soy protein 90, 113, 279, 289–291, 299, 324, 335, 340
- Sphingomonas elodea* 300
- starch 78, 280, 283
 definition 179
 plasticization 180–183
 TPS, preparation of 180
- starch-based natural materials 4–5
- starch-based plastics 179–193
- starch-chitosan-konjac glucomannan blend films (SCK) 61
- starch composites/extract-based food packaging films 38–39

- starch/extract-based food packaging films 30–31
- star-PEG-heparin hydrogel platform 100
- sulfated polysaccharides (SPs) 201
- superabsorbent polymer (SAP) based hydrogel 90
- sustainable food packaging 333, 343
- sustainable packaging 220, 334, 336, 342–344
- synthetic polymer-clay nanocomposites 135–137
- t**
- tear resistance 187, 276, 278
- tensile modulus 8, 142, 181, 182, 185, 186, 277
- tensile properties 8, 10, 29, 55–56, 112–115, 188, 276, 277, 285, 301
- tensile strength (TS) 8, 9, 29, 35–40, 55, 56, 80, 81, 90, 109, 111, 113–115, 131, 168, 181, 182, 185–189, 205, 245, 259, 276, 277
- tert*-butyl hydroxyquinone (TBHQ) 23
- thermal stability of food packaging effects of color agent 262–263 effects of nanomaterials 263–264 emulsifiers/surfactants 266 essential oils (EO) 261–262 plant extract 260–261 plasticizers effect 265–266
- thermo gravimetric analysis (TGA) 186, 259, 261, 263
- thermo-plasticization 180
- thermoplastic starch (TPS) biopolymer blends 187–188 biopolymer composites 188–191 preparation of 180 processing of 183–185 properties of 185 barrier properties 186–187 mechanical properties 185–186 thermal behaviour 186
- tissue engineering (TE) 90, 99, 100, 205, 218, 250, 299
- toxicity of nano clay 148–149
- TPS and polypropylene blends 9
- TPS/PE blends 9
- turmeric 28, 165, 248
- u**
- ulvan 200, 218–219
- w**
- water-in-oil (W/O) nanoemulsion 35
- water solubility (WS) 28, 29, 35, 37, 57, 77, 114, 115, 165, 168, 217, 259, 263, 284
- water vapor permeability (WVP) 10, 11, 29, 36–40, 56, 89, 111, 113–115, 132, 141, 142, 168, 169, 181, 186–188, 217, 219, 223, 262, 324, 335
- wheat straw based films 109, 111
- wheat straw fibres (WSF) 109, 111
- whey protein 90, 168, 287, 288, 290, 320, 323, 335, 340
- x**
- xanthan 222, 299
- Xanthomonas campestris* 299
- y**
- young's modulus 8, 9, 13, 55, 113–115, 131, 143, 277–278, 282, 284, 294, 298
- z**
- zein protein 289–290, 323

