

## Index

### **a**

- advanced zinc fuel cell 17
- Ag-based catalysts 39
- Ag-Co electrocatalyst 40
- Ag NW@NiMn heterostructure 80, 81
- air electrode, of flexible ZAB 221–225
- alkaline electrolytes 3, 10, 185
  - challenges and solutions 186–190
  - conductivity of 10
  - degradation 189
  - fundamentals 186
  - operating temperature 189–190
- amorphous bimetallic CoFe oxide
  - nanoparticles 87
- aqueous electrolytes 10, 11, 26, 132, 166, 168–170, 185, 186, 191, 195, 272
- as-formed carbon approach 48

### **b**

- B-doped CNTs 46, 47
- bi-functional LiCoO<sub>2</sub> spinels 134
- bifunctional oxygen electrocatalysts 4, 71, 83
- bimetal Fe/Co-N<sub>x</sub>-doped carbon
  - nanosheets 75
- bimetallic phosphides 89
- bimetallic spinel ORR electrocatalysts 55
- bimetal nitride-based ZAB 93
- binder-free catalysts 95–99

### biomorphic Co<sub>2</sub>P–Co<sub>3</sub>O<sub>4</sub>/rGO/C

composite 52

Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub> polyhedral pyrochlore oxide 140, 141

bismuth ruthenium oxide (Bi<sub>2</sub>Ru<sub>2</sub>O<sub>7</sub>) polyhedral pyrochlore 140

B, N-codoped porous carbon 73

BSCF

–CeO<sub>2</sub> hybrid oxygen redox catalyst 81–82

intrinsic OER activity of 79

B-site Ru substituted LaCoO<sub>3</sub> 79

B-site Ru substituted LaCo<sub>0.8</sub>Ru<sub>0.2</sub>O<sub>3–δ</sub> 79–80

### **c**

carbon-based catalysts 44

metal-free carbon 44–48

transition metal–carbon hybrids 48–50

carbon-based substrates 97

carbon-coated α-MnO<sub>2</sub> nanowires 53

carbon materials, advantage of 71

carbon nanotube (CNT) 37, 113, 116, 121, 124, 219, 224, 233

CD-COFs 124, 126

ChemTEK 274

CNT@POF 124

cobalt oxides (Co<sub>3</sub>O<sub>4</sub>) spinel 132

cobalt sulfides (CoS<sub>x</sub>) 88

Co based single atom catalyst 114

Co-based spinel oxide 76

- C**
- $\text{Co}_3[\text{Co}(\text{CN})_6]_2$  Prussian blue analog 75
  - $(\text{Co},\text{Fe})_3\text{N}$  93
  - $\text{Co@LiCoO}_2$  nanofibers 81
  - $\text{Co}_3\text{O}_4/\text{N-rmGO}$  51, 52, 54
  - $\text{Co}_3\text{O}_4$  spinel 132–134
  - $\text{Co@Pd-Pt}$  37
  - Co single@NCF/CNF 117
  - $\text{Co}_{\text{SA}}-\text{N-C}$  cathode 115
  - Co, N-codoped CNTs ( $\text{CoS}_x/\text{Co-NC}$ ) 90, 92
  - Co– $\text{N}_x/\text{C}$  nanorod array catalyst 75
  - Co/PFC aerogels 85, 86
  - $\text{Co}_9\text{S}_8@\text{N,S-C}$  88, 89
  - Co-Zn ZIF-based air electrode 93
  - COF-derived electrocatalyst 121
  - CoFeNi/NC 49
  - composite air electrode based on porphyrin covalent organic framework 122
  - $\text{CoO}_x@\text{CoN}_y/\text{NCNF}$  composite catalyst 90, 91
  - CoO/N-doped CNT preparation 48, 51
  - $\text{CoO}@{\text{NS-CSs}}$  52
  - corrosion 11, 15, 20, 26, 28, 35, 74, 95, 155, 156, 159, 160, 162–164, 166, 168, 171, 172, 174, 175, 179, 189, 190, 192–194, 224, 247, 248, 273, 276, 277
  - corrosion suppression 164
  - $\text{CoRu-O/A}@{\text{HNC}}$  40
  - covalent organic frameworks (COFs) 71, 94, 113, 120–124
  - $\text{CuCo}_2\text{O}_4/\text{N-CNTs}$  composite 87–88
  - Cu-doped  $\alpha\text{-MnO}_2$  nanowires ( $\text{Cu}\text{-}\alpha\text{-MnO}_2$ ) 53
  - CuPt-NC catalyst 36
  - $\text{CuZn}/\text{NC}$  60
    - based zinc-air battery 59
  - Cu/Zn@NC catalyst, ORR performance of 43
- d**
- delithiated LT- $\text{Li}_{0.5}\text{CoO}_2$  135
  - dendrite, formation and growth 161–162
- e**
- density functional theory (DFT) calculations 36–38, 40–43, 46–48, 51, 53, 55, 72, 73, 81, 84, 87, 89, 94, 121, 141
  - dimethylsulfoxide (DMSO) 164, 169, 171, 193, 194, 247, 248
- f**
- electrically rechargeable Zn–air batteries 159–161, 275–276
  - electrochemically rechargeable Zn–air battery 8, 14, 18, 21, 22, 28
  - electrode activity, of ORR/OER 70, 90
  - electrodeposition 41, 80, 96, 97, 171, 221
  - electro-winning process 15
  - energy density 1–5, 9, 13, 18, 20–21, 23, 28, 35, 36, 69, 77, 94, 95, 111, 112, 144, 155–157, 159, 163, 165, 168, 170, 186, 195, 217–220, 227–229, 236, 238–243, 254, 263, 271, 274
  - EOS Energy Storage 4, 272–273
  - ethylene carbonate (EC) 171
  - Evonyx 274–275
- f**
- Fe and N co-doped porous carbon fibers (Fe/NPCFs) 50
  - Fe-based nanoclusters 59
  - Fe-based perovskite oxides 128
  - $\text{Fe}_3\text{C}/\text{NG}$  49
  - Fe/Co-CNT@MXene-8 catalyst 126
  - Fe/Co-CNT@MXene-T catalyst 126
  - $\text{Fe-Co}_3\text{O}_4@\text{CC}$  97
  - $\text{Fe}_3\text{N}$ -based materials 93
  - $\text{Fe-N}_x/\text{C}$  electrocatalysts 50
  - FeNC–S– $\text{Fe}_x\text{C}/\text{Fe}$  75, 76
  - FePc-containing CMPs 61
  - Fe-SAs/NSC, ORR activity for 42
  - flexible electronics
    - battery components
      - air electrolyte 221–225
      - electrolyte membrane 221
      - Zn electrode 220–221
    - battery configurations 217–220
    - cable type 219

- Sandwich type 217–219  
 kirigami-inspired configuration 220  
 mechanical analyses 225–227  
   challenges 227–228  
   endbending angle 227  
   endbending radius 227  
   end-to-end distance 226–227  
 flexible lithium-ion batteries 217  
 flowing system 177
- g**  
 galvanostatic discharge voltage–capacity curves, for Zn-air battery 19  
 gel polymer electrolyte (GPE) 198  
   flexible battery devices 209–211  
   PAA hydrogel electrolytes 203–207  
   PAM hydrogel electrolytes 207–209  
   performance parameters of 199–200  
   PVA hydrogel electrolytes 200–203  
 graphene-NiFe<sub>2</sub> alloy composite 85  
 gravitational specific capacity 18
- h**  
 hard template 46, 71, 72, 122, 127, 135  
 heteroatom doping 48, 71, 73  
 heterostructured catalysts 80–83  
 high-entropy materials 71, 95  
 hollow porous ZnMnCoO<sub>4</sub> microspheres 55  
 hybrid Zn-air batter 228  
   Ag-based materials 240–241  
   categories 229–233  
   cobalt-based materials 236, 238  
   Ni-based materials 233–236  
   operating mechanism 228–229  
   performance evaluation and balance 241–242  
 hydrogen evolution reaction (HER) 2, 156, 160, 162, 164, 168, 170, 172, 175, 188, 189, 193, 252–254, 261  
 hydrophobic air electrode 12
- i**  
*in-situ* prepared carbon approach 48  
 intermetallic Cu-Pt nanocages 36  
 isolated atomic Fe-embedded N-doped porous carbon synthesis 43
- j**  
 Janus Pd-Au nanoparticles 38
- k**  
 KNO<sub>3</sub>-based electrolyte 194–195
- l**  
 La<sub>0.95</sub>Ag<sub>0.05</sub>FeO<sub>3- $\delta$</sub>  perovskite 129  
 LaFe<sub>0.8</sub>Co<sub>0.2</sub>O<sub>3</sub> 128  
 laminated nonwoven separators 11  
 LaMO<sub>3</sub> catalysts 57, 58, 79  
 LaNi<sub>0.5</sub>M<sub>0.5</sub>O<sub>3</sub> catalysts 57, 58  
 Li-air battery 2  
 LiCoO<sub>2</sub> cathode 81, 134  
 Li-ion batteries 1, 4, 156, 157, 159, 164, 219, 252, 272  
 liquid electrolytes 185  
   alkaline 185–190  
   neutral 190–195
- m**  
 macrocyclic transition-metal-N<sub>4</sub> (MN<sub>4</sub>) molecular catalysts 60  
 macro-TpBpy fabrication 123  
 manganese oxide 51, 134  
 materials design strategies 71  
 mechanically rechargeable Zn-air batteries 14, 15, 17, 18, 158, 265  
   refuelable-type 265–268  
   replaceable-type 268–270  
 mechanically recharge process 4, 7, 9, 14, 15, 17, 21, 155, 158–160, 245–248, 264, 265, 270, 275  
 melamine phosphate 89  
 mesoporous carbon hollow nanospheres 50  
 metal–air battery 1, 2, 227  
 metal clusters 58

- metal-free carbons 44–48, 114, 120  
 metallic  $\text{Pb}_2\text{Ru}_{2.5}\text{O}_{6.5}$  137  
 metallic power 4, 9, 17, 273–274  
 metal–organic frameworks (MOFs) 46,  
     71, 83, 93, 94, 113–120, 144, 239  
 metal surface coating method 174–177  
 Mg-doped YRO catalyst 136  
 miniaturized electronic devices 13, 14  
 miscellaneous catalysts 58–61  
 mixed-metal oxides 87  
 Mn-based perovskite oxides 56  
 Mn/C-NO synthesis 119, 120  
 Mn-Co spinel oxides 54  
 $\text{Mn}_{70}\text{Ni}_{7.5}\text{Cu}_{7.5}\text{Co}_{4.2}\text{V}_{4.2}\text{Fe}_2\text{Mo}_2\text{Pd}_{0.5}$   
 $\text{Pt}_{0.5}\text{Au}_{0.5}\text{Ru}_{0.5}\text{Ir}_{0.5}$  (np-12) 95, 96  
 $\text{MnO}_x$  52, 53, 192  
 monometallic metal phosphide 89  
 MXene-based catalysts 71, 94–95  
 MXenes 94, 124–127
- n**
- N and P co-doped metal-free ORR electrocatalyst 120  
 N-doped carbon nanoribbons (N-CNRs) 84  
 N-doped CNTs encapsulating Co nanoparticles (Co-N-CNTs) 84  
 N-doped graphdiyne (N-GDY) 72  
 neutral electrolytes  
      $\text{KNO}_3$ -based electrolytes 194–195  
      $\text{ZnCl}_2$ -based electrolytes 190–194  
      $\text{ZnSO}_4$ -based electrolytes 194  
 Ni-/Co-/Mn-based spinel oxides 77  
 $\text{NiCo}_2\text{O}_4$  55, 77, 78, 87, 94, 97, 98, 134,  
     219, 236, 250  
 $\text{NiCo}_2\text{O}_4$ -rGO composite 55  
 Ni doped Co-based sulfides 89  
 NiFe layered double hydroxide electrocatalyst 141  
 NiFe LDH nanosheet/ $\text{Ti}_3\text{C}_2$  MXene quantum dots 95  
 NiFe LDHs 94, 97  
 Ni/PFC aerogels 85, 86  
 noble metal catalysts 56, 70
- noble-metal nanoclusters 58  
 non-alkaline Zn  
     trifluoromethanesulfonate  
 $(\text{Zn}(\text{OTf})_2)$  197  
 non-aqueous electrolytes 168–170  
 non-metal doped carbon 71–74  
 non-organic additives 163  
 non-renewable energy 1  
 N, P-codoped mesoporous nanocarbon (NPCMC) 73, 74  
 N, P-codoped porous carbon spheres (NPCSs) 73
- o**
- 1D air electrodes 111  
 organic additives 163, 164, 171, 175, 176,  
     193, 220, 248  
 ORR/OER bifunctional catalysts  
     carbon  
         non-metal doped 71–74  
         transition metal and nitrogen codoped carbon materials 74–76  
     carbon-based composites 83–93  
         hybrids 90–93  
         layered double hydroxides and oxides 85–88  
         metals and alloys 84–85  
         sulfides, nitrides, and phosphides 88–90  
     transition metal oxides 76–80  
         perovskite oxides 78–80  
         simple oxides 76–77  
         spinel oxides 77–78
- ORR/OER bifunctional catalysts  
     functional catalysts  
         heterostructured catalysts 80–83  
     oxygen evolution reaction (OER) 3, 69,  
         114, 141, 159, 185, 250, 264, 277  
     oxygen reduction catalysts 15, 17, 35–61,  
         261  
     oxygen reduction reaction (ORR) 69  
         electrocatalysts 35  
             carbon-based 44–50  
             precious metal 36–40

- single-atom catalysts 40–44  
transition-metal oxides 51–58  
oxygen-modulated CNTs 73
- p**  
PAA hydrogel electrolytes 203–207  
PAM hydrogel electrolytes 207–209  
passivation 19, 20, 27, 28, 157, 159–161,  
170–172, 174, 175, 177, 186, 187,  
194, 206, 220, 244, 246, 247, 252,  
254  
P-doped  $\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_{3-\delta}$  (LSMP)  
electrocatalyst 57  
 $\text{Pd}_{13-17}(\text{SR})_{18-22}$  nanoclusters 58  
 $\text{Pd/W}_{18}\text{O}_{49}$  catalytic material 39  
penta-twinned Pt-Cu-Mn nanoframes  
(Pt-Cu-Mn NFs) 36  
perovskite-based oxides 56  
perovskite oxides 51, 56–58, 71, 78, 79,  
81, 127, 128  
phase-controlled Pd-Se nanoparticles  
37  
physical suppression strategy 178  
polarization curve, of Zn-air battery 21,  
22, 24, 78, 81, 96, 190, 218  
polydopamine-Co composite precursor  
50  
Power-Block® 274  
power density curve of Zn-air battery  
21–22  
p-PBSCF 129, 130  
precious metal-involved ORR  
electrocatalysts 36  
primary Zn-air batteries 37, 156, 264  
industrial application types 270  
electric vehicles 270–272  
energy storage 272–273  
mechanically rechargeable 264–270  
operation of 35  
pristine Zn-air batteries 4–8, 13, 20  
propylene carbonate (PC) 171  
Pt/C-based Zn-air battery 44  
 $\text{Pt}_1\text{-Fe/Fe}_2\text{O}_3(012)$ -based Zn-air battery  
44  
 $\text{Pt}_1/\text{NPC}$  samples 42  
Pt-related electrocatalysts 36  
pull effect 60  
PVA hydrogel electrolytes 200–203  
pyrochlores 129, 136–141, 144
- q**  
quasi-solid flexible electrolytes  
164–166
- r**  
rechargeable Zn-air batteries  
69, 275  
configuration and discharge/charge  
process of 69–70  
electrical 275–276  
industrial  
AER Energy Resources 276–277  
Zinc Air Power 277  
refuel process 15, 269  
renewable clean energy 1
- s**  
Sabatier's principle 70  
 $\text{SA@NCF/CNF}$  catalyst 118  
S-Cu-ISA/SNC 42  
secondary batteries  
gravimetric and volumetric energy  
density of 2  
secondary Zn-air flow battery, assembly  
of 125  
self-discharge process 2, 9, 15, 26, 160,  
172, 175, 188, 243, 272  
self-standing air electrode 224  
simple oxides 71, 76–77  
single-atom catalysts 4, 40–44  
single layered porphyrin covalent organic  
framework 124  
spinel oxide  $\text{NiCo}_2\text{O}_4$  nanocones@FeNi  
LDH nanosheets core-shell  
hierarchical structure 97  
static replaceable anode cassette 14  
sulfurized  $\text{Fe-N}_x/\text{C}$  75, 76  
“surfactant free” Ag nanoclusters 59

**t**

tapered-end structural Zn-air battery 16, 17  
 template-assisted strategy 127, 132  
 3D and F, P and N tri-doped porous carbon based air cathode 122  
 3D carbon based electrocatalyst 121–122  
 three-dimensional and hierarchically ordered porous metal oxides 127  
 three-dimensional  $\text{CoMn}_2\text{O}_4$  catalyst 134  
 three-dimensional electrode characteristic feature of 112  
 three-dimensional materials 112  
 three-dimensional N, P-codoped mesoporous nanocarbon (NPMC) 73, 74  
 3D macro-micro porous hierarchical COF architecture 122  
 3D p-PBSCF 129  
 3D printing (3DP) technology 141, 143  
 3D-carbon 113  
 3DOM Fe–N–C-900 115, 117  
 3DOM Fe–N–C synthesis 115, 117  
 3DOM  $\text{NiCo}_2\text{O}_4$  77 -based ZAB 77  
 3DOM-based  $\text{LaFe}_{0.8}\text{Co}_{0.2}\text{O}_3$  perovskite 128  
 3D-tuned  $\text{LaFeO}_3$  catalyst 131  
 three-electrode rechargeable Zn-air batteries 5, 6  
 three-electrode Zn-air battery 8, 9  
 three-dimensional ordered macroporous  $\text{Mn}_{0.5}\text{Ni}_{0.5}\text{Co}_2\text{O}_4$  tri-metallic spinel structure 134  
 three-phase interface reaction, for discharge and charge process 11, 12  
 TMs@ $\text{NC}_x$  Composite 118  
 transition metal–carbon hybrids 44, 48–50  
 transition metal oxide (TMO) catalysts 51  
 perovskite-based oxides 56

single-metal oxides 51–53

spinel oxides 53–56

transition metal spinel oxides 129

2D air electrodes 111

two-electrode rechargeable Zn-air batteries 5, 6, 8

**v**

volumetric specific capacity 18

**w**

Walker–Wilkins battery 3

water-in-salt (WIS) electrolytes 168, 195–196

**y**

Yttrium ruthenate ( $\text{Y}_2[\text{Ru}_{2-x}\text{Y}_x]\text{O}_{7-y}$ ) 137, 139

Yttrium ruthenate pyrochlore oxide 136

**z**

ZIF-67 flakes 116

ZIF-8 derived N-doped carbon photonic crystals 114, 115

Zinc Air Power 277

zinc dendrite 8, 11, 20, 26–28

zinc dendrite growth 27, 28

zinc trifluoromethanesulfonate ( $(\text{Zn}(\text{OTf})_2)$ ) 166, 168, 197

Zinc–air batteries 2

activation loss region 21

and alkaline electrolytes 10

bifunctional electrocatalyst 13

carbon-based catalysts 113–127

covalent organic frameworks (COFs) 120–124

metal–organic framework 114–120

MXenes 124–127

charge/discharge polarization of 24

charge/discharge voltage 25

concentration loss region 21–22

coin type of 14

components 5

cycle stability of 12

electrochemical discharge process 5

- 2-electron oxygen reduction pathway 5  
4-electron ORR 5  
gas resistance 13  
with heteroatom-doped carbon materials 8  
history 3–5  
hydrophobic air electrode 12  
issues of 23–28  
air cathode 23–25  
electrolytes 25–26  
zinc anode 26–28  
in miniaturized electronic devices 13  
Ohmic loss region 22  
open circuit voltage 7  
ORR process 5  
overall discharge reactions 7  
performance evaluation of 18  
charge/discharge performance 22–23  
power density 21–22  
specific energy density 18–20  
perovskite oxides 127–129  
polymer electrolyte 11  
with  $\text{Pt}_1\text{-Fe}/\text{Fe}_2\text{O}_3(012)$  as air electrode 43  
pyrochlores 136–141  
rate performance 23  
and separator 11  
spinel oxides 129–135  
structure and principle of 5–18  
with tapered-end structure 16  
three-dimensional materials 113  
three-phase interface design 141–143  
time of refueling process 15  
timeline of development 4  
with zinc fibres 9  
zinc pellets in 9  
Zn anode  
electrolyte condition and functional additives 162–171  
optimization methods 162–178  
protection methods 177–178  
synthesis of high-performance and surface coating layer 171–177  
 $\text{ZnCl}_2$ -based electrolytes 190–194  
Zn electrode 186  
passivation 161  
Zn-air fuel cell 5, 245, 265–267  
Zn–metal layered-double-oxide anode 177–178  
Zn–N–C catalyst 42  
 $\text{ZnSO}_4$ -based electrolytes 194









