

Index

a

acoustofluidics 218–219
 action potentials 7, 8, 252, 265
 active targeting 331
 adenylyl cyclase (AC) 9
 American Society for Testing and
 Materials (ASTM) 181
 amino yne–click reaction 186
 artificial muscles 258, 265
 azobenzene derivatives 153
 azopyridine derivatives 153

b

beta-tricalcium phosphate/collagen
 scaffolds 157
 biocompatible polysaccharides 48
 bioeffects induced by US
 differentiation 215–217
 migration 217
 proliferation 217
 biological activity-mediated degradation
 183–186
 biomedical microelectromechanical
 systems (BioMEMS) 38
 biomimetic bone piezomaterials
 229–231
 bone tissue regeneration
 bioeffects induced by US 215–217
 magnetic forces 221–227
 ultrasound in regenerative medicine
 214–215

US-stimulated biomaterials
 acoustofluidics 218–219
 piezoelectric biomaterials 220
 ultrasound-assisted synthesis
 220–221
 US-triggered drug release 219
 bone tissue, SMPs scaffolds 110–111
 boron neutron capture therapy (BNCT)
 344–345
 brain injury 287–289

c

calcium influx 8, 284
 cancer therapy
 chemotherapy 330–331
 diagnosis of 329
 enzyme-responsive materials 334–337
 external stimuli 332
 internal stimuli 331
 magnetic fields and magnetic materials
 344, 345
 multi-responsive systems 346
 neutron beams and specific-responsive
 materials 344–345
 PDT 337
 photothermal therapy 339
 redox stimuli 334, 335
 stimuli based on pH 332–334
 thermo-responsive polymers 339–342
 treatment of 330
 ultrasound waves 342–344

- capsule-based delivery systems 317
 - carbon nanotubes (CNTs) 281
 - carcinoma 330
 - cardiac muscle tissue
 - components of 253–254
 - definition 252
 - cardiomyocytes 5, 111, 252–254, 257, 261–263, 265, 267
 - cardiovascular tissue 111–112, 260
 - cartilage tissue 112, 120, 157, 195
 - central nervous system (CNS) 112, 277, 278, 288–290, 307
 - chemical degradation 186–189
 - chemotherapy 150, 330–331, 339, 342, 344
 - chronic wounds 308, 310, 314, 315
 - cloud point temperature (TCP) 341
 - coaxial electrospinning 45, 47
 - conductive materials 10–12, 127, 280–282
 - conductive polymers 11, 58, 260, 279–280, 286, 287
 - corneocytes 304
 - crystallization 21, 73, 97
- d**
- degradation, definition of 181
 - dental pulp stem cells (DPSCs) 220
 - dermis 303, 306–310
 - direct and converse effect 37
 - doxorubicin (DOX) 184, 189, 191, 193, 334
 - dynamic light scattering 193
- e**
- electrical signals
 - in cell processes 7–10
 - in the human body 4–6
 - electrification 39
 - electroactive materials
 - conductive materials 10–12
 - magnetolectric materials 14–15
 - piezoelectric materials 12–14
 - thermoelectric materials 15–17
 - electroactive scaffold-based strategies 285
 - electroactive smart polymers
 - challenges and future research direction 290
 - definition 279
 - electrically conductive materials 280–282
 - ionic conductive polymers 283–285
 - piezoelectric polymers 282–283
 - regenerative approach, neural
 - regeneration *in vivo*
 - brain injury 287–289
 - spinal cord injury 285–287
 - types 279
 - electroactive tissues 5, 111
 - electrospinning, types of 45
 - electrospun fibers 19–20, 45, 46, 49, 103
 - endogenous triggers
 - mechanical stress 316–317
 - pH 314–315
 - redox potential 315–316
 - temperature 315
 - environmentally sensitive 248
 - enzymatic activation of SME 103
 - enzyme-responsive materials 184, 334–337
 - epidermal injuries 308
 - epidermis 303–308
 - exogenous triggers
 - light 317
 - magnetic fields 318–319
 - ultrasound 317–318
 - extracellular matrix (ECM) 17, 35, 43–45, 51, 110, 151, 183, 217, 229–231, 278, 308, 332, 334
- f**
- films, tissue engineering 17–19
 - full-thickness injuries 308
- g**
- gel permeation chromatography (GPC) 192, 195, 197

glutathione (GSH)-mediated disulfide
bond cleavage 185
graphene-based materials 11, 281,
286

h

hemidesmosomes 305, 306
hemostasis 309
homopolymers and copolymers 113–121
host guest interaction 98, 99
hyaluronic acid-based hydrogels 157
hydrogel-based matrices 21
hydrolytic degradation process 186
hydrophilic polymer networks 95
hydrophobic interactions 98, 99
hypodermis 303, 307

i

in-cell degradation 184
indocyanine green (ICG) 164, 317, 339
intercellular matrix 35
internal stimuli 331
International Classification of Diseases
for Oncology 330
International Union of Pure and Applied
Chemistry (IUPAC) 181
intracellular and extracellular signaling
molecules 306
in vitro and *in vivo* electrical stimulation
effects 6
in vitro degradation
characterization 191–194
cytotoxicity evaluation 197–198
identification and quantification
196–197
in vivo degradation
characterization 194–196
local effects after implantation
199–200
toxicokinetic studies 198–199
ionic conductive polymers 279, 283–285

k

keratins 305

l

lactic acidosis 265
lamellar bodies 305, 306
langerhans cells 304–305
leukemia 330
light-responsive biomaterials 151, 154
light responsive materials 150, 151, 190,
257–258
light stimulus 150
LIPUS-based bone regeneration 216, 221
lower critical solution temperature (LCST)
164, 166, 167, 256, 315, 340, 341
low-intensity pulsed ultrasound (LIPUS)
215–217, 221, 261, 262
lymphoma 330

m

magnetic-based treatments for bone
cancer 226–227
magnetic fields, bone formation 222
magnetic forces
harnessing magnetic biomaterials
bone fractures healing 226
magnetic-based treatments for bone
cancer 226–227
magnetic therapy for osteoporosis
226
magnetically induced effects
MNPs 224–225
targeted release of growth factors or
drugs 225–226
magnetic hyperthermia 224
magnetism and electricity correlation
on bone healing 223–224
production activation 223
in regenerative medicine
biosafety 222–223
magnetic fields 222
nanoparticles 222
magnetic-responsive materials 190,
227
magnetic stimuli responsive materials
262–264
magnetite 42, 164, 344

- magnetoactive materials
 - tissue engineering 69, 71–74
 - working mechanism 42, 43
 - magnetoelectric materials 14–15
 - magnetoelectric response 73, 318
 - material degradation 181, 182, 194
 - matrix metalloproteinases (MMPs) 183
 - melanocytes 303, 304
 - melanosomes 304
 - membrane potentials (Vm),
 - definition 4
 - metal-ligand coordination interactions 99
 - mitogen-activated protein kinase (MAPK) 9, 10
 - monoaxial electrospinning 45, 47, 58
 - myofibrils 249–252
 - myosin heavy chain (MHC) 250, 262
- n**
- natural-based materials 157, 158
 - neural tissue, SMPs scaffolds 112–113
 - N-(2-hydroxypropyl)methacrylamide-cysteine 184
 - N-(2-hydroxypropyl)
 - methacrylamide-ethylthioglycolate succinic acid 184
 - nitrobenzyl (NB)-linked hydrogels 194
 - non-encapsulated sensory receptors 307
 - Norrish type I reactions 189, 190
 - Norrish type II reactions 190
- o**
- osteogenic differentiation 49, 53, 73, 119, 120, 124, 128, 216, 220, 224, 230, 231
 - osteoporosis, magnetic therapy for 226
- p**
- passive targeting systems 331
 - PCL-TCP scaffolds 289
 - peripheral nervous system (PNS) 112, 277
 - photocleavable materials 158–163
 - photocuring 154
 - photodynamic therapy (PDT) 150, 332, 337–339
 - photoisomerizable materials 151–154
 - photopolymerizable materials 154–158
 - photo-responsive materials
 - photothermal materials 163–167
 - photosensitizers 337, 338
 - photothermal agents (PTAs) 163
 - photothermally active materials 163
 - photothermia therapy (PPT) 150
 - photo-triggered SMPs 101–102
 - pH-responsive materials 187, 265, 267–268
 - physical stimuli 4, 10, 22, 42, 181, 183, 189, 214, 222, 247, 283
 - pickering emulsion 185
 - piezoelectric biomaterials 220
 - piezoelectric coefficient 13, 14, 37, 57, 58, 316
 - piezoelectric material 12–14
 - biomimetic bone 229–231
 - bone 227–228
 - collagen fibrils and the role in bone 228–229
 - tissue engineering 45–60
 - working principle 36–38
 - piezoelectric polymers 14, 15, 38, 46, 48, 55, 56, 113, 230, 260, 263, 282–283, 318
 - PNIPAAm 166, 167, 257, 315, 340–342
 - poly(α -hydroxy esters) 112, 155, 156
 - poly(L-lactic acid) 53
 - poly(propylene fumarates)-based biomaterials 156
 - polyelectrolyte polymers 99
 - polylactic acid (PLA) degradation 186
 - polyvinylidene fluoride (PVDF)
 - films 49
 - PPy-poly(lactic acid (PLLA) fiber films 280
 - pure polymers 59

r

- reactive oxygen species (ROS) 9, 188, 265, 308, 337, 344
- redox-responsive degradable
 - galactomannan hydrogel 188
- redox responsive materials 188, 264–265, 334
- redox stimuli 334
- reduction oxidation (redox)-responsive materials 188
- regenerative medicine
 - biosafety 222–223
 - magnetic fields 222
 - magnetic materials 222
- relaxation time (TN) 344

s

- sarcomere 249, 250, 252
- scaffolds, SMPs
 - biocompatibility 105
 - biodegradability 106–107
 - mechanical properties 105–106
 - motion requirement 109–110
 - porosity 107–108
 - sterilization 108–109
- shape memory hydrogels (SMHs) 129–133
- shape memory polymer composites (SMPCs) 121
- shape memory polymers (SMPs)
 - definition 91
 - early stages of 92
 - history of 91
 - homopolymers and copolymers 113–121
 - hydrogels 129–133
 - mechanism and molecular structure
 - dynamic interactions 99–100
 - phase-transitions 97–98
 - supramolecular interactions 98–99
 - in polymers 93–95
 - SMPCs 121–129

- temperature
 - photo-triggered 101–102
 - solvent 102–103
- tissue formation
 - bone tissue 110–111
 - cardiovascular tissue 111
 - cartilage tissue 112
 - neural tissue 112–113
- skeletal muscle tissue
 - anatomic structure and organization 249
 - anatomy of vasculature 250–251
 - nerve supply 251–252
- skeletal tissue 231–232
- skin tissue regeneration
 - biomaterials
 - biocompatibility 311
 - biodegradability 312
 - functionalization with bioactive molecules 313
 - mechanical properties 313–314
 - porosity 313
 - scaffold architecture 311–312
 - surface wettability, water uptake and vapor transmission 314
 - physiology of wound healing 308–309
 - hemostasis 309
 - inflammatory phase 309–310
 - phases of 309
 - proliferation phase 310
 - wound remodeling and contraction 310–311
 - structural organization 303–308
- sonodynamic methods 342, 344
- spinal cord injury 277, 285–287
- spiropyran 152–154, 257
- stilbene molecule 153
- stimuli activated response 91
- stimuli responsive materials 248
 - biological activity-mediated degradation 183–186
 - cancer therapy 329
 - chemical degradation 186–189

- definition 182
 - degradation measurement techniques
 - in vitro* degradation 191–194
 - in vivo* techniques 194–196
 - endogenous triggers
 - mechanical stress 316–317
 - pH 314–315
 - redox potential 315–316
 - temperature 315
 - exogenous triggers
 - light 317
 - magnetic fields 318
 - ultrasound 317–318
 - for muscle tissue engineering
 - electro-responsive materials 258, 260–261
 - light responsive materials 257–258
 - magnetic stimuli responsive materials 262–264
 - reasons 255
 - temperature responsive materials 256–257
 - ultrasound stimuli responsive materials 261–262
 - for muscle tissue regeneration
 - pH responsive materials 265, 267–268
 - redox responsive materials 264–265
 - physical degradation 189–191
 - stratum lucidum*, 304
 - superficial partial-thickness wounds 308
 - synthetic polymers 13, 45, 53, 56, 67, 68, 112, 113, 248, 267, 334
- t**
- temperature responsive materials 256–257
 - thermoelectric materials 15–17
 - Thomson effect 16
 - 3D graphene foams 281
 - 3D porous scaffolds 20–21
 - tissue engineering (TE) 44
 - definition of 3
 - 3D porous scaffolds 20–21
 - electrical signals
 - in cell processes 7–10
 - in the human body 4–6
 - electroactive materials
 - conductive materials 10–12
 - magnetolectric materials 14–15
 - piezoelectric materials 12–14
 - thermoelectric materials 15–17
 - electrospun fibers 19–20
 - films 17–19
 - hydrogels 21
 - magnetoactive materials 69, 71–74
 - photoisomerizable materials 151–154
 - piezoelectric materials 45–60
 - triboelectric materials 60, 64–69
 - tissue engineering and regenerative medicine (TERM) 75, 188, 213, 223, 278
 - tissue formation, SMPs
 - bone tissue 110–111
 - cardiovascular tissue 111
 - cartilage tissue 112
 - neural tissue 112–113
 - tissue regeneration *see* bone tissue regeneration; skin tissue regeneration
 - trans-epithelial potential difference (TEPD) 306
 - transition temperature (T-trans) 97, 102, 186, 257, 315, 341
 - triboelectric materials
 - tissue engineering 60, 64–69
 - working modes 39, 40
 - triboelectric nanogenerators (TENG) 39–41, 60, 64–69
 - triboelectrification 39, 40, 60, 66, 68
 - two-dimensional photopolymerized materials 155
- u**
- ultrasound-assisted synthesis 220–221
 - ultrasound in regenerative medicine 214–215
 - unintended degradation 182

upper critical solution temperature
(UCST) 164, 256, 315, 340, 341
US-driven bone regeneration 221
US-stimulated biomaterials
acoustofluidics 218–219

drug release 219
piezoelectric biomaterials 220
ultrasound-assisted synthesis 220–221
US-triggered drug release 219

















