

Index

a

- acrylonitrile-butadiene-styrene (ABS) 9, 82
- addition polymerization 22
- adhesives 5, 17, 71, 82
- alkylammonium-modified montmorillonite 218
- anionic polymerization 27–28
- anionic ring-opening polymerization (AROP) 23
- architecturally complex polymers 2
- atactic arrangement 9
- atomic force microscopy (AFM) 50, 66
- atom transfer radical polymerization (ATRP) 29–30
- atomistic MD simulation, of
 - graphene-based PMMA nanocomposites 218–220
- Au NCNT and Au BCNT nanocomposite, chemical interactions 139
- AuNPs-based sensors 90

b

- batteries
 - hazardous components of 168
 - lead-acid 168–169
 - NaS batteries 169
 - lithium-based 169
 - nickel-based 169
 - optimal parameters of 173
 - technical information 243
- battery-based energy storage system 167–168

- battery storage 168, 243–245
- binary PEI/BNNS nanocomposite films 191
- binary PEI/BTNP nanocomposite films 191
- biocomposites 106, 107
- biodegradable polymeric materials 73
- biological synthesis of nanoparticles 97
- BNNSs 191–193
- breakdown strength, ferroelectric polymers 189
- brittle polymer 11
- bulk polymerization 32–33

c

- CaCu₃Ti₄O₁₂ (CCTO) nanoparticles 173
- calorimetric techniques 57
- capacitor storage system 175
- carbon-based storage materials 129–132
- carbon fibers flywheel, for grid regulation 198
- carbon nanotubes 57, 88, 90–91, 112, 122, 130, 137, 138, 162, 183, 199–210
- carbon–polymer nanocomposites (CPNCs) 129
- cationic polymerization 28–29
- cationic ring-opening polymerization (CROP) 23, 29
- ceramic matrix nanocomposites 107
- CF/EDLC/CF lay-up, epoxy infusion into 206

- chain-growth condensation
 - polymerization 23
 - chain polymerization 22, 25
 - charged and ion conductive nanoporous
 - Janus membranes 195
 - chemical endurance, carbon-based
 - materials 129
 - chemical resistance, of polymer
 - nanocomposites 122
 - classical composite laminate theory
 - (CCLT) 230
 - click polymerization techniques 36
 - CNT-based nanocomposite 137
 - coarse-grained (CG) MD simulation study,
 - of PNCs 221
 - coatings, polymers 5
 - coefficient of thermal expansion (CTE)
 - values 74
 - colloidal quantum dots 89
 - colloid-polymer solutions 213
 - commercial off-the-shelf (COTS)
 - membranes 183
 - commodity plastics 1
 - complex compounds-microsphere
 - hydrogen storage 162
 - composite hydrogen storage vessel 230
 - compressed gaseous hydrogen storage
 - 162
 - condensation polymerization 22, 23, 200
 - conducting PANI 171
 - conducting polyaniline 163
 - conducting polymer (CP) matrix-based
 - nanocomposites 170
 - conductive nanocomposites 112
 - controlled radical polymerization (CRP)
 - 29–30
 - conventional emulsion polymerization
 - 42
 - copolymerization 9, 22, 34, 76
 - coprecipitation technique 91, 147
 - crosslinked fluoropolymer poly
 - (chlorotrifluoroethylene-co-vinylidene fluoride) P(CTFE-VDF)
 - 189, 190
 - breakdown strength and cyclic stability
 - 189
 - crystalline polymers 6, 63, 121
- d**
- dendrimers 25–27, 88
 - dialysis method 40
 - dielectric capacitors 189, 224
 - dielectric constant 55, 98, 123, 128,
 - 131–133, 146, 147, 159, 173, 189,
 - 190, 193, 224
 - dielectric materials 132, 189
 - dielectric polymers 123, 147, 189, 190
 - directional nanorod-nanorod attractions
 - 221–223
 - direct methanol fuel cell (DMFC) 171
 - DMA tests on EL-MCx-CF samples 152
 - DNA stretching/linearization 73
 - Dumas combustion method 51
 - dye-sensitized solar cells (DSCs)
 - 140–142
- e**
- EDLC interleaf, encapsulation of 205
 - elastomers 1, 5, 6, 17, 82
 - electric double-layer capacitors (EDLCs)
 - 147, 182, 203
 - electrical energy storage (EES) systems
 - 160, 161, 181–183
 - electrical energy storage systems (EESS)
 - 189–194
 - electrochemical capacitors (ECs) 120,
 - 172, 181, 182
 - electrochemical cell with Janus
 - membrane 196
 - electrochemical energy storage operations
 - 130
 - electrochemical energy storage systems
 - (EES) 120, 181–186, 245
 - electrolytic capacitors, optimal
 - parameters of 173
 - electrophotography 72, 78–79
 - electrospinning 62, 80, 81
 - emulsion polymerization 37, 42, 43, 109

- energy density 116, 130–132, 134, 145–147, 160, 162, 163, 167, 169, 173, 175, 182, 183, 189–191, 196, 197, 199, 201, 203, 224, 237, 245
- energy discharge density 146
- energy storage capability 123, 131–134, 147
- energy storage, defined 145
- energy storage device 127–130, 132, 146, 168, 172, 173, 182, 183, 201
- energy storage systems 115, 241
- applications of 118
 - cost and economies of scale 237
 - efficiency 238
 - energy and power density 237
 - energy reality and increasing renewable penetration 185–186
 - flywheels 116–118
 - hydrogen storage 116
 - lifetime 237
 - lithium-ion batteries 115
 - mechanical storage 116
 - monitoring and control equipment 238
 - need for 185–186
 - operating constraints 238
 - power density vs. energy density 183
 - pumped hydropower 116
 - response time 237
 - self-discharge 237
 - storage capacity 237
 - strengths and weaknesses 118
 - techno-economic evaluations of 236
 - thermal 115–116
- engineering plastics 1
- ethylenediaminetetraacetic acid (EDTA)
- chelating agent 77
- exfoliated BNNS 191
- exfoliation adsorption method 108, 109, 119
- f**
- fatigue life, of T1000 carbon/epoxy composite flywheel material 196
- ferroelectric polymer 130, 189, 190
- FGS-PMMA nanocomposites 218
- fiber optic systems 78
- finite element modeling 229–231
- flame-retardant PNCs 122
- flexible electronics 203
- flexible energy storage devices 201
- flooded lead-acid battery installations 244
- flow battery energy storage (FBES) 170
- fluorescent polymers, application of 81
- fluorescent probes 80, 81
- flywheels 116–118, 120, 181, 196–198, 238, 241
- fossil fuels 18, 74, 161, 181, 185
- fracture toughness, of T1000 carbon/epoxy composite flywheel material 196
- free-energy change 214, 215
- fuel cells 98, 116, 120, 129–131, 160, 161, 163, 170–174, 181, 182, 277, 229
- functionalized graphene sheets (FGSs) 199, 218, 220
- functional polymers synthesis
- direct copolymerization 34
 - end functionalization 34
 - functionalization-grafting 34–35
- g**
- gel permeation chromatography (GPC) 51, 57
- Gouy–Chapman diffusion layer 225, 226
- grafting-from method 35
- grafting-onto technique 35
- grafting-through method 35
- graphene sheets (GNS) 199, 218, 220
- grid-scale energy storage systems 127
- grid theory 230
- h**
- helix–coil transitions, of poly(L-benzyl glutamate) 55
- heterophase polymerization methods 44
- fabric and home care formulations 77–78
- Faradaic processes 206

- heterotactic arrangement 9
 - high-density polyethylene (HDPE) 10, 53, 60, 74
 - high-energy-density electrostatic capacitors 190
 - high-performance liquid chromatography (HPLC) 57–58
 - ^1H NMR spectra, of PS 55
 - hybrid photovoltaic (HPVs) devices 137
 - hydrogen-based energy storage systems
 - compressed gaseous hydrogen storage 162
 - liquid hydrogen storage 161–162
 - metal hydrides 162–164
 - microsphere hydrogen storage 162
 - physical adsorption, in carbon 162
 - hydrogen fuel cell car 227, 229
 - hydrogen fuel cells 160
 - hydrogen storage 116
 - polymer nanocomposites for 160
 - simulation techniques based on 226–229
 - hydrothermal technique 92
- i**
- inert gas condensation (IGC) 92, 93
 - infrared spectroscopy, for polymer material characterization 52
 - inorganic nanocomposites 137–139
 - inorganic/organic hybrid nanocomposites 106, 107
 - inorganic/organic polymer nanocomposites 106–107
 - in situ* fabricated functionalized RGO/hyperbranched polyurethane nanocomposites 121
 - in situ* polymerization 108–109, 119, 141, 200
 - interface and interfacial polarization, of polymer nanocomposites 225–226
 - interfacial polymerization (IP) 37, 43–44
 - interlaminar properties 203
 - ion exchange membranes 195, 197
 - IR spectrum, for high-density polyethylene 53
 - isotactic arrangement 8
 - isotropic nanorod–nanorod attraction 221–223
- j**
- Janus membranes 195, 196
- l**
- lab-scale prototype organic polymer-based redox-flow battery 196
 - Laponite clay 172
 - laser ablation 95, 96
 - latent heat storage (LH-TES) 149
 - lead-acid battery 167–169, 175, 241–244
 - life cycle analysis, scope of 235–236
 - life cycle, of polymer nanocomposite 236
 - lightweight composite high-pressure hydrogen storage vessel 229
 - linear polymer 7, 51
 - liquid hydrogen storage 161–162
 - lithium batteries 128, 199, 201
 - lithium-ion batteries (LIBs) 115, 167, 181, 199, 243, 245
 - lithium-iron-phosphate battery 243
 - lithium–polymer batteries 169
 - localized surface plasmon resonance (LSPR) effect 90, 138
 - luminescent layers, in light-emitting diodes 75–76
- m**
- malleable organic–inorganic polymer nanocomposite membranes 174
 - mass spectroscopy methods 65
 - mechanical storage 116
 - melt blending method 108
 - melt flow index (MFI), of PA/PCM blends 151
 - melt rheological properties of filled polymers 14
 - membrane reactor for PNP preparation 44

- metal matrix nanocomposites (MMNC)
107
- metal nanoparticles, LSPR effect of 138
- metal oxide nanoparticles 90, 123, 174
- methylene group density distributions, of
organoclays 217
- methyl methacrylate/butyl
acrylate/styrene terpolymer
composition 59
- Michelson interferometer 52
- micro-emulsion polymerization 43
- microemulsion method 93
- microwave-assisted synthesis 94–95
- mid-IR spectrum 52
- mini-emulsion polymerization 42–43
- molar mass (MM), of polymer 64
- molar mass distribution (MMD) 10, 64
- molecular weight determination 51, 55
- montmorillonite (MMT) 107, 172, 218
- multicore model, for inorganic
nanoparticles and polymer matrix
interface 225
- n**
- nanoclays 112, 113, 172
- nanocomposites
in aircrafts 112
in automotive industries 111
in catalysis fields 111
characterization techniques 110
classes of 105
denture teeth wear resistance 113
in electronics 112
in environmental protection 112–113
filled with core-shell nanoparticles
131
non-polymer based 106
in packaging industry 111
in perovskite solar cells 139–140
polymer-based 106
rheology 14–15
in solid polymer electrolyte applications
111
synthesis methods 108
exfoliation adsorption method 109
in situ polymerization 108–109
melt blending method 108
solution casting technique 108
template synthesis method 109–110
theory and modeling of 15
in water treatment applications
111–112
- nanocomposites/polymer hybrid solar cell
138
- nanofillers 14, 62, 119, 130, 132, 147,
173, 183, 190, 224
- nanomaterials
morphological features 87
size- and surface-dependent properties
88
transformations 89
types of 89
- nanoparticle synthesis 91
biological synthesis 97–98
coprecipitation 91–92
hydrothermal technique 92
inert gas condensation 92
laser ablation 95
microemulsion method 93–94
microwave-assisted synthesis 94–95
sol-gel method 95
sonochemical processing 93
spark discharge method 95–97
template synthesis 97
- nanoparticle-reinforced polymer systems
216
- Nanophosphate®lithium-ion battery
technology 243
- nanoprecipitation method 39
- nanorod-nanorod radial distribution
functions 222, 223
- nanotechnology 87
in agricultural sector 99
in cosmetics 100
in electronics 100
in energy sector 98
in medical field 100–101
in textile materials 98–99
- National Electrical Code (NEC) 243
- natural polymers 16, 49, 62

- nickel-based battery 168, 169
- nickel-cadmium batteries 169
- nitroxide free radical polymer cathode 199
- nonaqueous redox flow batteries (NRFB) 183
- Novolac 26
- nuclear magnetic resonance (NMR) spectroscopy 55, 62–63
- Nylon 6/6 82

- O**
- octadecyl trimethyl–clay 218
- optical microscopy (OM) 66–67
- organic electronic devices 89
- organic–inorganic halide perovskite solar cells (OIHPSCs) 98
- organic light-emitting diode devices, of fluorescent cellulose derivatives 75
- organic non-volatile memory (ONVM) 90
- organic–organic composites 137–138
- organic peroxide initiators 33
- organic photovoltaic (OPVs) 79, 89, 137
- organic polymer-based redox flow battery (ORFB) system 195, 196
- osmometry 51, 64
- osmosis-based method, PNP preparation 40
- Ouzo effect 39

- P**
- PANI-nanocomposites 171
- PAQS-FGS, in situ polymerization process of 200
- PCBM-based BHJ polymer solar cells 141
- PEI-based nanocomposites 192, 193
- phase separation 76, 217
- phenolic resins 5, 26
- photon correlation spectroscopy (PCS) 49
- photonics 72, 78
- physical adsorption, in carbon 162
- PI-FGS nanocomposites 200
- PIM-1/AX21 composite 163
- plasmonic metallic nanoparticles, utilization of 139
- plasmonic nanoparticles 139
- PNF-TENG
 - in human motion sensing field 209
 - self-powered sensor 207, 208
 - as wearable power source and 207, 208
- PNF-TENG-based smart
 - elbow supporter 207
 - grip ball for monitoring grip strength 207, 208
- point of common coupling (PCC) 241
- Poisson’s ratio 17
- polyaddition 24
- polyamide (PA) 82, 112, 123, 151, 157
- polybutadiene microstructure 60–61
- polycondensation process 24
- polydisperse polymers 65
- polydispersity index (PDI) 49
- poly(ether imide) (PEI)-based
 - nanocomposite films 191, 192
- polyethylene density 60
- polyethylene terephthalate (PET) 56, 140, 170
- polyethylene XRD analysis 64
- polymer
 - BaTiO₃ core–shell nanoparticles 147
 - BaTiO₃ NPs 130
 - viscoelasticity 15–17
- polymer-based batteries 128
- polymer-based nanocomposites 106
 - biocomposites 107
 - ceramic matrix 107
 - hybrid inorganic/organic materials 107
 - inorganic/organic polymer nanocomposites 106–107
 - metal matrix nanocomposites 107
 - PLS nanocomposites 107
 - polymer matrix nanocomposites 108
 - polymer/ceramic nanocomposite 106

- polymer/polymer nanocomposites 107
- polymer/ceramic nanocomposite 106
- polymer electrolyte membrane fuel cell (PEMFC) 171, 172
- polymer-graphene/carbon nanotube 199–210
- polymer-graphene nanocomposites 148, 199, 200
- polymeric biocides and herbicides 76–77
- polymeric chains arrangement 9
- polymeric ferroelectricity 190
- polymeric nanocomposites 140–142, 163
- polymeric nanomaterials 91
- polymerization of monomers 37, 41–42
- polymerization reactions 21–22, 24, 37, 59
- polymer layered silicate (PLS) nanocomposites 106, 107
- polymer materials characterization
 - atomic force microscopy 66
 - differential scanning calorimetry (DSC) analysis 56
 - elemental analysis (EA) 51
 - gel permeation chromatography 57
 - high-performance liquid chromatography (HPLC) 57–58
 - infrared spectroscopy 52
 - mass spectroscopy methods 65
 - mechanical testing 61–62
 - molar mass and molar mass determination 64
 - nuclear magnetic resonance spectroscopy 63
 - optical microscopy 66–67
 - osmometry 64
 - qualitative analysis 52–53
 - Raman spectroscopy 59–60
 - rheological measurements 62
 - scanning electron microscopy (SEM) 65–66
 - size exclusion chromatography (SEC) 58
 - thermogravimetric assays 57
 - transmission electron microscopy 66
- X-ray diffraction analysis 63
- polymer matrix nanocomposites 108
- polymer nanocapsules 37
- polymer nanocomposites 213
 - barrier property and chemical resistance 122
 - biological properties 123
 - dielectric properties 123
 - electrical properties 123
 - in energy storage applications 119–120
 - in energy storage systems 115
 - flame retardancy 122
 - for hydrogen storage 160
 - interface and interfacial polarization 225–226
 - mechanical properties 127
 - membranes 173
 - molecular modeling and simulation methods 214
 - nanocomposite thermodynamics 213–218
 - optical properties 122
 - physical properties 120
 - rheological properties 120–121
 - thermal properties 121
 - for triboelectricity 157
- polymer nanoparticles (PNPs)
 - conventional emulsion polymerization 42
 - defined 36
 - dialysis method 40
 - emulsion polymerization 42
 - interfacial polymerization 43–44
 - micro-emulsion polymerization 43
 - mini-emulsion polymerization 42–43
 - nanoprecipitation method 39
 - particle size and size distribution 49
 - polymerization of monomers 41–42
 - rapid expansion of supercritical solution 40
 - RESOLV process 41
 - salting-out 39–39
 - solvent evaporation 37–38
 - supercritical fluid technology 40

- polymer nanoparticles (PNPs) (*contd.*)
 - surfactant-free emulsion
 - polymerization 37, 42
 - polymer nanospheres 36, 37
 - polymer of intrinsic microporosity matrix (PIM-1) 226
 - polymer plastics 5
 - polymer/polymer nanocomposites 106, 107
 - polymer processing techniques 13–14
 - polymers
 - applications of 72
 - in automobile 82–83
 - biotechnology 73–74
 - dielectrics for electronics 74–75
 - electrophotography 78–79
 - in fabric and home care formulations 77–78
 - for photonics 78
 - smart and self-healing coatings 76
 - for soil remediation 77
 - classification of 4, 6
 - in construction applications 82
 - copolymer sequences 9
 - crystallinity of 10
 - in energy applications 79–81
 - for energy storage and conversion 128
 - examples of 4–5
 - history of 1–4
 - mechanical behavior 11–13
 - molecular structures of 8
 - molecular weight 7
 - morphology of 10
 - physicochemical properties of 17–18
 - rheological properties of 14
 - structural aspects 7–9
 - UV-visible spectroscopy 50
 - polypyrrole-titanium dioxide (PPy-TiO₂)
 - nanocomposite, photovoltaic performance of 141
 - polyurethane nanocomposites 121, 217
 - poly(vinylidene fluoride) (PVDF) 190, 191
 - poly(vinylidene fluoride-co-hexafluoropropylene)
 - P(VDF-HFP) sandwich-structured polymer nanocomposite 147
 - porous aromatic framework filler (PAF-1) 164, 226
 - porous nanocomposite fabric (PNF) 206, 207
 - Porsche 911 GT3R with carbon fiber flywheel 198
 - potassium-ion batteries (PIBs) 245
 - power density 129, 130, 157, 182, 183, 199, 203, 206, 224, 237
 - Power Factor 250™ installations 245
 - PPy/GNS/MWCNT composites 202
 - PPy-nanocomposites 171
 - primary batteries 168
 - printable electronics 209
 - processable microporous polymer (PIM-1) 164
 - pseudo-capacitors 182
 - PUA nanocomposites 133
 - pumped hydroelectric facilities 116
 - pumped storage hydropower (PSH) in France 241–243
 - P(VDF-HFP)-based nanocomposites 133
- q**
- qualitative analysis, of polymers 52–53, 55
 - quantum dots 57, 88, 89, 100, 140
 - quantum-dot cellular automata (QCA) 100
 - quasi-solid state (QSS) polymer electrolyte 141
- r**
- radical polymerization 26, 29–31
 - Raman spectroscopy 59–60
 - rapid expansion of supercritical solution (RESS) 37, 40–41
 - rapid expansion of supercritical solution into a liquid solvent (RESOLV) 37, 41
 - real-time applications 195–210
 - rechargeable batteries 72, 167, 181, 245
 - rechargeable lithium batteries 199

- redox-active polymers (RAPs) 183–184, 195
- redox equilibrium 197
- redox flow batteries (RFBs) 170, 183, 195, 198
- redox flow cell energy storage system 161
- redox organic polymers 195
- renewable energy resources (RES) 120, 127, 245
- renewable energy storage systems 127–134
- renewable polymers 74, 75
- resol 26
- reversible addition fragmentation chain transfer (RAFT) polymerization 29, 31–32
- RGO-PEDOT/PSS films 201–203
- rheology, of nanocomposites 14–15
- rheometry 14, 61–62
- ring-opening polymerization (ROP) 22–23, 29
- S**
- scanning electron microscopy (SEM) 50, 65–66, 200
- secondary batteries 167, 168, 170
- self-standing composite membrane 227
- sensible heat storage (SH-TES) 149
- single-wall carbon nanotube (SWCNT) film 201
- size-exclusion-based mechanism of separation 183
- size exclusion chromatography (SEC) 58
- smart and self-healing coatings 76
- sodium–sulfur (NaS) batteries 167–169, 200, 242
- sol–gel method 96, 109
- Solar Grid Storage LLC 244
- solar PV storage and energy shift 244
- solid-state crystallinity 10
- solid-state hydrogen storage 226
- solid-state thermal transitions 11
- solution casting technique 108
- solution polymerizations 33
- solvent evaporation 37–38
- sonochemical processing 93, 94
- spark discharge method 95–97
- spectral analysis, for polyethylene and polystyrene 53–55
- step-growth polymerization 24–25
- stereoregularity 10, 27
- storage capacity 161, 163, 164, 183, 195, 227, 237, 242
- stress relaxation test 16
- stress rupture, of T1000 carbon/epoxy composite flywheel material 196
- sulfonated graphene (SG)/PEDOT composites 141
- sulfonated polymer nanocomposite membranes 174
- supercapacitors 147, 175, 204
- alternative structural composite architectures 205
- based on carbon nanotubes (CNT) fibers/polymer electrolyte 203
- based on magnetic conductive polymer-graphene nanocomposites 148
- optimal parameters of 173
- VSNPs-PAA film 203
- superconducting magnetic energy storage (SMES) 146–148, 238, 241
- supercritical fluid technology 37, 38, 40
- supramolecular polymerizations 32
- surfactant-free emulsion polymerization 37, 42
- suspension polymerization 33
- syndiotactic arrangement 9
- synthetic polymers 1, 5, 21, 34, 49, 64, 71, 73, 74
- systems simulated and simulation strategy 220–225
- t**
- tacticity 8, 9
- tartaric-acid-treated, water-stable MXene/PEDOT PSS conductive coating 209

- techno-economic evaluations, of energy storage systems 236
 template synthesis method 97, 109–110
 tensile strength, of T1000 carbon/epoxy composite flywheel material 196
 ternary PEI/BTNP/BNNS nanocomposite films 191
 3D polymer nanocomposite model 216
 3D-MXene_{2.5}/PDMS based TENG 160
 3D-MXene/PDMS based TENG 159
 3D-MXene/PDMS composites 159
 thermal energy storage (TES)
 defined 148
 latent heat storage 149
 sensible heat storage 149
 thermochemical heat storage 149–150
 thermoplastic composites 151–153
 working cycle 148
 thermochemical heat storage (TH-TES) 149–150
 thermodynamic properties 55
 thermogravimetric assays (TGA) 57
 thermoplastic composites, for TES 151–153
 thermoplastic polymers 5–8, 12, 33, 79
 thermosetting polymers 5, 6, 8
 Ti₃C₂T_x (MXene) 209
 Ti₃C₂T_x/PEDOT PSS composite system 209
 TiO₂ NWs/P(VDF-HFP) nanocomposites 133
 transmission electron microscopy (TEM) 50, 66, 191
 triboelectric nanogenerators (TENGs) 157, 159, 206
 triboelectricity 157–164
- U**
 ultra-capacitors 147, 181
 ultrafast supercapacitor 209
 ultrahigh molecular weight polyethylene (UHMWPE) 74
 unsaturated polyester resin (UPR)
 synthesis 27, 236
 UV-visible spectroscopy 50
- V**
 vanadium-based RFBs 195
 vanadium redox batteries (VRB) 170
 vanadium redox flow battery 198
 viologen oligomers and polymers 184
 VSNPs-PAA film 203
- W**
 water-soluble redox-active polymeric materials 195
 Weibull breakdown strength 193
 wet-jetting process 80
 world's energy capacity estimation 132
 worldwide electric generation capacity 185
 w/o/w double emulsion 39
- X**
 X-ray diffraction (XRD) analysis 63–64
- Z**
 ZnO nanowire/T1000 carbon/epoxy hybrid composites 196, 197
 ZnO nanowire/T1000 carbon/epoxy composites 197

