

## Index

### a

- absorption coefficients 271
- abundant sulfur vacancies 313
- adsorption 225, 269
- adsorption energy 220, 226–228
- adsorption purification technology 48
- Ag-Co dual cocatalysts 193
- Ag/AgBr/TiO<sub>2</sub> photocatalysts 52
- agglomeration 272
- aggregation-induced emission (AIE) 316
- air treatment 311
- Al doping 193
- Al-doped SrTiO<sub>3</sub> with metal cocatalysts 2
- alcohol oxidation 27
  - heptazine-based graphitic carbon nitrides 28–29
  - mechanism by carbon nitrides 29–31
- alcohols oxidation, selectivity of 32
  - carbon nitride photocatalyst with H<sub>2</sub> evolving catalyst 36
  - O<sub>2</sub> substitution by oxidants 35
  - photo chargeable ionic carbon nitrides under anaerobic conditions 36–38
  - reaction time optimization and alcohol conversion 32–35
- aliovalent doping 84–86
- all-solid-state Z-scheme heterojunction 42–43
- amine groups 206
- ammonia (NH<sub>3</sub>) synthesis 253
- ammonia economy 253
- amoxicillin (AMO) degradation and hydrogen production for 19
- anion dopants 270
- anisotropic facet engineering 82
- anti-bacterial agents 297
- anti-fogging 297
- antibiotics 52
- antifouling ability 316
- apparent quantum efficiency (AQE) 15
- artificial LED lamp-type plant factory
  - CO<sub>2</sub> concentration 149
  - CO<sub>2</sub> usage 138
  - H<sub>2</sub> evolution 150
- artificial nitrogen fertilizers 253

- artificial photosynthesis 93  
 Au/ZnO catalysts 63
- b**
- Bader charge 220  
 band structure 213, 227  
 bandgap 226  
 benzyl alcohol oxidation 29  
   external quantum efficiency 31–32  
   schematic mechanism of 30  
 benzylic alcohols, photocatalytic  
   dehydrogenation of 36  
 benzylic and aliphatic alcohol  
   oxidation 27  
 biomass-derived benzaldehyde  
   conversion 18  
 biomass-derived substances 13  
 biomass feedstocks 112  
 biophotonic crystal 286  
 Bi 6d orbitals 257  
 Bi<sub>7</sub>O<sub>9</sub>I<sub>3</sub>/B<sub>4</sub>C heterojunction, type II  
   heterostructure and Z-scheme  
   mechanism for 16–17  
 Bi<sub>x</sub>O<sub>y</sub>/CdS heterostructure  
   construction 154–155  
 BiO quantum dots 260  
 biotemplate materials 286  
 bio-templated photocatalysts 5  
 Bi<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub> S-scheme  
   heterojunction 48  
 bismuth monoxide (BiO) quantum  
   dots 257  
 bismuth oxychloride (BiOCl) 260  
 bisphenol A (BPA) on urchin-like  
   oxygen doped MoS<sub>2</sub>/ZnIn<sub>2</sub>S<sub>4</sub>  
   (OMS/ZIS) composite 19  
 blue hydrogen 44  
 bond angle 220  
 bond distance 220  
 bottom-up wet chemical exfoliation  
   218  
 bulk GeTe 180
- c**
- calcination 233  
 carbon decoration 257  
 carbon modification 255–257  
 carbon neutrality 46  
 carbon nitride 247  
   mechanism of alcohols oxidation  
   29–31  
 carbon products 190  
 carbon-based nanomaterials 247  
 carbon-based surface engineering  
   255  
 catalyst screening 272  
 catalytic systems 215  
 cation 270  
 C atom protonation 218  
 CdS nanorods/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> nanosheet  
   18  
 CdS photocatalytic material 5  
 CdS-based photocatalysis 154  
   h-BN heterostructure on rGO  
   nanosheets 156–158  
   N-doped CdS nanocatalyst  
   158–162  
   p-n type Bi<sub>x</sub>O<sub>y</sub>/CdS  
   heterostructure construction  
   154–155  
   Pd single-atom decorated CdS  
   nanocatalyst 163–167  
 CdS-Pd nanocatalyst  
   aberration-corrected  
   high-annular dark-field  
   scanning TEM 163–165  
   photo-electrochemical analysis  
   166

- Raman spectra 163
- surface photoinduced reduction
  - strategy 163
- UV-vis absorption spectra 164
- water splitting on 167
- X-ray absorption near-edge
  - structure spectrum 163
- CdS/PT composite 46
- CdS@h-BN/rGO (CdS@BNG)
  - ternary composite
  - photocatalyst 158
  - electrochemical measurements 158
  - photocatalytic HER performance 157
  - PL emission spectra 157
  - SEM and TEM characterizations 156
  - UV-vis absorption spectra 156
- CeO<sub>2</sub>/polymeric carbon nitride (CeO<sub>2</sub>/PCN) S-scheme
  - heterojunction photocatalyst 52
- charge carrier dynamics 260
- charge carriers 270
- charge transfer procedure, in PbTiO<sub>3</sub> photocatalyst 102
- charge-carrier transport 189
- charge-enriched Cu–In dual sites 218
- C–H bond generation 217
- C–H bonds 207
- chemical(s) 272
- chemical etching 142
- chemical oxygen demand (COD) 288
- chemical reduction 193
- chemical vapor deposition 218
- Co atoms 227
- CO<sub>2</sub> coordination 216, 219–222
- CO<sub>2</sub> emissions 213
- CO<sub>2</sub> molecules 214
- CO<sub>2</sub> photoreduction 231
- co-catalysts 17
- CoAl-LDH heterostructure
  - photocatalysts 233
- cobalt phosphide Co<sub>2</sub>P cocatalyst 97
- cocatalysts 5
- cocatalyst deposition 94
- CoMgAl-LDH nanosheets 227
- commercial TiO<sub>2</sub> photocatalysts 301
- composite catalyst 218
- composite materials 226
- compound nitrogen 240
- conditional wastewater treatment device 288
- conduction band (CB) 240, 242, 254
- conduction band edge (ECB), of UV-TiO<sub>2</sub> and Vis-TiO<sub>2</sub> 144
- conduction band minimum (CBM) 269
- conjugated linear poly(phenylene) 121
- conventional sol-gel method 287
- conversion efficiency 288
- coordination mode 215–219
- covalent-organic frameworks (COFs) 214
- C–N=C coordination 257
- C=O bond 217
- C–O bond dissociation 216
- C<sub>3</sub>N<sub>4</sub>/PDI composite catalyst 124
- Cr<sub>2</sub>O<sub>3</sub>/Rh-modified Y<sub>2</sub>Ti<sub>2</sub>O<sub>5</sub>S<sub>2</sub> 88
- critical sliding angle (CSA)-dependent wettability 316

- C self-doping 286
- Cu<sub>2</sub>O/RGO/BiVO<sub>4</sub> composites
  - for H<sub>2</sub> production and tetracycline degradation 16–17
- cyanimide-functionalized graphitic carbon nitride 29
- cyclic voltammometry tests 260–263
- cyclic voltammograms 257
  
- d**
- degradation efficiency 288
- density functional theory (DFT)
  - 161, 167, 172, 175, 177, 180, 183, 257
- desorption 269
- $\Delta$ -sol method 173, 174
- DFT configurations 219
- dimethyl carbonate (DMC)
  - productivity 227
- direct Z-scheme heterojunction 43
- disinfection and sterilization technology 52
- doping 226
- DOS 226
- dry preparation method 297
- dual-cocatalyst loading 86–88
- dual-functional vs. conventional photocatalysts 13
- dual-functional photocatalysts 11, 13–15
- dual-metal sites 215
- dual redox cocatalysts 4, 94
  - center/edge distribution 103
  - classification 95
  - configuration for 98
    - random distribution 98–99
    - spatially separated distribution 99–103
  - design advantages 96
  - design principles 97–98
  - facet-dependent distribution 102
  - hydrogen evolution reactions 96
  - parameters on photocatalysis 96
  - photocatalytic systems integrated with 104
  - tip/side configurations 99–100
  - York-shell structure distribution 101–102
  
- e**
- electrocatalytic NH<sub>3</sub> synthesis 239
- electron-deficient metal sites 214
- electron density difference 228
- electron donor 190
- electron-hole separation
  - mechanism, on Bi<sub>3</sub>TaO<sub>7</sub>/ZnIn<sub>2</sub>S<sub>4</sub> hybrid 22
- electron mediator 189–190
- electron paramagnetic resonance (EPR) 276
- electron promoter 255
- electron transfer 214, 218, 257
- electron-trapping sites 231
- electronic structure 226
- electrons-holes 213
- electrophilic Lewis acid center 214
- energy crisis 93
- energy-generation technologies 189
- engineering techniques 308
- environmental pollution 48, 93
- eosin Y (EY), LUMO and HOMO levels of 20
- etching methods 226
- EXAFS oscillation 304
- exfoliation strategies 226
- exposed metal atoms 222
- external quantum efficiency (EQE) 80

**f**

- Fenton hydroxylation reaction 231
- fertilizer 263
- first-principles approach 174
- flow chemistry-based techniques 282
- flow technology 33
- fluoroalkyl silane 314
- fossil energy 225
- fossil fuel consumption 213
- free nitrogen 240
- free radicals 318
- furfuryl alcohol (FOL)
  - dehydrogenation of 18
  - photocatalytic conversion of 19

**g**

- GaN ZnO solid solution 87
- gas discharge lamps 271
- g-C<sub>3</sub>N<sub>4</sub>/SnO<sub>2</sub> S-scheme heterojunction 48
- g-C<sub>3</sub>N<sub>4</sub> in photocatalysis
  - advantages and disadvantages of 113
  - for H<sub>2</sub> production 112–115
- g-C<sub>3</sub>N<sub>4</sub>/polypyrrole composites 113
- g-C<sub>3</sub>N<sub>4</sub>/rGO composites 114
- Gibbs free energy 226–228, 231
- global CO<sub>2</sub> emission 253
- global energy consumption 253
- global energy structure 253
- glucose oxidase-catalyzed reaction 317
- graphene 206–207
- graphene nanosheets/g-C<sub>3</sub>N<sub>4</sub> composite 114
- graphene oxide (GO) 154
- graphitic C<sub>3</sub>N<sub>4</sub> 113

- graphitic carbon nitride (g-C<sub>3</sub>N<sub>4</sub>) 35, 214, 217
- graphitic carbon nitrides, heptazine-based 28, 29
- green energy conversion technology 311
- green hydrogen 44, 109
- greenhouse effect 46
- grey hydrogen 44

**h**

- H<sub>2</sub> evolution
  - apparent quantum efficiency 15
  - biomass usage 149
  - hybridization/integration of reaction system 150
  - on NaOH-Vis-TiO<sub>2</sub>/Ti-foil/Pt photocatalyst 149
- H<sub>2</sub> production and organic pollutant degradation/conversion 16
- organic substrate type 19–21
- photocatalyst design 16–19
- reaction conditions 21–23
- H<sub>2</sub>O clusters 302
- H<sub>2</sub>O oxidation 254–255
- H<sub>2</sub>O<sub>2</sub> production
  - anthraquinone process 50
  - polydopamine S-scheme heterojunction 50
  - TiO<sub>2</sub>/In<sub>2</sub>S<sub>3</sub> S-scheme photocatalyst 52
  - ZnO/g-C<sub>3</sub>N<sub>4</sub> S-scheme heterojunction 51
- H<sub>2</sub>O<sub>2</sub>, uses of 50
- h-BN/ZrS<sub>2</sub> and g-C<sub>3</sub>N<sub>4</sub>/ZrS<sub>2</sub> vDW heterojunctions 181
- H-type quartz reactor, for photocatalytic water splitting 145

- Haber-Bosch process 253, 255  
halogen-functionalized GDY 177  
heptazine-based graphitic carbon  
  nitrides 28–29  
HER coupled with organics  
  oxidation 103  
HER mechanism on N-CdS  
  nanocatalyst 161  
heteroatom doping 158  
heterogeneous catalysis 213  
heterogeneous photocatalysis 109,  
  116  
heterojunction interface 41  
Heyd-Scuseria-Ernzerhof (HSE06)  
  method 172  
high-value-added chemicals 225  
HSE06 method 173  
hybrid materials 233  
hybridization 217, 236  
hydroelectric stations 292  
hydrogen evolution reaction (HER)  
  36  
hydrogen peroxide ( $\text{H}_2\text{O}_2$ ) 31  
hydrogen production  
  non-metallic semiconductor  
  photocatalysts 153  
  strategies 153  
hydrogenation 207, 241  
hydrous metal oxide 246  
hydroxyl radicals (OH) 272
- i**  
impregnation 193  
industrial  $\text{N}_2$  fixation catalyst 257  
infrared-based  $\text{CO}_2$  sensing method  
  272  
infrared light irradiation 236  
infrared spectroscopy 279  
innovative technology 213  
inorganic semiconductors 213  
inorganic/organic S-scheme  
  heterojunction photocatalyst,  
  for hydrogen evolution 45  
in situ Fourier transform infrared  
  (FT-IR) spectroscopy  
  measurements 192  
in-situ irradiated X-ray  
  photoelectron spectroscopy  
  (ISIXPS) 46  
in-situ irradiation Kelvin probe  
  force microscopy (ISIKPFM)  
  46  
interference fringes 300  
internal diffusion vertical plug flow  
  photocatalytic reaction tank  
  group 289  
ion engineering techniques 297  
ionized cluster beam (ICB)  
  297–298
- k**  
KOH treatment 257  
KOH-treated carbon nitride  
  ( $\text{K-C}_3\text{N}_4$ ) 260
- l**  
 $\text{LaMg}_{8x}\text{Ta}_{1-x}\text{O}_{1+3x}\text{N}_{2-3x}$   
  photocatalyst 88  
layered double hydroxides (LDHs)  
  214  
  controllable synthesis  
  hybridization of 233  
  modulation of compositions  
  229–230  
  modulation of coordination  
  environment 231–232  
coordination structure 227  
defect structure and electronic  
  structure of 227  
DFT calculations 227–228

- elemental composition 226
  - in photocatalytic reaction 227
  - $M^{2+}$ ,  $M^{3+}$ , and interlayer anions in 226
  - physical/chemical properties of 226
  - rational design of 226
  - solar energy conversion 226
  - topological transformation 226–227, 233–235
  - layered double hydroxides (LDHs)-based nanomaterials 5
  - LDH compounds 194
  - LDH/TiC heterojunction concentration 228
  - LDH/TiC materials 228
  - LED-based light sources 271
  - Lewis base centers 218
  - Lewis acid center 216
  - Lewis's theory of acids (LA) 217
  - light irradiation 213, 254
  - light-emitting diode (LED) lamps 271
  - lignite gasification wastewater 292
  - lignocellulosic biomass 111
  - linear sweep voltammogram 263
  - liquid phase transformation 233
  - liquid separation 311
  - liquid-solid reaction condition 243
  - localized surface plasmonic resonance (LSPR) effect 271
- m**
- mass spectrometry (MS) 273
  - M–C–O–M mode 215
  - mechanical exfoliation 218
  - mesoporous silicas 199
  - metal and hydroxyl defects 231
  - metal cocatalysts
    - Ag nanoparticles 191–192
      - additives 192
      - dual cocatalysts 193
      - photocatalyst surface properties 192–193
      - sizes, location, and morphologies of 193
    - Pt, Pd, Au, Cu, Zn, and Ag 191
  - metal oxide 214–215, 243, 246
  - metal oxide nanosheets 218
  - metal oxide semiconducting photocatalysts 2
  - metal oxide semiconductor 257
  - metal-free carbon nanodot/g- $C_3N_4$  nanocomposite 113
  - metal-free photocatalysts 121
  - metal-organic frameworks (MOFs) 199, 205, 214
  - metallic phosphide cocatalysts 97
  - metal sulfide 246
  - 4-methoxybenzyl alcohol oxidation in water 33
  - methylene blue (MB) 210
    - LUMO and HOMO levels of 20
  - mixed metal oxide (MMO) 226, 233
  - mixed-phase  $TiO_2$ , photocatalytic activity of 174
  - $M \cdots O-C$  bonds 216
  - $M-O$  bonds 214, 217
  - $Mo-O$  bond 233
  - $Mo-O-Bi$  bonds 260
  - mobile phase photocatalytic water treatment equipment 288
  - MOF photocatalysts 206
  - molecular Ti-oxo species 199
  - molten salt-assisted synthesis method 81
  - molybdenum dioxide ( $MoO_2$ ) 260
  - $MoO_2$  nanosheets 260

- MoO<sub>2</sub>/BiOCl composite 260  
MS deposition method 298  
multi-component photocatalyst  
41  
multi-electron process 213
- n**
- N<sub>2</sub> activation 263  
N<sub>2</sub>-saturated electrolyte 255  
N≡N bond energy 249  
N-doped CdS nanocatalyst 158,  
162  
N–N triple bond 257  
nanoarchitectonics 199  
nanosheets (NST) 218–220  
nanosize effects 199  
nanostructure design 199  
natural photosynthesis 189  
Nb<sub>2</sub>O<sub>5</sub>/g-C<sub>3</sub>N<sub>4</sub> photocatalysts 115  
NCN-CN<sub>x</sub> and Ni co-catalyst 36  
NH<sub>2</sub>-MIL-125(Ti) containing  
2-aminoterephthalate 206  
NH<sub>3</sub> combustion 253  
NiS<sub>(1+x)</sub> reduction cocatalyst 97  
nitride materials 263  
noble-metal-free co-catalysts 18  
non-biodegradable materials 1  
non-metal cocatalysts 195  
non-semiconductor systems 271  
nonmetal cocatalysts  
chromate ions 194  
Ni-Al layered double hydroxide  
194  
solid-state reaction method 194  
normal hydrogen electrode 191  
nucleophilic Lewis bases 214
- o**
- O K-edge XES data 234  
OH radicals 231  
optical absorption spectroscopy, of  
porous 2D phosphorus  
materials 180  
organic conversion 225  
organic pollutants 11, 270  
organic supramolecular  
photocatalysts, for water  
splitting 121  
perylene diimide derivatives  
123–127  
porphyrins 127–133  
organic synthesis 54, 311  
overall water splitting 103  
OWS-active Zr-TaON/Ta<sub>3</sub>N<sub>5</sub>  
photocatalyst 83  
oxidation cocatalysts 95  
oxidative radical species 272  
oxidizers 272  
oxygen and metal defects 231  
oxygen atom 216  
oxygen defects 236  
oxygen deficiency 218  
oxygen evolution reaction (OER)  
227  
oxygen reduction reaction 272  
oxygen vacancies (OVs) 227
- p**
- palladium nanoparticles (NPs)  
233  
Pd single-atom decorated CdS  
nanocatalyst 163, 167  
PDI self-assembly-based  
photocatalysts 124  
PDI-based supramolecular  
photocatalysts, for hydrogen  
production 123, 128  
perylene diimide supramolecular  
materials 4



- perylene monoimide (PMI)
  - molecules 127
- perylenetetracarboxylic acid (PTA)
  - supramolecular nanosheets 124
- Phenol conversion 232
- photocatalysis 1, 11, 93, 225, 264
  - addition of chemicals 272
  - biotemplated photocatalysts 286
  - CO<sub>2</sub> conversion, using H<sub>2</sub>O 189–190
  - consumption of dye molecules 275
  - disinfection and sterilization by 52
  - direct analysis of decomposed products 273
  - functional TiO<sub>2</sub>-SiO<sub>2</sub> and TiO<sub>2</sub>-B<sub>2</sub>O<sub>3</sub> binary oxide thin-film photocatalysts 303–306
  - light sources 271
  - non-semiconductor systems 271
  - photocatalytic activity and superwettability 318–321
  - and pollutant 271–272
  - for pollutant remediation 269
  - radicals species 275–278
  - reaction intermediates 279–281
  - reactors 287–289
  - RF-magnetron sputtering (RF-MS) method 306–307
  - skid-mounted photocatalytic reactors
    - hydropower stations 292
    - lignite gasification wastewater 292
    - wastewater treatment of 290–291
  - surfaces with superwettability 314–317
  - temperature, pH, and humidity 272
  - transparent TiO<sub>2</sub> thin film photocatalysts 298–303
  - UV irradiation 270
  - visible light response photocatalysts 270
- photocatalysis technology 285
- photocatalyst design 263
- photocatalyst film 210, 288
- photocatalyst powders 272
- photocatalyst synthesis 285
- photocatalyst-supported carrier 288
- photocatalysts 214, 225
  - history of 2
  - research progress 3
- photocatalytic activity 213
- photocatalytic CO<sub>2</sub> reduction 227, 234
- photocatalytic decomposition 272
- photocatalytic efficiency 288, 293
- photocatalytic evolution 263
- photocatalytic fixation of N<sub>2</sub> 5
- photocatalytic hydrogen evolution, Bi<sub>3</sub>TaO<sub>7</sub>/ZnIn<sub>2</sub>S<sub>4</sub> hybrid 22
- photocatalytic N<sub>2</sub> fixation 254, 255, 260, 264
  - challenges and opportunities 248–249
  - crop growth and social production 239
  - factors 241–243
  - materials for 243–248
  - mechanism of 240–241
  - in social life 239
- photocatalytic NH<sub>3</sub> synthesis 239

- photocatalytic organic synthesis
  - advantages 55
  - development 55
- photocatalytic overall water splitting 80
- photocatalytic performance 231
- photocatalytic pollutant
  - degradation technology 48
- photocatalytic process 222
- photocatalytic reactions 199, 225, 235
  - history of 2
- photocatalytic reactors 292
- photocatalytic remediation 272, 282
- photocatalytic selective oxidation 231–232
- photocatalytic solar H<sub>2</sub> production system 150
- photocatalytic water splitting 153
  - semiconductor-based
    - photocatalysts 153
- photocatalytic water splitting, types of 103
- photocurrent responses, for UV- and Vis- TiO<sub>2</sub> /Ti-foil 144
- photodeposition method 193, 194
- photoexcited electron 206
- photogenerated carriers 240, 242
- photogenerated electron-hole separation mechanisms 17
- photogenerated electrons 257
- photo-induced carrier's efficiency 225
- photo-induced charge carriers 233
- photoinduced electron-hole pairs 260
- photoinduced superhydrophilic properties 209
- photolysis 269
- photo-reforming process 110–111
- photosensitization effect, of TiO<sub>2</sub>
  - electrode 171
- photosensitizer 236, 264
- photosynthesis 138, 149
- photothermal effect 264
- $\pi$  backdonation 255, 257
- $\pi$ -conjugated porphyrins 127
- pigments 122
- plasma methods 226
- p-n type Bi<sub>x</sub>O<sub>y</sub>/CdS heterostructure
  - construction 154, 155
- pollutant degradation 225
- pollutants treatment methods 311
- pollution-related diseases 1
- polydopamine S-scheme
  - heterojunction 50
- poly(3-hexylthiophene)/g-C<sub>3</sub>N<sub>4</sub>
  - composite 115
- poly(azomethine) 121
- poly(p-phenylene) 121
- polydimethylsiloxane 320
- polymeric carbon nitride based materials, for H<sub>2</sub> production 112, 115
- polymeric graphitic carbon nitride (g-C<sub>3</sub>N<sub>4</sub>) 121
- polytetrafluoroethylene (PTFE) 314
- porous coordination polymers (PCPs) 199, 205
- porphyrin-based supramolecular materials 4
- porphyrin-based supramolecular photocatalysts for hydrogen production 127, 133
- positron annihilation lifetime spectroscopy (PALS) 66
- positron annihilation spectrometry (PAS) 231, 234

- potassium poly(heptazine imide) 29
- pre-reduction process 69
- pristine nanosheets 218
- proton-coupled electron transfer (PCET) process 216–217, 263
- proton-electron pair 217
- P25 TiO<sub>2</sub> nanoparticles 319
- q**
- quantum chemical calculations 257
- quantum efficiencies (QE) 271
- r**
- radio frequency magnetic sputtering (RF-MS) deposition method, TiO<sub>2</sub> thin films 138, 139
- characteristics 138, 143
- distance between target and substrate, effect of 139–141
- H-type quartz reactor for photocatalytic water splitting 145
- photoelectrochemical properties of 144, 145
- pure H<sub>2</sub> and O<sub>2</sub> separate evolution 145, 149
- sputtering Ar gas pressure, effect of 141
- surface treatment effect on 142
- substrate temperature, effect of 139–141
- radio-frequency magnetron sputtering (RF-MS) deposition method 298
- reaction efficiency evaluation 15
- reactive oxygen species (ROS) 11
- reactive proton source 263
- reduction cocatalysts 95
- relative humidity (RH) 272
- renewable energy 263, 311
- renewable hydrogen 171
- research community 285
- resorcinol on urchin-like oxygen doped MoS<sub>2</sub>/ZnIn<sub>2</sub>S<sub>4</sub> (OMS/ZIS) composite 19
- RF-magnetron sputtering (RF-MS) 297, 306–307
- RGO nanosheets, h-BN heterostructure on 156, 158
- RGO photocatalyst 20
- Rh-RhO<sub>x</sub>/PCN photocatalyst 99
- Rh/Cr<sub>2</sub>O<sub>3</sub>-modified Ta<sub>3</sub>N<sub>5</sub>/KTAO<sub>3</sub> 83
- Rh/Cr<sub>2</sub>O<sub>3</sub>/Mn<sub>3</sub>O<sub>4</sub>-decorated GaN ZnO particle 87
- RhCrO<sub>y</sub>-decorated LaMg<sub>x</sub>Ta<sub>1-x</sub>O<sub>1+3x</sub>N<sub>2-3x</sub> photocatalyst particles 88
- rhodamine B (RhB), LUMO and HOMO levels of 20
- Ru/Cr<sub>2</sub>O<sub>3</sub>/IrO<sub>2</sub>-loaded Zr-TaON particles 85
- RuO<sub>2</sub>/CdS/MoS<sub>2</sub> composite 100
- s**
- sacrificial reagents 103, 146
- SA-TCPP supramolecular photocatalyst 130
- Schottky junction 43
- S-doped g-C<sub>3</sub>N<sub>4</sub>/TiO<sub>2</sub> S-scheme heterojunction 49–50
- self-cleaning 297, 311
- self-doping elements 286
- semiconductor particle photo-charging mechanism 37
- semiconductor photocatalysis 93
- semiconductor systems 254

- semiconductor-based photocatalytic water splitting for hydrogen production
  - basic process 120
  - requirements 120
- simultaneous photocatalysis,
  - principles of 13
  - dual-functional vs. conventional photocatalysts 13
  - reaction efficiency evaluation 15
- simultaneous photocatalytic reactions, for H<sub>2</sub> production 23
- single component photocatalyst 216
- single photocatalyst 190
- single-atom sites (SAs), metallic 163
- single-metal-site 215
- single-site Ti-oxo species 5, 199
  - characterization of 200–201
  - CO<sub>2</sub> photocatalytic reduction, with H<sub>2</sub>O 207–209
  - molecular cluster of 204–206
  - preparation and characterization 210
  - Ti-containing zeolites and mesoporous silicas/silicates 200–203
- single-step photoexcitation
  - mechanism 79–80
- six-electron transfer process 260
- skid-mounted device 288–289
- skid-mounted internal diffusion
  - horizontal plug flow photocatalytic reaction tanks 289
- skid-mounted photocatalytic reactor 292–293
- solar energy 189, 195, 225, 294
- solar energy absorption ability 225
- solar water splitting 119
- solar-driven water splitting 79
- solar-powered skid-mounted photocatalytic reactors 294
- solar-to-biofuel conversion
  - efficiency 93
- solar-to-hydrogen (STH) energy
  - conversion efficiency 80
- sol-gel method 209, 300
- solid-state reaction method 194
- solvothermal method 154–156
- sonication-exfoliation 218
- special transition metal atoms 222
- specific capacity ( $\delta_{\max}$ ), of photochargeable materials 37
- spherical aberration-corrected method (STEM) 66
- spin-coating method 209
- spinel ferrite-g-C<sub>3</sub>N<sub>4</sub> systems 115
- SrTiO<sub>3</sub>Al/Rh/Cr<sub>2</sub>O<sub>3</sub>/CoOOH OWS photocatalyst 80
  - anisotropic facet engineering 82
  - crystal orientation 81
  - external quantum efficiency 82
  - quantum efficiency 81
  - SAED pattern 81
  - TEM image 81
- S-scheme heterojunction 4, 43
  - carbon dioxide reduction 46–48
  - hydrogen evolution 44
  - redox ability of 48
  - universality of 44
- stationary phase photocatalytic water treatment equipment 288
- structure-directing agents (SDAs) 210
- sulfide photocatalysts 215
- super wettability and photocatalytic activity 5

- superhydrophilicity 314
  - superhydrophobic surfaces 320
  - superhydrophobicity 314
  - superoleophilicity 314
  - superoleophobicity 314
  - superoxide anion radicals ( $O_2^-$ ) 272
  - superoxide radical 29, 231
  - superwetable surfaces 314
  - surface coordination 222
  - surface defects 222
    - on photocatalytic reaction
      - behavior
      - defects function in performance
        - regulation 69–70
        - gas adsorption 66–69
    - surface plasmon resonance (SPR)
      - 114
  - surface reaction 269
  - surface vacancy defects, ZnO,
    - characterization of 64
    - electron paramagnetic resonance
      - spectroscopy 65
    - photoluminescence spectroscopy
      - 66
    - Raman spectroscopy 64
    - X-ray photoelectron spectroscopy
      - 64
  - surface wettability of  $TiO_2$  thin
    - films and  $TiO_2$ -based binary
      - oxide thin films 5
  - sustainable strategy 225
  - synergistic effect 289
  - syngas ratio 233
  - synthetic method 239
- t**
- $Ta_3N_5$  83
  - $Ta_3N_5Ti_3O_3N_2$  solid solution
    - photocatalyst 173
  - Ta-based photocatalysts 192
  - temperature programmed
    - desorption (TPD) 255
  - temperature-controlled wettability
    - 321
  - tetra(4-carboxylphenyl)porphyrin
    - (TCPP) supramolecular
      - photocatalyst 129
  - tetracycline (TC) 22
  - tetracycline (TC) on urchin-like
    - oxygen doped  $MoS_2/ZnIn_2S_4$ 
      - (OMS/ZIS) composite 19
  - tetraphenylporphinesulfonate
    - (TPPS)/fullerene 129
  - tetraphenylporphyrin-C60 129
  - thermodynamic energy barriers
    - 225
  - 3D photocatalysts, for water
    - splitting 172
    - band structure engineering
      - 172–174
      - carrier separation 174–177
  - Ti-oxo clusters,  $Ti_8O_8(OH)_4$  206
  - Ti/Si binary oxides 297
  - titanium dioxide ( $TiO_2$ )
    - band edge positions of 173
    - density of states (DOSs) of 173
    - energy band structure 172
    - energy level diagram 14
    - facet effect of 172
    - phosphorus (P)-doped anatase
      - phase of 173
  - $TiO_2$  nanoparticle (NP) 199, 220
  - $TiO_2$  photocatalysts 297
  - $TiO_2$  thin films 297
    - chemical etching with HF
      - solution 148
    - fabrication 138, 139
    - radio frequency magnetic
      - sputtering (RF-MS)
        - deposition method 138–139

- TiO<sub>2</sub> thin films (*contd.*)
- characteristics 138–143
  - distance between target and substrate, effect of 139
  - H-type quartz reactor for photocatalytic water splitting 145
  - photoelectrochemical properties of 144–145
  - pure H<sub>2</sub> and O<sub>2</sub> separate evolution 149
  - sputtering Ar gas pressure, effect of 141
  - substrate temperature, effect of 139
  - surface treatment effect on 142
  - sputtering parameters 138
  - UV–vis transmission spectra 140
- TiO<sub>2</sub>-based photocatalysts 270
- TiO<sub>2</sub>/Ce<sub>2</sub>S<sub>3</sub> S-scheme heterojunction 55
- TiO<sub>2</sub>/CsPbBr<sub>3</sub> S-scheme heterojunction, for CO<sub>2</sub> reduction 46
- TiO<sub>2</sub>/g-C<sub>3</sub>N<sub>4</sub> S-scheme photocatalyst 48
- TiO<sub>2</sub> thin films, radio frequency magnetic sputtering (RF-MS) deposition method
- distance between target and substrate, effect of 141
  - substrate temperature, effect of 141
- titanium dioxide (TiO<sub>2</sub>) 137, 199
- titanium vapor 298
- total solar energy conversion efficiency ( $\eta$ ) of photocatalytic material 80
- TPPS/PDI 129
- traditional Z-scheme heterojunction 41
- transition metal dichalcogenides 214
- transition metal oxide catalyst 218
- transparent TiO<sub>2</sub> thin film photocatalysts 298, 300, 303
- triethanolamine (TEOA) 206
- triethanolamine photo-reforming using rGO nanosheets/C<sub>3</sub>N<sub>4</sub> composites 115
- two-dimensional (2D) graphene materials 171
- 2D C<sub>3</sub>N<sub>4</sub> nanosheets 103
- 2D g-C<sub>3</sub>N<sub>4</sub> for photocatalytic water splitting 177
- 2D materials, advantage of 171
- 2D metal oxide nanosheets 214, 222
- 2D MXenes as co-catalysts 19
- 2D phosphorus 177
- 2D photocatalysts 214
- band structure engineering 177–181
  - carrier separation 181–183
  - for water splitting 177
- 2D transition metal oxide nanosheets 214, 218–219
- type II heterojunction 41–42, 181
- U**
- ultrathin 2D self-assembled tetrakis (4-carboxyphenyl) zinc porphyrin (SA-ZnTCPP) supramolecular nanosheets 133
- ultrathin molybdenum disulfide (MoS<sub>2</sub>) 260
- ultrathin nanosheets 218, 312

- ultrathin TiO<sub>2</sub> nanosheet 219
- ultrathin two-dimensional (2D) nanosheets 214
- ultraviolet lamp tube 288
- Using X-ray absorption near edge structure (XANES) spectroscopy 193
- UV irradiation 210, 269
- UV light irradiation 209, 301
- UV-vis absorption 210
  
- V**
- valence band (VB) 189, 240, 254
- Valence band maximum (VBM) 269
- van der Waals forces 257
- vDW heterojunctions, electronic structure of 181
- visible-light-driven photocatalysts 195
- visible light nanomaterials 11
- visible light organic photocatalysis 27
- visible light-responsive polymeric graphic carbon nitride (g-C<sub>3</sub>N<sub>4</sub>) photocatalyst 2
- visible light-responsive semiconducting thin-film photocatalysts 137
- visible light-responsive TiO<sub>2</sub> thin film photocatalyst 2
- visible-light-responsive OWS photocatalysts development 83
  - aliovalent doping 84–86
  - dual-cocatalyst loading 86–88
  - new precursor designs 83
  - semiconductor material defect control 83–86
  - surface nanolayer coating 88–89
- visual biosensing 316
  
- W**
- wastewater regulations 285
- wastewater treatment device 290
- wastewater treatment equipment 288
- water contact angle (WCA) 305
- water droplets 209
- water photo-splitting 109
- water splitting 311
  - photocatalysts characteristics 171
  - water splitting reaction 79, 225
- water treatment equipment 288
- water-based dyes 321
- water-soluble contaminants 320
- weak interaction M—O bond 216
- wide band gap semiconductors 59
- WO<sub>3</sub>/g-C<sub>3</sub>N<sub>4</sub> S-scheme heterojunction photocatalyst 45
  
- X**
- XAFS measurements 304
- X-ray absorption fine structure (XAFS) 231
- X-ray diffraction patterns 232
  
- Z**
- Z-schematic water splitting photocatalyst 154
- Z-scheme photocatalyst 190
- Z-scheme photocatalysts 189
- Z-Scheme Pt/g-C<sub>3</sub>N<sub>4</sub>/TiO<sub>2</sub>/IrO<sub>x</sub> heterojunction 101
- zeolites 199
- zinc oxide (ZnO) 59
  - interstitial oxygen and zinc 61
  - limitations 59

- zinc oxide (ZnO) (*contd.*)
  - oxygen vacancies 60
  - photocorrosion process 70
    - effective electron transfer channel creation 71
    - vs. surface vacancy defects 70
  - photo-induced process 70
  - surface defects mechanism, on photocatalytic reaction behavior 66–70
  - surface vacancy defects
    - characterization of 64–66
    - electron paramagnetic resonance spectroscopy 65
    - photoluminescence spectroscopy 66
    - Raman spectroscopy 64
    - X-ray photoelectron spectroscopy 64
  - surface vacancy defects, controllable preparation of annealing 62
    - high-energy electrons and light irradiation 64
    - metal and nonmetal doping 63
    - surface vacancy defects, types of 60–61
    - vacancy formation energy 60
    - zinc vacancies 60
- Zn<sub>2</sub>Ti-LDH containing oxygen vacancies 232
- ZnIn<sub>2</sub>S<sub>4</sub>-NiO/BiVO<sub>4</sub> heterojunction 23
- formaldehyde conversion and simultaneous H<sub>2</sub> evolution over 22–23
- ZnO photocatalyst 4, 270
- Zr-doped TaON/Ta<sub>3</sub>N<sub>5</sub> nanoparticles 83
- Zr-TaON/Ta<sub>3</sub>N<sub>5</sub> photocatalyst 83, 84
- ZrS<sub>2</sub>-based vDW heterojunctions 181

















