

Index

a

acidic electrolytes
 PEMFC 62–65
 phosphoric acid fuel cell 61–62
 solid acid fuel cells 64–65
 activation polarization 44–45, 49–52, 58, 159
 Ag/AgCl electrode 176
 air electrode 15, 23, 50, 52–56, 58, 63–66, 72, 75–78, 80, 120, 121
 alkaline batteries 99–101, 103, 104
 alkaline electrolytes
 anion exchange membrane 66
 liquid alkaline fuel cell 65–66
 alkaline Fe-air batteries 103–105
 alkaline metal-air batteries 104–105
 alkaline redox flow batteries 105–106
 anion exchange membrane (AEM) FC (AEMFC) 66
 aqueous alkaline electrolytes
 Zn-air batteries 125
 Zn/MnO₂ battery 124, 125
 aqueous batteries with acidic electrolytes
 lead acid battery (LAB) 96–98
 redox flow batteries (RFBs) 98–99
 aqueous solutions 35–41, 46, 99, 100, 140, 167, 179–187
 area specific resistance (ASR) 50, 55, 57, 79
 Arrhenius law 71, 78

b

batteries
 C-rate 94–95
 definition of 89
 discharge curve shape and Gibbs phase rule 89–90
 electrochemical stability window of electrolytes 95
 maximum voltage and energy density
 binary conversion-type battery 91–93
 in general 91
 ternary conversion-type battery 93–95
 binary conversion-type battery 91–93
 bulk ionic transport, solid inorganic electrolytes (SIEs)
 extrinsic ionic conductors 31–32
 intrinsic ionic conductors 32
 ionic conductivity 30–31
 random-walk theory 32–34
 Butler–Volmer (B-V) formulation 43–45, 51, 52, 146

c

calomel reference electrode 175
 capacitance 6, 131–132, 134–143, 159
 capacitor basics
 capacitance 131–132
 CV and GCD 135–136

- capacitor basics (*contd.*)
 - dielectric material 132–134
 - in electrical circuits 134–135
 - for electrical energy storage 136–137
 - capacitor, definition of 131–137
 - Cartesian coordinate system 54, 55
 - cathode, definition 3
 - CeO₂-based fuel electrodes 77
 - ceramic interconnects 78
 - charge transfer
 - current functions 189–192
 - dashed lines function 189, 191, 192
 - quasireversible current function 189–190
 - chemical energy 1, 3, 4, 13, 15, 19, 25, 49
 - closed electrochemical cell systems
 - En of batteries 16
 - MTCD, battery cell 17–18
 - round-trip efficiency (RTE) 18
 - theoretical energy density of a battery cell 17
 - closed (or semi-closed) system 4
 - co-electrolysis of CO₂ and H₂O to syngas gas 80–81
 - CO₂ electrochemical reduction 82
 - combustion reaction 243
 - concentration cell method 169
 - concentration polarization 52, 55
 - air electrode 53–56
 - coupled activation 58–59
 - effect of pressure 58
 - fuel-electrode 56–57
 - concentric cylindrical capacitor 138
 - concentric spherical capacitor 138
 - constant current 151
 - quasi-reversible electrode process 153
 - reversible electrode reactions with multi-electron transfer 152
 - totally irreversible electrode process 152
 - constant phase element (CPE) impedance 159, 160
 - constant potential 4, 146–147, 153
 - controlled current methods
 - constant current 151–153
 - quasi-reversible electrode process 153
 - reversible electrode reactions with multi-electron transfer 152
 - totally irreversible electrode process 152
 - Coulometric titration 153–154
 - three-electrode cell 151
 - controlled potential methods
 - constant potential 146–147
 - definition 145
 - potential sweep
 - cyclic voltammetry 150
 - quasi-reversible systems 150
 - reversible systems 148–149
 - totally irreversible systems 149
 - conversion electrodes 114–116
 - Cottrel equation 147
 - Coulometric titration 111, 153–154, 156
 - counter electrode (CE) 4, 145, 175
 - C-rate 94–95
 - current function 149, 189–192
 - current transient method
 - galvanic current interruption (GCI) 154–155
 - galvanic intermittent titration (GITT) 155–157
 - cyclic voltammetry (CV) 135, 142, 145, 147, 150
- d**
- dielectric material 132–134, 137, 138
 - direct energy-conversion devices 1
 - discharge curve shape and Gibbs phase rule 89–90
- e**
- electrical conductivity 75, 77–79, 162–164
 - electrical conductivity relaxation (ECR) method 164–166
 - electrical double layer (EDL) 6, 139–141
 - electrochemical cells 175
 - configuration of 3–4
 - features 7–8

- half reactions in 4–5
- history of 2–3
- thermodynamics 9–27
- electrochemical CO₂ reduction reaction (CO₂RR) 81
 - CO₂ to CO conversion 84
 - CO₂ to ethanol conversion 85
 - CO₂ to ethylene conversion 85–86
 - CO₂ to formic acid conversion 83–84
 - CO₂ to methane conversion 84–85
 - CO₂ to methanol conversion 83
- electrochemical double layer capacitors (EDLCs) 6, 131, 136, 139–140
- electrochemical double layer (EDL) model 6, 139–141
- electrochemical impedance spectroscopy (EIS)
 - definition 157
 - experimental setup 161–162
 - theory 158–161
 - working principle of 157–158
- electrochemical methods 145–171, 189
- electrochemical pseudocapacitors (ECPCs)
 - electrochemical signatures 142–143
 - history of 141
 - materials 141
 - types of
 - adsorption 141–142
 - intercalation 142
 - redox 142
- electrochemical stability window (ESW) 95, 107, 109
- electrode kinetics 41–44, 50, 62, 69, 146
- electrode reactions, PEMFC 62
- electrokinetics 47, 52, 147
- electrolysis, definition 2
- electrolytes 67
 - definition 3, 29
 - membrane 63
- electrolytic cells (ECs) 5, 9, 13, 15, 47–86, 145
 - co-electrolysis of CO₂ and H₂O to syngas gas 80–81
 - electrochemical CO₂ reduction reaction 81–86
 - efficiency of 61
 - efficiency of 61
 - E_n of batteries 16
 - Evans–Vincent–Bruce method 170–171
 - extrinsic ionic conductors 31–32
- f**
 - Faradaic efficiency 60, 61, 83, 99, 115, 145
 - faradaic process 6, 42, 44
 - Faraday’s law 2, 3, 6, 7, 61, 146, 153, 170
 - fuel cell/electrolytic cell (FC/EC)
 - electrolytic cells 80–86
 - co-electrolysis of CO₂ and H₂O to syngas gas 80–81
 - electrochemical CO₂ reduction reaction 81–86
 - overview 47
 - voltage losses 49–59
 - activation polarization 50–52
 - concentration polarization 52–59
 - Ohmic voltage loss 49–50
 - Fick’s law 51
 - fuel cells (FCs) 47
 - acidic electrolytes
 - PEMFC 62–65
 - phosphoric acid fuel cell 61–62
 - solid acid fuel cells 64–65
 - alkaline electrolytes
 - anion exchange membrane 66
 - liquid alkaline fuel cell 65
 - efficiency of 59–60
 - and electrolytic cells
 - types of 47–48
 - molten carbonate electrolytes 66–69
 - components 67–69
 - electrode reactions 67
 - solid oxide electrolytes 69
 - components 70–80
 - electrode reactions 70
 - fuel electrode 50, 52, 53, 56–59, 63, 66, 77, 78, 120–122
 - fuel electrode (anode) 64, 67, 69

g

- galvanic cells (GCs) 5, 9–13, 47, 80, 145
- galvanic charge-discharge (GCD) method 135–136
- galvanic current interruption (GCI) 154–155
- galvanic intermittent titration (GITT) 155–157
- galvanostat 151, 155, 156
- gas diffusion electrode (GDE) 65
- Gibbs free energy 2, 3, 9–11, 13, 15, 17, 30, 42, 91, 98, 102, 103, 105, 128, 193–240
 - change 2, 3, 9, 10, 13, 15, 17, 42, 91, 98, 105, 128
- Gibbs phase rule in electrochemical cells 25–27
- Gibbs triangle 27, 93, 95
- Gouy–Chapman theory 139
- gross calorific value 243
- gross energy 243
- Grotthuss mechanism 74, 75

h

- heat of combustion 243–253
 - hydrocarbon fuels 243–244
- heat production and consumption 23–25
- Helmholtz double layer 139
- higher heating value (HHV) 60, 243, 244
- high-voltage batteries 96
- Hittorf method 166–168
- hydrocarbon fuels 19, 69, 84, 243–244

i

- ideally polarizable electrode (IPE) 6
- impedance spectrum 135, 158–160
- inner and outer Helmholtz planes (IHP and OHP) 140
- intercalatable/insertable electrodes 112–114
- intercalation chemistry 90, 109–113, 126, 129
- interconnection 1, 49, 54, 66, 67, 69, 78–80, 113, 119
- intrinsic ionic conductors 32

- inverse hyperbolic sine (IHS) 51, 52
- ionic transport
 - in aqueous solution electrolytes
 - basic principles 35–38
 - ideality vs. non-ideality 38–40
 - Walden's law 40–41
 - in solid amorphous electrolytes 34–35
- ion transport number of electrolyte concentration cell method 169
- Evans–Vincent–Bruce method 170–171
- Hittorf method 166–167
- moving boundary method 167–169
- QCM 169–170

k

- kinetics of electrochemical cells
 - aqueous and non-aqueous electrolytes 41
 - bulk ionic transport, solid inorganic electrolytes (SIEs)
 - extrinsic ionic conductors 31–32
 - intrinsic ionic conductors 32
 - ionic conductivity 30–31
 - random-walk theory 32–34
- ionic transport
 - in aqueous solution electrolytes 35–41
 - in solid amorphous electrolytes 34–35
- kinetics of electrode reactions
 - potential-dependent rate of electrode kinetics 42–45
 - rate of 41–42
- Knudsen diffusion 53, 54, 56
- Knudsen effusion mass spectrometry 73
- Knudsen number 53
- Kohlrausch's law 36
- Kröger–Vink notation 75

l

- layered double hydroxide (LDH) structure 106
- lead acid battery (LAB) 96–98
- Li-AgV₂O₅ battery 129

Li-CFx battery 127–128
 Li-FeS₂ battery 126–127
 Li-metal anode
 Li-AgV₂O₅ battery 129
 Li-CFx battery 127–128
 Li-FeS₂ battery 126–127
 Li-MnO₂ battery 126
 Li-SO₂ battery 128–129
 Li-SOCl₂ battery 129
 Li-MnO₂ battery 126
 Linear Sweep Voltammetry (LSV) 147, 149, 150
 liquid alkaline fuel cell (LAFC) 65–67, 80
 Li-SO₂ battery 128–129
 Li-SOCl₂ battery 129
 lower heating value (LHV) 60, 244

m

mass transfer involved activation polarization 44–45
 maximum theoretical charge capacity (MTCD) 17–18, 107, 114, 116, 123
 maximum theoretical energy density (MTED) 17, 91, 92, 94, 98, 102, 103, 105, 119, 122, 125, 127–129
 maximum voltage and energy density
 binary conversion-type battery 91–93
 in general 91
 ternary conversion-type battery 93–95
 memory effect of Ni-cathode 101
 metallic interconnects 78–80
 molten carbonate fuel cell (MCFC) 66
 cathode 68–69
 components 67–69
 electrode reactions 67
 electrolyte 67
 electrolyte matrix 67–68
 fuel electrode (anode) 69
 impurity effect 69
 interconnects 69
 moving boundary method 167–169

n

Nernst equation 6–7, 9, 40, 43, 52, 72, 98, 147, 148, 152
 Nernst potential E_n of galvanic cells 9–13
 Nernst–Einstein equation 30, 40
 Nerst–Planck equation 50
 net calorific value 244
 neutral aqueous electrolytes 106–107
 Ni-based cathode
 chemistry 100–101
 memory effect 101
 Ni–Cd battery 101–102
 Ni–Fe battery 103
 Ni–MH batteries 103–104
 Ni–Zn batteries 102
 Ni–Cd battery 101–103
 Ni–Fe battery 103
 Ni-metal hydride (MH) battery 103–104
 Ni–Zn batteries 102
 non-faradaic processes 6
 non-polar dielectrics 133
 nonpolarizable electrode 4, 175
 normal hydrogen electrode (NHE) 4

o

Ohmic voltage loss 49–50
 Ohm's law 30, 50, 162
 open electrochemical cell systems
 Nernst potential E_n of galvanic cells 9, 13
 thermodynamic efficiency 15–16
 thermoneutral potential E_m of an electrolytic cell 13–15
 open system 3, 13, 49
 organic electrolytes 108, 109
 conversion electrodes 114–116
 intercalatable/insertable electrodes 112–114
 intercalation chemistry 109–112
 primary batteries 126
 rocking-chair chemistry 109, 110
 overpotential and reaction rate 7
 oxidant 5, 9, 11, 12, 19, 47, 49, 63, 65, 69, 70

- oxidation reactions
 - temperature-dependent
 - thermodynamic properties 244
 - oxide-based Li⁺-conductors 117–118
 - oxide-based Na-ion conductors 118–119
 - oxide-ion conducting electrolytes 71–74, 120
 - oxygen reduction reaction (ORR) 15, 63, 66, 76, 80, 104, 120

 - p**
 - parallel plate capacitor (PPC) 131, 132, 137–139, 144
 - PEMFC 62
 - electrode-catalyst layer 63
 - porous backing layer 63
 - phosphoric acid fuel cells (PAFCs) 61, 65, 67
 - cell components 62–63
 - electrode reactions 62
 - physical constants 255
 - Poisson–Boltzmann (PB) theory 139
 - polar dielectrics 133, 134
 - polarization 3, 6, 7, 44–45, 49–60, 64–66, 77, 133, 154, 155, 157, 159, 161, 171
 - polymer-based cation exchange membranes 63
 - polytetrafluoroethylene (PTFE) 62, 63, 65, 67
 - porous electrodes 48, 49, 53, 66, 68, 139
 - porous polyethylene (PE) 65
 - potential-dependent rate of electrode kinetics
 - Butler–Volmer formulation 43–44
 - exchange current density 43
 - mass transfer involved activation polarization 44–45
 - standard rate constant 42–43
 - potential sweep
 - cyclic voltammetry 150
 - quasi-reversible systems 150
 - reversible systems 148–149
 - totally irreversible systems 149
 - pressure dependence of E_n and E_m 20–21

 - primary batteries
 - with aqueous alkaline electrolytes
 - Zn-air batteries 125
 - Zn/MnO₂ battery 124–125
 - definition 124
 - Li-metal anode
 - Li-AgV₂O₅ battery 129
 - Li-CFx battery 127–128
 - Li-FeS₂ battery 126–127
 - Li-MnO₂ battery 126
 - Li-SO₂ battery 128–129
 - Li-SOCl₂ battery 129
 - organic electrolytes 126–129
- proton exchange membrane fuel cells (PEMFCs) 61, 63, 64
- proton-ion conducting electrolytes 74–75
- pseudocapacitance 141, 142
-
- q**
- quartz crystal microbalance (QCM)
 - technique 169–171
- quartz crystal microbalance with dissipation (QCM-D) 170
- quasi-reversible electrode process 153
- quasi-reversible systems 150
-
- r**
- Randles–Sevcik formulation 148, 149
- random-walk theory 32–34
- rate-determining steps (RDS) 7, 45, 50, 51
- rechargeable batteries
 - alkaline electrolytes 99–106
 - alkaline metal-air batteries 104–105
 - alkaline RFB 105–106
 - aqueous batteries with acidic electrolytes 96–99
 - neutral aqueous electrolytes 106–107
- Ni-based cathode
 - chemistry 100–101
 - memory effect 101
 - Ni–Cd battery 101–102
 - Ni–Fe battery 103
 - Ni–MH batteries 103–104

- Ni–Zn batteries 102
 - with organic electrolytes 108–109
 - conversion electrodes 114–116
 - intercalatable/insertable electrodes 112–114
 - intercalation chemistry 109–112
 - rocking-chair chemistry 109, 110
 - with solid state electrolytes (SSB)
 - components 116, 117
 - oxide-based Li⁺-conductors 117–118
 - oxide-based Na-ion conductors 118–119
 - oxide-based oxide-ion conductor 120–124
 - redox flow batteries (RFBs) 98, 99, 105–106
 - reductant 5
 - reference electrode (RE) 4, 145, 175
 - calomel reference electrode 175–176
 - converting potentials between 177–178
 - silver/silver chloride electrode 176–177
 - reference electrode 1 (RE1) 4, 5, 145, 156, 160, 161, 175–178
 - reverse water gas shift (RWGS) reaction 81
 - reversible electrode reactions with
 - multi-electron transfer 152
 - reversible systems 148–150
 - rocking-chair chemistry 109–112, 116
 - round-trip efficiency (RTE) 18
- S**
- saturated calomel electrode (SCE) 4, 175–177
 - Sauerbrey equation 170
 - silver/silver chloride electrode 176–178
 - six forms of energy 1, 2
 - solid acid fuel cells (SAFCs) 61, 64–65
 - solid oxide electrolytic cells (SOECs) 13, 20, 22, 49
 - solid oxide fuel cell (SOFC)
 - air electrodes 75–77
 - ceramic interconnects 78
 - electrode reactions 70
 - fuel electrodes 77
 - interconnection 78–79
 - metallic interconnection 79–80
 - oxide-ion conducting electrolytes 71–74
 - proton-ion conducting electrolytes 74–75
 - solid state electrolytes (SSB)
 - components 116, 117
 - oxide-based Li⁺-conductors 117–118
 - oxide-based Na-ion conductors 118–119
 - oxide-based oxide-ion conductor
 - chemistry 121–122
 - configuration and working principle 120–121
 - SOMARB 122–124
 - solid oxide metal air rechargeable battery (SOMARB)
 - kinetic considerations 123–124
 - performance metrics 122, 123
 - standard electrode potentials
 - aqueous solutions 179–187
 - standard hydrogen electrode (SHE) 4, 5, 175, 177
 - standard rate constant 42–43
 - Stefan–Maxwell equation 53, 54, 56
 - Stern model 139
 - surface area 3, 41, 68, 69, 120, 123, 132, 140, 156, 165
 - symmetric three-electrode cell (STEC)
 - methodology 160, 161
- t**
- temperature dependence of E_n and E_m 18–20, 71
 - ternary conversion-type battery 93–95
 - theoretical energy density of a battery cell 17
 - thermal and chemical expansion
 - coefficients 22–23
 - thermal expansion coefficient (TEC) 22, 23, 75–80

- thermodynamic efficiency 15, 16, 60
 - thermodynamics
 - closed electrochemical cell systems
 - E_n of batteries 16
 - MTCD, battery cell 17–18
 - round-trip efficiency (RTE) 18
 - theoretical energy density of a battery cell 17
 - definition 9
 - Gibbs phase rule in 25–27
 - heat production and consumption 23–25
 - open electrochemical cell systems
 - Nernst potential E_n of galvanic cells 9, 13
 - thermodynamic efficiency 15–16
 - thermoneutral potential E_{tn} of an electrolytic cell 13–14
 - pressure dependence of E_n and E_{tn} 20–21
 - temperature dependence of E_n and E_{tn} 18–20
 - thermal and chemical expansion coefficients 22–23
 - thermoneutral potential E_{tn} of an electrolytic cell 13–15
 - three-electrode cell configuration 4, 146
 - totally irreversible electrode process 152
 - totally irreversible systems 149
- U**
- upper heating value 243
- V**
- Vogel–Fulcher–Tammann (VFT) equation 34
 - voltage efficiency 60, 109
 - voltage losses
 - activation polarization 50–52
 - concentration polarization 52–59
 - Ohmic voltage loss 49–50
 - voltaic pile 2
- W**
- Walden’s law 40–41
 - water electrolysis equations 187
 - working electrode (WE) 4, 145, 175
 - potential 145–150
- Z**
- Zn-air batteries 125
 - Zn/MnO₂ battery 124, 125, 127