

## Index

### **a**

Ab initio molecular dynamics simulation  
396, 399–401

absorption 306  
chemical absorption method 306–311  
physical absorption 311–313

acetophenone 122, 426, 427

acid–base neutralization reaction 32

acidic ILs 15, 34, 112, 290

acidogenic fermentation 335

acridinedione derivatives 426

active pharmaceutical ingredient ionic  
liquids (API-ILs) 196, 212, 446

active pharmaceutical ingredients (API)  
196, 203, 212, 374

adsorption 314–315, 339

“agro-active” agents 228

aldol condensation 111–113, 335

alkylimidazolium ionic liquids 274

1-alkyl-3-methylimidazolium 265  
salts 419

1-alkyl-3-methylimidazolium  
chloride–aluminium chloride  
([C<sub>n</sub>C<sub>1</sub>im]Cl–AlCl<sub>3</sub>) IL system 5

1-alkyl-3-(propyl-3-sulfonate)  
imidazolium 152

alkynone *o*-methyloximes 429

alkynylatedisoxazole 429

allylisoxazoles 429, 430

ambient temperature molten salt 369

2-aminobenzamides 430

6-amino-1,3-dimethyl uracil 437

2-amino-4*H*-chromene derivatives 435

2-amino-2-methyl-1-propanol 307

5-aminotetrazole 426

ammonium acetate 119, 128, 130, 434

(2-hydroxyethyl)-ammonium lactate  
based ILs 12

analytical chemistry 268–269

anion exchange 32, 152, 166, 167

anions of ILs 30

aromatic aldehydes 425, 437, 439

artificial muscles 446

aryl-benzo[4,5]imidazo[1,2-*a*]pyrimidine  
amines 425

5-aryloxy-1*H*-pyrazole-4-carbaldehydes  
422, 423

5-aryl-2-thioxopyrrolidine-3,3-diester  
432

Aspen HYSYS software version 8.8  
306

azeotropic mixture 43, 267, 360

azobisisobutyronitrile (AIBN) 425

### **b**

background electrolyte (BEG) 268

barbituric acid/thiobarbituric acid 436,  
437

basic ILs 15–16, 40, 106, 427, 432

benzaldehyde 34, 128, 434, 436

benzimidazoquinazolinones 436

[1,3]benzoxazine-2-thione 432

benzyl bromide 421

bicyclic ionic liquids 424

Biginelli reaction 117–120, 437

biobutanol 335–340

- bio-carboxylic acids
  - adsorption 359
  - applications of 353–354
  - definition 353
  - distillation process 357–359
  - evaporation 359
  - ionic liquid 355–357
  - market of 354
  - membrane extraction 359
  - production of 354–355
  - reactive extraction process 360–363
  - separation of 357, 362
  - solvent extraction 360
- biocatalysis and biotechnology
  - biodiesel manufacturing 475–479
  - bioethanol production 471–475
  - definition 460
  - enzyme selectivity
    - enantioselectivity 469
    - regioselectivity 470
  - hydrophobicity 461
  - ionic liquid stability of enzymes 470–471
  - miscibility 462
  - polarity 461
  - properties 460
  - purity 461
  - solvents for enzyme catalysis 467–469
  - viscosity 462–464
  - whole-cell biotransformations 464–466
- biocatalysts, definition 286
- biocompatible ionic liquids 256, 449
- biodegradation of ILs 293–294
- biodiesel manufacturing 475–479
- biodiesel production 289, 291–292, 294, 295, 477, 479
- bioethanol production 471–475
- biofuels 333
  - first generation 333
  - fourth generation 334–335
  - second generation 334
  - third generation 334
- bioherbicide ionic liquids (bio-HILs) 226
- bio-ILs 11–12
- biomass conversion process
  - enzymatic processes 286
  - lignin extraction processes 285–286
  - thermochemical process 285
- biomass, organic compounds and fuels
  - sources 284
- biomechanics 271–272
- biomedical applications 278
  - protein stabilization 258–259
  - solubilization of drugs 257–258
- bio-oils 285
- bio refinery 292
  - biodegradation of ILs 293–294
  - toxicity of ILs 293
- bioscience 205, 267, 271
- biphasic acid scavenging utilizing ionic liquids (BASIL) 6
- bis- $\alpha$ -aminophosphonates compounds 125
- bis(trifluoromethylsulfonyl)amide 275
- bis(indolyl)methanes 439
- bis(indolyl)methanes and pyrazolo[3,4-*b*]pyridines 439
- bis-(trifluoromethanesulfonyl)imide ((CF<sub>3</sub>SO<sub>2</sub>)<sub>2</sub>N<sup>-</sup>) anions 371
- [bmim][PF<sub>6</sub>] mediated Heck coupling 100
- bromochloroaluminate 4
- Bronsted acidic ionic liquid (BAIL) 430, 433
- Brownian particle diffusion 237
- [Bu<sub>4</sub>N][I-PRO] mediated Heck coupling with 2,3-dihydrofuran 101
- butanol
  - production
    - anaerobic fermentation 335
    - via biochemical conversion 335–336
    - via petrochemical conversion 336–337
  - properties 336
  - recovery techniques
    - adsorption 339
    - advantages and disadvantages 339
    - distillation 337

- gas-stripping process 338
  - liquid-liquid extraction process 337–338
  - perstarction process 338–339
  - pervaporation 338
  - world demand 344–345
  - 1-butyl-3-methylimidazolium hydrogen sulphate [BmIm]<sup>+</sup>HSO<sub>4</sub> 426
  - 1-butyl-3-methylimidazolium tricyanomethanide 305
  - 1-butylpyridinium chloride-aluminium chloride ([C<sub>4</sub>py]-AlCl<sub>3</sub>) 4
- C**
- capillary electrophoresis (CE) ionic liquids 268
  - carbamate polymerization 307
  - carbinolamides 433
  - carbon capture and storage (CCS) 276
  - carbon-carbon bond formation reactions
    - aldol condensation 111–113
    - Claise–Schmidt condensation reaction 113–114
    - cross-coupling reactions 98–111
    - Diel Alder reaction 114–115
    - Friedel craft alkylation 114
    - Henry reaction 115–116
    - other C-C bond formation reaction 116
  - carbon dioxide 70, 123, 276, 301
  - carbon ionic liquid electrodes (CILEs) 184
  - carbon-nitrogen bond formation reaction
    - Biginelli reaction 117–120
    - Mannich reaction 121–123
    - N-allylation reactions 120–121
    - other 123–131
  - carbonyl isoxazoles 429, 430
  - cascade correlation network (CCN) 378
  - casting and rubbing 184, 185
  - catalytic performance 112, 184
  - cation of ILs 30
  - C–C cross-coupling reactions
    - Heck coupling 98–103
    - Hiyama coupling 109–111
    - Sonoghasira coupling 106–108
    - Stille coupling 109
    - Suzuki coupling 103–106
  - cellulose 79, 80, 162, 284
  - Channel Catfish Ovary (CCO) 379
  - CHARMM algorithm 240
  - chemical absorption 276, 306–311
  - chemical adsorption 310, 314
  - chemical fixation of CO<sub>2</sub> 315–317
  - chiral ephedrinium ILs 11
  - chiral ILs (CILs) 10–11, 101, 222
  - chiral imidazolium ILs 11
  - chlormequat chloride
    - 2-chloroethyltrimethylammonium chloride (CCC) 226
  - choline acetate 258, 435
  - choline and geranate (CAGE)-based ILs 74
  - choline based ILs, structure of 310
  - chromeno[2,3-*c*]pyrazol-4(1*H*)-ones 423
  - Claisen–Schmidt condensation reaction 113–114
  - classical polyelectrolytes 163
  - cloud point extraction (CPE) 269
  - CL&Pol polarizable force field 242
  - coarse-grained force field (CGFF) 240
  - CO<sub>2</sub> capture (CC) 302, 316
    - absorption
      - chemical absorption method 306–311
      - physical absorption 311–313
    - adsorption 314–315
    - cryogenic separation 305–306
    - membrane separation method 304–305
    - oxyfuel combustion process 303
    - post-combustion 303
    - precombustion process 303
  - CO<sub>2</sub> fixation mechanism, plant leaf 301
  - conductivity, ILs 56–57
  - corrosion resistant material 274–275
  - COSMO-RS 53, 81, 361
  - Coulombic attraction 443

cross dehydrogenative coupling (CDC)  
reaction 422

cryogenic separation 305–306

cyclic carbonates 34, 438, 439

cyclic 1,3-diones 438

## **d**

*Daphnia magna*, 71, 75, 378–380

deep eutectic solvents (DES) 255, 257,  
267

density functional theory (DFT) 310,  
396–399

density, ILs 52–53

designer solvents 1, 35, 70, 88, 97, 223,  
440

dialkylimidazolium-based ionic liquids  
461

dialkylimidazolium halide 461

1,3-dialkyl-1,2,3-triazolium-based ILs  
37

dibenzothiophene (DBT) 272

1,3-dibutyl-1*H*-benzo[*d*][1,2,3]-triazol-  
3-ium bromide 422

(2,4-dichlorophenoxy)acetic acid (2,4-D)  
226

Diel–Alder reaction 114–115

diffusion, ILs 60–61

2,6-difluorobenzyl bromide 422

3,4-dihydropyrimidin-2(1*H*)-ones 118,  
120

dihydropyrimidinones (DHPs) 117, 437

dimedone 425, 436, 437

dimethylformamidedimethylacetal  
426

dispersive solid phase microextraction  
(DSPME) 269

distillation 337, 357

2,2-disubstituted quinazolin-4(1*H*)-one  
430

1,4-disubstituted 1,2,3-triazoles 422

doxorubicin-loaded ionic liquid  
(IL-PDA-DOX) 213

DRAGON 7 380

drug solubility 447

dual-functional ILs 224

## **e**

Einstein–Helfand conductivity formalism  
406

electric double layer capacitor (EDLC)

flat electrode capacitor 409–410

in porous electrode capacitor 410–412

electrochemical applications 445

biomechanics 271–272

bioscience 271

electrodeposition 269–270

energy management 270–271

electrodeposition 34, 185, 269, 270

electroosmotic flow (EOF) 142, 268

electrosynthesis 33, 34

enantioselectivity 112, 113, 122, 469, 477

energetic hydrazinium salts 14

energetic ILs 2, 13

energy management 270–271

enzymatic processes 286, 461

ethanol 53, 57, 79, 105, 118, 333

ethylammonium nitrate ([EtNH<sub>3</sub>][NO<sub>3</sub>])  
370

extractive fermentation method 465

## **f**

fatty acid ionic liquids (FAILs) 243

Ferreira–Kiralj hydrophobicity parameter  
378

first-generation biofuels 333, 335

first generation of ionic liquids 205

Fischer Tropsch process 285

flat electrode capacitor 409–410

fossil fuels 270, 283, 286, 302, 333

fourth-generation biofuels 334–335

fractional Walden rule 3

Friedel–Craft alkylation 114

## **g**

$\gamma$ -valerolactone 111

gas expanded solvents (GXLs) 267

gas-stripping process 338

*g*-C<sub>3</sub>N<sub>4</sub>-SO<sub>3</sub>H catalyzed synthesis 439

generalized regression neural networks  
(GRNN) 378

Global Carbon budget 2021 302

- graphene material 409  
green biofuel 337  
Green Chemistry principles 375–376  
green solvents 195, 267, 355
- h**
- 1*H*-benzo[*d*]imidazol-2-amine 425  
[H<sub>2</sub>-DABCO][H<sub>2</sub>SO<sub>4</sub>]<sub>2</sub> mediated synthesis  
437  
Heck coupling 98–103  
hemicellulose 284  
Henry reaction 34, 39, 40, 115–116  
Henry's law 311, 312  
heptachlorodialuminate salt,  
structure of 4  
herbicidal ionic liquids (HILs) 226  
heterocycles  
applications 421–439  
characteristics 419  
definition 419  
hexafluorophosphate (PF<sub>6</sub><sup>-</sup>) 371, 462  
Hiyama coupling 109–111  
homopolymeric PILs 166  
1*H*-Pyrazolo[1,2-*b*]Phthalazine-5,10-  
Dione derivatives 128  
hydrazine hydrate 425  
hydrodesulfurization (HDS) 272  
hydrophilic ionic liquid 462  
hydrophobic ionic liquids 344, 462  
hydrophobicity 183, 461  
2-hydroxyethylammonium formate IL  
434  
hydroxyl ethyl ammonium acetate  
(HEAAc) 438
- i**
- IL-based sensing layers  
casting and rubbing 185  
direct mixing 184  
electrodeposition 185  
layer-by-layer method 186  
physical adsorption method 185  
sandwich-type immunoassay 186  
sol-gel encapsulation 185–186  
IL-based separation techniques  
common value-added compounds 144  
liquid-liquid extraction (LLE)  
148–149  
microwave-assisted extractions 147  
simple solid-liquid extractions 146  
solid-liquid extraction (SLE) 145–146  
ultrasound-assisted extractions  
147–148  
IL catalyzed Heck reaction 40  
IL catalyzed Henry reaction 40  
IL catalyzed Michael addition reaction  
41  
ILs/graphene oxide (GO) membranes  
238  
imidazo[2,1-*a*]isoquinolines 126  
imidazole and pyrrolidinium-based  
electrolytes 2  
imidazolium-and  
tetraalkylammonium-based  
poly-ILs 13  
imidazolium-based IL 11  
imidazolium-cation based ILs 30  
immiscible liquid phase 465  
indoles 439  
industrial applications 272–273  
industrial biorefineries 283  
IoNanofluids (IFNs)  
applications of 85–86  
non-toxic and biodegradable 86–87  
properties of 82–84  
ionic conductivity 182, 404  
ionic liquid-based electrochemical  
biosensors  
CNMs-ILs based electrochemical  
biosensor 187  
cancer biomarker 189–190  
cardiac disease 190  
glucose biosensor 191  
immunoglobulins 190  
neurotransmitter 190  
ionic liquid crystals (ILCs) 277  
ionic liquid electrolyte  
Ab initio molecular dynamics  
simulation 399–401  
in batteries

- ionic liquid electrolyte (*contd.*)
  - additives 407–408
  - salts 407
  - solvents 403–407
- density functional theory (DFT)
  - 396–399
- EDLC 408–409
- molecular dynamics simulation 402
- multiscale simulation method 396
- ionic liquid-like systems 6
- ionic liquids (ILs) 339
  - acidic ILs 15
  - active pharmaceutical ingredient 196
  - advance and smart materials 446
  - advantages 265, 317
  - anions 30
  - anticancer potential of 209–213
  - application as bioactive formulations 228
  - application of 341–342, 372–375
    - absorbent in gas capturing 276–277
    - additives in drilling fluid 275–276
    - in analytic chemistry 268–269
    - biomedical 278
    - corrosion resistant material 274–275
    - in electrochemical 269
    - in industrial 272–273
    - liquid crystalline (LC) phase 277–278
    - lubricant material 273–274
    - solvent and catalyst 267–268
  - applications as green solvents 180
    - analytical application 42
    - in biomass utilisation and extraction 78–80
    - in biomedical applications 81–82
  - biotechnology 43–44
  - electrocatalysis 34
  - electrodeposition 34
  - electrosynthesis 34
  - in energy applications 80–81
  - engineering 42–43
  - heat transport and storage 41
  - performance additives 43
  - separation 41
  - solvents and catalysis 35
- assisted metal nanoparticles 198–200
- basic ILs 15–16
- benefits 302
- biobutanol recovery using 343–344
- bio-carboxylic acids 355–357
- biodiesel production 291–292
- in bio-electrochemical devices 191
- bio-ILs 11–12
- biological application 196
- biomedical applications 257–259
- biorefinery 284
- brief history 3–6
- business and academics 235
- cations 30
  - and anions 255, 256
- in chemical and biochemical catalysis 245–247
- chemical fixation of CO<sub>2</sub> 315–316
- in chemical processes
  - preamble 245
  - separation and purification 245
- chemical reactions/catalysts 446
- chiral ILs 10–11
- classification of 444
- commercialization of 18–20
- conductivity of 256
- constituents of 2–3
- databases of 380–388
- deep eutectic solvents 257
- defined 29, 179
- as deterrents 227–228
- discovery of 265
- distribution ratios and selectivities 344
- drug delivery 197
- dynamic characteristics of
  - self-diffusion 237–238
  - shear viscosity 238–239
- electrochemical application 445
- in electrochemistry
  - catalytic performance 184
  - hydrophobicity 183
  - ionic conductivity 182

- larger electrochemical window  
181–182
- viscosity 183–184
- energetic ILs 13–14
- extraction processes 445–446
- first generation 205
- in force fields and electronic structure  
239–241
- general characteristics of 143–145
- generation and their application  
222–224
- Green Chemistry principles 375–376
- green solvents 69
- growth of
  - acid–base neutralization reaction  
32
  - anion exchange 32
  - direct combination 33
  - microwave-assisted technique 33
  - quarternization 30–32
  - ultrasound-assisted synthesis 33
- heterocycles 419
- hydrophobic 344
- industrial catalytic applications 266
- interpretation tool 236
- IoNanofluids (IFNs) 82–87
- limitations 278–279
- low melting points of 255
- magnetic ILs 16–17
- metallic ILs 14
- microwave irradiation 445
- miscibility, conductivity and viscosity of  
257
- mixtures in
  - ionic liquids and interfaces  
241–243
  - ionic liquids and water 243–245
- as mobile phase additives in liquid  
chromatography 149–151
- in nano carrier development 198
- nanotechnology 197
- neutral ILs 16
- pharmaceutical 446
- pharmaceutical application of 196
- of pharmaceutical development
  - bio compatibility vs toxicity  
448–449
  - drug sequestration/ recovery  
449–450
  - drug solubility 447
  - drug transport/delivery 447–448
  - sustainability/future prospect  
450
- physicochemical properties of 29
  - conductivity 56–57
  - density 52–53
  - diffusion 60–61
  - melting point 53–56
  - miscibility 61–62
  - polarity 60
  - solubility 58
  - surface tension (ST) 58–59
  - thermal stability and decomposition  
56
  - vapor pressure 61
  - viscosity 59–60
- PILs 15
- in plant defense mechanisms
  - as an herbicide and plant growth  
promoters 226–227
  - as antifungal agent 225–226
  - as antimicrobial agents 224–225
  - application of 227
  - functional activity of 224
- poly-ILs 12–13
- predictive toxicity models 378–380
- production 341
- products in future management of  
agri-industries 229
- properties of 163–166, 372
- SAR induction mechanism 228–229
- scope of 17–18
- scope of biodegradable and non-toxic  
76–78
- second generation 7–8, 205–206, 444
- silico modeling 377–378
- solubility of 256
- solvent properties 179
- as solvents 197
- structural behavior of 260

- ionic liquids (ILs) (*contd.*)
- structural characteristics 369–372
  - structures of anions commonly used in 205
  - structures of cations commonly used in 205
  - supported ILs 16
  - switchable polarity solvent ILs 11
  - task-specific ionic liquids (TSILs) 9
  - third generation 206
  - toxicities of
    - functionalized cation side chain/degree of functionalization 207–208
    - length of a cation side chain 207
    - nature of anion 208–209
    - nature of cation 208
  - toxicity and ecotoxicity of 292–294
  - toxicity assessment of 376–377
  - toxicological effects and toxicity mechanisms of 71–76
  - vs. traditional salts 340
  - types 340
  - used as surface-bonded stationary phases 151–152
  - value added organic compounds from biomass 286–290
- ionothermal synthesis 37
- iristectorin A 148
- iristectorin B 148
- k**
- Knoevenagel adduct 435
- Kraft lignin 285
- l**
- LASSBio-294 drug in ILs 200
- layer-by-layer method 186
- levulinic acid 290, 361
- levulinic-acid esters 290
- $\text{Li}_{10}\text{GeP}_2\text{S}_{12}$  (LGPS) 399
- lignin 285
- lignin extraction processes 285–286
- lignocellulosic biomass 284, 334
- lignosulfonates 285
- linear discriminant analysis (LDA) 378
- liquid crystalline (LC) phase 277–278
- liquid 1-ethylpyridinium bromide-aluminium chloride ( $[\text{C}_2\text{py}]\text{BrAlCl}_3$ ) 4
- liquid-liquid extraction (LLE) 148–149, 337–338
- liquid organic salt 369
- liquid polymers 267
- low melting ionic liquid 255
- low temperature molten salt 369
- lubricant 273–274
- lyotropic LCs 277
- m**
- magnetic ILs 2, 16
- malononitrile 435
- Mannich reaction 121
- MCF-7 cancer cell lines 380
- MC-supported Cobalt-NHC catalyst 108
- mechanochemistry 267
- Meldrum's acid 439
- melting point, ILs 53–56
- membrane extraction 359
- membrane separation method 304–305
- metal based ILs 311
- metallic ILs 14
- methanoic acid (HCOOH) 303
- (3-methoxycarbonyl)coumarin 428
- methylchloroacetate 428
- 1-methylimidazolium thiocyanate 432
- 3-methyl-1-phenyl-1*H*-pyrazole-5-amine 438
- 5-methylpyrazol-3-amine 439
- methylthiophene-2-carbaldehyde 438
- microemulsions (MEs) 259
- micro-extraction technique 445
- microwave-assisted extractions 147
- microwave-assisted technique 33
- miscibility, ILs 61–62
- model oils (MOs), composition of 272
- molecular dynamics simulation 402
- monoethanolamine 306



- multi-objective genetic algorithm  
(MOGA) 380
- multi-walled carbon nanotubes  
(MWCNT) 359
- n**
- N*-alkylated  
4,5,6,7-tetrahydro[1,2,3]triazolo  
[1,5-*a*]pyridine 423
- n*-alkyl pyridinium 265
- N*-allylation reactions 120–121
- nanotechnology, ionic liquids 197
- 1,8-naphthanoic anhydride 425
- 1-Naphthol 435
- naphthopyrans 433
- natural deep eutectic solvents (NADESs)  
379
- natural-derived materials in ILs 221
- neoteric 370
- N*-ethylpyridinium tetrafluoroborate  
[C<sub>2</sub>py][BF<sub>4</sub>] 36
- neurotransmitter 190
- neutral ILs 16
- N*-heterocyclic carbenes 10
- N*-methyl-diethanolamine (MDEA)  
309
- (*E*)-*N*-methyl-1-(methylthio)-2-  
nitroethenamine 425
- N*-methyl-1-(methylthio)-2-nitroethylen-  
1-amine 424
- N*-methyl-*N*-propylpyrrolidinium (Pyr<sub>13</sub>)  
bis (trifluoromethanesulfonyl)-  
imide (TFSI) ionic liquid  
[Pyr<sub>13</sub>][TFSI] 403
- N*-methyl-2-pyrrolidinium hydrogen  
sulphate-based IL 33
- NMR Fast-Field-Cycling (FFC)  
relaxometry 238
- N,N*-diethylethanolamine (DEEA) 309
- N,N*-diisopropylethylamine (DIPEA)  
424
- non-toxic ILs 292
- nonvolatile ionic liquids 464
- North Atlantic Treaty Organization  
(NATO) 376
- NRTL equations 344
- N*-substituted 1-aryltriazenes 127
- o**
- o*-alkynylphenol 427
- onion-like carbon (OLCs) supercapacitors  
411
- Onsager relation 406
- OPLS force field parameters 240
- order-*N* density functional theory (DFT)  
241
- ornamental plants species 302
- oxidative degradation mechanism, of  
MEA 308
- 4-Oxo-6-aryl-2-thioxo-1,2,3,4-  
Tetrahydropyrimidine-5-  
carbonitriles derivatives 119
- oxy-synthesis 335
- p**
- Paal Knorr reaction 126
- Patel–Teja–Valderrama equation 306
- performance additives 43
- perstarction process 338
- pervaporative separation 338–339
- pharmaceutical salts-ionic liquids 375
- phenol derivatives [1-naphthol] 435
- phosphonium-based ionic liquids 361
- phosphonium sulfonate ionic liquid 465
- physical absorption 311–313  
of CO<sub>2</sub> 313
- physical adsorption method 185
- plants' resistance against biotic and  
abiotic stressors effects 229
- poisonous solvents 364
- polarity, ILs 60
- poly (ionic liquids) (PILs) 15, 51  
synthesis of 166–167  
types and application of 167
- polybenzimidazole (PBI) based polymeric  
membrane 304
- poly(1vinyl-3-alkyl imidazolium)  
chloride-based polyelectrolyte  
precursor 166
- poly chlorinated biphenyls (PCBs) 279

- polyethylene glycol methacrylate-grafted tetra-ethylene glycol-bridged dicationicimidazolium based IL (PEGMA-g-TEGBDIM) 425
- poly-ILs 12–13
- polyionic liquids 2
- porous electrode capacitor 410–412
- post-combustion CO<sub>2</sub> 303
- potassium carbonate 307
- predictive toxicity models 378–380
- probabilistic neural network (PNN) 378
- propiolamide 422
- protein stabilization 258–259
- protic ionic liquids (PILs) 3, 76, 80
- pulsed field gradient (PFG) NMR 238
- pyranopyridine 424
- pyrazolo[3,4-*b*]pyridines 439
- pyrazolodihydropyridines 438
- pyrimido[4,5-*b*]quinolines 437
- pyrimido[4,5-*d*]pyrimidines 437
- q**
- QSAR models 388
- quantitative toxicity–toxicity relationship (QTTR) 380
- quantum chemistry (QC) methods 236
- quantum topological molecular similarity (QTMS) 379
- r**
- radial distribution function curve (RDF) 399
- reactive distillation column with top-bottom external recycling (RDC-TBER) 359
- reactive extraction 360–363
- Rectisol process 313
- red oil 4
- regioselectivity 470
- Resorcinol 435
- retentate/concentrate 359
- room temperature ionic liquids (RTILs) 1, 51, 70, 369
- room temperature molten salt 5, 369
- rotatable bond number (RBN) 379
- Rufinamide 422
- s**
- salicylaldehyde 428
- sandwich-type immunoassay 186
- SAR inducers 225
- SAR induction mechanism 228–229
- second-generation biofuels 334
- second generation ionic liquids 205–206, 444
- Selexol 312
- self-diffusion 237–238
- shear viscosity 238–239
- simple solid-liquid extractions 146
- single electron transfer (SET) 423
- sodium azide 421, 422
- solar fuels 334
- sol-gel encapsulation 185–186
- solid-liquid extraction (SLE) 145–146
- solid phase extraction (SPE) 269
- solubility, ILs 58
- solubilization of drugs 257–258
- solvent extraction 360
- solvents and catalysis 35
- Sonogashira coupling 106–108
- spiroheterocyclic quinazolin-4-(1*H*)-one derivatives 431
- spiroquinazolin-4-(1*H*)-one 431
- spiro-1,2,4-triazolidine-5-thiones 127
- Stille coupling 109
- Stokes-Einstein 237, 238
- Stokes-Einstein-Debye relationships 238
- structure directing agents (SDAs) 37
- styrenes 433
- 5-substituted-1*H*-tetrazole 422
- sulfolane 308
- sulfonic acid functionalized ILs (SO<sub>3</sub>H-ILs) catalysts 290
- sulfur-containing hydrocarbons 272
- 3-sulphopropyl triphenyl phosphonium *p*-toluene sulphonate 9

- 3-sulphopropyl tri-phenyl phosphonium  
p-toluene sulphonate, structure of  
10
- supercritical carbon dioxide (scCO<sub>2</sub>) 267
- supported ILs 2, 16
- supported ionic liquids membranes  
(SILMs) 51
- surface active ILs (SAILs) 146, 259
- surface tension (ST), ILs 58–59
- Suzuki coupling 103–106
- S. vacuolatus*, 379
- switchable polarity solvent ILs 11
- systemic acquired resistance (SAR) 222
- t**
- task-specific ionic liquids (TSILs) 2, 9,  
51, 97, 419
- tectoridins 148
- terpene-based ILs 222
- terpenoids 145, 221
- tert*-butyl  
2,4-dioxopiperidine-1-carboxylate  
424
- tert*-butyl hydroperoxide (TBHP) 423
- tetraalkyl-ammonium or  
tetraalkyl-phosphonium ion 265
- tetrabutyl-ammonium based ionic liquids  
(ILs) 78
- tetrabutylphosphonium 4-ethoxyvalerate  
([TBP][4EtOV]) 107
- tetrafluoroborate (BF<sub>4</sub>) 462
- tetramethylphosphonium glycinate  
[P<sub>1111</sub>][Gly] 311
- tetrazolo[1,5-*a*]pyrimidine 426
- theophylline 226
- thermochemical methods 285
- thermochemical process 285
- thermotropic LCs 277
- thiourea 437
- 3-thioxohexahydro-1*H*-pyrrolo[1,2-*c*]  
imidazol-1-one 432
- third-generation biofuels 334
- third generation ionic liquids 206
- time-temperature superposition (TTS)  
approach 239
- toxic catalysts 357
- toxicity and ecotoxicity 292–294
- tricataionic ionic liquid 314
- trifluoroacetate (C<sub>2</sub>F<sub>3</sub>O<sub>2</sub>) 462
- trifluoromethanesulfonate (CF<sub>3</sub>SO<sub>3</sub>)  
462
- trihexyl-(tetradecyl)phosphonium  
2-cyanopyrrolide  
([P<sub>66614</sub>][2-CNpyr]) 311
- 1,3,5-triphenylbenzene synthesis using  
PIL 106
- triphenylphosphine 428
- 2,4,5-trisubstituted imidazoles 435
- tryptanthrin 424
- two-phase approach 464
- u**
- ultrasound-assisted extractions 147–148
- v**
- van der Waal's force of attraction 314
- vapor pressure, ILs 61
- Vibrio fischeri*, 72, 73, 378, 379
- vinyl imidazolium-based polymers 166
- 3-vinyl ketones 39, 40
- viscosity, ILs 59–60, 183–184
- w**
- Walden rule 3, 4, 57
- water and air-stable  
1-ethyl-3-methylimidazolium  
based ILs 5
- whole-cell biotransformations 464–466























