

Index

a

acetaminophen (AP) 251, 254
 4-acetylaniline 312
 acid etching methods 464
 acrylonitrile butadiene styrene (ABS)
 428–430
 additive manufacturing 356, 357, 421,
 422, 424, 431
 air filtration 182–183
 aminosalicylhydrazide 333
 amphotericin B (AMB) 311, 334
 anodic inhibition 471
 anthraquinone/anthrahydroquinone
 154
 antibacterial 86, 332–333, 360, 370,
 371, 373, 480
 antibodies coupling 310
 anticancer 61, 62, 251, 256, 301, 308,
 315–317, 336–339
 antifungal 311, 333–336
 anti-stock de-excitation 35
 anti-stock scattering 35
 anti-stokes Raman scattering 34
 aqueous supercapacitors 114
 arc discharge 3, 22, 24, 28, 75–78, 84,
 85, 87, 95, 103, 173, 224, 241, 276,
 280, 281, 451
 arc discharge method 23, 52–53, 75,
 77, 82–83, 96, 279
 atmospheric-pressure chemical vapor
 deposition (APCVD) 79–80

atomic-scale finite element model
 (AFEM) 448
 azomethine ylides 309–311, 319

b

ball and stick model 6
 barrier coatings 465, 466
 Bingel reaction 313
 biochar for energy storage 120–121
 biodegradable polymers 368
 bioelectronics 114, 122, 229–230,
 258
 biomolecular compounds monitoring
 DNA sensor 254–256
 glucose sensor 252–254
 sensors for real sample analysis
 256–257
 biotribology 453–454
 biomimetic materials 454, 455
 joint tribology 454
 bond rotation 13
 bone tissue engineering 354–358, 360,
 367, 369, 371, 374, 376–379
 Buckypaper (BP) membranes 186,
 204

c

cadmium telluride (CdTe) 102, 218
 cancer antigen 125 (CA125) 318
 carbohydrates 120, 308, 314, 339
 carbon allotropes 3, 273, 414

- carbon-based nanoadsorbents 156–157
- carbon-based nanomaterials (CBNs) 111, 171, 208, 241, 442, 444
- carbon-carbon coupling 177
- carbon evolution 4–38
- carbon nanotube field-effect transistor (CNFET) 287–288
- carbon nanotubes (CNTs) 7, 8, 176
 - advantages of 180
 - allotropes of carbon 275–280
 - applications of 18–22
 - arc discharge 173
 - arc discharge method 23, 52–53
 - biochar for energy storage 120–121
 - bond rotation 13
 - for cancer therapy 323
 - challenges in 180–181
 - characterization of 65
 - charge transfer/noncovalent doping of 226
 - chemically modified 492–499
 - chemically modified derivatization of 176–178
 - chemical modification 218–226, 305–313
 - chemical properties of 12
 - used in chemical sensors and biosensors 288–289
 - chemical vapor deposition (CVD) 23, 25–27, 53, 174
 - chirality 10
 - classification of 52–53
 - commercial-scale application of 122–123
 - commercial-scale of chemically modified 185–186
 - conjugation
 - with antibodies 61
 - with aptamer 62–63
 - with chitosan 62
 - with protein 60–61
 - cost of 103
 - covalent functionalization 16–17
 - differential scanning calorimetry (DSC) 98–99
 - direct covalent modification of 222–224
 - doping induced defects 13–15
 - dye sensitized solar cells (DSSCs) 101–102
 - economics of 99
 - electrical conductivity 98
 - electrical property 97
 - electrolysis 174
 - electronic properties of 10–11
 - energy storage 113–121
 - enhanced with nanoparticles 179–180
 - functionalization of 97–98, 176
 - functionalization with ionic liquid (ILs) 63
 - functionalized with biomolecules 58
 - functionalized with nucleic acid 58, 60
 - functionalized with polymer 56, 58
 - globalization of 103
 - graphite to 4
 - heteroatom doping of 224–226
 - hydrogen fuel cells 99–100
 - hydrothermal 174
 - kinetic property 97
 - laser ablation 23, 174
 - laser vapor deposition 53
 - lithium-metal batteries 117–118
 - materials of 113
 - membrane separation 182–185
 - modification of 200
 - noncovalent functionalization 55
 - non-covalent functionalization 17–18
 - non-sp²carbon defects 15
 - as novel nanocarriers 302, 304

- optical properties of 11–12
- overview 171–173
- oxidative functionalization of 220
- polymer grafting 178–179
- polymer/ionic liquid modification of 220, 222
- production of 111–113
- purification protocol 53–54
- quantum dot solar cells 102
- Raman spectroscopy 32–38
- scanning electron microscopy with a field emission guns (SEM-FEG) 99
- silicon based solar cells 102
- strength 96
- structural defects in 13
- supercapacitor energy storage 118–120
- surface modification of 54–65
- SWNTs 8–10
- synthesis of 97
- tensile tests 99
- thermal property 97
- thermoelectric fabrics 102–103
- thermogravimetric analysis (DSC) 99
- tissue engineering applications of 376–387
- chip cooling 284–285
- electronic device 287
- electronic-device fabrication 283–284
- field emission of electrons 289–290
- flip-chip high power amplifiers 290–291
- light-emitting diodes 283
- lithium-ion batteries (LIBs) 284
- nonvolatile random access memory 286
- on-chip inductor 286–287
- optical sensors 282, 283
- photovoltaic devices 285–286
- potential device 286
- quantum CNFETs 287–288
- Schottky-barrier ballistic CNFETs 288
- solar cells 281–282
- supercapacitor devices 290
- supercapacitors and batteries 291–292
- transistor device application 291
- for water purification 203–209
- water splitting 101
- wearable energy storage 118
- carbon nitride nanotubes (CNNT) 224
- carboxyl group 120, 132, 154, 155, 203, 220, 232, 244, 309, 310, 465, 468, 478
- Carbyne 4
- cardiac tissue engineering 351–354, 384–386
- catalyst engineering 4, 28–32, 38
- catalytic chemical vapor deposition (CCVD) 77, 280, 281, 292
- cathodic inhibition 471, 473
- cellular uptake mechanism 304–305
- cement-based materials
 - concrete properties 401
 - corrosion resistance properties of 408–411
 - electrical conductivity of 407, 408
 - enhanced durability 406–407
 - hydration reaction 401, 402
 - mechanical properties 402–406
 - methodologies 401
 - relevant mechanisms 402–406
 - structural applications of 411–412
 - thermal conductivity of 407, 408
- charge transfer adsorption 12
- charge transfer/noncovalent doping 226
- chemical doping 12

- chemical functionalization 15–17, 55–65, 218, 244, 307, 360, 366, 441, 492–496
- chemical hydrogels 369
- chemically modified CNTs
 - adsorbent, dosage of 140
 - chemical reactions 133
 - contact time 140–141
 - electrochemical method 132
 - electrostatic attraction 142
 - hydrogen bonding 142
 - hydrophobic interaction 142
 - ion-exchange process 142
 - ionic strength and coexisting ions 140
 - metal ions 137–139
 - organic dyes 134, 135
 - other organic pollutants 136–137
 - oxidation process 131, 132
 - pharmaceutical removal 134, 136
 - pH value 140
 - pi-pi stacking interaction 141–142
 - plasma method 132
 - stirring speed 141
 - surface area 141
 - surface complex formation 142
 - surface functional groups 141
 - temperature 140
 - van der Waals force 142
- chemically modified CNTs
 - commercialization 143
- chemical vapor deposition (CVD) 23, 27, 53
 - aerogels 86
 - arc discharge method 82–83
 - atmospheric-pressure chemical vapor deposition (APCVD) 79–80
 - carbon nanotubes 174
 - catalyst engineering 28–32
 - CNT precursors 27–28
 - cold wall chemical vapor deposition (cold Wall CVD) 81–82
 - composites 86
 - conductor 85–86
 - high-pressure chemical vapor deposition 78–79
 - hot wall chemical vapor deposition (hot wall CVD) 81
 - industrial level fabrication of CNT 77–78
 - laser vaporization method 83–84
 - low-pressure chemical vapor deposition (LPCVD) 80–81
 - process 77–81
 - transistors 85
- chemotherapeutic agents 314–317, 323
- ¹⁴C isotope 272
- CNT immobilized membrane (CNIM) 205
- CNT-reinforced metal matrix
 - composites (CNT-MMCs) 175
- CNTs *see* carbon nanotubes (CNTs)
- cold wall chemical vapor deposition (cold Wall CVD) 28, 81–82
- conductive coatings 465, 467
- conductive polymers (CPs) 120, 288, 465, 470–477, 483
- controlled potential electrolysis 177
- corrosion inhibitors, loading 481–482
- Coulomb force 142
- counter electrode 102, 114, 248, 282
- countering electrode 178
- covalent attachment, modification through 428
- covalent chemical modifications 306–313
- covalent functionalization 16, 17, 65, 244–246
 - air oxidation 495
 - of CNTs 469
 - gaseous phase oxidation/dry oxidation 495
 - ozonation 495–496

- plasma treatment 496
 - surface oxidation 493–494
 - thermal assisted chemical 428
 - wet oxidation 495
 - Criegee's mechanism 496
 - CVD *see* chemical vapor deposition (CVD)
 - cyclic voltammetry 132, 174, 177, 250
- d**
- D-band 35–38
 - decoration, inorganic materials 478–481
 - defect functionalization 15, 16
 - defect-group functionalization 16, 56
 - density functional theory (DFT) 17, 19, 134, 224, 481, 497
 - density gradient ultracentrifugation (DGU) method 281
 - dental tissue engineering 357–360
 - diamond 4–6, 38, 182, 273–274, 280, 287, 444
 - diazonium salts 153–154, 177, 202, 312
 - dielectrophoresis (DEP) approach 283, 284, 291, 292
 - differential scanning calorimetry (DSC) 98–99
 - digital light printing 424, 425
 - dimethylformamide (DMF) 61, 283, 312, 334, 335, 337, 371
 - 1,3-dipolar cycloaddition 309, 310, 319
 - direct contact membrane distillation (DCMD) 205
 - direct covalent bonding 56
 - direct covalent functionalization 15, 222, 223
 - direct ink writing (DIW) 433, 434
 - direct lattice 6–7
 - disorder bands 37–38
 - DNA coupling 308
 - DNA/RNA aptamers 318–319
 - DNA sensor 254–256
 - dopamine (DA) 242, 251, 373, 476
 - doping induced defects 13, 15
 - double walled carbon nanotubes (DWCNTs) 61, 103, 111, 113, 114, 275
 - development of 280–281
 - purification of 281
 - drug functionalization 336
 - drugs coupling 310–311
 - DWCNTs *see* double walled carbon nanotubes (DWCNTs)
 - dye sensitized solar cells (DSSCs) 101, 102, 282
- e**
- electrical conductivity
 - carbon nanotubes 98
 - cement-based materials 407, 408
 - electrical double-layer capacitor (EDLC) 118–120
 - electrochemical capacitors 111
 - electrochemical cell 115, 177, 479
 - electrochemical impedance spectroscopy (EIS) 471
 - electrochemically assisted covalent modification 177–178
 - electrochemical method 132, 231, 409, 426
 - electrochemical modifications 178, 245, 312
 - electrochemical sensing 248, 269
 - sensors for environment protection 250–251
 - sensors for pharmaceutical applications 251
 - electrochemical sensor 241, 243
 - covalent functionalization 244–245
 - metal nanoparticles 247–248
 - noncovalent functionalization 245–246
 - polymers wrapping 246–247

- electrochemical separation catalysis 184
- electrochemical supercapacitors 114
- electrodeposition 200, 427–428
- electrodeposition methods 201
- electroless chemical deposition 479
- electroless deposition (ELD) 201, 428
- electrolysis 157, 173, 174, 177
- electronic devices fabrication 184, 283–284
- electronic double layer capacitors 113
- electronics CNTs
 - nano-bioelectronics 229–230
 - rectifying diodes 229
 - transistors 227–229
- electron spin resonance (ESR) 172, 173
- electrophilic additions 311
- electrophilic substitution reaction 311
- electrostatic and π - π interactions 498–499
- electrostatic attraction 140, 142, 473
- electrostatic force 142
- electrostatic interactions 58, 141, 206, 286, 313, 369, 455, 478, 497, 498
- energy storage capacitors and batteries 183–184
- energy storage devices 110–114, 116–119, 122, 291, 292, 431, 432
- energy storage technologies 111, 115, 117, 120
- enhanced durability 406–407
- ethylene-vinyl acetate (EVA) 234
- f**
 - ferrocene catalyst 176
 - ferrocenedicarboxylic acid 251
 - fiber-based supercapacitors (FSCs) 118
 - fiber inclusion 403
 - field emission scanning electron microscope (FESEM) 30, 312, 314, 403–405
 - flip-chip high power amplifiers 290–291
 - fluorescein isothiocyanate (FITC) 61, 309, 311, 314, 334, 335
 - fluorination 16, 55, 56, 133, 229, 307
 - fluorine-doped tin oxide (FTO) 282
 - 4D printing technique 432
 - liquid sensors 432–434
 - stretchable supercapacitors 434
 - Fourier transform infrared spectroscopy (FTIR) 98, 221, 314, 315, 332, 334
 - free molecular flow (FMF) 182–183
 - freeze-dry methods 356
 - Freundlich isotherm 136
 - FTO *see* fluorine-doped tin oxide (FTO)
 - Fullerenes 4, 8, 13, 23, 27, 52, 53, 77, 82, 83, 95, 130, 156, 171, 241, 273–275, 302, 306, 400, 444, 491, 492
 - fused deposition modelling (FDM) 422, 428, 430
 - fusion-bonded epoxy (FBE) 477
- g**
 - gamma-ray irradiation 478
 - gaseous phase oxidation/dry oxidation 495
 - G-band 35–37
 - gelatin methacrylate (GelMA) 352, 386
 - gene therapy 317–318, 369
 - glass ionomer cements (GICs) 358–360
 - glassy carbon electrode (GCE) 18, 132, 250–252, 256
 - glucose sensor 252

- gold nanoparticles (AuNPs) 18, 25, 26, 255, 373
- gonadotropin-releasing hormone (GnRH) 308
- “grafting from” 368, 477
- grafting from approach 222, 470
- grafting from technique 202, 368
- grafting polymers 464, 469–470, 482
- grafting to approach 58, 222, 469
- grafting to strategies 368
- graft to synthesis 477
- graphene 6
- direct lattice 6–7
 - reciprocal lattice 7
- graphene nanoplatelets (GNPs) 442
- graphite to CNTs 4–38, 274
- h**
- halogenation 55, 311
- heteroatom doping 219, 224, 226
- high efficiency particle air (HEPA) 183
- high power amplifier (HPA) 290–291
- high pressure carbon monoxide decay technique (HIPCO) 78, 280
- high-pressure chemical vapor deposition 78–79
- high-resolution transmission electron microscopy (HRTEM) 312
- high-temperature tribology 453
- friction and wear at 453
 - friction control and wear at 453
- Hippocratic purifying method 199
- hot wall chemical vapor deposition (hot wall CVD) 81
- hybrid hydrogel 338, 352, 353, 369, 371
- hydration reaction 401, 402
- hydrogen bonding 17, 55, 141, 142, 144, 206, 338, 476, 478
- hydrogen fuel cells 99–101, 104
- hydrophobic interaction 55, 141, 142, 308, 313, 478
- hydrothermal 173–175, 208, 373, 441
- hyphosphorous acid 153
- i**
- impedance spectroscopy 98
- interfacial shear strength (ISS) 447
- ion-exchange process 139, 142
- j**
- joint tribology 454
- l**
- Langmuir isotherm 134, 136, 157
- Langmuir isotherm model 208
- laser ablation 3, 22, 24, 28, 75–77, 96, 157, 173, 174, 224
- laser ablation method 23, 77, 103
- laser vapor deposition 53
- laser vaporization method 83–84, 276
- layer-by-layer assembly 349, 473, 476
- ligands coupling 309–310
- liquid sensors, shape memory
- functionalized for 432–434
- lithium-ion batteries (LIBs) 111, 115–117, 121, 123, 183, 284, 292, 298, 431, 475
- lithium-metal batteries 117–118
- low-field nuclear magnetic resonance (LF-NMR) 406
- low-pressure chemical vapor deposition (LPCVD) 80–81
- low-pressure plasma (LPP) 496
- lysine functionalization 332
- m**
- magnetic nanoparticles (MNPs) 204, 207, 247, 339, 373
- membrane separation
- air filtration 182–183

- membrane separation (*contd.*)
- biology and agriculture 185
 - electrochemical separation catalysis 184
 - electronic devices fabrication 184
 - energy storage 183–184
 - environment 184–185
 - water treatment 182
- mercury intrusion porosimetry (MIP) 405, 406
- metal matrix composites (MMCs) 175, 442
- metal nanocrystals 479
- metal nanoparticles 154, 184, 200, 247–248, 257, 427, 456, 479
- metal-oxide field-effect transistors (MOSFETS) 218
- methylene blue adsorption 140, 141
- micro electro-mechanical systems (MEMS) 443, 451
- microwave-assisted fabrication 176
- microwave irradiation 311, 313, 332, 425, 478
- minimum inhibitory concentration (MIC) 332, 334
- multiwalled carbon nanotubes (MWCNTs) 8, 37, 52, 53, 58–63, 76, 77, 79, 80, 86, 95–97, 100, 102, 103, 110, 111, 114, 115, 118–120, 122, 123, 130–139, 141–143, 153, 154, 157, 158, 171–174, 176, 180, 182, 183, 185, 199, 201–208, 217, 219, 220, 222–224, 229, 231, 234, 241–243, 245, 247, 249, 251–252, 255–257, 275, 281–282, 284, 290, 302, 304, 305, 307–319, 322, 323, 332–335, 338, 347, 349, 350, 352–357, 359, 366, 368–371, 373, 377, 378, 381–385, 402–409, 411, 412, 425–430, 450–452, 454, 455, 463, 465, 468, 473, 475–477, 480–482, 491, 492, 495, 496
- n**
- nanoadsorbents 156–157
- nano-bioelectronics 229–230
- nanocarriers 62, 301–305, 314–322, 471, 473, 476, 477, 483
- nanodiamonds 444–445
- nano electro-mechanical systems (NEMS) 22, 443, 451
- nanofabrication 284, 443
- nanometer 22, 95, 130, 132, 171, 227, 241, 275, 301, 373, 492
- nanoscale 51
- sensors 248
- nano tribology 446–448
- nanotube air filters 183
- neural tissue engineering 348–350
- nicotinamide adenine dinucleotide (NADH) 246, 251
- nitrene cycloaddition 312–313, 337
- noncovalent functionalization 17, 18, 55, 245, 246, 269
- aromatic molecules 497
 - electrostatic and CH- π interactions 498–499
 - polymers 497–498
- non-covalent modification 313–314
- non-sp² carbon defects 15
- nonvolatile random access memory 286
- novel nanocarriers
- alternative to conventional carriers 302, 304
 - biocompatibility and cellular uptake mechanism 304–306
 - biodistribution 304–306
- nucleic acid 54, 55, 58, 60, 65, 154, 202, 246, 282, 306, 314, 331, 378
- nucleophilic addition 133, 311
- o**
- octanohydroxamic acid (OHA) 120
- oligonucleotides (ODNs) 256, 282, 317, 318, 347

- on-chip inductor 286–287, 292
 - open circuit potential (OCP) 471
 - optically transparent electrode (OTE) 231, 282
 - ordinary Portland cement (OPC) paste 402, 404, 406
 - organic light-emitting diodes (OLEDs) 218, 230–233
 - organic photovoltaics (OPV) 183, 230–232
 - oxygen-demanding wastes 151
- p**
- partially unzipped carbon
 - nanotube/reduction graphene oxide (PUCNT/RGO) 119
 - pathogen-associated molecular patterns (PAMPs) 317
 - PEGylated derivatives 314
 - peptides coupling 309–310
 - 1,10-phenanthroline-5,6-dione 245
 - photocatalysis 19, 101, 158
 - photochemical functionalization 244
 - photoelectric capacity factor (PCE) 286
 - photoirradiation 244
 - photonics CNTs
 - organic light-emitting diodes 231–233
 - organic photovoltaics 231
 - touch panels 232, 234–235
 - photosensitizer 63, 220, 230
 - photoswitching effects 20
 - photovoltaic cells 231
 - photovoltaic devices 22, 102, 114, 231, 285–286, 290, 292
 - physical hydrogels 369
 - physisorption 129, 141, 153, 156, 206, 209
 - pi-pi interactions 313, 314
 - with aromatic molecules 497
 - with polymers 497–498
 - pi-pi stacking interaction 141
 - plasma activated CNTs 65
 - platinum wire 178
 - poly (3,4-ethylenedioxythiophene) (PEDOT) 119
 - poly (anilineboronic acid) (PABA) 368
 - poly (N-isopropylacrylamide) (PNIPAAm) 385
 - polybutylene terephthalate (PBT) 19
 - polydopamine (PDA) 476
 - polyethylene glycol (PEG) 332
 - polyethyleneimine (PEI) 227
 - polyjet process 423
 - polylactic acid (PLA) 428
 - polymer electrolyte membrane fuel cell (PEMFC) 100
 - polymer grafting 178, 179, 426, 469, 470
 - polymer/ionic liquid modification 220, 222
 - polymers wrapping 246, 247
 - polyvinyl alcohol (PVA) 371
 - polyvinylidene fluoride (PVDF) 205
 - pore size distribution (PSD) 120
 - pozzolanic reaction 401
 - printing technology 428, 429, 431, 432, 434
 - pristine CNTs 54, 136, 226, 229, 231, 235, 305, 331, 470, 476
 - proteins and enzymes 308
 - protoporphyrin IX (PPIX) 333
 - pseudo-reference electrodes 178
 - pseudo second-order kinetics 208
- q**
- quantum CNFETs 287–288
 - quantum dot solar cells 102
- r**
- radial breathing mode (RBM) 35–37
 - radical additions 222, 224, 312
 - Raleigh de-excitation 35

- Raman spectroscopy 4, 11, 32–38, 98, 312
- Rayleigh scattering 35
- reactive powder concrete (RPC)
composites 406
- rechargeable lithium-ion batteries
(LIBs) 111
- reciprocal lattice 6, 7
- reference electrode (RE) 132, 178, 248
- S**
- sacrificial coatings 465–468
- scanning electron microscopy with a
field emission guns (SEM-FEG)
99
- Schottky barrier 227, 230, 232
- Schottky-barrier ballistic CNFETs 288
- SCs *see* supercapacitors (SCs)
- selective laser sintering 424
- sidewall functionalization 56, 57, 220,
234
- silanized CNTs 468–469
- silicon based solar cells 102
- silver nanoparticles (AgNPs) 359, 373,
482
- single-walled carbon nanotubes
(SWCNTs) 52, 95, 451
- CVD growth 280
- growth catalysts for 279, 280
- synthesis methods 276, 279
- single-walled nanotube (SWNT), types
and structure 8–10
- small drugs coupling 308–309
- sodium dodecylbenzene sulfonate
(SDBS) 17, 202
- sodium dodecyl sulfate (SDS) 202
- solar cells 20, 38, 103, 104, 114, 118,
183, 231, 235, 285, 286, 292, 332,
475
- sonication approach 246
- specific surface area (SSA) 114, 119,
120, 156, 252, 463
- sp³ hybridization 273
- steel reinforcement bars 409
- stereolithography 422–424
- stokes Raman scattering 34
- Stone-Wales defect 56, 220
- subtractive manufacturing
421
- supercapacitor devices with enhanced
electrochemical performance
290
- supercapacitor energy storage
118–120
- supercapacitors (SCs) 111
and batteries 291–292
4D printing of stretchable 434
- superplasticizer 403
- surface complex formation 141, 142,
144
- surface modification 130–131
- carbon nanotubes 54–65
- chemical 493–496
- physical 496–499
- SWCNTs *see* single-walled carbon
nanotubes (SWCNTs)
- synergistic effect CNT 452
- t**
- T cell activation 317
- TEM *see* transmission electron
microscopy (TEM)
- tensile strength tests 430
- tensile tests 99, 430
- tetrabromobisphenol A 137
- textiles effluents removal 152
- adsorption of dye 156
- carbon-based nanoadsorbents
156–157
- carbon nanotubes 157, 158
- chemical properties 152–153
- of diazonium salts 153–155
- dyes removal techniques 154–155
- of synthetic dyes 158, 160

- thermal chemical vapor deposition (TCVD) 25, 26, 28
- thermoelectric fabrics 102–103
- thermogravimetric analysis (TGA) 62, 99, 314, 315
- 3D/4D printings
- material revolution 434–435
 - polymer-CNT and homogeneous distribution 435
 - scope 435–436
- 3D inkjet printing 424
- 3D printing 377, 382, 383, 421–425, 428, 429, 435
- energy storage devices 431, 432
 - mechanical properties enhancement 430
- thrower stone wales (TSW) type 13
- tissue engineering
- biochemical modifications for 366–376
 - bone 376–381
 - cardiovascular 384–387
 - hydrogel modification 369–372
 - nanoparticle modification 372–376
 - nervous system engineering 379, 381–383
 - polymer modification 366–370
- tissue toxicity 351
- touch panels 232–235
- transistor device application 291
- transmission electron microscopy (TEM) 4, 15, 26, 30, 38, 81, 95, 176, 222, 223, 305, 309, 310, 312, 333, 336, 338, 382, 427
- tribology
- bulk materials 445–449
 - carbon nanomaterials for 443–445
 - commercial-scale 455
 - friction and wear properties 448–449
 - frictionless surface coatings 451–452
 - high-temperature tribology 453
 - lubrication properties of 450
 - multi-walled CNTs 452
 - other nanomaterials for 456
 - principle, mechanism and application 442–443
 - single-walled CNTs 451
 - synergistic effect CNT 452
 - tuning additive morphology 450–451
 - tuning friction and wear properties 449
 - wettability for superlubricity 450–451
- triethylene glycol (TEG) 332, 334
- tubular microwave chemical vapor deposition (TM-CVD) 176
- tumor-derived antigens 316–317
- U**
- ultra-capacitors 111, 113, 290
 - ultracentrifugation 281
 - ultrasonication 17, 54, 131, 132, 311, 371, 414, 435, 478
 - ultrasonic energy 201
- V**
- van der Waals force 15, 17, 55, 132, 141, 142, 144, 187, 244, 274, 452, 492
 - Van der Waals interactions 244, 428
 - vapor-liquid-solid (VLS) model 25, 279
 - vertically aligned (VA) CNT 3, 29, 115, 204
 - vertically aligned single-walled nanotube (VA-SWNT) 285
- W**
- wastewater treatment methods 129, 155, 156

water filtration 182, 185, 208, 209
water purification
 bulk modified CNTs for 202–203
 carbon nanotubes for 203–209
 chemically modified CNTs in
 209–210
 polymer/CNTs grafting for 202
 surface modified CNTs for
 200–202
water purification methods 199
water sorptivity coefficient 407

water splitting 101
wearable energy storage 118
wetting 12

X

X-ray photoelectron spectroscopy (XPS)
 98, 221, 225, 312, 355

Y

Young's modulus 22, 99, 349, 350, 400,
 446, 448, 452, 475, 495

