

## Index

### **a**

- acid-containing fluoride ions 39–41
- Al-based MOF 134
- alkali etching 35, 42–45, 91
- aluminum-air batteries 221
- anthropogenic climate change 115

### **b**

- BiFeO<sub>3</sub>/MXene nanohybrids 200
- Bi<sub>2</sub>WO<sub>6</sub>/Ti<sub>3</sub>C<sub>2</sub> 2D/2D nanocomposite 38
- Brunauer–Emmett–Teller (BET) surface area 95, 101, 119, 143, 146, 152

### **c**

- calcium titanate (CaTiO<sub>3</sub>) 194
- carbon-doped TiO<sub>2</sub> (C-TiO<sub>2</sub>) 125
- carboxyl-functionalized MXene (CFMX) 79–80
- CdZnS/Ti<sub>3</sub>C<sub>2</sub> nanocomposite 156, 157
- chemical vapor deposition (CVD) 60–62
- chromium-based MIL-101 series 143
- CoAlLa-LDH nanosheets 76
- Co–Co LDH nanosheets 157
- CoCo-LDH/Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> 62
- CoCo-LDH/TNS nanosheets 63, 187
- CO<sub>2</sub> conversion processes 193
- conductive MXene material 88, 92, 102
- conductive TiC MXenes 3
- CO<sub>2</sub> reduction 96–100
- core/shell 2D/2D nanocomposite 76
- CoZn–Se@N-MXene 68, 69
- CsPbBr<sub>3</sub>/MXene nanohybrids 64

- C-TiO<sub>2</sub>/g-C<sub>3</sub>N<sub>4</sub> heterojunction photocatalysts 125
- Cu/TiO<sub>2</sub>@MXene hybrid 93
- cycle stability, of MXenes 225–226

### **d**

- density of states (DOS) 140
- direct HF etching 91
- double transition n-metal (DTM) MXenes
  - ordered DTMs MXenes 210–211
  - solid-solution MXenes 210
- d-Ti<sub>3</sub>C<sub>2</sub>/TiO<sub>2</sub>/g-C<sub>3</sub>N<sub>4</sub> nanocomposites 102, 127

### **e**

- electrical double layer capacitor (EDLC) 222
- electrochemical double layer supercapacitors 170–173
- electrochemical energy storage devices (EESD) 4, 207, 208, 219–223, 227
  - batteries 220, 221
  - MXene for energy storage 220
  - supercapacitors (SCs) 221–223
- electrochemical etching 2, 35, 41–43, 92
- electrons transfer mechanism 12
- energy storage and conversion
  - batteries 173
  - fuel cell 173
  - supercapacitors 170–173
  - working principle of 174–175
- energy storage requirements 208–209
- etched MXenes 226

**f**

- face-centered cubic stacking 138
- Fenton effect 153, 155
- field emission scanning electron
  - microscopy (FESEM) 47, 48, 74
- F induced Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXenes 16
- fluorinated MOFs (FMOFs) 143
- formamidinium lead bromide quantum
  - dots 64
- fossil resources 115
- F-terminated MXenes 140

**g**

- galvanostatic charge discharge (GCD)
  - 225, 226
- g-C<sub>3</sub>N<sub>4</sub>/Ti<sub>3</sub>C<sub>2</sub> 19, 71–75
  - synthesis of 61
- g-C<sub>3</sub>N<sub>4</sub>/TiC MXene, characterization of
  - 71–74
- global energy resources 87
- graphene 15, 135, 138
- greenhouse gases 87, 100, 185

**h**

- halogen etching 2, 35, 51, 91
- heterostructured-Ti<sub>3</sub>C<sub>2</sub>/TiO<sub>2</sub>/g-C<sub>3</sub>N<sub>4</sub>
  - nanocomposites 127
- hexagonal boron nitride (h-BN) 15
- HF etching 35, 36, 38–39, 51, 91, 92
- hybrid supercapacitors 173, 223
- hydrofluoric acid (HF) 1, 10, 17, 35, 89,
  - 91, 170, 215
- hydrogen evolution reaction (HER) 3,
  - 123, 169
- hydrogen production 100–102

**i**

- In-plane ordered MXenes 211
- in situ HF etching 91
- in situ thermopolymerization/calcination
  - 60, 61
- intrinsic 2D accordion-like nanosheets
  - 20–24
- intrinsic Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXenes nanosheets 16

**l**

- Langmuir surface areas of MOFs 143
- layered double hydroxides (LDH)
  - active sites and effective electronic
    - transport 169
- Fe, Co, and Ni-based 169
- nanosheets 170
- optical properties 177, 178
- structural properties 176–178
- TiC MXene composites applications
  - Co-based LDH TiC Composite
    - 183–184
  - electrochemical energy storage
    - application 179
  - Ni-based LDH/TiC Composite
    - 179–183
  - photocatalytic degradation
    - application 187–188
- layered double hydroxides (LDHs) 3
- LDH/TiC MXene composites
  - characterization of 74–77
  - general synthesis and processing of
    - 62–63
  - nanocomposites 178
- light harvesting 93–95
- lithium-ion batteries (LIBs) 220–221

**m**

- macroporous MOFs 143
- MAPbBr<sub>3</sub>/Ti<sub>3</sub>C<sub>2</sub>T<sub>x-1</sub> heterostructures
  - 198
- meso-porosity of g-C<sub>3</sub>N<sub>4</sub> 118
- metal azolate frameworks (MAFs) 143
- metal-organic frameworks (MOFs) 3,
  - 58, 134, 136–137, 140–145, 150
  - overview of 136–137
  - structure and properties of 140–144
- metal work function value 11
- 2-methylimidazole (2-MIM) 62
- ml-Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> delamination 212, 213
- MOF based TiC MXene nanocomposite,
  - characterization of 79–82
- molten salts
  - etching 91
  - substitution 35, 44–46

- monolayer molybdenum disulfide ( $\text{MoS}_2$ )  
15
- mono transition-metal Mxene 209
- multidimensional 1D/2D MXene hybrid  
catalysts 22
- MXene-based graphitic carbon nitride  
composites 4
- MXene based MOF composite 65–69
- MXene-based semiconductors 194
- MXene/ $\text{NH}_2$ -MIL-88B 153–156
- MXene/perovskite composite 195–197
- MXenes  
atomic force microscopy 218  
classification of 209–211  
double transition n-metal MXenes  
209–211  
mono transition-metal MXenes 209  
cycle stability of 225–226  
definition of 208  
energy storage 220  
energy storage requirements 208–209  
overview of 135–136  
preparation of 201  
Raman spectroscopy 216, 217  
scanning electron microscopy  
(SEM)/energy dispersive X-ray  
spectroscopy (EDS) 215–216  
structural classification of 196  
structure and properties of 137–140  
supercapacitors 223  
thermodynamic stability of 224–225  
titanium carbide 212  
vanadium carbide 213  
X-ray diffraction (XRD) 214–215  
X-ray photoelectron spectroscopy (XPS)  
218
- MXenes-dependent photocatalytic process  
12
- MXene/ $\text{TiO}_2$  nanocomposites 3, 88
- n**
- nanoribbons 20
- nanotubes 20, 39, 59, 88, 89, 135
- Nb-based films 140
- N-doped porous carbon (N-PC) 67
- NiAl-LDH/ $\text{Ti}_3\text{C}_2\text{T}_x$  nanosheet  
(NiAl-LDH/TNS) 62, 185
- NiMn-LDH/ $\text{Ti}_3\text{C}_2$  composites 74–76
- nitrogen doped carbon  
dot/CoAl-LDH/graphitic carbon  
nitride (NCD/LDH/CN) hybrid  
heterojunctions 62
- normal-treated  $\text{Ti}_3\text{C}_2\text{T}_x$  MXenes flakes  
16
- o**
- O-doped g- $\text{C}_3\text{N}_4$ / $\text{Ti}_3\text{C}_2$  MXene 120
- 1D/2D $\text{TiO}_2$ / $\text{Ti}_3\text{C}_2$  composite 59
- one-dimensional nanowires 20
- ordered DTMs MXenes 210–211
- O-terminated MXenes 139
- Out-of-Plane MXenes 210–211
- oxygen evolution reaction (OER) 169
- p**
- P-doped tubular g- $\text{C}_3\text{N}_4$  (PTCN) 119
- perovskites 4, 77, 78, 82, 197, 202  
properties and application of 194–195
- photocatalysis 2, 9, 13, 15, 17, 21, 22,  
33–35, 57, 87, 116–118, 124, 133,  
136, 137, 145, 153, 156, 158, 174,  
193, 195–197, 199
- photocatalyst activity 201
- photocatalytic  $\text{CO}_2$  reduction application  
156–158  
Co-based TiC composite 186–187  
Ni-based LDH/TiC composite  
185–186
- photocatalytic degradation 19, 23, 102,  
107, 108, 124, 144, 155, 189, 199,  
201  
application 102, 153–156  
efficiency 155
- photocatalytic hydrogen production  
TiC supported nanocomposites  
150–153  
TiC supported nanohybrids 145–150
- photocatalytic hydrogen synthesis 51,  
115
- photocatalytic mechanism 144–145

- photocatalytic TiO<sub>2</sub>-based systems 87  
 photocatalytic water splitting 100, 101,  
 115, 116, 118, 133, 134, 136, 144,  
 174  
 photocurrent analysis 49–50  
 photoluminescence (PL) spectroscopy  
 50–51, 93, 178  
 porous ZIF-derived CoS<sub>x</sub> 81, 149  
 pristine Ti<sub>3</sub>C<sub>2</sub> MXene 126  
 pseudocapacitors 172, 173  
 p-Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXene nanosheets 119
- r**
- Raman spectroscopy 50–52, 216–217  
 reactant adsorption 95, 96  
 rhodamine B (RhB) dye 108
- s**
- salicylic acid (SA) photodegradation 108  
 Schottky barrier 11, 12, 22, 51, 116, 117  
 Schottky heterojunctions 3, 51, 88,  
 92–93, 197  
 Schottky Junction 1, 12, 67, 92, 116, 118,  
 150, 156–158, 185  
 secondary building units (SBUs) 140,  
 141  
 sheet-on-sheet hybrid materials 24  
 single-layer Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXenes 15, 44  
 single Ti vacancies 15, 16  
 solid-solution MXenes 210  
 solution mixing 61  
 supercapacitors (SCs)  
 electrical double layer capacitor  
 (EDLC) 222  
 hybrid supercapacitor (HSC) 223  
 MXenes application of 223  
 surface-functionalized MXenes 135
- t**
- ternary g-C<sub>3</sub>N<sub>4</sub>/Ti<sub>3</sub>C<sub>2</sub>/TiO<sub>2</sub> NTAs  
 photocatalyst 108  
 ternary TiO<sub>2</sub>-Ti<sub>3</sub>C<sub>2</sub>-CoS<sub>x</sub> hybrid 81  
 thermodynamic stability, of MXenes  
 224–225  
 3D pillared Ni-MOF 2D layered Ti<sub>3</sub>C<sub>2</sub>  
 MXenes surface 66  
 Ti<sub>3</sub>AlC<sub>2</sub> MAX 21, 23, 35, 38, 39, 41, 42,  
 44, 46, 47, 157, 212, 214, 215  
 TiC-based TiO<sub>2</sub> composites  
 alkali etching 91  
 CO<sub>2</sub> reduction 96–100  
 degradation 102, 105–108  
 direct HF etching 91  
 electrochemical etching 92  
 halogen etching 91  
 hydrogen production 100–102  
 in situ HF etching 91  
 molten salts etching 91  
 overview 88–90  
 photocatalytic performance  
 formation of Schottky  
 heterojunctions 92–93  
 light harvesting 93–95  
 reactant adsorption 95, 96  
 TiC/g-C<sub>3</sub>N<sub>4</sub> composites 60–62, 120–123  
 Ti<sub>3</sub>C<sub>2</sub> heterojunction nanosheets 64  
 Ti<sub>3</sub>C<sub>2</sub> MXene 146  
 for energy and environmental  
 applications 1–5  
 TiC MXene based graphitic carbon nitride  
 composites  
 H<sub>2</sub> evolution 118–127  
 TiC/g-C<sub>3</sub>N<sub>4</sub> composites 120–123  
 TiC/semiconductor/g-C<sub>3</sub>N<sub>4</sub>  
 composite 124–127  
 TiC/sensitizer/g-C<sub>3</sub>N<sub>4</sub> composite  
 123–124  
 principle of photocatalysis 116–117  
 TiC/semiconductor/g-C<sub>3</sub>N<sub>4</sub> composite  
 124–127  
 Ti<sub>3</sub>C<sub>2</sub> MXene based MOF composites 65  
 TiC MXene based perovskite composite  
 for CO<sub>2</sub> reduction 197–199  
 for degradation 199–201  
 TiC MXenes 47, 58, 59, 61, 65, 66, 128,  
 134, 150, 158, 170, 175–177  
 optical properties 176–178  
 structural properties 175–178

- Ti<sub>3</sub>C<sub>2</sub> MXenes based perovskite composites
  - characterization of 77–79
  - synthesis of 64
- Ti<sub>3</sub>C<sub>2</sub> MXene vs. NH<sub>2</sub>-MIL-88B, interface interactions 156
- Ti<sub>3</sub>C<sub>2</sub>-QD/Ni-MOF synthesis 65, 66
- TiC/semiconductor/g-C<sub>3</sub>N<sub>4</sub> composite 124–127
- TiC/sensitizer/g-C<sub>3</sub>N<sub>4</sub> composite 123–124
- TiC supported nanocomposites 150–153
- TiC supported nanohybrids 145–150
- Ti<sub>3</sub>C<sub>2</sub>T<sub>A/R</sub>/CoAlLa-LDH nanocomposite 76
- Ti<sub>3</sub>C<sub>2</sub>/TiO<sub>2</sub> heterostructure 59
- Ti<sub>3</sub>C<sub>2</sub>/TiO<sub>2</sub>/UiO-66-NH<sub>2</sub> 79, 81, 101, 150–153
- Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/MOF 67
- Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXene 153, 154
- Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>/NiAl-LDH 77
- TiO<sub>2</sub>/MXene (Ti<sub>3</sub>C<sub>2</sub>) nanocomposite 100
- TiO<sub>2</sub>/Ti<sub>3</sub>C<sub>2</sub> composites, synthesis of 59, 60
- TiO<sub>2</sub>/TiC MXene, characterization of 69–71
- TiO<sub>2</sub>/Ti<sub>3</sub>C<sub>2</sub> MXene composite, synthesis and processing of 58–60
- titanium carbide MXene (TiC MXene)
  - 2D materials 170
  - photocatalytic CO<sub>2</sub> reduction application 156–158
  - photocatalytic degradation application 153–156
  - photocatalytic hydrogen production 145–153
- titanium carbide (Ti<sub>3</sub>C<sub>2</sub>) MXenes
  - acid-containing fluoride ions 39–41
  - alkali etching 42–45
  - delamination of the multi-layered 212, 213
  - efficient site attachment 21, 22
  - electrochemical etching 41–43
  - etching 18
  - field emission scanning electron microscopy (FESEM) 47, 48
  - functionalization 17–20
  - function and advantages of 20
  - HF etching 38–40
  - intrinsic 2D accordion-like nanosheets 20–24
  - molten salts substitution 44–46
  - photocurrent analysis 49–50
  - photoluminescence (PL) spectroscopy 50–51
  - Raman spectroscopy 50–52
  - SEM images 16
  - synthesis techniques 36
  - transmission electron microscopy (TEM) 47, 48
  - UV-visible spectroscopy 47, 49
  - water-free etching 44
  - working mechanism 33, 34
  - X-ray diffractions 46, 47
  - X-ray photoelectron spectroscopy (XPS) 50
- titanium carbide (Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub>) MXenes
  - compositional formula of 10, 11
  - conductive characteristics 2
  - electrical properties of 15–17
  - etching agents 2
  - general formula of 1
  - opto-electronic properties of 13–15
  - semiconductor interface junction 11–12
  - structural overview of 10–11
  - synthesis of 2, 212
- Ti vacancies cluster 15
- transmission electron microscopy (TEM) 47, 48, 74, 149
- 2D layered MXene nanosheets 64
- 2D Ti<sub>3</sub>C<sub>2</sub> MXene-based semiconductors 34
- 2D Ti<sub>3</sub>C<sub>2</sub> MXene nanosheets 64
- 2D Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXenes 21, 22, 24, 64
- two-dimensional (2D) nanomaterials 9, 10, 175
- two-dimensional (2D) Ti<sub>3</sub>C<sub>2</sub> MXene sheets 119

**U**

- UiO-66-NH<sub>2</sub> 79, 101, 150–153
- UiO-66-NH<sub>2</sub>(Zr/Ti) (UZT) 79
- ultrathin 2D layered Ti<sub>3</sub>C<sub>2</sub>T<sub>x</sub> MXene 119
- UV-visible spectroscopy 47, 49

**V**

- vanadium carbide (V<sub>2</sub>CT<sub>x</sub>)
  - delamination of 213
  - synthesis of 213

**W**

- water-free etching 35, 44

**X**

- X-ray diffraction (XRD) 46, 47, 71, 151, 214–215

- X-ray photoelectron spectroscopy (XPS) 50, 81, 214, 218

**Y**

- Young's modulus 15, 138

**Z**

- zeolitic imidazolate frameworks (ZIFs) 143
- 0D bimetallic selenides 69
- zero-dimensional (0D) quantum dots 2, 20, 175
- zinc methyl 3-devinyl-3-hydroxymethyl-pyropheophorbide 123