

Index

a

- Acacia mangium* 275
- acid-catalysed precipitation 393–394
- acid dyeing technique 167
- acid dyes 167
- acidic process
- concentrated acid process 49
 - dilute acid process 49
- activated carbon 477, 479, 480
- plant-based biomass conversion into 443–444
- activated carbon production 444
- reactor configuration 445–447
- activation of biomasses 444–445
- adsorbent-based process 480–481
- advanced functional polymers
- polyphenols in winery residues 348
- agave leaf-activated carbon production 447
- agricultural biomass 279
- Cassava 282–283
 - coconut 283–284
 - corn 279–280
 - oil palm 280–281
 - primary biomass, composition of 285
 - rice plantation 284
 - sugar cane 280
 - wheat 281–282
- agricultural by-products 469
- agricultural peel-based biomass 471
- agricultural waste biomass 247, 272, 545
- agricultural waste peels, as bio-adsorbent sources 484
- agriculture wastewater purification 494–495
- agro-industrial biomass 24
- air-classification assisted milling 86
- air pollution 7
- albumin 292
- alcohol dehydrogenase 295
- alcohols, from hemicellulosic sugarcane straw 259
- aldehyde assisted process 49–50
- algae
- application of 214
 - bio-pigments in 216–217
- algal-based natural dyes 227–229
- utilization of 230–231
- alkali/acid method 168
- alkaline process 47
- sulfur-free process
 - ammonia process 48
 - lime process 48
 - soda process 48
 - sulfur process
 - Kraft pulping 47
 - sulfite pulping 47
- alkaloids 36
- α -naphthoquinone dye 164
- ammonia process 48
- amylopectin, chemical structure of 32
- amylose 31
- chemical structure of 32
- anaerobic digestion 562
- anaerobic storage systems 583
- anhydrous sodium sulfate 122

- anthraquinone dyes 164
- aqueous extraction 167
- arabinogalactan 28
- Aspergillus* 191–193
- Aurofusarin 200

- b**
- Bale storage of biomass 581
- bamboo kraft lignin 405
- Barley *Hordeum vulgare* 75–76
- basal soil respiration (BSR) 9
- basic dyes 167
- bio-based plastics 423
- bio-based polymeric materials 550
- bio-based polymers 545
 - classes of 539
 - production of 293
- bio-based raw materials 117
- biochar 565
 - thermochemical modification of 477–478
- bio-compatible 423
- biocomposites 365–366, 421, 523–524
 - sustainability and environmental effects 528–529
 - for aerospace application
 - advantages 526–527
 - animal based fiber reinforcement 524–525
 - biofillers 525
 - components in aerospace structures 528
 - continuous fiber reinforcement 524
 - disadvantages 527
 - material selection and properties 525
 - plant based fiber reinforcement 524
- biodegradability of common bio-based and synthetic composite fiber reinforcements and resin matrix binder 529
- biodegradable 423
- biodegradable pristine membrane 486
- biodiesel production, from plant oils 294
- biodiesel synthesis, plant-based catalysts for 451, 453
- bioeconomy 557
- bioenergy 294
- bioenergy conversions 578, 580, 583, 585
- bioethanol 250–253, 345–346
- bioethanol catalytic dehydration 298
- biogas, from hemicellulosic sugarcane straw 259
- biohydrogen 254
- biological conversion of plant biomass 562
- biological funneling 31
- biomass 1, 141, 271, 441, 575
 - advantages 3, 576
 - agricultural 279, 284
 - applications and resources 142
 - Bale storage of 581
 - bio-economy of 15
 - chemical composition 578
 - classification 3
 - components of 142, 245
 - defined 468
 - energy source 4
 - environmental concern of 6
 - extraction and application 285–286
 - feedstocks, harvesting and collection of 579
 - limitations of 3
 - particle size 577
 - pretreatment classification of 245
 - regeneration ability and reusability of 495–497
 - safe disposal of 13
 - sources of 2, 272, 545
 - thermo-plasticization of 546
 - transportation 580
 - woody 271
- biomass ash 7–8
- biomass-based water purifiers 497
- biomaterials production 294
- biomethane 253–254
- bio-monomers transformation 330
 - condensation polymerization 333–336

- free radical polymerization 336–339
 - ring-opening polymerization 330–333
 - bio-oils, from winemaking residues 347–348
 - bio-pigments 216
 - diversity of 216–217
 - extraction methods of 220
 - in textile industry 229–230
 - bioplastics 422–424
 - application fields 427
 - cellulose 432–434
 - classification 423
 - global market 427–429
 - PBAT 432
 - poly (butylene succinate) 432
 - polyamides 430–431
 - propylene 431
 - and synthesis methods 425
 - biopolymers 389
 - bio-polymers production
 - olive tree and olive oil residues as feedstock for 339–345
 - winemaking residues for 345–348
 - biorefinery concept 243, 245
 - challenges and future perspectives 262–263
 - economic strength 246
 - raw materials 248
 - research in 246
 - for sugarcane straw valorization
 - cellulose-derived bioproducts 250, 254–257
 - extractives and ash derived bioproducts 260
 - hemicellulose-derived bioproducts 254–258
 - lignin-derived bioproducts 259–260
 - sugarcane trash and straw, bibliographic records on 249
 - biorefining 31
 - bioresins 518–519
 - biodegradability and properties of 519–522
 - glass transition temperature 520
 - biosorption 482–485
 - biowaste derived functional materials 15–16
 - bio-water-retting 468
 - Bisphenol A (BPA) 517
 - Björkman process 51
 - black pigments 163
 - bone fixation and regeneration 88
 - B-type crystals 65
 - 1,4-butanediol 308
- C**
- cake-like xanthate biosorbents 477, 478
 - calcined plant-based biomass, components of 444
 - Cam peachy wood 166
 - carbonated loofah and carbon nanofiber (CL-CNF) SSGD 482
 - carbon-based materials 14
 - carbonization 478
 - carbon monoxide poisoning 8
 - cardiovascular disease 13
 - carotenoid dyes 165
 - carotenoids (CA) 216, 218
 - carthamin 164
 - cashew nut shell liquid (CNSL)
 - anthraquinone-based dyes 125–126
 - bifunctional chemicals 128–129
 - bioactive nanocarriers 127
 - decontamination of polluted environment 131–133
 - flame retardants 129–130
 - global production 118
 - green catalyst 127–128
 - mechanical extraction 119–120
 - natural 121–122
 - pharmaceutical drugs from cardanol 123–124
 - preparation of resins, adhesives, and coatings 133
 - solvent extraction 120
 - synthesis of nanomaterials 130–131
 - technical 122
 - thermal extraction 118–119
 - UV absorbers 126–127

- Cassava (*Manihot esculenta*, Crantz)
67–69
- Cassava plantation 282
- cataracts 13
- cell milking 224
- cellulolytic enzyme lignin (CEL) 392
- cellulose 25–26, 367, 443, 577
processing and applications 432–434
extraction of 443
- cellulose-derived bioproducts 250
bioethanol 250–253
biohydrogen 254
biomethane 253–254
cellulose nanocrystals 253
cellulose nanofibers 253
- cellulose nanocrystals (CNC) 434
- cellulose nanofibers (CNF) 433
- cellulosic packaging 538
- chelation, heavy metal removal 487
- chemical activation, of biomass 445
- chemical activation method 478
- chemical/enzymatic hydrolytic methods
295
- chemical grafting 372
- chemically modified lemon peel biomass
471
- chemically modified plant biomass, for
water purification 474, 475
- chemical oxygen demand (COD) of
OMWW 340
- chitin 292
- chitosan 548
- chlorophyll 216, 217
- chlorophyllin 217
- chondroitin sulfate 292
- chronic obstructive pulmonary disease
(COPD) 12
- cinnabar 162
- circular bio-economy (CBE) 248
- circular economy (CE) 557
- classic extraction of pigments 220
- clean energy 14
- coconut 283–284
- collagen 292
- combustion, of plant biomass 559,
561–562
- commercial softwood timbers 274
- community biomass 468
- compatibilizers 432
- complexation, heavy metal removal 488
- composite materials 364
types of 364
- compostable 423
- composters 423
- compression molding 375
- concentrated acid process 49
- concentration by intercalation 450
- concentration effect on surface tension
of DL-malic acid 155
of L-methionine 155
- condensation polymerization 333–336
- contaminants removal 465
- corn 279–280
Zea mays L. 72–73
- corn stover ensiling 583
- corona treatment 373
- cottonseed activated carbon 449
- cradle-to-grave analysis 562
- Culmorin 200
- d**
- decarbonization 4
- decarboxylated CNSL 121
- deep eutectic solvents process 51
- deforestation 11
- delignification (de-waxing) 371
- delignification procedures 47
- desorption 495
- detoxification process 258
- dew retting 286
- differential scanning calorimetry (DSC)
73
- diffuse pollution 465
- diglycidyl ether of bisphenol A (DGEBA)
epoxy resin 518
- dilute acid process 49
- dinitrosalicylic acid (DNS) method 255
- Dioscorea* spp. *see* yams
- direct dyes 167

- disaccharides 294
- domestic wastewater purification 494
- drinking water pollutants, classification of 492
- drinking water purification 491–493
- drug delivery systems 87
- dry grinding 80
- dry milling process 80, 81
- dry pin millings 85
- dry storage systems, of biomass 581–583
- dust 7
- dye removal from water, plant biomass for 486–487
- dye's rocket 165
- e**
- eco-balance analysis 562
- electro-based methods 224
- electrochemical hydrogen storage, in
 - plant-based activated carbon electrodes 450
- electroextraction 224–225
- electrospinning 376
- electrostatic separation 86
- energy storage, plant based carbon
 - materials for 447, 453
- enhanced floating treatment wetland (EFTW) for wastewater treatment 473
- ensiling 583
- environmental impact of food packaging 543–545
- environmental remediation, plant-based
 - advanced materials in 441
- environmental sustainability 443
 - and solar technology 456
 - use of activating agent 445
- enzymatic changes in foods 542
- enzymatic extraction 221
- enzymatic method 171
- enzymatic mild acidolysis lignin (EMAL) 392
- enzymatic process 52
- enzymatic ROP 333
- enzymatic saccharification of
 - cellulose/hemicellulose 341
- ethanol 297–299
- ethyl acetate/hexane 122
- ethylene diamine tetraacetic acid (EDTA) 495
- ethylene glycol 308
- eucalyptus bark dust 472
- f**
- fermentation 291, 562
 - extraction 169
- fibre crops 276
- fibrin 292
- filament winding 376
- film-blowing process 547
- fixed-bed combustion 561
- flash precipitation 394
- flavonoid dyes 165
- flax/PP composites 377
- floating aquatic plant-based wetlands 473
- fluidized-bed combustion 561
- fluidized bed reactors, for activated
 - carbon production 445
- fly ash 8
- foaming technology 547
- food packaging
 - from agricultural biomass 547–550
 - rice straw 548–549
 - sugarcane bagasse 549–550
 - wheat straw 549
 - biomass processing to 546, 547
 - ceramic 537
 - chemical reactivity 540
 - durability 541
 - environmental impact of 543, 545
 - feature of 537
 - gas barrier properties 541
 - individual package properties 542–543
 - material, biopolymers as 538
 - material prerequisites 539, 543
 - material properties 540–542
 - mechanical properties 540

- food packaging (*contd.*)
 moisture barrier properties 541
 optical properties 541
 product characteristics 542
 purpose of 539
 storage and distribution conditions 543
 thermal properties 540
 forest sources 272, 274
 fossil-based plastics 422
 free radical polymerization (FRP) 336–339
 freeze-thaw method 221
 fruit peels, as bio-adsorbent sources 484
 fruit starches 77
 furfural 308, 342
 from hemicellulosic sugarcane straw 259
Fusarium fujikuroi 201–202
F. graminearum 199–201
F. oxysporum 198–199
- g**
 gamma radiation 170
 gaseous emission 7
 gasification, of plant biomass 294, 558–560
 global annual biomass-originated plant fibre production 469
 glutamic acid 307
 gluten washing 87
 glycosaminoglycan 292
 graft copolymerization 372
 granular activated carbon (GAC) production 478
 green composite 523
 green heterogeneous catalysts 452
 development and activation of 452, 453
 greenhouse gas (GHG) emissions 564, 565
 green pigments 162, 163
 G-type wood 391
 GVL assisted process 50
- h**
 hand lay-up 375
 hardwood species 274
 hardwood trees 273
 health hazards 11
 heavy metals removal from water, plant biomass for 487–489
 hemicellulose 26–27, 443, 577
 arabinogalactan 28
 mannans 27–28
 xylans 27
 hemicellulose-derived bioproducts 254, 259
 hemicellulose-derived materials 548
 hemp and glass fiber production 529
 heparin 292
 heterofermentative bacteria 583
 heterogeneous catalysts 444
 heterogeneous green catalysts raw materials used 454
 hexose monosaccharides 443
Hibiscus cannabinus L. 278
 high-density plant biomass 479
 high-performance size-exclusion chromatography 76
 high-pressure homogenization (HPH) 222
 high-value-added materials 53
 high voltage electrical discharge (HVED) 226
 homofermentative bacteria 583
 homogalacturonan
 rhamnogalacturonan I pectin (RG-I) 29
 rhamnogalacturonan II pectin (RG-II) 29
 homogenization 395–396
 hot oil bath technique 119
 hyaluronic acid 292
 hybrid solar-biomass power plant with water cooling and desalination 482
 hybrid supercapacitors 449
 hydro-char 478

- hydrodynamic cavitation technique 226
hydrogen storage 449–450
hydrolysis processes, of lignocellulosic materials 347
hydrophilic plant fibers 367
hydrophobic polymer matrices 367
hydrothermal liquefaction, in plant biomass energy conversion 558
hydrothermal methods 341
hydroxy acids 303
 for poly(hydroxyalkanoates) 303–305
3-hydroxybutyric acid 305
4-hydroxybutyric acid 305
hydroxycinnamic acids 35
5-hydroxymethylfurfural 302
hydroxymethylfurfural synthesis 295
3-hydroxypropionic acid 298, 305
hyphomycetes 201
- i**
- indigoid dyes 163–164
indoor pollution 11
industrial grade lignin 400
industrial wastewater purification 493
insect repellent properties 176
integrated biorefinery 243
internal transcribed spacer (ITS) 192
interstitial lung disease 12
interstitial sorption 482
ion exchange, heavy metal removal 487
ionic liquid process 50
Ipomoea batatas Lam. *see* sweetpotato
iron tannate 166
irrigation tailwater 494
isoprene 307
isosorbide 308
itaconic acid 301
- j**
- jute cultivation 278
- k**
- Kenaf cultivation 278
kenaf fiber reinforced composites 377
Klason process 49
KOH activated carbon 449
Kraft lignin (KL) 392
Kraft pulping 47
- l**
- lactic acid 299–301
lactic acid xylitol 346
land degradation 11
laser 226
leaf-based biomass 471
Legumes 76, 79
levulinic acid 308
L-glutamine, density and pH of aqueous solutions 150
life cycle assessment (LCA) 558
 for plant biomass recycling 564–568
 processes involved in 562–564
lignin 30, 43, 389, 442, 548, 577
 application 53
 biomedical applications 400–402
 catalysis and environmental remediation 405
 civil engineering applications 406
 energy storage applications 406
 environmental applications 402–404
 high temperature requiring applications 398
 structure and energy bonds 45
 thermochemical conversion of 53
 thermochemical treatment 405
 types of 392
 valorization 31
lignin-based nanoparticles 393
 acid-catalysed precipitation 393–394
 flash precipitation 394
 homogenization 395–396
 nanoprecipitation 394
 solvent exchange 395
 ultrasonication 395–396
 water-in-oil microemulsion methods 395
lignin content and monolignol proportion 391

- lignin-derived bioproducts 259–260
 - lignin-derived nanomaterials 53–57
 - in biomedical applications 54, 55
 - for energy storage applications 55, 56
 - lignin extraction 45, 443
 - acidic process 48
 - concentrated acid process 49
 - dilute acid process 49
 - alkaline process 47
 - sulfite pulping 47
 - sulfur-free process 48
 - sulfur process 47
 - average yielding of 393
 - enzymatic process 52
 - physical-assisted extraction process
 - microwave-assisted process 51
 - milled-wood process 51
 - solvent-assisted extraction process
 - aldehyde assisted process 49
 - deep eutectic solvents process 51
 - GVL assisted process 50
 - ionic liquid process 50
 - organosolv process 49
 - lignin nanoparticles
 - as flame retardant additive 400
 - properties and applications 397
 - lignin nanoparticles-matrix interactions 397–398
 - lignin thermal properties 398
 - lignocellulose 43, 577
 - composition in biomass 44
 - lignocellulosic agro-waste 548
 - lignocellulosic biomass 23, 243
 - composition and extraction 442–443
 - lignocellulosic materials 271
 - lignosulfonates 392
 - lime process 48
 - linoleum fiber reinforced composite displacement 524
 - lipids 33–34
 - fatty acids 33–34
 - triacylglycerol (TAG) 34
 - L-lactic acid 156
 - long-term bale storage 582
 - low-density plant biomass 479
 - lower birth weight 11
 - lung cancer 12
- m**
- machine-based purification techniques 465
 - maize 279
 - mannans 27–28
 - marine-degradable 423
 - marketed plant alkaloids 36
 - matrix reinforcement bonding 365, 366
 - membrane filtration process 485, 486
 - metal packaging 538
 - metal salts mordants 172
 - methylene blue 487
 - micro and nano polymer composites
 - application areas of 378
 - biodegradability of 377–378
 - mechanical properties 376–377
 - microbial biomaterial 484
 - microbial fuel cells 450–451
 - microplastics 544
 - microporous carbon 477
 - microwave-assisted acid pretreatment 258
 - microwave-assisted delignification process 52
 - microwave-assisted extraction (MWAE) 51, 222
 - microwave-assisted starch extraction 85–86
 - microwave reactors, for activated carbon production 446, 447
 - mild acidolysis lignin (MAL) 392
 - milled wood lignin (MWL) 392
 - milled-wood process 51
 - mineral oil 2
 - modern extraction methods 222–225
 - modified LaMer mechanism 394
 - Monascus purpureus* 196–197
 - monolignols 43, 259, 390
 - formation of 44
 - monosaccharides 294
 - mordanting 171–172

- mordanting methods 173
- multi-effect dehumidification (MED)
process 482
- Musa paradisiaca* agricultural biomass
peels 471
- myxospermous seeds 144
- myxospermy 144
- n**
- nanoclays 520
- nano-fibrillated-cellulose 486
- nano-lignin composites 408
- nanoprecipitation 394–395
- naphthoquinone dyes 164–165
- natural and synthetic fibre properties
526
- natural biomass fibers 468
- natural black dyes 166
- natural blue dyes 166
- natural brown dyes 166
- natural colorants 160
animal sources 162
antimicrobial properties of 173, 174
microbial and fungal 163
mineral-based 162–163
plant based 160
- natural colors 159
- natural dyes 159
advantages of 177–178
algal-based 227–229
deodorant property of 175, 176
disadvantages of 178
fastness properties of 176–177
insect repellent properties of 176
- natural fiber(s) 365–367
- natural fiber-derived composites 421
- natural fiber reinforced composites
(NFRCs)
application areas of 378, 379
biodegradability of 377–378
fabrication 373–376
fiber treatment and modification
371–373
life cycle of 365
mechanical properties of 376–377
- natural fiber-reinforced polymer
composites 526
- natural forest 272
- natural plant-originated polymers 468
- natural red dyes 165–166
- natural virgin fiber cultivation 468
- natural yellow dyes 165
- Nectriaceae 198
- Nigella sativa* L. 488
- nitrogen and boron dual-doped aerogel
(NB-PPCA) 15
- nonaqueous extraction 168–169
- nonbiodegradable polymers 538
- non-edible materials 247
- non-respiratory illness
in adults 13–15
in children 11–12
- non-timber plantation species 276–279
- non-wood-based plant reinforcement
524
- novolacs resins 133
- nutrient agar (NA) 192
- nutritional deficiency 12
- o**
- oats 74–75
- ohmic heating (OH) 226–227
- oil mordants 172
- oil palm tree 280–281
- olive cake, chemical composition of 340
- olive pomace 340
- olive stones 341
- open molding techniques for
thermoplastic composites 375
- open storage method, of biomass 581
- organosolv lignin (OSL) 392
- organosolv processes 49, 392
- origin-based natural fibers classification
468, 469
- p**
- pectin 28–29
- pelletized plant biomass 580
- Penicillium* 193–194
- pentose monosaccharides 443

- petroleum-based materials 518
- petroleum-based plastics 538
- petroleum-based polymers 517, 546
 - carbon footprint and harmful impact of 544–545
 - packaging material 544
- PHA synthase enzyme (PhaC) 303
- Phenylpropanoid(s) 35
- phenylpropanoid pathways 44
- pH-sensitive LNPs 395
- phycobilins biosynthesis 219
- phycobilins proteins (PBPs) 218, 219
 - phycobilins joining with 219
- phycobilisome (PBS) 218–219
- phycocyanin (PC) 219
- phycoerythrin (PE) 220
- phycoerythrocyanin (PEC) 218–219, 229
- phycoviolobin (PVB) 219
- physical activation, of biomass 444
- physical activation method 478
- physical-assisted extraction process
 - microwave-assisted process 51–52
 - milled-wood process 51
- physical modification of plant biomass 473–474
- physicochemical activation method 445, 478
- Pinus radiata* 276
- Pistia stratiotes* L. macrophytes 473
- plantation forest 274–279
- plant-based advanced materials 441–442
- plant-based biomass
 - advantage of 141
 - challenges 456, 497–498
 - conversion into activated carbon 443–444
 - future outlooks 497–498
 - hydrogen storage 449–450
 - limitations 497–498
 - microbial fuel cells 450–451
 - in supercapacitor 448–449
- plant-based catalysts, for biodiesel synthesis 451–453
- plant-based lignocellulosic biomass 442–445
- plant-based mucilages and exudates 141
- plant-based natural colorants 160–161
- plant-based natural fibers 366–367
- plant biomass 271
 - biological conversion of 562
 - for bioenergy production 566–568
 - characteristics 576–578
 - dry storage systems 581–583
 - for dye removal 486–487
 - handling 578–580
 - for heavy metal removal 487–489
 - industrially relevant monomers and precursors from
 - 5-hydroxymethylfurfural 302
 - ethanol 297–299
 - hydroxy acids for
 - poly(hydroxyalkanoates) 303–305
 - itaconic acid 301
 - lactic acid 299–301
 - saccharides 294–297
 - sorbitol 302
 - succinic acid 301
 - xylitol 302
 - for other compounds removal 489
- preservation 585–586
- recycling process 558–562
 - biological conversion 562
 - combustion 561–562
 - gasification 559–560
 - pyrolysis 560–561
 - technology categorization 558
- sources for water purification 469–473
 - agricultural peel-based biomass 471
 - floating plants, beds and wetlands 473
 - leaf-based biomass 471–472
 - powder and dust-based biomass 472–473
 - stems and roots-based biomass 472
- sources of 575
- structural composition 578
- supply chain and handling 579
- for wastewater pollutant removal 496–497

- for wastewater treatment 473–479
 - chemical modification 474–477
 - physical modification 473–474
 - thermochemical modification 477–479
- wet biomass storage systems 583–584
- plant biomass-based monomers
 - self-condensation and step-growth polymerizations 335
 - polymerization of 331, 332
- plant biomass-based solar steam
 - generation devices for water purification 483
- plant biomass cycle 577
- plant fiber reinforcements 365
- plant mucilage
 - density measurements 145
 - extraction and preparation 144
 - hydrophilic behavior 143
 - model compounds preparation 145
 - and organic acids 143
 - temperature effect on density
 - of basil mucilage aqueous solutions 146
 - of basil seed mucilage 147
 - of chia seed mucilage 147
 - of flax seed mucilage 147
 - of L-glutamine 149
 - of L-lactic acid 149
 - of L-valine 149
 - temperature effect on viscosity
 - of basil seed mucilage 151
 - of chia and flax seed mucilage 152
 - of chia basil and flax mucilage 152
 - of chia seed mucilage 151
 - of flax seed mucilage 150
 - viscosity measurements 145
 - water absorption 143
- plant-oils based acrylic monomers 337
- plastic(s) 424
- plastic-based waste 544
- plastic debris 544
- plastic packaging materials 538
- plastic-reinforced composite materials 517
- Pleosporaceae* spp. 205, 207
- point source pollution 465
- poly(butylene adipate-co-terephthalate) (PBAT) 432
- poly(butylene succinate) (PBS) 432
- poly(hydroxyalkanoates) 347
- poly(malic acid) 307
- poly(mandelic acid) 307
- polyamides 430–431
- poly(caffeic acid)-coated molecularly imprinted magnetic nanoparticles 344
- poly-generation process 482
- polyglycolic acid 308
- polyhydroxyalkanoates (PHAs) 292, 299, 303, 342–343
- polymeric food packaging 538
- polymerization 329
 - of plant biomass-based monomers 332
- polymer(s) 363, 426
- polymer matrix 367, 370
 - composites 421
- polyphenols
 - in olive tree residues for advanced functional polymers 343–345
 - in winery residues 348
- polysaccharides 294
- poplar lignin 406
- porous carbon material 442
- potato 63–65
- potato dextrose agar (PDA) 192
- powder and dust-based biomass 472–473
- powdered activated carbon (PAC) 477
- precipitation, heavy metal removal 488
- pre-mordanting 173
- pressure-driven membrane filtration 485
- pressurized liquid extraction (PLE) 222
- pressurized systems 222
- primary processed wood products 286
- propionic acid 307
- propylene 431
- pulsed electric fields (PEFs) 224
- pultrusion 376

- pyrolysis 559
 of plant biomass 294, 560–561
 pyruvate decarboxylase 295
- r**
- radiation-based extraction 169–170
 rapid visco analyzer (RVA) 75
 red pigments 162
 red-purple yeast 196
 renewable carbon sources for chemicals
 production 291
 renewable energy sources 441, 575
 renewable source 424
 residual biomass 243
 residual oils, exploitation of 343
 resin transfer molding technique 375
 resistant starch 94
 resole resins 133
 respiratory illness, in adults 12
 rhamnogalacturonan II pectin (RG-II)
 29
 rhamnogalacturonan I pectin (RG-I) 29
 rice
 amylopectin 73
 Oryza sativa L. 73, 74
 plantation 284
 starch 89
 rice-straw-based cellulose 548
 ring-opening metathesis polymerization
 (ROMP) 330
 ring-opening polymerization (ROP)
 330–333
 roots-based biomass 472
 rotary kiln reactors, for activated carbon
 production 445, 446
 RTM6 epoxy 519, 520
 rubber tree plantation 276
 rubrofusarin 200
- s**
- saccharides 294–297
Saccharum edule 280
 S. officinarum 280
 S. robustum 280
 S. sinense 280
 saturated anacardic acid 132
 screw press technique 119
 secondary metabolites 34–36, 261
 alkaloids 36
 phenylpropanoids 35
 terpenoids 35
 secondary processed wood products 286
 second generation bioethanol and
 platform chemicals 341–342
 simultaneous saccharification and
 fermentation (SSF) 259
 single-layer ambient biomass storage
 581
 single-use plastics 422
 size reduction 81
 small-scale biomass 580
 soda process 48
 sodium lignin (SL) 392
 softwood trees 273
 soil impact 9, 22
 soil pollution 9
Solanum tuberosum L. *see* potato
 solar concentrators 447
 solar driven steam generation (SSGD)
 process 481
 solar irradiated furnaces, for activated
 carbon production 447
 solid biomass 4
 solvent-assisted extraction process
 aldehyde assisted process 49–50
 deep eutectic solvents process 51
 GVL assisted process 50
 ionic liquid process 50–51
 organosolv process 49
 solvent exchange process 395
 solvent extraction 121, 168, 220–221
 sorbitol 302
 Soxhlet extractor 118
 species biomass 468
 spray lay-up technique 375
 starch, definition of 31–32, 546
 starch extraction 80–87
 from cereals and pulses 83–85
 from tuber 82–83
 starch hydrolysis 32

- starch source 63
 agricultural applications 90, 92
 cereal 70–76
 food applications 94, 95
 non-conventional 76–77
 packaging applications 93
 root and tuber 63–70
- starch structure
 dry milling process 80–81
 effect of milling process on 81–82
 wet milling process 81
- stems and roots-based biomass 472
- succinic acid 301, 346–347
- sucrose 32–33
 biosynthesis 33
- sugarcane 280
 global production of 244
 bagasse 549–550
- sugarcane straw
 composition 245
 utilization of 244
- sugarcane straw valorization, biorefinery
 concepts for
 cellulose-derived bioproducts
 250–254
 extractives and ash derived bioproducts
 260–262
 hemicellulose-derived bioproducts
 254–259
 lignin-derived bioproducts 259–260
- sulfite pulping 47
- sulfonated saw dust-based biomass
 purifier 472
- sulfur-free process
 ammonia process 48
 lime process 48
 soda process 48
- supercapacitors 448–449
- supercritical extraction 170–171
- supercritical fluid extraction (SPE) 225
- surface sorption 482
- surgical sutures 88
- sustainability 518
- sweetpotato 65–67
- synthetic dye 189
- synthetic fiber-reinforced polymer
 composites 527
- synthetic fiber(s) 365, 366
- synthetic polymer production 305
 monomers and precursors for 309
- t**
- Talaromyces* 194–196
- tannin-based dyes 165
- tannins 172
- tarped storage systems 581
- Teak 276
- Tectona grandis* 276
- terpenoids 35
- textile dyeing 161
- thermal treatment 221
- thermochemical biomass processing, of
 plant residues 558
- thermo-plasticization of biomass
 546–547
- thermoplastic matrix materials 370, 371
- thermoplastic polymers 367
- thermosetting matrix materials 371
- thermosetting polymers 367
- three-dimensional porous cake-like
 biosorbent 474–477
- timber plantation species 275–276
- tissue adhesives 89
- tobacco dust-based adsorbent 473
- torrefaction 579
- total biomass of a plant 271
- toxic 424
- transesterification process 451–452
- triacylglycerol (TAG) 34
- Trichocomaceae 191
- Trichoderma harzianum* 202–204
T. spirale 205
- tuberculosis (TB) 12
- tubular electric furnaces, for activated
 carbon production 445
- u**
- ultrasonic-assisted extraction (UAE) 170
- ultrasonication 395–396
- ultrasonic radiation 170, 171

- ultrasound-assisted extraction (UAE) 222
 - ultrasound-assisted milling 85
 - ultraviolet radiation 170
 - unsaturated fatty acids (UFAs) 33, 34
 - uridine diphosphate (UDP) 33
- V**
- vacuum-aided resin transfer molding (VARTM) 375
 - valorization
 - of biomass 442
 - of lignin 389
 - of sugarcane cellulose and derived products 251
 - of sugarcane hemicellulose and derived products 256
 - vat dyes 166
 - vegetable peels, as bio-adsorbent sources 484
 - Vermillion 162
 - virgin forest 272, 274
- W**
- water-in-oil (W/O) microemulsion
 - methods 395
 - water pollutant categories 466
 - water pollution 465
 - source of 490
 - water purification
 - plant biomass-based techniques 480
 - adsorbent-based process 480–481
 - biosorption 482–485
 - membrane filtration 485–486
 - solar steam generation device for desalination and filtration 481–482
 - plant biomass sources for 469
 - agricultural peel-based biomass 471
 - floating plants, beds, and wetlands 473
 - leaf-based biomass 471–472
 - powder and dust-based biomass 472–473
 - stems and roots-based biomass 472
 - sector-based 489–495
 - water purification mechanisms,
 - difficulties in 468
 - water source contamination 490
 - water treatment 89–90
 - water use and water pollution 8–9
 - wave-energy-based cell disruption 222–223
 - wet biomass storage systems 583, 584
 - wet layup process 375
 - wet milling process 80, 81
 - wheat 281–282
 - Triticum aestivum* L. 70–71
 - wheat straw 549
 - winemaking residues for biopolymers
 - production 345–348
 - bioethanol 345–346
 - fufural 346
 - lactic acid xylitol 346
 - poly(hydroxyalkanoates) 347
 - succinic acid 346–347
 - wood-based plant reinforcement 524
 - woody biomass 271
- X**
- X-ray diffraction 71
 - Xylans 27
 - xylitol 302
 - from hemicellulosic sugarcane straw 258–259
 - xylooligosaccharides, from hemicellulosic sugarcane straw 258
 - xylose, from hemicellulosic sugarcane straw 258
- Y**
- yams 69, 70
 - yellow pigments 162
- Z**
- Zein 546, 547
 - zero waste 245