

Index

a

- acidic OER 143
 - performance of 1T-IrO₂ 149
 - spin-related catalysts for 89–90
- acid proton-exchange membrane (PEM)
 - electrolysis 89
- Ag@hcp Ni catalyst 198
- Ag_xIn_xZn_{2-2x}S₂ nanoparticles, bandgap
 - vs. CB and VB 176–177
- alkali-assisted mechanochemical
 - method 16, 119
- alkaline-assisted mechanochemical
 - method 25
- alkaline hydrogen evolution reaction (HER) 148, 161
- alkaline OER 88–89, 143
- α-Fe₂O₃ 75
- ammonia (NH₃) synthesis 191–192
- amorphous 2D IrO₂ nanosheet 153
- amorphous metastable phase materials 2
- anatase TiO₂
 - crystallographic and physical properties of 177
 - crystallographic information for 71
 - crystal structure of 4
 - stable phase and metastable phase criterion 9
- anion-assisted method 23
- artificial nitrogen fixation process 191

b

- ball-milling method 17, 25
- bandgap 173–179, 182, 183
 - Derivative method to determine bandgap 175
- β-Bi₂O₃ 179
- β-Fe₂O₃ 75
- β-NiMoO₄ 197
- Bragg's equation 35
- brookite TiO₂
 - crystallographic and physical properties of 177
 - crystallographic information for 71
 - crystal structure of 4
 - stable phase and metastable phase criterion 9

c

- carbon dioxide reduction reaction (CO₂RR) 141, 144, 145
- catalytic reforming 192
- CdS 78
- Ce_{0.5}Zr_{0.5}O₂ mixed oxides 195
- ceria-sulfated zirconia 195
- cerium oxide (CeO₂), 2D
 - metastable-phase 126
- chalcogenides
 - CdS 78
 - Cu₂SnSe₃ 78

- chalcogenides (*contd.*)
 MoS₂ 76–78
 ZnS 78
- characterization techniques,
 metastable-phase materials
 EXAFS 38–40
 neutron diffraction 41
 synchrotron X-ray absorption 38
 transmission electron microscopy
 (TEM) 36–37
 XANES 38
 X-ray diffraction 33–36
 X-ray magnetic circular dichroism
 (XMCD) 41–43
 X-ray photoelectron spectroscopy
 (XPS) 40–41
- chromium carbide 166
- Co-doped MoO₂ 193
- Co(oxy)hydroxides 88
- CO oxidation 192, 195, 197, 199
- cobalt (Co), stable phase 62
- conduction band (CB) 173–179
- CoNi-inf 21, 22, 148
- coordination number (CN) 3, 102,
 104–108
- copper tin selenides (Cu₂SnSe₃) 78
- Corundum-type rhombohedral In₂O₃
 196
- covalent bond behavior, in metastable-
 phase 1T metal oxides 129–133
- d**
- density functional theory (DFT) 61,
 77, 78, 131
- diamond 2, 5, 15, 18, 22, 25, 52, 62, 63,
 78, 79
- direct band gap 94, 175
- distortion theorem 130–132
- e**
- electrocatalysis
 metastable-phase carbides 161–166
- metastable-phase metals 145–148
- metastable-phase oxides 148–157
- metastable-phase phosphides
 159–161
- metastable-phase transition metal
 chalcogenides 157–159
- electrochemical reactions
 carbon dioxide reduction reaction
 144, 145
 hydrogen evolution reaction
 141–143
 oxygen evolution reaction 143
 oxygen reduction reaction 143–144
- electron diffraction patterns 37, 44, 54
- extended X-ray absorption fine
 structure (EXAFS) 38, 40,
 125
- f**
- Fe₃O₄ 75
- FeAl alloy, crystal structure of 5, 6
- ferromagnetic CoFe₂O₄ catalysts 88
- Fischer–Tropsch process 193
- 5 layer crystal lattices 94, 95
- 4H-phase Ag nanowires 52
- g**
- γ-Fe₂O₃ 75
- gold (Au), noble metals 51–52
- Goodenough–Kanamori rule 43,
 90
- graphene 79, 93, 94, 100, 159, 207
- graphite 4, 5, 78–79
- h**
- hafnium oxide (HfO₂), 2D metastable
 phase 127
- H₂ annealed MMC (MMC-H₂) 164
- hcp* Ir–Ni, electronic structure
 characterization of 57
- hcp* RuNi, structural characterization of
 148, 150

- heterojunction–phase-interface
 electrocatalysts 158
- hexagonal crystal system 97
 crystal orientation 97
 shape 97
 2D group 99
- hexagonal Pd₇P₃/CNT 160
- hexagonal REFeO₃ (h-REFeO₃) 197
- Heyrovsky step 142
- HfP 79
- high-angle annular dark-field
 (HAADF) 33, 44
- high-energy precursor coupling method
 25
- high-pressure synthesis 22
- high-resolution electron microscopy
 (HREM) 43, 44
- high-resolution TEM imaging
 (HRTEM) 44
- hot injection method 22
- hydrogen adsorption free energies, on
 Rh-NA/RhO₂ 156
- hydrogenation 20, 123, 124, 144, 191,
 192, 194, 195, 198–200
- hydrogen evolution reaction (HER)
 141–143, 148, 159, 161,
 179
- hydrothermal method 18, 19
- i**
- indirect band gap 94, 175
- in situ polymorphism interface
 147
- interface engineering strategy 147
- iron (Fe) 4, 62
- j**
- Jahn–Teller effect 130–132
- l**
- laser-induced method 25
- Le Chatelier’s Principle 191
- LiCoVO₄ 88
- light-irradiated charge carriers
 173–174
- m**
- magnetic analysis of Mn–RuO₂ NFs
 42
- magnetic polaron mediated strategy
 90
- manganese (Mn) 62–63, 146
- mechanical-energy-related methods
 17, 18
- mechano-thermal method 119, 120,
 124, 154
- mesoporous molybdenum carbides
 161
- metallene oxides
 binary 111
 formation of 110
 single-layer distribution 118
- metastable borides 80
- metastable
 Co_xNi_yMg_{100-x-y}(OH)(OCH₃)
 composition 197
- metastable *hcp* Ni 61, 146, 148,
 149
- metastable MCo₂O₄ 197
- metastable palladium carbide 200
- metastable-phase 2D metal oxides
 43–44, 100, 119–120
- metastable-phase *h*-MoO₃ 193
- metastable-phase cobalt carbides 200
- metastable-phase diamond
 crystallographic information 79
 crystal structure 79
- metastable-phase graphene
 crystallographic information 79
 crystal structure 79
- metastable-phase materials
 applications 8
 categories of 2
 chemical bonds 4–5

- metastable-phase materials (*contd.*)
- connecting modes 3
 - coordination number 3–4
 - molecular thermal-motion-related polymorphs 5–6
 - order and disorder polymorphs 5
 - packing orders 3
 - spin-related polymorphs 6
- chalcogenides
- CdS 78
 - copper tin selenides 78
 - MoS₂ 76–78
 - ZnS 78
- criterion for 8–9
- high pressure 22–23
- influence on polymorphs
- nano-size metastable-phase catalyst stability 7–8
 - pressure effect 6–7
 - temperature effect 6
- oxides
- Fe₂O₃ 73–75
 - TiO₂ 71–73
 - ZnO 75–76
- soft chemical method 23
- synthesis of
- mechanical-energy-related methods 17, 18
 - schematic representation 16
 - thermal-energy-related methods 18–22
- metastable-phase metals
- criterion to determine 64, 65
 - noble metals 51–60
- metastable 3R-phase IrO₂ (3R-IrO₂) 150
- methane dehydroaromatization 199, 200
- microcrystalline metastable phase materials 2
- MnCoO catalysts 197
- Mn-doped rutile-phase RuO₂ nanoplates 90
- Mn-Zr mixed oxides 195
- Mo_{1.0}V_{0.37}Te_{0.17}Nb_{0.12}O₃ mixed oxide 197
- molecular thermal-motion-related polymorphs 5–6
- molybdenum disulfide (MoS₂) 76–78
- monoclinic α-Bi₂O₃ 179
- monoclinic crystal system
- crystal orientation 97
 - shape 97
 - 2D space group 98
- monoclinic Pd₆P/CNT catalyst 160, 165
- n**
- nanocrystalline metastable-phase materials 2
- nanomaterials bandgap, CB and VB, change of 176–177
- neutron diffraction 6, 33, 41, 43
- Ni₇B₃ 79
- Ni/metastable-phase ZrO₂ 194
- nickel (Ni) 60–62, 198
- N-MoS₂/rGO nanosheets 159
- noble metals
- Ag 51–52
 - Au 51–52
 - crystal structures and cell parameters of 52
 - gold 51
 - Ir 55–57
 - Os 57–60
 - Pd 52–55
 - Pt 55–57
 - Rh 52–55
 - Ru 57–60
 - silver 52
- non-noble metals
- Co 62

- crystal structure and cell parameters of 60
- Fe 62
- Mn 62–63
- Ni 60–62
- Sn 63
- W 64
- O**
- OER performances, of metastable phase
2D iridium oxides 151
- one-dimensional monoclinic IrO_2 154
- one-pot wet chemical synthesis 145
- 1T metal oxides
behavior against distortion theorem
of 131
chemical bonds, valences vs. bonds
for 129–130
distortion theorem 130–131
flexibility for 132–133
Jahn–Teller effect 130–131
- 1T- MoS_2 nanosheet catalyst 158
- 1T- PdO_2 , anti-Jahn-Teller effect of
131
- order and disorder polymorphs 5
- orthorhombic crystal system
crystal orientation 97
shape 97
2D space group 98
- OsB_2 79–80
- oxygen evolution reaction (OER)
85–86, 120, 141, 143,
179
- oxygen reduction reaction (ORR)
86–87, 141, 143–144
- oxyhydroxide 87–89, 143
- P**
- Pd@Ru nanoplates 60
- photocatalysis
advantages 182–183
disadvantages 182–183
- experimental parameters of
174–175
- mechanism of 173, 174
- metastable phase catalysts
 Ag_2MoO_4 181
 Ag_2WO_4 182
 $(1-x)\text{BiFeO}_{3-x}\text{PbTiO}_3$ 182
 Bi_2O_3 179
 Bi_2SiO_5 181
 $\text{Bi}_{20}\text{TiO}_{32}$ 181
 $\text{Bi}_2\text{Zr}_2\text{O}_7$ 181
 FeVO_4 181
 $\text{K}_2\text{LaTa}_2\text{O}_6\text{N}$ 182
 MnS 181
 MoO_3 178–179
 MoS_2 179
 $\text{Sr}_{0.5}\text{TaO}_3$ 181
 TaON 178
 TiO_2 177–178
 WO_3 179
 ZnMoO_4 182
 ZrSnO_4 182
- photocatalysts 8, 71, 75, 76, 78,
173–176, 179, 181–183
- photoluminescence (PL) spectra, of
nanocrystalline GaN 19
- Pt core–shell nanobranches 57
- Q**
- quasicrystalline metastable phase
materials 2
- quenching 18, 20, 25
- R**
- rapid solidification 18, 20
- reflux methods 20
- RhMo NSs
morphology characterizations of 55
structural analysis of 56
- rhombohedral AgBiO_3 197
- Rh-NA/ RhO_2 , HER performance 156
- rutile oxides, lengths of 131

- rutile TiO₂
 - crystallographic and physical properties of 177
 - crystallographic information for 71
 - crystal structure of 4
 - stable and metastable phase criterion 9

- S**
- salt-assisted chemical vapor deposition method 22
- salt-melting assisted hydrothermal method 18
- silver (Ag) 52
- Si nanoparticles, bandgap vs. CB and VB 176
- soft chemical methods 23
- sol-gel method 23
- solid-state thermal shock (TS) strategy 145
- solvothermal method 19, 20
- spin-dependent metastable phase materials
 - spin-related catalysis
 - oxygen evolution reaction 85–86
 - oxygen reduction reaction 86–87
 - spin-related catalysts
 - for acidic OER 89–90
 - for alkaline OER 88–89
- spin-pinning effect 86–89
- spin-related catalysis
 - oxygen evolution reaction 85–86
 - oxygen reduction reaction 86–87
- spin-related catalysts
 - for acidic OER 89–90
 - for alkaline OER 88–90
 - oxyhydroxide 88–89
 - spinel oxides 88
- spin-selective FM OER catalysts 88
- spinel oxides 88
- stable paramagnetic hydroxyl oxide layer/ferromagnetic layer interface 86
- stable-phase graphite
 - crystallographic information 79
 - crystal structure 79
- stable-phase materials, criterion for 8–9
- stable-phase metals, criterion 64, 65
- synchrotron X-ray absorption 33, 38, 40, 43
- synthetic methodology 1, 15–25, 61, 119, 148

- t**
- Tafel slope 88, 142, 148, 149, 154, 156, 159, 162, 164
- tantalum oxynitride (TaON) 178
- Tauc plot 175
- tetragonal crystal system
 - crystal orientation 97
 - shape 97
 - 2D space group 99
- thermal energy related method
 - hydrothermal method 18–19
 - rapid solidification/quenching 20
- reflux methods 20–22
- solvothermal method 19–20
- thermocatalysis
 - metastable phase catalysts for
 - Al₂O₃ 195
 - borides 200–201
 - carbides 199–200
 - chalcogenides 199
 - corundum-type rhombohedral In₂O₃ 196
 - Cu₄O₃ 195
 - CuO 195
 - Fe₂O₃ 195–196
 - FeO 195–196

- metals and alloys 198–199
 - MoO₃ and MoO₂ 193
 - ZrO₂ 194–195
 - thermocatalytic processes 191
 - thermocatalytic reactions
 - ammonia synthesis 191–192
 - catalytic reforming 192
 - CO oxidation 192
 - Fischer–Tropsch process 193
 - hydrogenation 192
 - water–gas shift reaction 192
 - tight-binding approximation 176
 - tin (Sn) 63
 - tin oxide (SnO₂), 2D metastable-phase 127–129
 - transition metal carbides (TMCs) 100, 161
 - transition metal dichalcogenides (TMDs) 76, 78, 94, 100
 - transmission electron microscopy (TEM) 21, 33, 36, 37, 43, 44, 62, 150, 153
 - triclinic crystal system
 - crystal orientation 97
 - shape 97
 - 2D space group 98
 - trifluoromethanesulfonic acid 195
 - trigonal crystal system
 - crystal orientation 97
 - shape 97
 - 2D space group 99
 - tungsten (W) 64
 - 2D Barvais lattices 98
 - 2D materials
 - crystal lattice determination 97–98
 - novel phenomenas 94
 - spatial non-uniformity 94
 - symmetry, theoretical deduction of 96
 - 2D crystal systems determination 97
 - 2D point group determination 96
 - 2D space group determination 98–100
 - 2D metal oxides 100–101
 - crystal structure of 101–110
 - metallene oxides 110–118
 - 2D metastable 1T-phase IrO₂ 123, 148
 - 2D metastable-phase hexagonal
 - phase SnO₂ nanoribbons 128, 154
 - 2D metastable-phase iridium oxides 120
 - 2D metastable-phase metal oxides, preparation of 119
 - 2D metastable-phase noble metal oxides 120–126
 - 2D metastable-phase palladium oxides 124–126
 - 2D metastable-phase platinum oxides 120–123
 - 2D metastable-phase rhodium oxides 123–124
 - 2D single-layer metallene oxides 109
- V**
- valence band (VB) 173–177, 179
 - vapor transport method 23
 - Volmer pathway 142
- W**
- water–gas shift reaction 192, 193, 196, 199
 - wurtzite ZnO 75, 76, 178
- X**
- X-ray absorption fine structure (EXAFS) 38, 40, 125
 - X-ray absorption near edge structure (XANES) 38

- X-ray diffraction 6, 21, 33–36, 41, 43,
52, 62, 150
- X-ray magnetic circular dichroism
(XMCD) 33, 41–43,
90
- X-ray photoelectron spectroscopy (XPS)
33, 40, 41, 43
- Z**
- Z-contrast image 44
- zinblende ZnO 75, 76
- ZnS 3, 23, 78
- ZrO₂ catalyst 17, 20, 22, 23, 194–195
- ZrP 79
- ZrW₂O₈ 197

