

Index

a

Accurec GmbH® 138
 acid leaching process 41, 128, 130
*Action Plan for Promoting green
 Development of Pearl River Water
 Transport (2018–2020)* 212
*Action Plan to Promote the Electrification
 of Public Sector Vehicles* 209
 airflow sieving 51–54, 89
 air stirring leaching tank (Pachuca
 tank) 94–95
 alkaline dissolution 59–60
 all-solid-state (ASS) batteries 21
 aluminum foil 17–18, 58–60, 68, 75–78,
 80, 83, 121, 235
 ammonia leaching 68, 69
 analysis of major patent
 applicants 110–111
 anode materials 8–11
 aortic flow sieving 52–53
 artificial graphite 8–9

b

back-end metallurgical technology 39
 basic law-comprehensive law-
 special law 163
*Basic Law for Establishing a Sound
 Material-Cycle Society* 180
 batteries recycling in different
 countries 180

Batterieverordnung 168
 battery asset management
 company 223, 225
 battery cascade utilization 37, 39, 217,
 219, 243
 battery cell discharge 44–45, 134
 Battery Directive 93/86/EEC 165
 battery directives 163, 165, 166, 180
 battery management system
 241–242
 battery pack 22, 23, 44, 132–134, 143,
 151–154, 209, 226, 241
 battery passport 242–243
 battery recycling
 conventional process of battery cell
 disassembly 39–44
 crushing 45–49
 direct recycling process 75–77
 direct regeneration of cathode
 material 77–80
 economic analysis of LFP cathode
 material 80–82
 flotation separation 54–56
 future development direction of 44
 hydrometallurgy 64–74
 hydrometallurgy equipment
 93–105
 main challenges 82–83
 major LIB recyclers 105–106
 mechanochemistry 62–64

- battery recycling (*contd.*)
 - overview of 37
 - patent area analysis 109–110
 - patent branch analysis of metal
 - separation and extraction 113–115
 - patent development trend
 - analysis 106–109
 - pre-treatment equipment 83–93
 - pyrometallurgy 74–75
 - sieving 49–51
 - solvent dissolution 58–59
 - technology outlook
 - economical environmental discharge technology 235
 - green battery design for recycling 236
 - high-efficiency separation system for valuable metals 236
 - high-flux battery disassembly equipment 235–236
 - high-value utilization of low-value batteries/components 236
 - intrinsic safety and pollution prevention 236
 - ultrasonic technology 60–62
- Battery Regulation (BattG) 168
- binders 15–16
- bioleaching 66–67
- Botree Cycling 121–124
- box filter press 105–106
- branch analysis of patented
 - technology 111–113
- Brunp Recycling 124–126
- C**
 - Call2Recycle 170
 - carbonate organic electrolytes 238
 - carbon emissions 20, 37, 38, 148, 149, 151–153, 202, 204, 205, 207, 237, 238
 - carbon footprint of power battery
 - recycling processes
 - direct recycling 157–158
 - mechanical pretreatment + hydrometallurgical method 153–157
 - pyrometallurgical + hydrometallurgical method 153
 - carbonization machine 57–58
 - carbon nanotubes (CNTs) 18, 239
 - carboxymethyl cellulose (CMC) 16, 59, 238
 - cavitation 62
 - Cell to Pack (CTP) scheme 22, 210, 241
 - cement kiln collaborative pretreatment 47
 - centrifugal extraction machine 100
 - centrifugal separation 100, 101
 - chemical precipitation methods 70, 71
 - China 172–179
 - China Mobile Source Environmental Management Annual Report* (2021) 207
 - China's New Energy Vehicle Industry Development Plan* (2021–2035) 205, 206
 - China Standards 191
 - circular economy 167
 - Circular Economy and Waste Regulation* (KrW-/AbfG) 167
 - Classification and Code of Spent Batteries* (GB/T 36576) 183
 - cobalt
 - geographical distribution 26–28
 - supply and demand 31
 - Code for Design of Extinguisher Distribution in Buildings* (GB 50140) 183
 - Code for Fire Protection Design of Buildings* (GB 50016) 183
 - constant airflow sieving 51–52
 - copper foil 16
 - Council Directive 2006/66/EC 163, 166
 - crank connecting rod relaxation
 - sieving 50
 - crusher 85

crushing 45–49
 crushing and comminution
 equipment 83
 cumulative energy consumption
 (CES) 148
 current collector 16–18

d

damped pulsating airflow sieving 54
*Development Plan for energy-saving and
 New-energy Vehicle Industry*
 (2012–2020) 217
*Development Plan for The New Energy
 Vehicle Industry* (2021–2035),
 224
 Directive
 98/101/EC 165–166
 93/86/EEC 165
 91/157/EEC on Batteries and
 Accumulators Containing
 Dangerous Substances 165
 91/157/EEC on Batteries and
 Accumulators Containing
 Dangerous Substances 165
 direct recycling 75–77, 157–158
 direct regeneration of cathode material
 from spent LFP batteries 77
 disassembly recycling process 39
 discharge crushing 39
 dominant cathode materials 4–8
 double-shaft shearing gear roller
 crushing 45

e

economical environmental discharge
 technology 235
 economic analysis of LFP cathode
 material 80–82
 electric bus 206–207
 electric heavy trucks 207–210
 electric passenger vehicles 204–206
 electric ships
 background 211
 battery technology for 214–215

global market development
 status 212–214
 national support policies 211–212
 power battery 215
 electric vehicles
 electric bus 206–207
 electric heavy trucks 207–210
 electric passenger vehicles 204–206
 EV battery 210
 global market development
 status 201–204
 electrochemical method 73
 electrodeposition method 73
 electrolyte 11–14
 electrolyte disposal 40
 electrolytic copper foil 16
 energy consumption analysis 149
*Energy-Saving and New Energy
 Automobile Industry Development
 Plan* (2012–2020) 174
 energy storage device
 battery 219
 cascade utilization 217–219
 vehicle to grid (V2G)
 technology 215–217
 enhanced leaching 69
*Environmental Management Systems–
 Requirements with Guidance for
 Use* (GB/T 24001) 183
 EU directives and regulations on the life
 cycle of batteries 164
 European Norms (EN) 188
 European Union (EU) 163–167
 evaporation process 42
 extraction equipment 96
 extraction tower 99

f

flotation separation 54–56
 fluidization leaching tower 94
 folding plate type wind separator 89
 four-axis shredder 47
 four-shaft shearing gear roller
 crushing 47

four-shaft shredder 85

full leaching 64

g

Ganpower 131

GB *Safety technical specification for electric bicycle* 200

GEM 128–129

Germany Industry Norm (DIN) 189

global warming potential (GWP) 148

graphite 8

green battery design for recycling

battery management system
241–242

battery pack 241

battery passport 242–243

battery raw materials 237–239

materials production 239

single battery 240–241

greenhouse gases (GHGs) emissions 147

2030 GreenShip-K Promotion

Strategy 212

Green Shipping Action Plan in 2019, 211

Guidance Catalogue for Industrial

Structure Adjustment (2019) 212

h

hammer crushing 48

Hazardous Materials

Transportation Act 171

hazardous waste producer 170

hazardous waste transporter 171

heat treatment 56

high-efficiency separation system for

valuable metals 236

high-flux battery disassembly

equipment 235

High-Pressure Gas Safety Act 180

high-pressure leaching kettle 95

high-value utilization of low-value

batteries/components 236

horizontal constant airflow

sieving 51

horizontal hammer mill 86

Huayou Cobalt 121, 126–128

hydrometallurgy 41

metal extraction separation 71–74

metal leaching 64–70

hydrometallurgy equipment 93–105

i

Implementation Plan for Emission Control

Zones for Ships 212

impurity removal process 42

Inmetco 141–142

inorganic acid leaching 64

intrinsic safety and pollution

prevention 236

ion exchange method 74

j

Japan Portable Rechargeable Battery

Recycling Center (JBRC) 188

l

Law for the Promotion of Effective

Utilization of Recyclable

Resources 180

Law for the Promotion of Effective

Utilization of Resources 180

Law for the Recycling of End-of-Life

Vehicles 180

laws and regulations

batteries recycling in different

countries 180

China 172–179

European Union (EU) 163–167

Germany 167–168

Japan 179–180

Netherlands 169

Norway 169

United States 170–172

leaching equipment 93

Li-Cycle 140–141

life-cycle analysis of the power battery

manufacturing process

carbon footprint and energy

consumption 147

goal and scope definition 146

interpretation 147

- life cycle impact assessment (LCIA) 147
 - life cycle inventory analysis (LCI) 146
 - main process of implementation 146
 - life-cycle assessment (LCA) 145
 - life cycle carbon footprint
 - perspective 158
 - life cycle impact assessment (LCIA) 147
 - life cycle inventory analysis (LCI) 146
 - linear vibrating screen 92
 - liquid electrolyte 12
 - lithium
 - geographical distribution 24
 - supply and demand of 28–31
 - lithium aluminum germanium phosphate (LAGP) 13
 - lithium aluminum titanium phosphate (LATP) 13
 - lithium cobalt oxide (LCO) 4
 - lithium hexafluorophosphate 12
 - lithium-ion battery (LIB) recycling
 - companies
 - Europe
 - Recupyl 138–140
 - North America
 - Inmetco 141–142
 - Li-Cycle 140–141
 - Retriev Technologies 143–144
 - lithium-ion power battery
 - anode materials 8–11
 - binders 15–16
 - current collector 16–18
 - development and trends in 18–23
 - dominant cathode materials 4–8
 - electrolyte 11–14
 - overview of 1
 - separator 14–18
 - supply and demand of critical metal
 - raw material 23–34
 - lithium iron phosphate (LFP) 6
 - lithium lanthanum zirconium oxide (LLZO) 13
 - lithium manganese oxide (LMO) 4
 - lithium nickel cobalt aluminum oxide (NCA) 5
 - lithium nickel cobalt manganese oxide (NCM) 4
 - lithium nickel manganese oxide (LNM) 7
 - lithium nickel oxide (LNO) 4
 - lithium precipitation process 42
 - lithium titanate 9
 - Lowell relaxation sieving 50
 - lower value-added manganese slag 75
- m**
- macro policies regarding battery
 - recycling 171
 - major LIB recyclers 105–106
 - management norms
 - China 183–184
 - comparison in different countries 187
 - Japan 184–187
 - United States 182–183
 - manganese-rich slag 75
 - mass transfer 100
 - mechanical activation 62
 - mechanical activation process 63
 - mechanical stirring leaching tank 93
 - mechanochemistry 62–64
 - melting slag 75
 - metal enrichment process 68
 - metal extraction separation 71–74
 - metal leaching 64–70
 - microwave roller kiln 57
 - microwave steel belt kiln 56
 - Mid and Long-Term Plan for Green Ships of South Korea* 212
 - mixed clarifying tank 96
 - municipal solid waste (MSW) disposal 47
- n**
- NCA18650 + silicon carbon anode
 - cylindrical batteries 3
 - NCM811 square batteries 2
 - Netherlands Norm (NEN) 190
 - New Energy Storage Project Management Code (Interim) (Draft)* 218
 - nickel 18
 - geographical distribution 24–28
 - supply and demand 28–31

Ni-loaded Mextral® 272P 70
 NIO Power's Battery-Swap Station Layout
 Plan for 2025, 224
 nitrogen protection system 87
 Norway Standards (NS) 190
*Notice on Allocating the 2021 Energy
 Conservation and Emission
 Reduction Subsidy Budget in
 Advance* 206

O

Occupational Health and Safety
 Management Systems–
 Requirements with Guidance of
 Use (GB/T 45001) 183
 oil-based binders 59
One-Off Battery Scraps (GB/T 26724) 183
 organic acid leaching 65
 oxide solid electrolytes 13

P

*Parallel Management Method of Average
 Fuel Consumption of Passenger
 Vehicle Enterprises and Points of
 New Energy Vehicles* 205
 passive pulsating airflow sieving
 technology 53
 patent branch analysis of metal
 separation and extraction 113
 plate frame filter press 104
 polyacrylic acid (PAA) 16
 polyacrylonitrile (PAN) 13, 16
 polyethylene oxide. Alkane (PEO) 13
 polymer solid electrolytes 12
 polypropylene oxide (PPO) 13
 polyvinyl alcohol (PVA) 16
 polyvinylidene chloride (PVDC) 13
 polyvinylidene fluoride
 (PVDF) 13, 16, 238
 “post-lithium” battery technology 239
 power battery recycling 23
 power swap mode of two-wheeled
 vehicles
 advantages and disadvantages of
 222

battery swapping cabinet 220–221
 battery technology 221–222
 industry demand 219–220
 national standard 220
 power swapping electric ships
 exploration of 228
 LFP battery 228–230
 power swapping electric trucks
 application scenarios 227
 demand for 226
 economic advantages of 226–227
 power swapping electric vehicles
 advantages and disadvantages 225
 battery asset management
 company 225
 history of 223–224
 policy 224–225
 recycling route 225–226
 pulsating airflow air separation
 column 91
 pulverization and separation of copper
 and aluminum 40
 pyrometallurgy 74–75

Q

*Quality Management System–
 Requirements* (GB/T 19001) 183

R

Rechargeable Battery Recycling
 Corporation (RBRC) 170
Rechargeable Battery Scraps (GB/T
 26932) 183
 Recupyl 138–140
 Regulation (EU), 2019/1020, 166
 regulations for disposal of hazardous
 substances 163
 regulations for recycling of end-of-life
 vehicles 163
 relaxation sieving 50
*Requirements for the Placement of Fire
 Safety Signs* 183
 resource and environment profile analysis
 (REPA) 145
 resource regeneration 47

retired lithium battery recycling 42
 Retrie Technologies 143–144
 rolled copper foil 16
 rotary kiln 56
 rotary kiln furnace 90
 rotor centrifugal crusher 86
 round shaking sieve 92

S

Safety Signs and Guideline for the Use 183
 scenario without recycling 31
 scenario with recycling 33
 selective leaching method 67
 separation and debris removal equipment 89
 separator 14–18
 separator, metal, and other substances recovery 40
 Shanghai Metals Market (SMM) 5
 Shenzhen Qiantai Technology Co., Ltd., 131–135
 shredder 83
 Shunhua Lithium 129–130
 sieving 49–51
 sieving equipment 92
 silicon carbide 10
 silicon-oxygen negative electrode material 11
 SINGAPORE-TES 138
 single battery production 240–241
 single-shaft shearing gear roller crushing 46
 single shaft shredder 83
Small Home Appliance Recycling Law 180
 smash 48
 sodium alginate (ALG) 16
 sodium carboxymethyl cellulose (CMC) 16
 solid electrolyte 12
 solid-liquid separation equipment 102
 solid-phase regeneration process 81
 solvent dissolution 58–59
 solvent extraction method 71

Specification for Construction of Recyclable Resources Recycling System (SB/T 10719) 183
 spent lithium-ion battery (LIB) recycling companies
 China
 Botree Cycling 121–124
 Brunp Recycling 124–126
 Ganpower 131
 GEM 128–129
 Huayou Cobalt 126–128
 Shenzhen Qiantai Technology Co., Ltd., 131–135
 Shunhua Lithium 129–130
 Europe
 Accurec GmbH®, 138
 Umicore (Belgium) 136–138
 spent power batteries 37
 stainless steel 18
Standards for Pollution Control on the Storage and Disposal Site for General Industrial Solid Waste (GB 18599) 183
Store and Transport Regulation of Battery Scraps (GB/T 26493) 183
 styrene butadiene rubber (SBR) 16, 238
 sulfide solid electrolytes 13
 sulphide-based ASS batteries 21
 support policies
 in China 194
 comparison in different countries 194–195
 in European countries 192–193
 United States 193
 sustainable development scenario (SDS) 31

t

technical norms
 China Standards 191
 comparison in different countries 190
 European Norms (EN) 188
 Germany Industry Norm (DIN) 189

technical norms (*contd.*)

Netherlands Norm (NEN) 190

Norway Standards (NS) 190

Technical Specification for Collection,

Storage, Transport of Hazardous

Waste (HJ 2025) 183

Technical Specification for the Recycling of

spent Batteries (GB/T

39224-2020) 183

Ten-Point Plan for a Green Industrial

Revolution 207

New Energy Vehicle Industry Development

Plan (2021-2035) 216

Three-year Action Plan to Win the Battle

against Blue Skies 212

traditional airflow sieving 51

treatment, storage and disposal facilities

of hazardous waste 172

turning pulsating airflow sieving 53

two shaft shredder 84

two-wheeled electric vehicles 37

EV battery 201

global market development

status 197–200

impact of national policies

200–201

U

ultrasonic enhanced leaching 61, 62

ultrasonic stratification 61

ultrasonic technology 60–62

Umicore (Belgium) 136–138

United States Environmental Protection

Agency (USEPA) 170

V

variable diameter pulsating air sieving

machine 54

vehicle to grid (V2G)

technology 215–217

vertical constant airflow sieving 51

vibrating sieving 49

W

waste incineration pretreatment 47

Waste Management and Public

Cleansing Law 180

water-based binders 59

wind sieving machine 89

Z

Zero Emission Vehicle Program 191

zero strain 9

zinc-based batteries 21

