

Index

a

(3-aminopropyl) triethoxysilane (APTES) 129, 303
 ammonia (NH₃) sensors 197
 amorphous polyphthalocyanines 138, 172–179
 anodic electrodeposition (AED) 112, 358
 apparent quantum yield (AQY) 275, 305, 306
 aqueous electrolyte system 354–355
 atom transfer radical polymerization (ATRP) 32
 atomic force microscopy (AFM) 39, 109
 attenuated total reflection infrared (ATR-IR) 230, 233, 240
 autoimmune deficiency syndrome (AIDS) 208
 azide–alkyne Huisgen cycloaddition 32
 azo-bridged porphyrin-Pc CMP (AzoPPN) 146

b

ball-type binuclear metal phthalocyanines 60
 ball-type binuclear phthalocyanines 61
 ball-type binuclear zinc phthalocyanine 60
 ball-type bis-metallophthalocyanines (BTMPcs) 73
 ball-type cobalt phthalocyanine complexes 77
 ball-type molecules 21

ball-type phthalocyanines 58
 BT-Pc-7 66
 heterodinuclear 63
 ZnPc-PDI-cage 64
 1,4-benzenediboronic acid 33, 150
 benzene-1,2,4,5-tetracarbonitrile (BTC) 175, 261
 1,2,4,5-benzenetetraethiol 169, 239
 1,4-benzothiadiazodiboronic acid (BTDA) 151
 benzdine (BDA) 318
 benzo[1,2-b + 4,5-b']bis[1,4]benzodioxin-2,3,9,10-tetracarbonitrile (BBTC) 36
 β-cyclodextrin (β-CD) 129
 4,4'-biphenyl dialdehyde (BPDH) 254
 4,4'-biphenyldicarboxylate (BPDC) 116, 291
 bisphenol A (BPA) 216, 217, 297
 Brunauer–Emmett–Teller (BET) 30, 140, 273
 4-*tert*-butylphthalonitrile 10

c

cancer biomarker (L-cysteine) sensors 208
 carbon black (CB) polymer 197
 carbon dioxide reduction reaction (CO₂RR) 39, 144, 161, 163, 164, 169
 carbon nanofibers (CNFs) 183, 244
 carbon nanoparticle (CNP) 197

- carbon nanotubes (CNTs) 39, 40, 95, 147, 173, 227, 230, 327, 337–339, 346
- carboxyl-bearing phthalocyanines 8
- CeO₂ photocatalyst 284
- chemical sensors 36–37, 193–195, 211
- chemical warfare agents (CWA) 215
- chemiresistive gas sensors (CGSs) 36
- chenodeoxycholic acid (CDCA) 308
- clamshell systems 20
- click electrochemistry (CEC) 214
- CO₂ electroreduction reaction (CO₂RR) 97, 100
- CO₂ reduction reaction (CO₂RR) 27, 35, 95, 101, 228, 270
- Co tetra-amino Pc (CoTAPc) 258
- cobalt and copper phthalocyanine (CoPc and CuPc) 292
- cobalt phthalocyanine (CoPc) 77, 124, 125, 196, 203, 218, 238, 240, 242, 247, 270, 276, 296, 302, 336
- cobalt phthalocyanine (CoTNPc)/SnIn₄S₈ composites 302
- cobalt polyphthalocyanine (CoPPc) 39, 40, 42, 173, 316
- cobalt tetraamino phthalocyanine (CoTAPc) 28, 208
- cobalt tetrabenzimidazolephthalocyanine (CoTBIPc) 203
- cobalt(II) phthalocyanine (CoPc) 277
- cobalt(II) 2,9,16,23-tetra(amino) phthalocyanine (CoTAPc) 242
- cobalt(II) tetraaza[14]annulene (CoTAA) 160
- cobalt(II) tetra[β-N-(4-nitrophenyl) benzamide] phthalocyanine (CoTNBAPc) 204
- cofacial and cage-like phthalocyanine-based compounds 20–23
- conjugated microporous polymers (CMPs) 40, 41, 137, 141, 197, 216, 280, 299, 323, 355
- conjugated organic polymer (COP) 184, 255
- conjugated polymer nanoparticles (CPNs) 200
- conjugated polymers 37, 200, 255, 323, 325, 355
- coordination polymers 23, 25–29, 43, 89–132
- CoPc/g-C₃N₄ nanosheets (CoPc/NG/CN) heterojunctions 291
- CoPcPDA-CMP NSs 147, 270, 272
- CoPc tetracarboxylic acid (CoPc-COOH) 273, 274, 277, 278
- copper-based MOF (Cu-MOF) 37, 142
- copper phthalocyanine (CuPc) 95, 109, 125, 196, 212, 240, 276, 288, 292, 303, 305, 306, 319
- copper(II)phthalocyanine (CuPc) 122–124, 315
- copper(II)phthalocyanine with MOFs (CuPc/MOF) 124
- copper polyphthalocyanine/carbon nanotube composites (CuPPc-CNTs) 338
- covalent organic frameworks (COFs) 2, 33, 56, 57, 130, 137, 193–221, 227, 281, 285, 318, 319, 326, 329, 332, 342, 358
- covalent organic nanosheets (CONs) 142, 242
- covalent organic polymers (COPs) 29, 43, 132, 260, 351
- covalent triazine frameworks (CTFs) 137
- covalent-bonded oligomers
 - covalent-linked oligomers 19–20
 - based fused oligomers 16–19
- COVID-19 200
- crystalline polyphthalocyanines 138, 180–184
- Cu-CuPc, synthesis and structure 315
- Cu poly-Pc MOFs (PcCu-MOFs) 112
- Cu tetraaminephthalocyanine (CuTAPc) 321
- cyclodextrin 128–130
- γ-cyclodextrin MOFs (γ-CD-MOF) 128, 129

d

density functional theory (DFT) 94, 100, 101, 112, 144, 207, 217, 230, 240, 275, 316

density of states (DOS) 260

deoxynivalenol (DON) 129, 130

2,5-diamino-1,4-benzenediol (DB) 253

2,5-diaminobenzene-1,4-dithiol (DNDS) 239

4,6-diaminoresorcinol dihydrochloride (DADHC) 146, 299

diammonium phosphate (DAP) 197

1,8-diazabicyclo[5.4.0] undec-7-ene (DBU) 181, 247

3,6-dibromopyromellitic dianhydride (BPMDA) 278

N,N-dibutylformamide (DBF) 156

1,2-dichloroethane (DCE) 33

2,4-dichlorophenol (DCP) 218, 288

o-diclorobenzene (DCB) 157

Diels–Alder reaction 30, 139

N,N-diethylformamide (DEF) 157

differential pulse voltammetry (DPV) 124, 198

1,3-diiminoisoindoles 5

N,N-dimethylacetamide (DMA) 154, 258

dimethylacetamide (DMAC) 13, 141, 150, 154, 157, 161, 163, 169, 258

N,N-dimethylformamide (DMF) 27, 60, 122, 169, 232, 242, 254

1,3-dimethyl-2-imidazolidinone (DMI) 160

1,3-diphenylisobenzofuran (DPBF) 41, 140, 294

2,5-ditert-butyl-1,4-benzoquinone (DTBBQ) 142, 242

3,5-di-*tert*-butylcatechol (3,5-DTBC) 102

dopamine 204, 206

double potential step chronocoulometry (DPSCC) techniques 214

e

early fire warning component (EWC) 219

electrocatalytic CO₂ reduction (ECR) 95, 101, 119, 227, 228, 250

electrochemical impedance spectroscopy (EIS) 123, 124, 214

electrochemical pesticide sensor (EPS) 214

electrochemical reactions 39, 227, 336

electrochemical sensors 92, 103, 107, 120–122, 193, 214

electrochemiluminescence (ECL) 129, 130

electron-donating groups (EDGs) 258

electron spin resonance (ESR) 316

electrospray ionization mass spectrometry (ESI-MS) 63

1-ethyl-3-methyl-imidazolium chloride [EMIm]Cl 358

ethynyl-linked Pc-based CMPs 144–146

extended X-ray absorption fine structure (EXAFS) 228

f

F-doped tin oxide (FTO) 27, 99, 259

Faradaic efficiency (FE) 27, 40, 78, 97, 120, 144, 154, 159, 167, 228, 229, 241, 243

fast Fourier transform (FFT) 255

Fe Pc-based polymers (PFePc) 255

Fe phthalocyanine (FePc) 103, 123, 128, 129, 228, 272, 288, 299, 346

Fermi level 94, 160, 177, 261, 351

flash-photolysis time-resolved microwave conductivity (FP-TRMC) 150

fluorine-doped tin oxide (FTO) 27, 259

Fourier transform infrared spectroscopy (FT-IR) 97, 228, 250, 273, 304

Friedel–Crafts reactions 137

fullerenes 15, 16, 22, 25, 57, 58, 65, 80, 81

fully aromatic conjugated covalent organic frameworks (FAC-COFs) 332

g

gas diffusion electrode (GDE) 233

gel electrolyte system 358–360

glassy carbon electrode (GCE) 107, 198, 204
 glucose oxidase (GOx) 208, 209
 glucose sensors, PC 208–210
 grazing incidence diffraction (GID) 152
 grazing-incidence wide-angle X-ray scattering (GIWAXS) 154

h

Haber–Bosch process 304
 Hall effect 110, 154, 159, 160
 Heck reaction 6
 heteroleptic quadruple-deckers 11
 hexadecafluorophthalocyanine (HDFP) 148, 169, 171, 228, 303
 hexadecafluorophthalocyanine-derived COFs 169–172
 hexamethyl disilazane (HMDS) 16
 high-angle annular dark-field scanning transmission electron microscopy (HAADF-STEM) 163, 174, 232, 240–242, 244, 245, 259, 263, 264
 high-level-energy electrons (HLEEs) 273, 277
 high-resolution transmission electron microscopy (HRTEM) 35, 96, 157, 167, 183, 230
 highest occupied molecular orbital (HOMO) 62, 265
 host–guest properties of Pc 69, 80–82
 hybrid photocatalyst 270, 273, 274, 277, 294
 hydrogen evolution reaction (HER) 39, 121, 123, 144, 260
 hydrogen peroxide (H₂O₂) 201, 269
 hypercross-linked polymers (HCPs) 137

i

ideal adsorbed solution theory (IAST) 146
 imine-linked Pc-based CMPs 140–144
 immunogenic cell death (ICD) 106
 immunosuppressive tumor microenvironment (ITM) 105
 indium tin oxide (ITO) 27

indoleamine 2,3-dioxygenase 1 (IDO1) 105
 inductively coupled plasma optical emission spectrometry (ICP-OES) 183
 interface-modified film 325–326
 Internet of Things (IoT) 195
 4-(5-iodopyridin-2-yloxy)phthalocyaninato cobalt(II) (P-CoPc) 289
 ionothermal synthesis method 36, 138, 147, 154, 334
 iron phthalocyanine (FePc) 103, 123, 129, 272, 302, 346, 348
 iron phthalocyanine/bismuth oxybromide (FePc/BiOBr) composite 299–300
 iron phthalocyanine/carbon nitride (FePc/CN) 297, 298, 346
 iron polyphthalocyanine 31, 173, 174, 184
 iron(II) phthalocyanine (PcFe) 120, 122
 Irving–Williams Series 183, 244, 246
 isorecticular MOF-3 (IRMOF-3) 36, 125, 251

k

Ketjen-Black (KB) 260

l

L-cysteine 92, 93, 206–208
 Langmuir–Blodgett (LB) 216
 Langmuir isotherm 194, 195
 layer-by-layer (LbL) 125, 127, 216
 Li–CO₂ battery 42, 43, 336, 338–340
 Li–O₂ battery 42, 43, 336, 338–340
 limit of detection (LOD) 37, 121, 130, 146, 197
 lithium-ion batteries (LIBs) 27, 42, 107, 313
 anode material 316–321
 bipolar electrode material 321–324
 cathode material 314–316
 interface-modified film 325–326
 lithium–sulfur battery catalyst 326–327
 lithium–oxygen batteries (LOBs) 336

lithium–sulfur battery catalyst 326–327, 360
 lowest unoccupied molecular orbital (LUMO) 265

m

magnetic sensors 193
 maleic anhydride–vinyl acetate polymer (MA–VA) 328
 manganese phthalocyanine (MnPc) 25
 membrane electrode assembly (MEA) 233, 239
 mesoporous carbon nitride (mpg-CN_x) 42, 173, 270
 metal–air batteries (MABs) 42, 335
 Li–CO₂ battery 338–339
 Li–O₂ battery 336–338
 zinc–air battery 339–351
 metal–COF (MCOF) 246, 262
 metal–ion batteries (MIBs) 314
 lithium–ion battery
 anode material 316–321
 bipolar electrode material 321–324
 cathode material 314–316
 interface–modified film 325–326
 lithium–sulfur battery catalyst 326–327
 potassium–ion battery 332–334
 sodium–ion battery
 anode material 328–329
 bipolar electrode material 329–332
 sodium–iodide battery catalyst 332
 structure of 314
 metallic octaaminophthalocyanine 8
 metallic tetraaminophthalocyanine 6
 metal–ligand supramolecular oligomers 15
 metallophthalocyanines (MPcs) 25, 37, 40, 66, 92, 93, 101–103, 116, 142, 157, 159, 164, 183, 197, 212, 227, 244, 246, 250, 291, 295, 358
 metallophthalocyanine–based conjugated microporous polymers (MPc–CMPs) 299
 metal–organic cages (MOCs) 2, 55–57

metal–organic frameworks (MOFs) 2, 57, 89, 93–102, 108–114, 116, 117, 121–123, 125, 127, 128, 132, 142, 227, 291, 314, 358, 360
 based amino–Pc 98–103
 based on carboxyl–substituted Pc 103–106
 electrochemical properties of Pc 106–113
 nanocomposite of Pc 113–125
 octahydroxy–Pcs 92–98
 metal–organic layers (MOLs) 28, 103
 metal Pc (MPc) 10, 24, 42, 60, 73, 103, 106, 107, 110, 113, 173, 258, 261, 265, 270, 346, 348, 355
 metal polyphthalocyanine frameworks (MPPc) 252
 methanol oxidation reaction (MOR) 167, 250
 1-methyl-2-pyrrolidone (NMP) 159, 236
 4-(4-methylquinolin-2-yloxy)phthalocyaninato cobalt(II) (Q–CoPc) 289
 microsupercapacitor (MSC) devices 110, 111, 360
 microwave radiation (MW) 18
 mode-linked Pc–based CMPs 146–148
 molecular engineering 2, 4, 5
 molecular sensors 193, 219
 monophthalocyanines 4–5
 octa-substituted monophthalocyanines 7–9
 tetra-substituted monophthalocyanines 6–7
 MPc/treated g-C₃N₄ (MPc/T–CN) heterojunctions 277
 multiwall carbon nanotube (MWCNT) 208, 238

n

n-type perylene-3,4,9,10-tetracarboxylic dianhydride (PTCDA) 308
 N₂ reduction reaction (NRR) 159, 175
 naphthalenediimide (NDI) 22, 57, 58, 80, 81, 152, 153

- 1,4,5,8-naphthalenetetracarboxylic dianhydride (NTCDA) 175, 323
- N-doped reduced GO (NRGO) 230
- near-infrared (NIR) 3, 18, 150, 182, 296, 308
- negative temperature coefficient (NTC) 219
- N-hydroxyphthalimide (NHPI) 41, 142
- Ni phthalocyanine (NiPc) 247
- Ni phthalocyanine polymer (NiPcP) 230
- nickel(II) tetraaminophthalocyanine (NiTAPc) 278
- nickel phthalocyanine (NiPc) 93, 98, 99, 261, 280, 290, 302, 328
- nickel Pc 2D MOF (NiPc-MOF) 99
- nickel-phthalocyanine-based CMP (NiPc-CMP) 280
- NiPc-CMP/Bi₂WO₆ 280
- nitrogen reduction reaction (NRR) 39, 260–264, 304
- 4-nitrophenol (4-NP) 292–294
- N-methylpyrrolidone (NMP) 42, 164, 253, 254
- nonaqueous electrolyte system 355–358
- nuclear magnetic resonance (NMR) 15, 62, 63, 146, 161, 175
- O**
- octa-amino-Fe-Pc (OA-FePc) 258
- octaaminophthalocyanine 8, 33, 99, 149, 157, 159, 160, 235
- octaaminophthalocyanine-derived COFs 157–163
- octacarboxyphthalocyanine-derived COFs 164–168
- octahydroxyphthalocyanine 15, 33, 98, 148, 150, 152, 154, 156
- octahydroxyphthalocyanine-derived COFs 150–157
- octa-substituted monophthalocyanines 7–9
- oligomers
- μ-oxo-linked phthalocyanine-based oligomers 12–13
 - sandwich-type phthalocyanine-based complexes 9–12
 - supramolecular 13–16
- optical sensors 127, 193
- organic compounds sensors 212–219
- organic field-effect transistor (OFET) 25
- organic polymers, PC 29–36, 41, 43, 56, 132, 137–185, 255, 260, 295, 302, 319, 351
- organic synthesis 13, 40
- μ-oxo-linked phthalocyanine-based oligomers 12–13
- OXA/phthalocyanine-based coordination polymer nanoparticle (OPCPN) 105
- oxygen evolution reaction (OER) 27, 39, 94, 95, 99, 131, 142, 259, 308, 336
- oxygen modified carbon nanotubes (OCNT) 260
- oxygen reduction reaction (ORR) 39, 75, 76, 95, 129, 131, 144, 169, 225, 227, 286, 342
- P**
- palladium-catalyzed reactions 19
- Pc-based CMPs
- ethynyl-linked 144–146
 - imine-linked 140–144
 - mode-linked 146–148
- Pc-based COFs
- hexadecafluorophthalocyanine-derived COFs 169–172
 - octahydroxyphthalocyanine-derived COFs 150–157
 - octaaminophthalocyanine-derived COFs 157–163
 - octacarboxyphthalocyanine-derived COFs 164–168
- Pc-based porous organic polymer (POP)
- classification of 139
- Pc-based CMPs
- ethynyl-linked 144–146
 - imine-linked 140–144
 - mode-linked 146–148
- Pc-based COFs 148

- hexadecafluorophthalocyanine-derived COFs 169–172
- octahydroxyphthalocyanine-derived COFs 150–157
- octaaminophthalocyanine-derived COFs 157–163
- octacarboxyphthalocyanine-derived COFs 164–168
- polyphthalocyanines
 - amorphous 173–179
 - crystalline 180–184
- Pc-functionalized conjugated porous networks (Pc-CPNs) 355
- PDI/phthalocyanine iron (FePc) heterojunctions 288
- PEDOT:PSS 219–221
- perylene diimide (PDI) 62, 152, 274
- perylene-3,4,9,10-tetracarboxylic acid (PTCA) 129
- 3,4,9,10-perylenetetracarboxylic dianhydride (PDI) 147
- p-phenylenediamine (PDA) 318
- photocatalysts, polymeric materials 40–42
- photocatalytic degradation 120, 217, 269, 287–304
- photocatalytic nitrogen reduction reaction (PNRR) 304
- photocatalytic oxygen evolution (POE) 308
- photocatalytic water splitting 270, 305–308
- photodynamic cancer therapy (PDT) 199
- photodynamic therapy (PDT) 3, 22, 28, 104–106, 115
- photoelectrochemical (PEC) 29, 92, 93, 130, 142, 306
- phthalic anhydride 5, 6, 316
- phthalocyanines (Pcs)
 - based cages 57–72
 - cancer biomarker (L-cysteine) sensors 206–208
 - for CO₂ electroreduction 227–255
 - for CO₂ photoreduction
- Cage homogeneous supramolecular photocatalyst 278
- CeO₂ photocatalyst 284
- CoPc and NNO 277
- CoPc-COOH 273
- CoPc/GO composites 276
- CoPc/P-BNDCN composite 270, 283
- CoPc-PMO 276
- covalent organic frameworks (COFs) 281
- CsPbBr₃/ZnPc heterojunction 283
- CuBCP/CoFPc system 275
- CuPc/NPT 276
- FePc/porous WO₃ hybrid 273
- g-C₃N₄/CoPc-COOH hybrid photocatalyst 274
- g-C₃N₄/CoPc-COOH photocatalyst 278
- GO-CoPc catalyst 285
- H₁₀₀-CuPc/G/UCN 273
- hybrid catalyst 272
- MPc/T-CN 277
- mpg-C₃N₄ catalyst 272
- NiPc-CMP 280
- NiTAPc-BPMDA 279
- organic-inorganic hybrid photocatalyst 270
- P-g-C₃N₄ photocatalyst 277
- T-CoPPcs 283
- 2D B-doped and N-deficient CN 270
- ZIS-Pc heterogeneous catalyst 273
- ZnPc/BiVO₄ nanocomposites 283
- ZnPc/P-PDI heterojunctions 275
- cofacial and cage compounds 20–23
- covalent-bonded oligomers
 - covalent-linked oligomers 19–20
 - fused oligomers 16–19
- electrocatalysts 265
- electrochemical H₂O₂ generation 264–265
- glucose sensors 208–210
- for HER 260
- H₂O₂ photosynthesis 285–287

- phthalocyanines (Pcs) (*contd.*)
- ion sensors 210–212
 - macrocyclic molecules 90
 - monophthalocyanines 4–5
 - octa-substituted 7–9
 - tetra-substituted 6–7
 - neurotransmitters and stimulants
 - sensors 204–206
 - nitrogen reduction reaction 260–264
 - oligomers
 - μ -oxo-linked phthalocyanine-based
 - oligomers 12–13
 - sandwich-type phthalocyanine-based
 - complexes 9–12
 - supramolecular 13–16
 - organic polymers
 - amorphous 29–33
 - COFs 33–36
 - $\text{NO}_2/\text{NH}_3/\text{NO}_2^-$ sensors 195–199
 - for OER 259
 - for ORR 255–259
 - $^3\text{O}_2/^1\text{O}_2/\text{H}_2\text{O}_2$ sensors 199–203
 - organic compounds sensors
 - 212–219
 - photochemical and electrochemical
 - properties 89
 - for photocatalytic degradation
 - 10% α -ZnTcPc/g- C_3N_4 296
 - BVO-CoPc 299
 - CoAlPc/GO hybrids 296, 297
 - CoPc and CuPc 292
 - CoPc/NG/CN photocatalyst 291
 - CoPc/P-CN 294
 - CoTNPc/SnIn4S8 composites 302
 - CuPc-PACA HIOBs 289
 - 2,4-DCP 303
 - Ex-PcOP-Fe nanosheets 302
 - FePc/BiOBr composites 300
 - FeTNPc/BiOCl 297
 - g- C_3N_4 /ZnTcPc/GQDs 295
 - GW-ZnMCPc and GW-ZnTCPPc
 - with higher singlet oxygen
 - quantum yield generation
 - exhibited enhanced 290
 - GW-ZnTIPAPc 290
 - MPc 295
 - MPc-CMPs 299
 - MPc/ MO_x /GG 287, 288
 - MPc/ TiO_2 and MPc-MOx
 - microspheres 287
 - NiPc-FePc/BCN photocatalysts
 - 290
 - P-CoPc and Q-CoPc 289
 - PDI/FePc 288
 - rGO-CoPcS 293
 - TiO_2 /ZnPc hybrids 304
 - TNCuPc/ TiO_2 nanofibers 298
 - TNFePc/ TiO_2 297
 - ZnO-ZnPc composites 291
 - ZnTCPc/UIO-66 (NH_2) 303
 - for photocatalytic water splitting
 - 305–308
 - polymeric materials
 - coordination polymers 25–29
 - organic polymers 29–36
 - porous molecular crystals 23–25
 - porous polymeric materials
 - for chemical sensors 36–37
 - for electrocatalysis 37–40
 - for energy storage 42–43
 - for photocatalysts 40–42
 - for sensor parameters 194–195
 - supramolecular characteristics 3
 - temperature/pressure sensors
 - 219–220
 - phthalocyanine-based cages
 - electrochemical properties 73–77
 - gas-sensing properties 80
 - host-guest properties 80–82
 - metal-organic cages 55–56
 - MOCs 57–58
 - molecular cages 65
 - organometallic cages 69
 - POCs 58–64
 - porous organic cages 56–57
 - subphthalocyanines based cages
 - 64–65
 - phthalocyanine-based COF 33–36, 318

- phthalocyanine-based coordination
 - polymer nanoparticles (PCPN) 105
- phthalocyanine-based covalent-linked
 - oligomers 19–20
- phthalocyanine-based fused oligomers 16–19
- phthalocyanine based MOFs
 - amino-Pcs 98–103
 - based on carboxyl-substituted 103–106
 - co-assembly of cyclodextrin 128–130
 - COFs 130–132
 - electrochemical properties 106–113
 - octahydroxy 92–98
 - porous coordination polymers 91–92
- phthalimide 6
- phthalonitriles 5, 7–12, 18, 21, 31–33, 58, 60, 219, 296
- π - π interactions 3, 7, 10, 76, 89, 90, 123, 228, 232, 251, 260, 272, 279, 288, 306, 342
- polyaniline (PANI) 214, 253
- polyimides-linked COFs (PI-COFs) 250
- poly(2,6-dimethyl-1,4-phenylene oxide) (PPO) 348
- poly-iron– phthalocyanine (PFe-Pc) 348
 - dopamine electrode sensors 206
 - glucose sensors 208–210
 - H₂O₂ electrode sensors 203
 - L-CySH/L-Met electrode sensors 208
- polymeric materials
 - coordination polymers 25–29
 - metal–air battery
 - Li–CO₂ battery 338–339
 - Li–O₂ battery 336–338
 - zinc–air battery 339–351
 - metal-ion battery 313–314
 - potassium-ion battery 332–334
 - sodium-ion battery 328–332
 - lithium-ion battery 314–327
 - porous molecular crystals 23–25
 - supercapacitor 351–354
 - aqueous electrolyte system 354–355
 - gel electrolyte system 358–360
 - nonaqueous electrolyte system 355–358
- polymers of intrinsic microporosity (PIMs) 30, 137
- polyoxometalate (POM) 28, 101
- polyphthalocyanine (PPc)
 - amorphous 173–179
 - crystalline 180–184
- polystyrene sodium sulfonate (PSS)
 - modified graphene (PSS-Gr) composites 77
- porous aromatic frameworks (PAFs) 137
- porous coordination polymers 26, 89–92, 125
- porous molecular cages 55, 56
- porous molecular crystals 23–25
- porous organic cages (POCs) 2, 55–57
- porous organic polymer (POP) 33, 41, 137, 163, 295, 319
- porous polymeric materials
 - for chemical sensors 36–37
 - for electrocatalysis 37–40
 - for energy storage 42–43
 - for photocatalysts 40–42
- porphyrin (Por) 3, 19, 57, 58, 76, 90, 146, 152, 161, 164, 197, 199, 216, 228, 235, 237, 250
- porphyrinato ligands 9, 12
- post-synthetic methods 137
- potassium-ion battery 332–334
- powder X-ray diffraction (PXRD) 24, 35, 111, 150
- precursor molecular sensor (PMS) 219
- principal component analysis (PCA) 216
- 4-propoxyphthalonitrile 10
- proton-exchange-membrane fuel cells (PEMFCs) 175
- p*-toluenesulfonic acid (PTSA) 159, 160, 236
- pyrolysis-free COF-based electrocatalysts 346

pyromellitic dianhydride (PMDA) 174,
175, 178, 182, 183, 278, 316, 319
pyromelliticdiimide (PyrDI) 152

q

quantum-electrodynamical (QED) effects
126
quasi-Langmuir–Shafer method 37, 146

r

rate-determining step (RDS) 123, 261,
275, 282, 283, 294
reactive oxygen species (ROS) 28, 116,
141, 164
reverse saturable absorption (RSA) 182
reversible hydrogen electrode (RHE)
154, 229, 237
rhodamine B (RhB) 141, 287
Rosenmund-von Braun reaction 7, 30

s

sandwich-type phthalocyanine-based
complexes 9–12
sandwich-type tetrapyrrole compounds
9
scanning electron microscopy energy
dispersive spectroscopic
(SEM-EDS) 174
scanning tunneling microscopy (STM)
30, 31, 138, 180
secondary building units (SBUs) 26
silica colloidal crystal beads (SCCBs)
288
silicon-phthalocyanine (SiPc) 127, 316
single-atom site catalysts (SSCs) 339
single-crystal to single-crystal (SCSC) 24
single-crystal X-ray diffraction 3, 24, 55,
76, 232
sodium-iodide battery catalyst 332, 360
sodium-ion battery
anode material 328–329
bipolar electrode material 329–332
sodium-iodide battery catalyst 332
Sonogashira cross-coupling reaction 19
Soxhlet extraction 29, 182

square wave voltammetry (SWV) 206,
256
subphthalocyanines (SubPcs) based cages
64–65
supercapacitors (SCs) 351
aqueous electrolyte system 354–355
gel electrolyte system 358–360
nonaqueous electrolyte system
355–358
supramolecular chemistry 1, 2, 13
supramolecular oligomers 13–16
Suzuki cross-coupling reaction 16, 148
symmetric dual-ion battery (SDIB) 323

t

terephthalaldehyde (TA) 40, 141, 246,
355
terephthaldehyde (TPA) 144
1,3,5,7-tetra(4-aminophenyl) adamantane
(TAPA) 164, 234
tetracarboxyphenyl-replaced cobalt
phthalocyanine (CoPc)(TC-CoPc)
238
tetracyanobenzene (TCB) 43, 244, 246,
249
1,2,4,5-tetracyanobenzene (TCNB) 30,
31, 42, 138, 172, 173, 175, 178, 180,
182, 183, 270, 319
tetracyanoethylene (TCNE) 25, 175
tetrafluorophthalonitrile (TFPN) 33, 232
1,2,4,5-tetrahydroxybenzene (THB) 169
tetramethoxypropane (TMP) 160
4-tetranitro copper(II)phthalocyanine
(TNCuPc) 123
2,9,16,23-tetra-nitrophthalocyanine
iron(II) (TNFePc) 297
tetra-substituted monophthalocyanines
6–7
tetrathiafulvalene-annulated silicon
phthalocyanine (TTF-SiPc)
oligomers 316
5,15,10,20-tetrayl(4-aminophenyl)porp-
hyrin (TAPor) 164, 167
three-dimensional (3D) Pc metal–organic
frameworks (MOFs) 98

time-resolved photoluminescence (TRPL) 306

time-resolved photoluminescence spectra (TRPS) analyses 306–308

transmission electron microscopy (TEM) 31, 39, 96, 273

trichloroacetic acid (TCAA) 120, 122

1,3,5-triformylbenzene (TFB) 41, 142, 296

5,5',5'',5''',5''''',5''''''-(triphenylene-2,3,6,7,10,11-hexayl)hexa(isophthalohydrazide) (THHI-NH₂) 285

tritycene-based CMP (Trip-Pc-PIM), synthesis 140

turnover frequency (TOF) 28, 29, 40, 77, 148, 159, 164, 172, 228, 230, 234, 259, 348

turnover number (TON) 28, 42, 142, 234, 270, 271

2D B-doped and N-deficient graphitic carbon nitride (BNDCN) 283

two-dimensional conjugated metal-organic frameworks (2D c-MOFs) 110, 111, 256, 358, 360

2D iron polyphthalocyanine 31, 174

V

volatile organic compounds (VOCs) 37

W

wide-angle X-ray scattering (WAXS) 154, 161

X

X-ray absorption fine structure (XAFS) 175, 228

X-ray absorption near edge structure (XANES) 96, 178, 228, 233, 247

X-ray absorption spectroscopy (XAS) 227, 233, 261

X-ray photoelectron spectroscopy (XPS) 160, 273

Z

zinc-air battery (ZAB) 75, 131, 167, 257, 258, 336, 339–351

zinc phthalocyanine (ZnPc) 60, 104, 115–117, 274

zinc phthalocyanine derivative (Zn-tri-PcNc) 307

zinc phthalocyanine (ZnPc)/perylene diimide supermolecule (ZnPc/P-PDI) heterojunctions 274

zirconium-based MOFs 117, 303

ZnPc-mono carboxy phenoxy (ZnMCPPc) 289

Zn(II) pyridino[3,4]tribenzoporphyrine 14

ZnTCPPc 289

ZnTIPAPc 289, 290

