

Index

a

- acid-degradable polymer 475
- activatable aptamer probe (AAP) 95
- acute respiratory infection (ARI) 225
- adeno-associated viruses (AAVs) 328
- adenosine 5'-triphosphate (ATP) 200
- agarose gel electrophoresis (AGE) 261, 404
- allosteric toehold mechanism 418
- alpha-fetoprotein (AFP) 444, 446
- Alzheimer's disease (AD) 149, 181
- amplification probes (AMP) 427
- amplified bioimaging
 - autocatalysis-driven feedback DNA circuits 241–243
 - DNAzyme-assisted tandem DNA circuits 239–241
 - hybridization-dependent cascade DNA circuits 237–239
- amyloid β oligomer (A β O) 315
- amyloid β -peptide oligomer (A β O) 181
- amylose-iodine complex 444
- “AND” Boolean logic operation 429
- “AND” logic gates 214, 215, 217, 223, 423, 424, 427, 429
- angiotensin-converting enzyme 2 (ACE2)
 - receptor 313
- antibiotics 31–33
- anti-cancer treatments 489
- antigen presenting cells (APC) 117, 119, 451
- antisense oligonucleotides (ASOs) 79, 467, 490
- anti-terminator 52, 53, 286, 288
- aptamer-drug conjugates (ApDC) 11, 13, 504
- aptamer-G-quadruplex/hemin probe 311
- aptamer-induced artificial protein-pairing 315
- aptamer-mediated receptor regulation 315
- aptamer-modified micro/nano-substrate
 - microfluidic chip 65
 - inorganic nanostructured hard substrates 66, 67
 - multivalent aptamer-functionalized micro/nano-substrates 69–72
 - organic nanostructured soft substrates 66, 68, 69
- aptamer-signal base conjugates (ApSC) 12
- aptamers, SELEX 47
- aptasensor for *E. coli* detection 40
- arbitrary logic functions 421
- Arf6-dependent endocytosis 384
- artificial DNA networks 233
- artificially engineered DNA nanomotors 169, 182
- artificially regulating cellular migration 341
- artificial protein-pairing 315
- autocatalysis-driven feedback DNA circuits 241–243
- autocatalytic assembly circuit (AAC) 243

- autocatalytic hybridization chain reaction (AHCR) machine 243
- autonomous hybridization-based nucleic acid circuits 242
- azide-DSPE 110
- azido sugar moieties 358
- 2,2'-azinobis(3-ethylbenzothiazoline)-6-sulfonic acid (ABTS²⁻) 218

- b**
- bacterial cells 31, 41
- bacterial life 31
- base excision repair (BER) 181, 245–246
- basic fibroblast growth factor (bFGF) 332
- β -D-glucuronidase enzyme 34
- BioFire FilmArray Gastrointestinal (GI) panel 34
- biofunctional polymer 471
- biological macromolecule 425
- biomacromolecules 259
 - DNA-scaffolded 259–261
- biomolecular drugs 375
- biotinyl-N-hydroxy-succinimide (NHS-biotin) 306
- bipedal DNA nanomotors 175, 181
- bispecific T-cell engagers (BiTEs) 341
- BMSC-laden DNA supramolecular hydrogels 458
- bone marrow mesenchymal stem cells (BMSC) 458, 471–473
- bovine serum albumin (BSA) 41, 69
- branched kissing loop (bKL) 406–407
- burnt-bridges 184

- c**
- CaDNA_{no} 378
- caged DNazymes for temporally controlled imaging 154–159
- camptothecin (CPT) 447, 504–508
- cancer 63, 489. *see also* non-small cell lung cancer (NSCLC); triple-negative breast cancer (TNBC)
- Capture-SELEX 49
- carbon nanotube (CNs) track 170
- carboxyfluorescein (FAM) 178
- carboxymethyl cellulose (CMC-phe) 443
- carboxymethyl chitosan (CMC) 389, 446
- carrier DNA 490
- Cas9/sgRNA ribonucleoprotein (Cas9/sgRNA RNP) 475, 477
- catalytic beacon 150–154, 159, 161
- catalytic hairpin assembly (CHA) 159, 170, 215, 234–236, 307, 339, 420
- cationic lipid-DNA complexes 389
- caveolae-mediated endocytosis 381, 385, 495
- caveolin-dependent endocytosis (CvME) 496
- cell adhesion behavior 303
- cell-cell interactions, DNA-based cell surface engineering
 - DNA nanotechnology programming 359–366
 - tool of 355–356
 - modifying cell surface with DNA 356–359
- cell endocytosis
 - caveolae-mediated endocytosis 385
 - clathrin-independent endocytosis 382–384
 - clathrin-mediated endocytic pathway 381–382
 - Macropinocytosis 384–385
 - phagocytosis 384
- cell-penetrating peptides (CPPs) 127, 129, 389
- cell-SELEX 7–9, 12, 13, 19, 21, 39, 48, 49, 57, 313
- cell separation technology 469–474
- cell surface engineering and intracellular bioimaging
 - in biological and medical research 143–144
 - DNAzyme-based biosensors
 - caged DNazymes for temporally controlled imaging 154–159
 - catalytic beacon 150–154

- genetically encoded sensors for metal sensing in living cells 159
- signal amplification 159, 160
- metal-specific DNAzymes 144–146
- programmable DNAzymes
 - DNAzyme-based control switches 145, 147
 - dynamic inter- and intra-cellular regulation 147–149
 - sensors 149–150
- cell-surface molecules-modulated cell-cell interactions 355
- cellular biosensing 220–223
- cellular endocytosis mechanisms 495–497
- cellular prion protein (PrP^C) 315
- cellular receptors
 - mediated signal transduction 313–317
 - uncovering molecular information of 307–313
- Centers for Disease Control and Prevention (CDC) 32
- CE-SELEX 48, 49
- CHA-based DNA nanosensors for amplified RNA imaging 196–198
- chain replacement reactions 174
- chemical antibodies 4
- chemical inducers of dimerization (CIDs) 125
- chemically induced dimerization (CID) 328, 333
- chemical molecules 375
- chemical reaction networks (CRNs) 283, 331, 341, 420
- chemogene-based DNA nanomaterials 508, 510, 511
- chemogenes 507–508, 511
- chimeric antibody-nucleic acid T-cell engager (CAN-TE) 343, 366
- chimeric antigen receptor (CAR) 327, 347
- chimeric receptor engineering approach 327
- ChloropHore 393
- chronic inflammation 456
- circular dichroism (CD) 194, 475
- circulating tumor cells (CTCs) 63, 120, 470
 - analysis and destruction of
 - detection and in-depth analysis 81–83
 - therapy 83, 84
 - based liquid biopsy 64
- clamped hybridization chain reactions (cHCR) strategy 440
- clathrin-independent endocytosis 382–384
- clathrin-mediated endocytosis (CME) 381–383, 495
- CLIC/GEEC endocytosis 383
- clustered regularly interspaced short palindromic repeats (CRISPR) technology 288–292, 294, 475
- clustering indirectly using cryptochrome (CLICR) 328
- c-Met receptor 306, 307, 311–315, 332, 334, 337, 339, 346
- cobalamin riboswitch 49, 52
- colocalization-dependent protein switch 328
- Co-LOCKR 328
- colorimetric method 443
- Combretastatin A4 13
- constructed deoxyribonucleic acid-nanothread (CPT-DNA-NT) 392
- constructing DNA-based DDSs
 - covalent interactions
 - directly conjugating therapeutic agents on terminus of DNA strands 504, 506, 507
 - grafting the chemotherapeutics on DNA backbone 504, 505
 - nucleoside analogues (NAs) 502, 503
 - non-covalent interactions 499–501
 - cotranscriptional methods 409
- counter-SELEX 48, 49
- covalent conjugation 13–15, 107, 110, 304, 306, 357, 358, 409, 504, 507

- CpG DNA supramolecular hydrogels 450
- cRGD-functionalized Nano-winch 341
- crown-ether (CE) 441
- cryogenic electron microscopy (cryo-EM) 267, 269–270
- cryptochrome 2 (Cry2) 328
- cyanidin 5 (Cy5) 178
- cyclic bivalent ApDCs (cb-ApDCs) 14
- cytosine base editors (CBEs) 288
- cytosine-phosphate-guanosine (CpG) 346
- d**
- DBCO-modified DNA strand 306
- deoxynucleotide triphosphates (dNTPs) 468
- deoxyribozyme-based logic gates 212–214, 420
- dexamethasone (DEX) 447
- dibenzocyclooctyne (DBCO) 110, 306, 504
- 2,2-diethyl-9-methyl-selenacarbocyanine bromide (DMSB) 214
- digital computing 416, 419–421
- dimeric aptamer ligands (dALs) 346
- 5'-diphosphate (ADP) 410
- 1,2-distearoyl-sn-glycero-3-phospho-ethanolamine (DSPE) 110
- DNA-antibody conjugates 358
- DNA aptamer
- cells and their complexity 3–4
 - cellular applications
 - chemical modifications through covalent conjugation 13–15
 - chemical modifications via solid-supported synthesis strategy 10–13
 - engineered with nanotechnology 19–21
 - self-assembly systems based on chemically modified 15–19
 - features and advantages 4–5
 - on-demand synthesis and screening of 5–9
- DNA aptamer-conjugated assemblies 16
- DNA aptamer-mediated reprogramming of the interaction partner of RTK (DRIPaR) 333, 334
- DNA-assisted microfluidics for
- single-cell/vesicle analysis
 - scRNA-seq technology 89–93
 - single-vesicle analysis 95–97
 - spectroscopy 93–94
- DNA-based computing 415
- DNA-based double network hydrogels 443
- DNA-based drug delivery systems (DDSs) and cells
- cellular endocytosis mechanisms 495–497
 - DNA architectures entering cells 497–498
 - fate of DNA-based architectures in cells 498
 - synergistic cancer treatment
 - chemogene-based DNA nanomaterials 508, 510
 - chemogenes 507–509
- DNA-based logic computing 304, 315
- DNA-based nanomaterials in biomedicine
- architectures of 492
 - DNA hydrogels 494–495
 - DNA origami 494
 - DNA polyhedral 492–493
 - spherical nucleic acid (SNA) 493–494
 - properties of 491–492
- DNA-based signal amplification strategies 307
- DNA circuit 233, 419
- amplified bioimaging
 - autocatalysis-driven feedback DNA circuits 241–243
 - DNAzyme-assisted tandem DNA circuits 239–241
 - hybridization-dependent cascade DNA circuits 237–239
 - non-enzymatic
 - catalytic hairpin assembly 235–236

- DNAzyme-powered catalytic reaction 236–237
- entropy-driven DNA catalytic reaction 236
- hybridization chain reaction 234–235
- stimuli-responsive
 - enzyme-activated DNA circuits for amplified bioimaging 245–246
 - multiple pathological parameters 249
 - photo-responsive DNA circuits for amplified bioimaging 243–245
 - RNA-stimulated DNA circuits for amplified bioimaging 246–249
- DNA circuit-regulated cell-cell interactions 364–366
- DNA computing systems
 - biosensing
 - cellular 220–223
 - in vitro 217–219
 - clinical diagnosis 223–226
 - DNA logic gates
 - DNA cascading reactions 215–217
 - functional DNA motifs 212–215
 - inputs, signal processing elements, and outputs 211
- DNA-enabled molecular engineering for receptor regulation
 - dynamic assembly module for kinetic control of receptor 331
 - modules 329
 - recognition module 330
 - spatial scaffold module for receptor organization 330–331
- DNA G4 aptamer-Hemin complex (DGAH) 21
- DNA hairpins 193, 195–198, 204, 335, 339, 421, 425
- DNA hybridization-based cell-cell interactions 362–364
- DNA hydrogels 494
 - hybrid supramolecular (*see* hybrid supramolecular DNA hydrogels)
- DNA logic gates 416
- DNA cascading reactions 215–217
 - functional DNA motifs 212–215
- DNA-mediated chemically induced dimerization (D-CID) 333–334
- DNA modification
 - external cell membrane surface
 - cell protection using DNA structures on membrane 119–120
 - DNA-mediated cell assembly and communication 117–119
 - non-specific strategies 107, 109–111
 - sensing and imaging on cell membrane using DNA probes 114–116
 - specific strategies 111–113
 - internal cell membrane surface
 - inner leaflet modification approaches 124–129
 - liposome fusion-based transport (LiFT) approach 129–130
 - transmembrane modification of 121–124
- DNA motors 174, 178, 179, 183, 203, 263
- DNA nanodevices
 - for programming receptor function
 - bivalent aptamer 332, 333
 - customize receptor responsiveness 333–335
 - light-responsive nanomaterials 335–337
 - visualization of receptor activation 337–339
 - reprogramming receptor function
 - cell targeting for selective receptor modulation 341–344
 - mechanical control over receptor-mediated cellular behavior 339–341
 - spatial organization of nanoscale receptor distribution 344–347
- DNA nanomachines 20, 169, 198–203, 206, 262, 329, 425
- DNA nanomotors
 - analytical performance 177
 - artificially engineered 169, 182

- DNA nanomotors (*contd.*)
 - binding-induced 170
 - bipedal 175
 - catalytic assembly-driven 180
 - components 169
 - definition 169
 - EDC with 171
 - hybridized 172
 - light-activated 182
 - metal ions and proton 182
 - multipedal 175
 - operation of 169
 - protein enzymes-driven 179
 - rapid development of 183
 - single-legged 181
 - single-stranded triple-cross DNA molecules 170
 - spider 170
 - 3D 170, 176
 - track I to track III 173
 - unipedal 174
- DNA nanoscaffolds
 - biomacromolecules 259–261
 - DNA nanostructures empowered
 - bioimaging technologies 267–270
 - enzyme cascade reaction
 - directed substrate channeling with swinging arms 264–265
 - distance control of enzyme cascade 261–263
 - enzyme compartmentalization 263–264
 - scaffolded enzyme cascade in living cells 265–267
- DNA nanostructure-based artificial receptors (ARs) 364
- DNA nanostructures 376
 - cellular uptake behaviors
 - CPT-DNA-NT 392
 - size and shape 386–389
 - surface modifications 389–392
 - tetrahedral DNA nanostructure 392
 - empowered bioimaging technologies
 - cryogenic electron microscopy (cryo-EM) 269–270
 - DNA-PAINT-based super-resolution fluorescence imaging 269
 - scaffolded fluorophore expansion 267–269
 - ssDNA production 405–406
 - strategy 403–404
- DNA nanotechnology 19, 169, 281, 467
 - bottom-up approach 376–377
 - cell-cell interactions
 - programming 359–362
 - tool of 355–356
 - discovery of 376
 - DNA origami 377–378
 - double-crossover tile 376
 - dynamic DNA structures 379–381
 - single-stranded DNA tiles 378–379
 - three-dimensional structures 376
 - top-down approach 376
- DNA nanotechnology-based microfluidics
 - for liquid biopsy
 - analysis and destruction of CTCs
 - detection and in-depth analysis 81–83
 - therapy 83, 84
 - aptamer-modified
 - micro/nano-substrate microfluidic chip
 - inorganic nanostructured hard substrates 66, 67
 - multivalent aptamer-functionalized micro/nano-substrates 69–72
 - organic nanostructured soft substrates 66, 68, 69
- DNA framework-supported affinity substrate microfluidic chip
 - antibody substrates 75–77
 - aptamer substrates 73–75
- efficient release
 - aptamer conformation alteration 77–79
 - detaching aptamers from capture interface 79–81
- sensitive detection of EVs
 - signal amplification 85, 87, 88
 - signal transduction for 85, 86

- DNA oligonucleotides 5, 6, 110, 356, 358, 362, 496
- DNA origami 378
- DNA origami-based platforms 344
- DNA-origami nanostructures (DONs) 386
- DNA origami platforms 344, 346, 422
- DNA origami-templated aptamer nanoarray (DOTA) 346
- DNA polyhedral 492, 493, 502, 503
- DNA-polypeptide hybrid supramolecular hydrogel 454
- DNA/RNA nanostructures 239, 409, 412
- DNA-scaffolded biomacromolecules 259–261
- DNA/single walled nanotube (SWNT) hydrogel 442
- DNA strand displacement reaction 331, 335, 416, 420
- DNA supramolecular hydrogels
 advantages 437
 biomedical application of
 bio-sensing 443–446
 3D cell culture 451–454
 drug delivery 446–449
 immunotherapy 449–451
 tissue engineering 454–458
 hybrid 440–443
 pure 438–440
- DNA supramolecular hydrogel vaccine (DSHV) 451
- DNA tetrahedron (TDN) 119, 204, 236, 244, 337, 361, 392, 492, 501, 504
- DNA triangular prism (DTP) 20, 362, 424
- DNAzyme-assisted tandem DNA circuits 239–241
- DNAzyme-based electrochemical biosensor 39
- DNAzyme-based logic circuits 212
- DNAzyme catalytic core 116, 159, 178
- DNAzyme cutting reactions 416
- double-strand breaks (DSB) 288
- double-stranded DNA (dsDNA) 121–122, 172, 192, 195, 196, 215, 234, 261, 356, 363, 378, 404, 405, 416
- doxorubicin (DOX) 9, 393, 446, 489
- drug delivery systems (DDSs) 16, 19, 83, 489
- drug efficacy 13, 477, 489
- dynamic DNA structures 376, 379–381
- dynamic inter-and intra-cellular regulation 147–149
- dynamic mobile receptors 311
- e**
- electrochemical impedance spectroscopy (EIS) 35
- electrostatic interaction 143, 389, 392, 450, 451, 456, 475, 477, 482, 499, 501
- elementary logic gates 416
- endogenous membrane protein interactions 311
- entropy-driven catalysis (EDC) 171, 199, 200, 206
- environmental stimuli-responsive logic gates 415
- enzymatic DNA circuits 233–237, 251
- enzyme catalytic product (ECP) 429
- enzyme compartmentalization 263–264
- enzyme-driven DNA nanomotors 172, 179
- enzyme-linked immunosorbent assay (ELISA) 176, 307
- Ephrin-A5 344
- epidermal growth factor receptor (EGFR) 75, 303, 309, 383
- Escherichia coli*
 conventional methods for
 PCR technique 34–35
 sorbitol MacConkey agar (SMAC) 34
- functional nucleic acid-based sensors for
 aptamer-based sensors for 39–41

- Escherichia coli* (contd.)
 DNAzyme-based biosensors for
 36–39
 pathogenic 32
 PCR technique 34
 protein biosensors for 35–36
 EVs-based liquid biopsy 64
 exponential amplification reaction
 (EXPAR) 175
 extracellular matrix (ECM) 66, 451, 470
 extracellular vesicles (EVs)
 signal amplification 85, 87, 88
 signal transduction for 85, 86
- f**
 fast protein liquid chromatography
 (FPLC) 261
 [FeFe]-hydrogenase 266, 409
 FEME 383
 ferredoxin protein 409
 Ferrocene-tagged DNAs 444
 fibroblast growth factor receptor (FGFR)
 330
 fibroblast growth factor receptor 1
 (FGFR1) 113, 332, 335
 flotillin-dependent endocytosis 384
 FluidporeFace 71
 fluorescence activated cell sorting (FACS)
 469
 fluorescence in situ hybridization (FISH)
 technique 189
 5-fluoro-2'-deoxyuridine (FdUn) 392
 Fluorogenic DNAzyme systems 36–38
 fluorophore
 3,5-difluoro-4-hydroxybenzylidene
 imidazolinone (DFBHI) 410
 frame nucleic acids (FNAs) 223,
 386–387, 424
 functional nucleic acids 4
 aptamer-based sensors for 39–41
 DNAzyme-based biosensors for 36–39
- g**
 gallium-68 (⁶⁸Ga) radiolabeled aptamer
 15
 gate RNA 410
 genetically encoded synthetic receptors
 328
 glmS riboswitch 56
 Glucose oxidase (GOx) 261
 glycan-tagging probe 309
 glycosylation 111, 304, 306, 308–310, 358
 gold carbon dots (GCDs) 19
 gold nanorods (AuNRs) 41, 154, 194,
 337, 494
 G-quadruplex (G4) 214
 G-quadruplex/hemin (Gq/h) 311
 graphene oxide sheets (GO)/DNA
 hydrogel 442
 guanidinylated chitosan (GCS) material
 392
 guanosine-and uridine-rich ssRNA
 (GU-rich RNA) 451
 guide RNA (gRNA) 56, 288, 289
 gut microbiome 31, 32
- h**
 hairpin switch adaptor (HSA) probes 83
 hairpin tracks (H1) 171
 Hamiltonian path problem 211, 415
 hammerhead ribozyme (HHR) 55–56
 HCR-based DNA nanosensors for
 amplified RNA imaging 194–196
 HeLa cells 152, 153, 159, 196, 202, 205,
 429, 449, 453, 497, 498
 hepatocyte growth factor (HGF) 313,
 332
 Herpes simplex viruses (HSV) 381
 hollow-core anti-resonant optical fibers
 (HcARFs) 95
 homology-directed repair (HDR) 288,
 292
 honeycomb MnO₂ nanosponge (hMNS)
 scaffold 241
 Hopfield associative memory 419
 horseradish peroxidase (HRP) 214, 261,
 311
 Horseradish peroxidase (HRP) pair 261
 human induced pluripotent stem cells
 (hiPSCs) 332
 human serum albumin (HSA) 447

- hybridization chain reaction (HCR) 40, 85, 120, 176, 194, 215, 234–235, 307, 361, 416
- hybridization-dependent cascade DNA circuits 237–239
- hybridized DNA nanomotors 172
- hybrid supramolecular DNA hydrogels
doped with inorganic nanomaterials 442
doped with organic polymers 440–442
double network (DN) hydrogel 443
- hydrophobic insertion 106, 110, 121, 122, 131, 304, 357, 358, 361, 367
- hydrophobic small molecule drugs 16, 447
- i**
- Immunoglobulin E (IgE) targeting
aptamers 49
- i-motif structures 19, 114, 173, 214, 249, 308, 438, 440–442, 449, 482
- indium tin oxide/polyethylene terephthalate (ITO/PET) electrode 444
- Indole, Methyl red, Voges-Proskauer, Citrate (IMViC) assay 33
- inductively coupled plasma-mass spectrometry (ICP-MS) 93
- INHIBIT logic gate 214, 215, 217
- inner leaflet modification approaches
cell-penetrating peptides (CPPs) 127–129
small molecule ligand targeting approach 125–126
- inorganic nanomaterials 375, 442
- inorganic nanostructured hard substrates 66, 67
- insulin receptor (IR) 330
- integration of protein response units 181
- integrin alpha3 (ITGA3) 13
- intercalated-motif (i-motif) DNA probes 308
- interleukin-33 (IL-33) 456
- intracellular biomolecules 179, 182, 355, 415
- intracellular protein enzymes 179
- in vivo DNA-scaffolded enzyme reactions 267
- in vivo production 293, 409
- in vivo SELEX 48, 49, 57
- isothermal circular strand displacement polymerization (ICSDP) 176
- k**
- Kozak sequence 285
- l**
- lanthanide-ion-doped UCNPs 245
- lauryl tryptose (LST) 33
- L-DNA hydrogels 453–454
- Levine's eosin-methylene blue (L-EMB) agar 33
- ligand-induced receptor activation 331
- ligand-receptor binding-based cell-cell interactions 359–362
- light-activated DNA nanomotors 182
- light-driven artificial molecular nanomachine 174
- linear after the exponential PCR (LATE-PCR) 225
- LinkerAdap 444
- Linker-Apt 444
- liposome fusion-based transport (LiFT) 107, 121, 129–130
- liquid biopsy. *see* DNA nanotechnology-based microfluidics for liquid biopsy
- living-cell DNA-PAINT 269
- logic-actuated DNA probes 308
- luminescence resonance energy transfer (LRET) 190, 198
- m**
- macropinosomes 385, 495
- magnetic activated cell sorting (MACS) 469
- magnetic nanoparticles (MNP) 41, 81, 170, 442
- mechanically reinforced DNA supramolecular (MRDS) hydrogel 453

- mesenchymal-epithelial transition factor
(c-Met)-targeting aptamer 306
- mesenchymal epithelial transition
receptor (c-Met) 330
- mesoporous silica coated gold nanorods
(MSGRs) 431
- metabolic labeling 111–113, 143, 357,
358, 360, 367
- 4-methyl-umbelliferyll- β -D-gucuronide
(MUG) 33
- microfluidic techniques 64, 79, 89
- micropinocytosis 392, 497
- microRNA-regulated catalytic circuits
248
- miRNA-responsive chimeric DNA
receptor (miRNA-CDR) 334, 335
- model drug mitoxantrone (MTX)
482–484
- molecular automaton 212, 420
- molecular beacons (MBs) 114, 159, 161,
191, 246, 248
- monomeric aptamer ligands (mALs) 346
- multicomponent nucleases (MNAzymes)
431
- multidrug resistance (MDR) 32, 33
- multipedal DNA nanomotors 174, 175
- multiple cellular receptors 308
- multispectral optoacoustic tomography
(MSOT) imaging 480, 481
- multivalent aptamer drug conjugate
(ApMDC) 16, 17
- multivalent aptamer-functionalized
micro/nano-substrates 65,
69–72
- n**
- N-acetylmannosamine (ManNAc) 306
- nanobiohybrid DNA
engager-reprogrammed T-cell
receptor (EN-TCR) system 344
- nanomaterial/probe integrated system
241
- NanoVelcro Chip 66, 67, 77
- Nano-winch 341
- natural polymers 437
- natural protein-based ligands 346
- near-infrared light-activated DNA agonist
(NIR-DA) system 337
- negative SELEX 48, 57
- N-hydroxy-succinimide (NHS)
ester-modified DNA 357
- N-hydroxy-succinimide (NHS) ester
moieties 306
- 6-nitropiperonyl- α -methyl (NPM) 335
- nonenzymatic DNA circuit
catalytic hairpin assembly 235–236
DNAzyme-powered catalytic reaction
236–237
entropy-driven DNA catalytic reaction
236
hybridization chain reaction 234–235
- non-enzymatic walking system 180
- non-small cell lung cancer (NSCLC) 66,
225
- nucleic acid-based diagnostic tools 251
- nucleic acid-based drugs 475
- nucleic acid-based functionalization
strategies from receptor
information to DNA probes
303–307
- nucleic acid-based logic devices 424,
426, 428, 430
- nucleic acid-based logic machines 429,
431
- nucleic acid nanodevices 423
- nucleic acid nanotechnology
combining CRISPR with origami 292
CRISPR techniques 288, 289
mammalian cells 291–292
microRNAs and RNA interference
292
switchable guide RNAs 289–291
- nucleolin 315, 480, 482
- o**
- oligonucleotide chains 6, 170, 172, 173
- 1D DNA track 170
- origami-like nucleic nanostructures 293
- outer segment phagocytosis (OSP) 384

p

paper-based biosensor 37
 pathogenic *E. coli* 32
 pattern recognition receptors (PRRs)
 346
 PD-L1-binding aptamer 313
 persistent luminescence nanoparticles
 (PLNPs) 479–481, 484
 phagocytosis 346, 376, 384, 495, 498
 pharmaceutical therapy 489
 phi29 bacteriophage 406
 phosphine pentafluorophenyl (PFP) ester
 111
 phosphorothioate (PS)
 modification 504
 oligonucleotide 447
 photochemical internalization (PCI) 390
 photocleavage (PC)-linker 244
 photodynamic therapy (PDT) 83, 479,
 482, 511
 photo-responsive DNA circuits for
 amplified bioimaging 243–245
 pH-sensitive multistranded DNA motifs
 249
 pH-stimulated shape-memory DNA
 hydrogel 440
 plasmon enhanced fluorescence (PEF)
 technique 245
 platelet-derived growth factor (PDGF)
 333
 platinum nanoparticles (PtNP) 40, 446
 point-of-care testing (POCT) devices
 226, 446
 poly(methacrylic acid carboxyl betaine)
 (pCBMA) 69
 polyacrylamide-DNA hybrid hydrogel
 440
 polyethyleneimine (PEI) 389
 polymerase chain reaction (PCR) 7,
 34–35, 47, 88, 91
 polymeric multiple-unit linker (PMUL)
 453
 polypeptide 154, 390, 440, 442, 454
 polyvalent antibody mimic (PAM) 362

post-translational modification (PTM)
 patterns 304
 prime editing guide RNA (pegRNA) 289
 programmable atom-like nanostructure
 (PAN) 226
 programming cell-cell interactions
 DNA circuits 364, 366
 DNA hybridization 362–364
 ligand-receptor binding 359–362
 proper cell-cell interactions 355
 protein biosensors for *Escherichia coli*
 35–36
 protein-conjugated oligonucleotides 260
 protein enzymes 122, 144, 156, 172, 183,
 234
 protein expression (PLK1) 91, 93, 95,
 356, 429, 475, 501
 pure DNA supramolecular hydrogels
 438–440, 456
 purification 261

r

receptor-biorecognition elements
 304–307
 receptor tyrosine kinases (RTKs) 113,
 303
 re-engineered RNA structure 410
 replicating HCR (R-HCR) 241
 reverse transcriptase-quantitative
 polymerase chain reaction
 (RT-qPCR) 189, 198
 ribosome binding site (RBS) 50, 283, 410
 riboswitches
 definition 49
 gene expression 52–55
 natural RNA aptamers 49–52
 potential drug targets 55
 RNA-binding proteins 294, 429
 RNA-cleaving fluorogenic DNAzyme
 (RFDs) 36, 37
 RNA detection and imaging 189–190
 RNA imaging based on direct
 hybridization 190–192
 RNA imaging based on strand
 displacement reactions 192–194

- RNA imaging in live cells 192, 194, 203–206
- RNA interference (RNAi) 283, 288–292
- RNA nanostructures
 ssRNA production 407–409
 strategy 406–407
- RNA-stimulated DNA circuits for
 amplified bioimaging 246, 248–249
- rolling circle amplification (RCA) 176, 220, 307, 335
 definition 467
 DNA hydrogel 469
 DNA nanoparticles 469
 DNA nanotechnology
 cell separation 469–474
 for nucleic acid drug delivery 475–484
 principle 468
- S**
- Saccharomyces cerevisiae* 56, 292
- S*-adenosylmethionine (SAM) 50, 52, 54, 55, 410
- SARS-CoV-2 infections 313, 314
- “scan and unlock” DNA automaton (SUDA) 341
- “seesaw” gate mode 418
- signal-amplified RNA imaging
 CHA-based DNA nanosensors for
 amplified RNA imaging 196–198
 DNA nanomachines 198–203
 HCR-based DNA nanosensors for
 amplified RNA imaging 194–196
- silicon nanowire substrate (SiNWS) 66, 67, 77
- silicon phthalocyanine dichloride (SiPcCl₂) 480–481
- single-cell RNA sequencing (scRNA-seq)
 technology 89–91, 92, 95
- single-stranded DNA (ssDNA) 172, 212, 377
 folding strategy 404
 tiles 378–379
- single-stranded origami (ssOrigami) 406
- single-stranded triple-cross DNA molecules 170
- single-vesicle analysis 95–97
- small-molecule drugs 13, 16, 347, 489, 498, 499, 501
- solid-phase synthesis technology 10, 491
- solid-supported oligonucleotide synthesis 6
- sorbitol MacConkey agar (SMAC) 34
- spherical nucleic acid (SNA) 69, 198, 218, 359, 493–494
- ssDNA nanostructures 404–406
- ssRNA nanostructures 407–409
- Staudinger ligation 111, 112, 306, 358
- stimuli-responsive DNA circuits
 enzyme-activated DNA circuits for
 amplified bioimaging 245–247
 multiple pathological parameters 249
 photo-responsive DNA circuits for
 amplified bioimaging 243–245
 RNA-stimulated DNA circuits for
 amplified bioimaging 246, 248–249
- strand displacement reactions (SDR) 170, 178, 192–194, 218, 234, 261, 263, 331, 334, 416
- succinimidyl 4-(*N*-maleimidomethyl) cyclohexane-1-carboxylate (SMCC) 306, 357
- supported lipid bilayers (SLBs) 71
- support vector machines (SVMs) 223
- surface-enhanced Raman scattering (SERS) 93, 337, 444
- surface-to-surface signal
 enrichment-based paper biosensor 38
- synthetic Notch receptor (SynNotch) 327
- synthetic polymers 437, 443
- systematic evolution of ligands by
 exponential enrichment (SELEX) 7, 113, 214, 330, 473
 aptamers 47, 48

- capture-SELEX 49
 - CE 49
 - cell 49
 - counter 48
 - multiple types of 49
 - negative 48
 - in vivo* SELEX 49
- t**
- TAMRA-labeled DNA 190
 - tannic acid (TNA) DNA hydrogel 456
 - telomerase substrate (TS) probe 425
 - tetra-acylated N-acetylmannosamine (Ac₄ManNAz) 306
 - tetrahedral DNA nanostructure (TDN) 73, 392, 423, 497
 - tetrakis (hydroxymethyl) phosphonium sulfate (THPS) 456
 - 3,3',5,5'-tetramethylbenzidine (TMB) 21, 218
 - therapeutic DNA 490, 504
 - 3D DNA nanomotors 170, 176
 - 3D DNA nanostructures 378, 404, 426
 - 3D DNAzyme nanomotor 181
 - three-dimensional magnetic-controlled chip (3DMC-system) 83
 - three-dimensional (3D) track 170
 - three-point star (3PS) DNA scaffolds 262
 - tissue engineering
 - artificial tissues *in vitro* 454–458
 - chronic inflammation 456
 - in-situ* regeneration 458
 - TNA hydrogel 456
 - toehold-mediated strand displacement (TMSD) 195, 215, 234, 236, 282–283, 331, 417
 - toehold riboregulators and related systems
 - applications as sensors 286, 287
 - biocomputing 287–288
 - riboswitches 283, 284
 - switching in eukaryotes 285
 - transcriptional switching 286
 - translational switching 284–285
 - toll-like receptor 9 (TLR9) 346
 - TPP riboswitch 53–55
 - tracking particles (TPs) 176
 - transferrin (Tf) 390
 - transferrin receptor (TfR) 8, 315
 - transforming growth factor (TGF) 105
 - transforming growth factor- β (TGF- β) 311
 - transforming growth factor (TGF)- β type II receptor (T β RII) 311, 337
 - transmembrane modification of DNA
 - DNA nanostructures 122, 124
 - single-stranded and double-stranded DNA 121–123
 - triple-negative breast cancer (TNBC) 13
 - truncated square pyramid (TSP) 223
 - tumor-infiltrating T-cells (TIT cells) 473, 474
 - tumor necrosis factor (TNF) receptors 305, 344
 - two-dimensional (2D) track 170
- u**
- UCNP/DNA nanocomplex (UCDC) signal processor 482
 - unipedal DNA nanomotors 174, 175
 - 5' untranslated region (UTR) of mRNA 49
 - upconversion luminescence (UCL) 190, 218
 - upconversion nanoparticles (UCNPs) 180, 190, 218, 245, 482
- v**
- valency-controlled receptors (VCRs) 346
 - vascular endothelial growth factor (VEGF) 47, 105, 330, 332
 - vascular endothelial growth factor receptor (VEGFR) 330
 - vascular endothelial growth factor receptor 2 (VEGFR2) 332
 - violet, red bile agar (VRBA) 33
 - viral vectors 328, 375, 389

W

walking particles (WPs) 176

Watson-Crick and Hoogsteen base-pairing interactions 214

Watson-Crick base pairing 249, 376, 406, 431

Watson-Crick base pairing rule 189, 304, 356

Watson-Crick principle of base pairing 211

western blotting (WB) 307

Z

ZAP-1 13, 313

Zn-Mn-Ferrite (ZMF) 477, 478