

Index

a

- absorption coefficient 251
- abstraction reactions 236
 - nucleophilic 237–240
- actinides
 - π bonded complexes
 - cyclopentadienyl derivatives 182–185
 - oxidation state (III) 184–185
 - oxidation state (IV) 183
 - oxidation state (V) 183
 - oxidation state (VI) 182
 - σ bonded complexes 180–181
- α -acyl abstraction 239, 240
- acyl halides, alkylation of 284, 285
- acyltrifluoroborates 277–278
- addition reactions 27, 80, 188, 215, 295, 297, 383, 387, 389
- additive nomenclature/coordination nomenclature 27–28
- adenosine derivatives 80
- agostic complexes 231, 234
- alkene complexes 17, 391
- alkene isomerization 302, 304, 305
- alkene metathesis 127, 251, 302
- alkenylboranes 269, 271
- alkyl abstraction 237
- alkyl/aryl magnesium halides 296
- alkylation
 - of acyl halides 284–285
 - of allylic halides 284
 - of α -haloesters 273
 - at secondary alkyl halide 283
- alkylboranes 268, 271
- alkylidene (carbene) 111–113
- alkylidene complexes 111, 113, 114, 117, 118, 120
- alkyllithium compound 4
- alkyne–aldehyde coupling 386–388
- all-iron nitrogenase 211
- allyl complexes 17, 18, 157, 308
- π -allyl complexes
 - reactions of 160–161
 - structure of 158–159
 - syntheses of 159–160
- allylation reaction 278–279
- allylic halides, alkylation of 284
- allylic substitution 126, 282, 383–385
- alpha-abstraction 236
- alpha-elimination 115, 236, 236
- amide formation 277, 278
- amination 267, 272–273, 391
- 2'-amino-2'-deoxyuridine addipyrindine 82
- antiviral ultrafiltration membranes (UF) 365
- aryl chlorides 276, 292
- asymmetric catalysis reaction 5–6

b

- Barbier reaction 3
- B₁₂-coenzymes 202–204
- B₁₂-dependent enzymes 202, 203
- bent metallocene 18, 162
- beryllocene 139
- binary metal carbonyl complex 3

- binary nomenclature 26
 - bio-organometallic chemistry 201–213
 - bis(benzene)chromium compound 5
 - bis(cyclopentadienyl)metal complexes 131
 - bis(triphenylphosphoranylidene) ammonium chloride 345
 - bis-cyclopentadienyl-iron 134, 135
 - bis-(η^5 -cyclopentadienyl) iron (II) 110
 - bis-pentahaptocyclopentadienyl iron 110
 - blue copper proteins 204, 205
 - π -bond containing organometallic compounds
 - metal olefin complexes
 - metal-alkyne complexes 158
 - metal-diene complexes 157–158
 - reaction 157
 - syntheses of 157
 - σ -bond containing organometallic compounds
 - metal alkyls 150–152
 - metal carbonyl
 - examples of 149
 - reactions of 150
 - structure of 149–150
 - syntheses of 148
 - metal hydrides 152–154
 - metal vinyls 152
 - π - π bonded compounds 19–20
 - σ - σ bonded compounds 19
 - π -bonded organometallic compounds 50–51, 177
 - η^4 -butadiene-tricarbonyliron compound 83
 - bonding mode order, in IR band 250
 - boranes, heteroboranes and metallaboranes based cluster compounds
 - applications 327
 - basics 324
 - fundamentals of 321–323
 - reactions 324, 326, 327
 - synthesis 324, 325
 - boron 1, 25, 38, 47, 71, 131, 258, 267–268, 270–271, 274, 278–279, 321, 323, 327
 - boron neutron capture therapy (BNCT) of tumors 327, 330–331
 - Braggs law 252
 - bridged metal carbonyl complexes 89–90
 - bridging carbonyl ligands 111
 - bucky ferrocene 7, 8
 - η^4 -butadiene-tricarbonyliron compounds 83
 - Butchwald–Hartwig coupling 294
- C**
- carbene complex with tungsten 6
 - carbene or alkylidene 111
 - carbide clusters 109
 - carbon monoxide (CO) ligand 87–90, 92, 95–96, 98, 102, 103, 136, 165, 216, 228, 250
 - carbon–carbon bond formation 307–308
 - carbonylation
 - catalytic cycle 277
 - ketone formation 271
 - of organoboranes 270
 - oxidation, of cyclic alkene 271
 - reaction 295–296
 - carbonyls
 - abstraction 238
 - complexes 17
 - dissociation of 216
 - insertion (alkyl migration) 227, 228
 - carbyne or alkylidyne complex 111
 - catalytic elementary reactions
 - alkene isomerization 305
 - alkyne isomerization 305
 - categorization 303
 - diene isomerization 306
 - isomerization 304–305
 - C–C cross coupling reaction
 - Butchwald–Hartwig coupling 294
 - carbonylation reaction 295–296
 - cyanation reaction 294–295
 - Heck reaction 289–290
 - Hiyama coupling 293

- Kumada coupling 292
 Negishi coupling 290–291
 Sonogashira coupling 293–294
 Stille coupling 291–292
 Suzuki coupling 291
 C–F activation 396
 C_8F_{17} -4- C_6H_4 -Au 258
 C–H activation reactions 221, 380–381, 384
 C–H bond activation 190, 215, 218–223, 380
 C–O bond activation 388
 Chan–Lam coupling 279
 charge localization concept 255
 charge transfer 165, 205, 251, 257–258
 chelation 29, 188, 341
 chemical shift 113, 248
 5-chloromercuri-2'-deoxycytidine syntheses 79
 CHNX analysis 255
 chromium carbene complex 6
 class D organometallic nuclides 82
 class I Cytochrome c 207
 class II Cytochrome c 207
 class III Cytochrome c 207
 classical hydrogenation 390–391, 394
 ^{13}C -NMR 139, 248
 η^n - C_nR_n carbocyclic polyenes containing organometallic compounds
 cyclobutadienes, η^4 - C_4R_4 161–162
 cyclopentadienyls, η^5 - C_5R_5 162–166
 cyclopropenyls, η^3 - C_3R_3 161
 CO dehydrogenase (CODHs) 211–212
 cobalamins 201–204
 cobaltocene 51, 132, 138, 143
 [CoCp₂] formation 136
 cold neutron prompt gamma activation analysis (PGAA) technique 256
 computational catalysis 376
 cone angle 217
 coordinated ligands 38, 87, 102, 187
 heteroleptic carbonyl complexes 88
 homoleptic carbonyl complexes 88
 coordination complexes 40, 71
 coordination number 17, 29, 176, 178, 215–216, 218–221, 223–224, 236, 253, 304, 348
 copper(II) phthalocyanine 257
 correlation spectroscopy (COSY) 248
 Cossee–Arlman mechanism 230
 C-trapping reagents 287
 [Cu(S)-3-aminohexahydroazepine]₂ (BF₄)₂ 257
 cyanation reaction 294–295
 cyano Cu(I) complexes 72
 cyclic voltammetry
 LAu(SC₆H₄CH₃) and LL[Au(SC₆H₄CH₃)₂] 260
 of dimeric [M(DPPMHQ)Cl]₂ compounds 260
 of dirhodium (II) compound 260
 cyclization reactions 386, 389, 390, 392–394, 396
 [3 + 2] cycloadditions 393–394
 [5 + 2] and [6 + 2] cycloadditions 392–393
 cyclobutadienes, η^4 - C_4R_4 161–162
 4-cyclohexa-2,4-dienyl chlorofleobase/nucleoside complex 82
 cyclometallated nucleosides 81
 cyclopentadienyls, η^5 - C_5R_5 178
 applications of metallocene 165–166
 chemical properties of metallocene 164–165
 metallocene structure 163–164
 structure of 162–163
 cytochrome P-450 117, 209
 cytochromes 204, 207, 208
- d**
- d-d transitions 251
 decaisopropyl ferrocene 135
 decamethylmetallocenes (MCp*₂) 131, 132, 162
 dehydrogenation 196, 211, 394, 395
 deinsertion 225–226
 5' deoxyadenosylcobalamin-dependent isomerases 203

- (^{tbu}dhbpy[H]₂)-ligand system 339
diene isomerization 306
dihapto ligands 12
dihydridorhodium (III) complex 306
dihydrogen complexes 17, 18, 218
4-dimethylaminopyridine (DMAP) 336
dinolinylcarboxylic acid 82
dissociation
 of carbonyls 216
 of nitrosyls 217
 of phosphine 217, 218
dissociation reactions 215
drug delivery 245, 357–366
- e**
electroanalytical methods 259–260
electrochemical processes 259
electron diffraction crystallography
 258–259
elemental analysis (EA) 245, 255–256,
 261
β-elimination 126, 151, 233–235, 274,
 281–282
eta(η) convention 33–36
- f**
[FeCp₂] formation 136
ferredoxin 205, 206
ferrocene 5, 132
 bucky ferrocene 7, 8
 decaisopropyl ferrocene 135
 and its derivatives 136
first generation Grubbs catalyst 7
first metal carbonyl compound 3
first Si compound 8
Fischer–Tropsch process 315, 336
flavodoxins 204, 205
fluxionality 245
four-iron clusters 206
fullerene-based organometallic
 compound 7
- g**
gas chromatography-MS experiments
 (GC-MS) 255
- Gilman reagent formation 280
green analytical technique 260
Grignard copper (I) reagents 282–283
Grignard reagents 54, 280, 287, 296
 nucleophilic attack of 297
 reactivity 297–298
 synthesis 296–297
guanosine derivatives 80
- h**
α-haloesters, alkylation of 273
hapticity of ligands 12–13
hapticity verses denticity 14, 15
Heck coupling 383, 385
Heck reaction 126, 289, 290, 383
Heiber base reaction 95
heterocuparates 281, 283
 reaction of 282
heterocuprates 281–283, 285
heterogenous catalysis
 definition 311–312
 steps 313
 stereoregularity 313–315
 types of 313
 water gas reaction 315–316
 zeolite 316–317
 Ziegler–Natta Catalyst 313
heteroleptic carbonyl complexes 88
heteronuclear carbonyls 89
hexaferrocenylbenzene 8
high-resolution tunneling electron
 microscope (HRTEM) 258
higher order cyanocuparate preparation
 282
Hiyama coupling 293
¹H NMR 124, 153, 154, 159, 245, 247, 248
homocuparates 281, 283
homogeneous catalysis 358
 applications of 302
 carbon-carbon bond formation
 307–308
 catalytic elementary reactions
 303–306
 definition 301
 exploration of 302

hydrogenation 306–307
 metathesis 308–309
 organometallic compounds 302–303
 oxidation 309–310
 reactions with carbon monoxide 311
 salient features of 301
 homoleptic carbonyl complexes 88
 homologated alcohols and aldehydes 270
 hydride elimination
 characterization 233
 β -hydride elimination 176, 233–236,
 386, 391
 hydroboration
 1-methylcyclopentenone 270
 of unsaturated bond 267
 schematic illustration 268
 hydroboration-oxidation 268–270
 hydrocarbons fuels 336
 hydroformylation 4, 194, 311, 390, 391
 hydroformylation reaction 4, 311
 hydrogen abstraction 236, 238, 384
 β -hydrogen complexes 235
 hydrogenase enzymes 212
 hydrogenations 306, 390, 391
 hydrogenolysis 190, 271
 hydroperoxide derivatives LnPt–OOH
 233
 hydrozirconation of alkenes 231
 hyperfine magnetic splitting 259

i

indium tin oxide (ITO) 364
 infrared (IR) techniques 248
 inner transition or f-block metals 169
 insertion reactions 232, 233
 carbonyl insertion (alkyl migration)
 226–230
 olefin insertion 230–232
 types 226
 1,1-insertions 226, 227
 1,2-insertions 226, 227, 230, 233
 ionic bonded compounds 19
 ionic bonded organometallic compounds
 51–52
 iridium

C–F activation 396
 classical hydrogenation 394, 395
 cyclization reactions 396
 dehydrogenation 394
 transfer hydrogenation 394, 395
 iron porphyrins 208, 209
 iron-sulphur proteins
 ferredoxin 206
 four-iron clusters 206
 rubredoxins 206
 isomer shift (IS) 259
 isomerization 127, 140, 203, 302,
 304–306
 isotope labeling 246

j

J_{C-H} coupling constants 248

k

kappa (κ) convention 30–31, 41
 kinetic separation 352
 Kumada coupling 292, 386

l

lanthanides
 π -bonded organometallic compounds
 aryl organolanthanoid compounds
 177
 tris(cyclopentadienyl) systems
 178–180
 σ -bonded complexes 176
 lanthanides and actinides
 methods of preparation
 acid-base method 175
 σ -bond metathesis 174
 metal vapour synthesis method 173
 metathesis reaction method 174
 salt elimination 171–173
 organometallic compounds of 169
 properties
 aggregation 187
 agostic interactions 189
 donor-acceptor interactions
 187–188
 elimination reactions 190–191

- lanthanides and actinides (*contd.*)
- insertion reactions 190
 - ligand exchange and redistribution reactions 189–190
 - neutral π -donor ligation 188, 189
 - reaction sequences–catalytic cycles 192
 - redox chemistry 191–192
 - salt occlusion or ate complexation 188
 - solvation 187
 - thermodynamic and kinetic considerations 187
 - stability of
 - anhydrous and anaerobic conditions 185–186
 - avoiding elimination reactions 186
 - blocking the coordination sites 186
 - donor-functionalized chelating pendant donor ligands 186
 - ligand 29
 - hapticity of 12
 - neutral ligands 31
 - substitution reactions 92, 95
 - ligand-to-metal charge transfer (LMCT) 251
 - Lipshutz reagents 282
- m**
- manganocene 45, 134, 138
 - Mannich reaction 279
 - mass spectroscopy (MS) 253–255, 261
 - MeCbl-dependent transferases 203
 - Meerwein–Ponndorf–Verley (MPV) reduction 194, 390
 - 5-mercury 79
 - 5-mercury cytidine derivatives 79
 - metal carbenes 154
 - metal carbonyls
 - bonding in
 - mixed atomic orbitals formation 99–103
 - chemical properties of
 - disproportionation 96, 97
 - ligand substitution reactions 92, 95
 - reaction with halogens 95–96
 - reaction with hydrogen 96
 - reaction with nitric oxide (NO) 96
 - reaction with sodium hydroxide 95
 - reaction with sodium metal 95
 - coordinated ligands
 - heteroleptic carbonyl complexes 88
 - homoleptic carbonyl complexes 88
 - mononuclear carbonyl complexes 88
 - physical properties 92, 93–94
 - polynuclear carbonyl complexes
 - bridged metal carbonyl complexes 90
 - heteronuclear carbonyls 89
 - homonuclear carbonyl complexes 89
 - non-bridged metal carbonyl complexes 89
 - structure of
 - bi and polynuclear carbonyl complexes 98–99
 - mononuclear carbonyl complexes 97–98
 - synthesis of
 - abstraction of CO from a reactive organic carbonyl compounds 91
 - direct reaction of metal with carbon monoxide 90
 - photolysis and thermolysis 91
 - reductive carbonylation 90–91
 - metal hydrides
 - H ligand 152
 - properties of 153–154
 - synthesis of 153
 - types of 153
 - metal ions 27, 29, 31, 48–51, 53, 73, 92, 121, 188, 204, 251, 253, 260, 316, 357, 359, 363
 - metal olefin complexes
 - metal-alkyne complexes 158
 - metal-diene complexes 157–158
 - metal organic frameworks (MOFs), gas separation
 - flexible

- adsorbate–surface interactions with pore shape/size change 350–351
- adsorbate-specific gate-opening pressures 351
- shape/size exclusion with pore shape/size change 350
- structural rearrangement or gate-opening induced by adsorbate–surface interactions 351
- kinetic separation 352
- membrane-based gas separation 353
- quantum sieving effect for H₂/D₂ separation 352–353
- rigid
 - adsorbate–surface interactions 349
 - shape/size exclusion 349
 - shape/size exclusion and adsorbate–surface interactions 349
- metal porphyrins 208, 251
- metal-alkyne complexes 158, 159
- metal-bis-arene sandwich complexes
 - preparation of 142
 - reactions 142–143
 - retro-Friedel–Crafts reaction 140
 - structure 142
- metal-carbene complexes 115, 127, 154–156
- metal-diene complexes 157–158
- metal-ligand bond vibrations 250
- metal-olefin complexes 156–157
 - syntheses of 157
- metal-organic frameworks (MOFs) 47, 253, 260, 347–353
- metal-to-ligand charge transfer (MLCT) 251
- metal–alkylidene complexes 111, 114–117
- metal–alkylidyne complexes 111, 118–119
- metal–carbon multiple bonded compounds
 - alkylidene metathesis reaction 119–124
 - alkylidyne metathesis 124–125
 - applications 125–127
 - classifications
 - metal–alkylidene complexes 111
 - metal–alkylidyne complexes 111
 - metal–alkylidene complexes 118–119
 - electrophilic alkylidenes 116–117
 - nucleophilic carbene 115–116
 - nomenclature 109–111
 - organometallic cluster of 108
 - preparation methods
 - metal–alkylidene complexes 114–117
 - structure
 - alkylidene (carbene) 111–113
 - carbyne (alkylidyne) 113, 114
- metallaboranes cluster compounds
 - applications 330, 332
 - basics 327
 - reactions 330
 - syntheses 327, 330
- metallocene 18
 - bis(cyclopentadienyl)metal complexes 131
 - chemical properties of
 - ferrocene and its derivatives 136–138
 - main group metallocene 139–140
 - metal-bis-arene sandwich complexes 140–143
 - metallocene sandwiches 138–139
 - cyclopentadienyl complexes 131
 - derivatives 45
 - multi cyclopentadienyl complexes 131
 - structure of 132–134
 - synthesis of 134–136
- metalloproteins 201, 204–205
- metathesis, defined 308
- methyl abstraction 238–239
- MicroED method 258, 259
- MOF-modified electrodes 260
- molybdenum based catalyst 6, 7
- monohapto ligands 12
- mononuclear carbonyl complexes 88, 92, 97–98

- monooxygenases 207, 208–209
- Mossbauer spectroscopy 259, 261
- mu (μ) convention 33
- multi cyclopentadienyl complexes 131
- multi-centered bonded organometallic compounds 53–54
- multicenter bonded compounds 19–20
- n**
- negatively charged ligands 30
- Negishi coupling 290–291
- neutral ligands 28, 31
- neutron activation analysis (NAA) technique 256, 261
- N-heterocyclic carbenes (NHC) 120, 121, 126, 260, 335, 336, 344–346 complexes 73
- Ni-organic catalyses 75
- nickel
 - alkyne-aldehyde coupling 386–388
 - C–O bond activation 388–389
 - cyclization reactions 389
 - Kumada coupling 386
 - olefin functionalization 389
 - oxidative addition 386
- nickel complexes 338–339
- nickel enzymes 211–212
- nicolocene 51
- nitrilotriacetic acid (NA) 365
- nitrogenases catalyzing nitrogen fixation 209–211
- nitrosyl (NO^+)
 - dissociation of 217
- non-bridged metal carbonyl complexes 89–90
- nuclear magnetic spectroscopy (NMR) 246
 - ^{13}C -NMR 248
 - ^1H NMR 248
 - physicochemical spectroscopic technique 246
 - solid-state NMR 248
 - transition metal 246
- nuclear Overhauser effect spectroscopy (NOESY) 248
- nuclear spin behavior 247
- nucleophilic abstraction
 - α -acyl abstraction 239–240
 - alkyl abstraction 237
 - methyl group 238–239
 - of carbonyl 238
 - of hydrogen 238
 - silylium ion 239
- nucleophilic displacement 215, 222–223
- nucleophilic substitution reaction 283, 298
- nucleosides 79–84
- nucleotide/nucleotide cyclometallate 80
- o**
- O-benzoylhydroxylamines 277, 278
- O-carbomoylhydroxyamine 277, 278
- olefin functionalization 389–391
- olefin insertion 230–232, 391
- π -organic-copper complex 73
- organic cursive chemistry 71
- organic ligands 32
 - systematic substitutive and systematic additive name 34
 - with unsaturated groups and molecules 37
- organoboron reagents and reactions
 - hydroboration 267–268, 273
- organochlorosilane compound 3, 4
- organocopper reagents 280–288
- organocuparate reagents 280
 - types 281
 - Gilman reagent 281–282
 - Grignard copper (I) reagents 282–283
 - Lipshutz reagents 282
- organocuprates, reactions of
 - alkyl halides, increasing chain length of 283–284
 - alkylation of acyl halides 284
 - allenes synthesis 287–288
 - allylic halides, alkylation of 284
 - conjugate additions 285, 286
 - in electrophile TMSCl presence 287
 - in Lewis acid presence 286–287

- epoxide ring opening 285
- O-trapping and C-trapping reaction
 - 287, 288
 - with vinyl halides 284
- organolanthanoids and organoactinoids
 - catalytic applications
 - catalysis of polymerization 193
 - catalysts and reagents for oxidation processes 195–197
 - catalysts and reagents for reduction processes 193–195
- organolithium compounds 1, 4, 19, 61–65
- organometallic catalysis 375
 - energy 378–379
 - geometry calculation 377–378
 - iridium 394–396
 - nickel 386–390
 - palladium catalysis 379–385
 - rhodium 390–394
- organometallic chemistry, defined 1, 358
- organometallic compounds 1, 107, 148, 215, 256, 359
 - basic concepts 9–12
 - π -bonded 50–51
 - change in hapticity 13–14
 - characterization 245–246
 - counting of electrons and finding out metal–metal bonds 15–16
 - electrochemical cell by the metalorganic catalyses 75–79
 - electrochemical methods 72–75
 - electron diffraction crystallography 258–259
 - elemental analysis 255–256
 - for renewable energy 364–365
 - for wastewater treatment 365–366
 - Grignard reagents 54–59
 - hapticity of ligands 12–13
 - hapticity versus denticity 14
 - importance of 19–20
 - in fixation of CO_2 335–336
 - in gas adsorption and purification mechanisms 347
 - metal organic frameworks (MOFs) 347–348
 - in reduction of CO_2
 - copper and cobalt complexes 341–342
 - equilibrium Potentials of 337
 - Fischer–Tropsch process 336
 - iron and manganese complexes 339–340
 - N-heterocyclic carbenes 344–346
 - nickel complexes 338–339
 - palladium complexes 342–343
 - photoelectrochemical cells or photovoltaic devices 337
 - ruthenium, rhodium and rhenium 343–344
 - infrared and Raman spectroscopic techniques 248–251
 - ionic bonded 51–52
 - mass spectroscopy 253–255
 - metals of 17
 - MicroEd method 258–259
 - milestones in 2–8
 - Mossbauer spectroscopy 259
 - multi-centered bonded 53–54
 - neutron activation analysis 256
 - nuclear magnetic spectroscopy 246–248
 - organolithium compounds 61–65
 - organometallic nucleosidosis 79–83
 - organosulphur compounds 65–68
 - organozinc compounds 59–60
 - properties of 9
 - sigma-bonded 48–50
 - stability 9
 - structure of 1–2
 - UV-visible spectroscopy 251–252
 - X-ray crystallography 252–253, 254
 - X-ray photoelectron spectroscopy 256–258
- organometallic nomenclature system
 - additive nomenclature/coordination nomenclature 27–28
 - aim of 26
 - binary nomenclature 26

- organometallic nomenclature system
(*contd.*)
- chelation 29
 - coordination number 29
 - eta(η) convention 33–36
 - kappa(κ) convention 30–31
 - ligand 29–30
 - metallocene derivatives 45
 - mu(μ) convention 33–36
 - oxidation number 28–29
 - regulations 36–46
 - substitutive nomenclature 27
- organometallic nonlinear optical crystals 253
- organometallic nucleosidesis 79
- organometallic reactions
- gain/loss of ligands 215–223
 - associative and dissociative substitution 216–217
 - binuclear reductive elimination 224–225
 - C–H activation reactions 221
 - oxidative addition reactions 218–223
 - Pd-catalyzed cross-coupling 223–225
 - reductive elimination reactions 222, 223–225
 - ligands modification 225–240
 - abstraction 236–240
 - hydride elimination 233–235
 - insertion reactions 225–226, 228, 230–233
- organometallic reagents 71, 171, 267–298
- organometallics compounds
- drug delivery 363–364
 - properties of 362
- organonickel σ -complexes
- [NiBr(Aryl)(bpy)] complex 73, 75
- organorhenium cyclopentadienyl complex 72–73
- organosulphur compounds 65–68
- organotransition metal complexes 147
- organozinc compounds 1, 59–60
- orthometallations 222
- osmocene 132, 163
- O-trapping reagents 287
- oxidation 309
- of organoboranes 269
 - reaction mechanism 269
- oxidation number 28–29, 39, 40
- oxidative addition (OA) reactions 216, 218, 382, 386
- binuclear 221–222
 - cis*-I₂Fe(CO)₄ formation 220
 - concerted mechanism 219
 - conditions 218
 - cyclometallations 222
 - free radical mechanism 219
 - ionic mechanism 220
 - nucleophilic displacement 222–223
 - S_N² mechanism 219
 - of square-planar d⁸ complex
 - trans*-Ir(CO)Cl(PET₃)₂ 220
- oxidoreductase
- iron porphyrins 208
 - monooxygenases 208–209
- p**
- palladium catalysed C–C cross coupling reaction 289–296
- palladium catalysed Suzuki coupling reaction 6–8
- palladium catalysis
- allylic substitution 383–385
 - C–H bond activation 380–381
 - Heck coupling 383
 - oxidative addition 382
 - reductive elimination 383
 - Suzuki–Miyaura coupling 383
- palladium catalytic cycle, of Heck reaction 290
- palladium complexes 158, 224, 239–240, 305, 342–344, 363
- Pd(II)guanosine derivatives 80
- Pd-catalyzed cross-coupling 215, 223–224, 288
- Pd-organic catalysts 75, 77
- pentahaptocyclopentadienyl ligand 110

- pentaharbon-tungsten nucleosidesare C1
compounds 81
- Petasis reaction 279, 280
- Pettit type metal complexes 112
- phosphine 92, 116, 118, 224, 236, 248,
306, 338, 342, 391, 396
dissociation of 217, 218
- polynuclear carbonyl complexes
bridged metal carbonyl complexes 90
heteronuclear carbonyls 89
homonuclear carbonyl complexes 89
non-bridged metal carbonyl complexes
89–90
- polyorganic synthesis 71
- porous coordination polymers 253, 347
- porphyrins 201, 202, 208, 251
- Pt(II)-alkynyl organometallic molecules
363
- q**
- quadrupole splitting (QS) 259
- r**
- Raman effect 250
- Raman spectroscopic techniques
248–251
- Raman spectroscopy 245, 246, 248–251,
261
- [ReClCp(H)(dppe)] complex 72, 73
- reduction
of organoboranes with carboxylic acid
271
- reductive elimination (RE) 223, 383
binuclear 224–225
reactions 216, 218
- renewable energy 357–366
- Rh carbenoids 391–394
- Rh nitrenoids 391–392
- rhodium
[3 + 2] cycloadditions 393–394
[5 + 2] and [6 + 2] cycloadditions
392–393
hydroformylation 391
hydrogenations 390–391
Rh carbenoids 391
Rh nitrenoids 391–392
[RuCp₂] formation 135
rubredoxins 205, 206
ruthenocene 132, 163
- s**
- sandwich organometallic compounds
108–109
- Schrock metal complexes 112
- sigma-bonded organometallic compound
48–50
metal-carbene complexes 154–156
- silylium abstraction 239
- single-crystal to single-crystal (SCSC)
transformation 253
- single-crystal X-ray crystallography
technique (SC-XRD) 252–254
- Sm-organic catalyses 78
- solid-state NMR 248
- Sonogashira coupling 293–294
- Sonogashira reaction 126, 293, 294
- spectroelectrochemical method coupled
with electron paramagnetic
resonance (SEC-EPR) 260
- stereoregularity 313–315
- steric hindrance effect 223, 224, 276
- Stille coupling 291–292
- substitution reaction
mechanism 283–284
nucleophilic 283
- substitutive nomenclature 27, 44, 46
- sulfidation 267, 272
- Suzuki coupling reaction 273, 291
biaryls synthesis 275, 276
carbonylative 276, 277
catalytic cycle of 275
mechanism 274
schematic illustration 274
- Suzuki–Miyaura coupling 273, 383–385
- t**
- tetramethylsilane (Me₄Si) 148, 248
- tetraphenylporphyrin (TPP)M complexes
376

- thallium(III) compounds, XPS study of 258
- thermal CO substitution reactions 216
- thioether formation 272
- 3D microelectron diffraction technique 258
- titanocene 45
- total coherence transfer spectroscopy (TOCSY) 248
- transfer hydrogenation 359, 394
- transition metal carbene complex 17–19
- transition metal complexes 18, 107, 125, 147, 302, 304, 313, 327, 377–379
- transition metal mediated synthesized organometallic compound 47
- transition-metal metallocenes 131, 163
- trihapto ligands 12
- trimerization of acetylene 5
- 2,4,6-trimethylphenylboronic acid 276
- U**
- ultrafiltration 365
- UV-visible spectroscopy 251–252
- of Schiff base metal compounds 252
- V**
- valance change concept 255
- vanadium nitrogenase 211
- vitmain B₁₂-coenzymes 202–204
- Vollhardt reaction 127
- W**
- Wacker–Hoechst process 309, 310
- Wacker's process 289
- wastewater treatment 357–366
- water gas reaction 315–316
- X**
- X-ray photoelectron spectroscopy (XPS) 245, 256–258, 261
- Z**
- Zeise's salt 2, 17, 20, 47, 54, 107, 147, 249
(K[Pt(C₂H₄)Cl₃].H₂O) 12, 250
- zeolite 316–317, 347–349
- Ziegler–Natta catalyst 308, 313
- Ziegler–Natta polymerization 190, 230, 313
- β-hydride elimination in 235
- Zirconocene based catalyst 6

