

Index

a

- accelerated solvent extraction 26
- acetone–butanol–ethanol pathway 342
- acid–base titration procedure 239
- acid-catalyzed hydrolysis 225
- acid hydrolysis 295
 - advantages of 290
 - disadvantages of 290
- acoustic cavitation 28
- activated carbon, from seaweed 64–66
- aerobic microorganisms 323
- agricultural biomass 4, 6, 146, 269, 271
- agricultural by-products
 - availability and reliability of 368
 - market opportunity 369
 - production cost 368
 - technical challenges 368–369
- agricultural sector 1, 4, 11, 34, 87, 301
- agricultural wastes
 - antioxidant sources from 22
 - categories of 3
 - chemical substitutes 3
 - defined 1
 - industrial by-products
 - agriculture, horticulture, and landscaping 8
 - raw material or additive 8–9
 - sources of 2
 - types of 4–5
 - waste utilization routes
 - fertilizer application 5
 - industrial enzymes 7–8
 - mushroom cultivation 6–7
 - organic acids 7
 - textile industry fibers 5–6
- agro-industry wastes 145, 216
- algae 59, 63, 77
- alginate-based nano-Si electrodes 81
- alginic acid 63, 76, 81, 83
- alkaline delignification 309
- amino acid composition, of chicken feathers 126
- anaerobic microorganisms 323–325
- antioxidant enzymes 20, 33
- antioxidant extracts 25, 33
- antioxidants 19
 - from agricultural wastes 22
 - future directions of 34–35
- extraction from agricultural wastes
 - 22–30
 - cosmetic industry 32–33
 - food industry 30–32
 - green extraction 23
 - maceration 22–25
 - microwave-assisted extraction 27–28
 - pressurized liquid extraction 26–27
 - supercritical fluid extraction 29–30
 - therapeutic industries 33–34

- antioxidants (*contd.*)
 - ultrasound-assisted extraction 28–29
 - mechanisms of action 20
 - oxidative homeostasis 20
 - physiological effects of 21
 - sources of 21–22
- aqueous two-phase extraction 182
- aromatherapy 43, 45, 46, 48, 103, 105, 114, 115, 117, 118
- Aspen Plus 13, 358
- Aspergillus niger* 7, 217
- Auricularia auricula*. *see* wood ear mushroom
- Azospirillum brasilense* 365, 367

- b**
- Bacillus cereus*-immobilized sugarcane bagasse 220
- Bacillus* sp. 135, 136, 360
- battery component, seaweed
 - derived-chemical materials for 79–82
- bioactive compounds 22, 23, 26, 29, 34, 35, 46, 49–51, 53, 63
 - with antioxidant-related effects 23
- bioactive molecules 22
- bio-bleaching 146
- bio-bleaching enzymes 10–11
 - agricultural waste bioprocessing into
 - block flow diagram 154–157
 - downstream processing 158–159
 - upstream processing 157–158
- biomass substrate characteristics 146–148
- challenges and future research 165–167
- economic analysis 162–165
- microbial sources of 148–150
- technical analysis 159–162
- usage in pulp and paper industry
 - cellulases 151–152
 - laccases 152–154
 - xylanases 150–151
- bioconversion of sago wastes 194
 - into biosugars 200–202
- biodiesel 13, 337–350
- Bioeconomy Transformation Program 359
- biofertilizers 10, 11, 13, 59, 63, 95, 124, 129–131, 213–230, 364–367
- bio-industry, sustainable society for 357
- biological delignification 309
- biomass 76, 147
 - compositional attributes of 258
 - hydrolysis 259–260
 - pretreatment 259
 - removal 343
 - sago wastes 196–200
 - size reduction 258–259
- bioplastics 10, 124, 130
- bioprocessing of chicken feathers 124, 128–132
- biorefinery 1–13, 209, 228, 229, 257, 258, 295, 313, 330, 332
- bioremediation process, SMS-derived enzymes for 91–92
- bio-succinic acid
 - additives 264
 - application of 272–273
 - bacteria 260–261
 - carbon dioxide 264
 - carbon sources 263
 - cell immobilization 266–267
 - consolidated bioprocessing 265–266
 - fermentation conditions 261–263
 - fungi and yeasts 261
 - global market and demands for 256
 - microbial 260
 - nitrogen sources 264
 - operational modes 266
 - separate hydrolysis and fermentation 265

- simultaneous saccharification and fermentation/co-fermentation 265
 - valorization of biomass to 257–260
 - biosugars 194
 - sago wastes bioconversion into 200–202
 - black liquor 223
 - bleached red seaweed, as supercapacitor electrode 77
 - Borneo tallow 235, 236
 - brown seaweed 22, 61–64
 - Brunair–Emmet–Teller equation 220
 - B-serum 186, 187
 - butanol
 - applications of 346–348
 - in situ gas stripping 345
 - in situ pervaporation 346
 - and 1,3-propanediol 340–342
 - butanol dehydrogenase 342
 - butyryl-CoA dehydrogenase 341
- C**
- Calocybe indica* 6
 - Candida* sp. 149
 - Carbohydrate-Active Enzyme database 321
 - carbohydrate-binding modules 321, 323, 324
 - carbonization process 65, 66
 - Caulerpa lentillifera* 63
 - cavitation phenomenon 29
 - cellobiohydrolases (CBHs) 151, 152, 320
 - cellobiose 201–203
 - cellulases 12, 151–152
 - aerobic microorganisms 323
 - agricultural waste, utilization of 326–328
 - anaerobic microorganisms 323–325
 - catalytic mechanisms of 322
 - consolidated bioprocessing 330–331
 - diversity 320–322
 - production 327–330, 360
 - properties 325–326
 - structures of 321–322
 - techno-economic analysis 331–332
 - cellulose 88
 - chemical structure of 198
 - hydrolysis reaction 289
 - in sago bark 197–199
 - cellulosomes 323–325
 - chemical delignification 309
 - chemical-derived seaweed, for battery component 79, 82
 - chemical extraction 46, 48–49
 - chemical process industry 365
 - chicken feathers
 - biological treatment 127
 - into chemical substitutes, bioprocessing of 128–132
 - chemical treatment 127
 - composition of 125
 - keratin in 130
 - physical treatment methods 126
 - single-stage combined treatment 127
 - two-stage combined treatment 127–128
 - valorization of 124–128, 140
 - waste 123
 - chitinases 178
 - lysozymes 180–181
 - plant, microbe and animal 179
 - purification methods for 184–185
 - structure 178
 - chitooligosaccharides 178, 182
 - 5-chloromethylfurfural 280–281
 - circular bioeconomy 125, 175, 357
 - circular economy 3, 23, 34, 90, 95, 118, 125, 140, 216, 229, 358, 359
 - closed-chain dehydration 291
 - cocoa butter equivalent 11, 237, 238, 240–242, 249, 250

- cocoa butter substitute 249
- co-culture system 128, 129
- cohesin modules 323
- commercial mushrooms 10, 87, 88, 94
- compound annual growth rate 116, 320
- consolidated bioprocessing 265–266, 330–331
- corn cob 147, 286
lignocellulosic content in 148
- corn stover 286
- COVID-19 pandemic
lactic acid demand during 202
mushroom supply during 87
- crude glycerol 337
into butanol 340–342
characteristics 338–340
impurities 338–340
into 1,3-propanediol 340–342
- crystallization process 271–272
- C-serum 175, 186, 187
- Cymbopogon* sp.
C. citratus 9, 39–41, 51
C. exuosus 40
C. flexuosus 46
- d**
- dark chocolate, health benefits 22
- deashing process 65
- deep eutectic solvent 70, 71, 294
- dehydration process 12, 279, 289, 291, 292
- deionized water 343
- dextrose 40, 201
- Dipterocarpaceae family 235
- directed evolution, of recombinant
keratinase 137
- distillation method 106
hydro-distillation 107
Soxhlet extraction 107–108
- dividing wall column (DWC) 309, 312
- dockerin (Doc) modules 323
- e**
- effluent 151, 193, 196
- E-isomer 42
- electrophilic substitution reaction 284
- empty fruit bunches 88, 286, 313, 360
- endoglucanases 93, 151, 152, 260, 320
- end-product inhibition 342
- Enteromorpha prolifera* macroalgal
pollutants 77
- enzymatic antioxidant 19
- enzymatic hydrolysis 92, 129, 194, 197, 201, 202, 259–260, 265, 290, 319
- enzyme-assisted extraction 104, 106, 109, 110, 118
- Escherichia coli* 7, 112, 135, 136, 325, 360
- essential oils 39, 42, 45, 103
distillation 106–107
extracted essential oil compounds 112–113
extraction of 106
enzyme-assisted extraction 109
hydro-distillation 107
supercritical fluid extraction 109–112
and hydrosols 114
applications of 114–116
market analysis 116–117
- ester and HMFCA 281, 282
- ethylene glycol 226
- ethyl lactate 113
- ethyl propionate 112
- Euchemia cottoni* 63
- Euchemia denticulatum* 62
- Euchemia Spinosum* 63
- exoglucanases 151, 260, 320–322
- extractable proteins 173
- f**
- feather meal 10, 130, 132, 140
as animal feed 129

- feather waste disposal methods
 - 124
 - feedback inhibition 320
 - Fe₃O₄/Fe-doped graphene nanosheets
 - 70, 71
 - Fe₂O₃ hollow nanoparticles/graphene aerogel (Fe₂O₃-HNPs/N-GAs)
 - 71, 73
 - food flavoring 39–54, 116
 - forest/wood biomass 287, 288
 - formic acid 12
 - biological pretreatment 307–308
 - from biomass 302
 - case studies 313–314
 - delignification 308–309
 - economic feasibilities 312–313
 - formation 306
 - pretreatment and production
 - 306–309
 - purification technologies 309, 312
 - rice straw 304
 - size reduction 306–307
 - sugarcane bagasse 304–306
 - supplying countries and companies
 - 303
 - utilization 302
 - forward osmosis 271
 - free radicals 19
 - examples of 20
 - types of 20
 - Frey–Wyssling complexes 187
 - fungal laccases 153
 - furaldehyde 279
 - furanaldehyde 279
 - 2-furancarboxaldehyde 279
 - furan molecule 283, 284
 - furfural
 - as building block material 280
 - 5-chloromethylfurfural (CMF) 12, 280, 281
 - dehydration process 291, 292
 - extraction process 293
 - heterogeneous catalysts 293, 294
 - homogeneous catalysts 293, 294
 - hydrogenation 283
 - hydrolysis process 289, 290
 - lignocellulosic biomass 285, 286
 - pretreatment process 288, 289
 - purification process 292, 293
 - solvent 294
 - techno-economic analysis
 - 295, 296
 - 2-furfuraldehyde 279
 - furfuryl alcohol 12, 230, 279, 281–285, 296
 - furoic acid 279, 284, 285
- g**
- gas stripping–pervaporation 349
 - generally recognized as safe 112
 - genetic modification 149, 167, 208, 331
 - genome editing 134, 135
 - Glacilaria* sp. 63
 - glucose 90, 151, 152, 195, 200–203, 225, 226, 258, 260, 263, 289, 291, 320, 324, 328, 329
 - degradation 290
 - β-glucosidases 152
 - glycerine 337
 - glycosyl hydrolase enzyme
 - 319
 - graphene, from seaweed 66–75, 82
 - green butter 236
 - green fuel feedstock production, SMS-derived enzymes for
 - 92–94
 - green seaweed 63
 - Green Technology Policy 359

h

- hemicellulose 4, 5, 10, 11, 88–90, 197, 198, 200, 201, 204, 215, 224, 225, 258, 259, 263, 279, 285, 287–290, 304, 306–309
 - hydrolysis 290
- heterogeneous catalysts 293, 306
- high ammonia natural rubber latex 175
- highly-ammoniated latex (HA latex) 176
- high-redox potential laccases (HRPLs) 153
- homogeneous catalysts 293, 306
- Hummers and Offeman's method 69
- hydro-distillation 104, 107, 108
- hydrodistillation-based separation 343–345
- hydrogen bond acceptor (HBA) 294
- hydrogen bond donor (HBD) 294
- hydrolysis process 239, 289–290, 306–308
- hydrolytic enzymes 10, 97, 148, 259, 265
- hydrosols 114–117
- 5-hydroxymethyl-2-furan carboxylic acid (HMFA) 281
- 5-hydroxymethylfurfural (HMF) 12, 263, 280

i

- illipe butter 236
- illipe tallow 236
- Indonesian Government's National Economic Recovery 358
- industrial by-products 1–13, 355–370
- industrial enzymes 7–8, 145–146, 148, 158, 162, 164, 165, 319, 320, 332
- in situ gas stripping 345
- in situ pervaporation 346
- integrated nutrient management (INM) 5

- ion exchange 271
 - resin-based separation 343, 344

k

- Kappaphycus* sp. 63
 - K. alvarezii* 62
 - K. striatus* 62
- keratinase 10, 124, 128–129, 131–133, 135–140
- keratinase production, molecular approach to 132, 133
 - enzymatic consortium 134–135
 - keratinase overexpression 132, 133
 - strain engineering 134
- keratin-based plastics 130
- keratin degradation performance 139
- keratinolytic microbes 127, 128
- KOH-activation method 82
- kojic acid 206–207
- Krebs cycle 260

l

- laccase-mediator system (LMS) 153
- laccases 10, 89, 91, 92, 94, 149, 152–154, 205
- laccase substrates 153
- lactic acid 113, 186, 202–204, 226–227
- lactic acid ethyl ester 113
- Lactococcus lactis* IO-1 202, 204
- large rubber particles (LRP) 176
- latex fruit syndrome 174
- lemongrass 39
 - chemical substitutes
 - essential oils 42
 - oleoresins 43
 - phytoconstituents 43
 - types of 40
- lemongrass oleoresins 40
 - applications of 52
 - characteristics and properties 44
 - composition and function 44
 - extraction technique of 46

- chemical extraction method 46
 - food flavoring 51
 - pressurized liquid extraction 50
 - steam distillation 49
- Lentinula edodes* 6, 87
- Lessonia nigrescens* based carbon
 - materials for supercapacitor electrodes 76–79
- levulinic acid
 - biological pretreatment 307–308
 - from biomass 302
 - case studies 313–314
 - delignification 308–309
 - economic feasibilities 312–313
 - formation 306
 - pretreatment and production 306–309
 - purification technologies 309, 312
 - rice straw 304
 - size reduction 306–307
 - sugarcane bagasse 304–306
 - supplying countries and companies 303
 - utilization 302
- life cycle analysis (LCA) 357
- lignin 88, 285
 - deconstruction 148
 - in sago bark 198
- lignin-degrading enzymes 90, 91, 146
- lignin-modifying enzymes 89, 90
- lignocellulose
 - biomass 12, 286
 - saccharification of 290
- lignocellulosic biomass 197, 285, 286, 293, 357
 - composition of 288
 - corn cob and stover 286
 - forest/wood biomass 287
 - oil palm biomass 287
 - rice straw 287
 - sugarcane bagasse 286
 - waste 145
- lignocellulosic composition, of sago fronds 200
- lignocellulosic conversion 223
- L-lactic acid 202–204
- London dispersion forces 27
- lutoid layer 187
- lysozymes 175
 - activity assays for 178, 180–182
 - assays for 178, 182
 - plant-derived 177–178, 182, 183
 - recovery and purification methods 182, 184–187
 - structure 177
- m**
- maceration 22–23, 48
- maceration extraction 23, 25, 49
- macroalgae 59, 62, 70
 - as biofuel feedstock 64
- Malaysia Sustainable Development Goal Foundation 359
- Malaysia Sustainable Development Goals Trust Fund 359
- medium-ammoniated latex 176
- methyl isobutyl ketone 293, 295
- Metroxylon sago* 193
- microbial sources, of bio-bleaching enzymes 148
 - bacteria 149, 150
 - fungi 148, 149
 - yeast 149
- Micrococcus lysodeikticus* 178, 182
- microwave-assisted extraction 27–28, 104, 107
- modifiers 30
- Monostroma nitidum* 63
- mushroom cultivation 6–7, 10, 87, 88, 90, 95
- mushroom-derived enzymes 90

n

- nanocarbon materials 9, 59–83
- nanotechnology 208
- National Biotechnology Policy 2.0 359
- natural rubber latex 11, 173
 - deproteinization of 176
 - lysozymes and chitinases 178
 - overview 175
 - plant-derived lysozymes and chitinases 177, 182, 183
 - potential strategy for lysozymes and chitinases 182
 - preservation 176
 - structure 176
- net present value (NPV) 162, 164, 247–249, 296, 329, 362, 366
- nitrogen stripping 292
- nonenzymatic proteins 19
- nonsolvent-induced phase separation procedure 82

o

- oil palm biomass 6, 33, 280, 287
- oil palm empty fruit bunches 7, 287, 294, 296, 309, 358, 360, 363
- oil palm trunk 287, 328
- oleoresins 39, 40, 43
 - characteristics and properties 44
 - prospect 53
 - solvent extraction for 48
- one factor at a time 46, 139
- OPEFB. *see* oil palm empty fruit bunches (OPEFB)
- open-chain dehydration 291
- open reading frame 2 (Orf2p) 323
- orange oil 117
- organic acids 7, 90, 103, 104, 187, 202, 206, 216, 217, 269, 293, 342–344
- organic solvents 23, 293, 294
- outer layer protein B (OlpB) 323, 324
- oxidation rates, of laccases 153
- oxidative enzymes 148

- oxidative homeostasis and antioxidants 20, 21
- oxidative stress 20, 21, 32, 33, 198
- oxolane 284
- oyster mushroom (*Pleurotus ostreatus*) 6, 88, 91, 92, 94–96, 307

p

- palm mid-fraction 249–250
- palm oil mill effluent (POME) hydrolysis 92, 93
- PANI-coated seaweed graphene's manufacturing process 74
- phenol degradation 218–222
- phenolic acid 21, 43
- phytoconstituents 39, 43
- Pichia pastoris* 132, 135, 136, 149, 205
- pineapple essential oils 10, 104–106, 112, 114, 118
- pineapple leaves fiber (PALF) 6
- pineapple wastes 104
 - chemical composition of 105
 - recycling of 103
- plant growth-promoting bacteria (PGPB) 364–365
- plant growth-promoting rhizobacteria (PGPR) 367
- plasmid overexpression, in native keratinolytic host 132, 133
- plastics 90, 130, 226, 272, 297, 346, 347, 369
- plate and frame microfiltration 158
- polybutylene succinate 272, 273
- polyphenols 22, 23, 31, 43
- POME hydrolysis 92, 93, 97
- porous carbon 65, 82, 83
- potassium hydroxide (KOH) 127, 309, 338
- poultry meat consumption 123, 124
- poultry waste (feathers), recycling of 125
- press mud cake 213
- pressurized fluid extraction 26

pressurized hot-solvent extraction
 26
 pressurized hot-water extraction
 26
 pressurized liquid extraction 26–27,
 50–51
 Prohevein 174
 promoter engineering 136–137
 1,3-propanediol
 applications of 346–348
 butanol and 340–342
 hydrodistillation-based separation
 343–345
 ion-exchange resin-based separation
 343, 344
 propanoic acid ethyl ester 112, 113
 propeptide engineering 136
 pulp and paper industry 10, 146, 147,
 150–154, 165, 369
 pulp bleaching 146, 151

r

radiometric assays 178
 random mutagenesis 134
 raw sago hampas, chemical
 composition of 199
 reactive extraction 270, 304
 reactive oxygen species (ROS) 19–21
 recombinant keratinase production,
 molecular approach 135
 alteration of protein domains 138
 directed evolution 137
 promoter engineering 136, 137
 propeptide engineering 136
 signal peptide engineering 137
 red seaweed 22, 61–63, 69, 77
 renewable energy (RE) 358
 response surface methodology (RSM)
 46
 rice straw 6, 7, 12, 287, 301–314, 328
 rubber elongation factor 174
 rubber tree (*Hevea brasiliensis*) 11,
 173–175, 186

S

sago bark 193, 194, 196–199
 sago frond 193, 200
 antimicrobial and prebiotic sugar
 (cellobiose) from 203
 lignocellulosic composition of 200
 pre-sterilized sap 203
 sap 200
 silage 204
 sago hampas 193, 199
 advantages 199
 raw, chemical composition of 199
 sago industrial wastes 193
 sago logs, debarking of 196
 sago palm
 cultivation 194
 plantation 193
 resilience against wildfires 194
 sago pith residue 199
 sago starch 201
 enzymatic hydrolysis of 202
 industry
 limitation 207
 in Malaysia 195
 processing in Sarawak 195–196
 sago starch industry, in Malaysia 195
 sago wastes
 bioconversion into biosugars 200,
 202
 bioprocessing fermentable sugar for
 chemicals substitute 202, 207
 sago wastes biorefinery
 challenges 207
 future direction of 207, 208
 sago wastewater 196, 197
Salmonella enterica 112
Sargassum sp. 62, 63
Sargassum tenerrimum functionalized
 graphene sheets 71

- scaffold in dockerin-binding protein A 323
- seaweeds
 - activated carbon from 64, 66
 - aquaculture production per country 60
 - benefits of 59
 - biomass
 - future research and challenges 82, 83
 - proximate analysis result of species 65
 - brown 62, 63
 - categories of 62
 - graphene from 66, 75
 - green 63
 - hydrothermal carbonization stage 66
 - red 62
 - role in global aquaculture 59
 - taxonomic groups 61
 - utilization for energy storage component 76, 82
 - world production 60, 61
- separate hydrolysis and fermentation (SHF) 265, 330, 331
- Shiitake(*Lentinula edodes*) 87
- Shorea stenoptera* 11, 235, 236
- signal peptide engineering 137
- simultaneous saccharification and fermentation (SSF) 330
- simultaneous saccharification and fermentation/co-fermentation 264, 265
- site-specific mutagenesis 134
- size reduction, levulinic and formic acid 306–307
- small rubber particles 176
- sodium dodecyl sulphate 175
- solid agricultural waste 146
- solid fat content 250
- solid fat content, of Tengkwang butter 239–240
- solid-state fermentation 7, 96, 97, 155, 216, 328–330
- solvent production process 342
- Soxhlet extraction 49, 107–108
- spent mushroom compost 89, 97
- spent mushroom substrate 10, 87, 89, 90
 - beneficial activities 89
 - challenges using 94, 95
 - enzymes extracted from
 - for bioremediation 91, 92
 - for green fuel feedstock production 92, 94
 - formation process 89
 - future prospects using 95–97
- spent wash 213
- Sphaerotheca humuli* Burrill 182
- spray drying 158–159
- Staphylococcus aureus* 34, 112, 203, 206
- steam distillation 10, 44, 48–50, 107, 244
- steam stripping process 292
- subcritical water extraction 26
- submerged fermentation 7, 155, 157, 163, 167, 197, 206, 216, 328, 329
- succinic acid 7
 - crystallization process 271, 272
 - downstream processing method 269, 270
 - fermentation broth constituents 267, 269
 - forward osmosis 271
 - ion exchange 271
 - production 255, 256
 - reactive extraction 270
- sugarcane bagasse 7, 11, 145, 147, 155, 213, 214, 286, 295, 301–314, 328, 332
 - levulinic and formic acid 304–306
 - lignocellulosic content in 148
 - production 215

- as raw material for soil improver 218–222
 - sugarcane by-products
 - chemical composition of 214
 - conversion into biofertilizer 216, 218
 - conversion into chemical 223, 227
 - industrial cycle 228, 229
 - as material for biocomposites 227, 228
 - as raw materials 218, 222
 - usage and applications of 229, 230
 - sugarcane industrial process 214
 - sugarcane molasses 216
 - sugarcane refining process 215
 - sugarcane vinasse 217, 218
 - supercapacitor, seaweed derived-carbon material for 76–79
 - supercritical fluid extraction 29–30, 104, 109–112
 - superheated water extraction 26
 - superoxide dismutase 19, 20
 - SuperPro Designer 146, 159, 162, 358, 360–367
 - sustainable development goals 230, 357
 - sustainable development strategy
 - Indonesia's nation 358–359
 - Malaysia's policies and regulations 359
 - market opportunities 368–369
- t**
- technically specified rubber (TSR) 187
 - techno-economic analysis (TEA) 331–332, 360–367
 - techno-economic biofertilizer
 - environmental impact analysis 367
 - social aspect 367
 - SuperPro Designer 364–367
 - techno-economic cellulase
 - environmental impact analysis 363–364
 - social aspect 364
 - SuperPro Designer 360–363
 - Tengkawang (*Shorea stenoptera*) 11, 235–250
 - Tengkawang butter 236
 - benefits of 249, 250
 - chemical purification of 243
 - economic feasibility 244, 249
 - fatty acids profile of 237, 238
 - physical purification of 244
 - physicochemical properties of 238
 - quality parameters of 238, 239
 - solid fat content of 239, 254
 - thermal properties of 240, 254
 - treatment process 241, 242
 - Tengkawang fat 236
 - tetrahydrofuran 284
 - tetrahydrofurfuryl alcohol 279, 281
 - tetraphenol 283
 - thermostable Xyl-11 150
 - 3D stratified macro-meso-microporous sulfur-doped carbon aerogel 77
 - total capital investment 331, 362
 - Total Plant Direct Cost 163, 365
 - Total Plant Indirect Cost 163, 365
 - tricarboxylic acid cycle 256, 260, 264
- u**
- ultrasound-assisted extraction 28–29, 107
 - Undaria pinnatifida* 61, 63
- v**
- vinasse 213, 215–218
 - Volvella volvacea* 6
- w**
- waste utilization routes
 - fertilizer application 5
 - industrial enzymes 7–8
 - mushroom cultivation 6–7
 - organic acids 7

waste utilization routes (*contd.*)

textile industry fibers 5–6

waste valorization 11, 145

wheat straw 145–167

white rot basidiomycetes 153

wood ear mushroom 88

x

xylanase 7, 10, 149–152, 157, 167, 324,
327, 328, 332

producers for pulp bleaching

151

xylose 12, 90, 198, 201, 204, 263, 270,
279, 285, 287, 289–291, 293,
294

degradation 290

dehydration 291

y

Yarrowia lopolytica 149

