

## Index

- 1,2,4,5-benzenetetracarboxylic acid (BTC), introduction 9
- 1,3,5-Benzenetricarboxylic acid (BTC) 131
- bonding 14–15
- 1,4-benzenedicarboxylic acid (BDC), introduction 9
- 1D nanowire, usage 106–107
- 2D nanostructured coating, examples 97–98
- 3D cobalt 132
- 3D MOF
- adsorption 103
- nanostructure 98–99
- 4-aminobenzoic acid ethyl ester (ABEE), absorption/ degradation 12
- 5-hydroxyl methyl furfural (HMF), biomass conversion 124
- a**
- ABC transporter super family, catalytic motifs 194
- Acanthophora dendroides* 261
- Acetobacter xylinum*, cellulose (detection) 256
- Acid-base notion 100
- Acid-base/ $\pi$ - $\pi$ /hydrophobic interactions 271
- Acid Black dye, photocatalytic degradation (UV-Vis absorption curves) 214f
- Acid mine drainage (AMD) 285
- Acid resistance 97
- Acid treatment, absence 273–274
- Acrylamide, presence 234
- Actionic surfactants 35
- Activated carbon (AC)
- capability 112
- pores, composite material (presence) 209
- usage 6, 54, 208–209
- Acute arsenic poisoning 361
- Adsorbents
- desorption/regeneration 100
- dose, impact 345
- effectiveness 232
- materials, drawbacks 96
- pores, pollutants (holding) 271
- surface charge, pH control 272–273
- Adsorption 14, 80
- application 54–55
- effectiveness 8–10
- heavy metal removal technique 186
- interaction period 345
- mechanisms 79, 344
- methods 74
- processes 345–347
- parameters 344–345
- pH, impact 345
- process 74, 343–344
- synergistic effect 12
- temperature, effect 345
- usage 2, 6–7, 15–17

- Adsorption/catalysts, combination (usage) 7
- Advanced oxidation processes (AOPs) 309–310
  - examination 10–11
  - usage 2, 7
- Advanced treatment technologies, usage 3t–5t
- Aerobic membrane bioreactors (MBRs), presence 254
- Aerobic processes 254
- Agar-MOFs 265–266
- Agricultural runoff 302
- Agriculture sector, contaminants 75
- Agrochemical adsorption/removal 111
- Ahnfeltia plicata* 261
- Algae/cyanobacteria, polysaccharides (presence) 256–261
- Algal-polysaccharide metal-organic frameworks, application 253
- Algal polysaccharide MOFs (ALPs-MOFs)
  - adsorption mechanism 270–273
  - characterization 266, 270
  - production 273f
  - regeneration 273–274
  - synthesis 261–266
- Algal polysaccharides (AIPs), study 255
- Alginate hydrogels, fabrication 272f
- Alginate-MOFs 262–264
  - hydrogels, washing 264
  - schematic presentation 262f
- Alginate solution, usage 263
- Amino-functionalized IRMOF-3 110
- Amino-functionalized MIL-125 110
- Aminomethanesulfonic acid (AMSA), integration 59
- AMOF-1 133
  - creation 237–238
  - invention 132
  - presence 236–237
- Anabaena sp.*, cellulose (detection) 256
- Anaerobic-aerobic fixed film bioreactors (FFB), usage 254
- Ancestral sequence reconstruction (bioengineering approach) 194
- Animal metal hyper accumulators 191
- Anionic framework 236–237
- Anionic surfactants 35
- Anions-selenite, presence 242
- Antibacterial substances, production 264
- Antibiotic elimination 154
- Antimicrobials, pollution 306
- Anti-retroviral drugs, presence 302–303
- Aquatic environments
  - industrial discharge 305f
  - organic contaminants removal, MOF-based materials (usage) 203
  - source/impact assessment 299
  - pharmaceutical waste removal, MOFs (application) 53
- Aquatic micropollutants, mitigation 310–311
- Aquatic organisms, micropollutants (concentrations) 308
- Aquatic systems
  - contaminant occurrence, increase 302–303
  - emerging pollutants, examples 303t–304t
  - pollutants
    - entry, potential points (identification) 304–305
    - presence 300
- Aqueous phase MOF stability 96–97
- Aqueous-stable composites, development/design methods 56–57
- Aquifer, geochemical features 284–285
- Aromatic nitro compounds, toxicity 213–214
- Arsenic
  - acute arsenic poisoning 361
  - cancer risk factors 362
  - contamination 355–361

- exposure 362
  - hormonal imbalance 358f
  - levels, increase 359
  - map (Bihar) 360f
  - mobilization 356
  - poisoning 362
  - pollution, discovery 357
  - removal 131
    - MOFs, usage 240–241
    - values, discovery 358–359
  - Arsenic-affected regions (Bihar) 360t
  - Arsenic-exposed area (Bihar), mitigation status 364
  - Arsenic-related health hazards 363
  - Arsenic removal filters (ARFs), usage 364
  - As(V)
    - adsorption 131
    - capability 240
    - removal 57, 241
  - Attenuated total reflectance (ATR)-FTIR, applicability 270
  - Auramine O, usage 263
  - Auxiliary solvents, green synthesis focus 122
  - Azolate-based MOFs, porous conjugated polymer variety 78
- b**
- Base-metal mining 253
  - BDC array 99
  - Benzene-1,3,5-tricarboxylic acid, usage 135–136
  - Benzene tricarboxylate linkers, usage 337–338
  - Benzenetricarboxylate linkers, usage 243
  - Bifurcaria bifurcata* 261
  - Bihar. *See* Middle Ganga Plains
  - Bilaminar cell wall 260
  - Bimetallic MOF, construction 63
  - Bimetal-MOF NS (BMNS) arrays, development 99
  - Bioaccumulation 192
  - Bio adsorption methods, effectiveness 339
  - Bioaugmentation 191
  - Bio-availability, enhancement 324–325
  - Bio-based adsorbents, MOF adsorbents (comparison) 338–339
  - Biocatalysis 193
  - Biochar, usage 6
  - Biodegradation, usage 2, 6–7
  - Bio-derived solvents, green synthesis focus 123
  - Bioleaching 191, 193
  - Biological linker molecules, usage 337
  - Biological oxygen demand (BOD), reduction 252
  - Biological processes 254
  - Biomagnification 301
  - Biomass, organic linkers (green synthesis focus) 123
  - Bio-mimic MOFs, stability (demonstration) 235–236
  - Biom mineralization 264
  - Biomolecule-derived organic linkers, green synthesis focus 123
  - Biopolymers 124
  - Bioreactors 191
  - Bioremediation 264
    - microbial bioremediation approaches 192–193
    - micro-organisms, utilization 192t
  - Bioremediation, classification 191
  - Biosorbent efficiencies 183t
  - Biosorption 192
  - Biosparging 191
  - Biostimulation 191
  - Biotic-viable microbial biosorbents 182
  - Biotransformation 192
  - Bioventing 191
  - Bisphenol A (BPA)
    - evaluation 136
    - impact 54
    - removal 80
    - synergistic adsorption/ degradation 12
  - Brunauer-Emmett-Teller (BET)

- adsorption-desorption measures
  - 322–323
- surface area
  - analyzer 323
  - increase 101–102
- BUT-39, equilibrium 102
- C**
- Cadmium
  - arrival 285
  - production 342
  - removal 131–132
  - toxicity 287
- Cadmium, adsorption
  - magnetic MOFs, usage 238
  - MOFs, usage 237–238
- Caffeine (CAFF), environmental
  - detriment 54
- Cal-Alginate MOF, impact 262–263
- Calcium fumaric MOF,
  - preparation 324
- CALF-25, non-polar alkyl
  - substituents 56
- Cannabidiol (CBZ)
  - collection 62–63
  - environmental detriment 54
- CAP, adsorption behaviors 112
- Capsule membrane, formation 263
- Carbamazepine (CBZ), adsorption
  - behavior 59
- Carbon
  - materials 208–209
  - monoliths, usage 208–209
  - sources 124
- Carbon nanotubes (CNTs), usage
  - 6, 208–209, 263
- Carboxylate-based MOFs, porous
  - conjugated polymer variety 78
- Carboxylate ligands, acid
  - resistance 97
- Carpodesmia tamarisifolia* 261
- Catalysts, usage 10–11
- Catalytic oxidation 7
- Catalytic process, utilization 211
- Caulerpa imbricata* 260
- Cd(II) ion elimination
  - capability 238
- Ceftazidime (CAZ), adsorption
  - capacity 61
- Cellulose aerogels, emanation 264
- Cellulose, crystallinity 260
- Cellulose-MOFs, presence 264–265
- Cellulose triacetate (CTA) 160
- Cellulose, usage 265
- Cement manufacturing, impact 253
- Central Pollution Control Board
  - report 152
- Cetyltrimethylammonium bromide
  - (CTAB) (template agent) 61
- Chaetomorpha aerea* 260
- Charge dipole interactions 243
- Chemical contaminants 303f
  - impact 74–76
- Chemical oxygen demand
  - (COD) 254
- Chemical pollutants, forms/
  - causes 300–302
- Chemical precipitation 339–340
  - coagulation/flocculation 339
  - heavy metal removal
    - technique 180, 185
- Chemisorption 344
- Chitosan (CS)
  - matrix 136
  - mixture 59
- Chitosan-UiO-66 MOF composite,
  - synthesis 239
- Chlorella vulgaris* (microbial
  - community) 192
- Chloroacetanilides, freshwater
  - presence 306
- Chromium, anthropogenic
  - causes 285
- Chromium, removal 132–133
  - magnetic MOFs, usage 240
  - MOFs, usage 238–240
- Chromium(III), removal
  - 238–239
- Ciprofloxacin hydrochloride (CIP)
  - elimination 59–60, 62
  - environmental introduction 54
- Cladophora* oxidation 265
- C-MOF-5 crystals, production 34
- Coagulation, application 54–55

- Coagulation-flocculation  
 approach 188
- Co-catalysts, introduction 78
- Codex Alimentarius Commission  
 111
- Contaminants  
 physisorption/chemisorption  
 interactions 330f  
 treatment, MOF efficiency 73
- Coordinately unsaturated sites  
 (CUSs) 100, 102
- Coordination bonds 55–56, 100, 322
- Copper  
 contaminants 342  
 fabrication 272  
 long-term exposure 287  
 preparation, representation 214f
- Copper-based clusters, usage  
 337–338
- Copper-MOF shell, shell crystal  
 production 209–210
- Covalent organic frameworks (COFs)  
 introduction 9, 12  
 MOF structure, comparison  
 107–108
- Cr(III), lighting 100
- Cr(IV), lighting 100
- Cr(V), removal 239–240
- Cr(VI)  
 adsorption 8  
 capacity, increase 239  
 photocatalytic reduction 11  
 removal 57, 136
- Crystalline porous  
 materials 364–365
- Curvillaea antarctica* 261
- Cyanobacteria/algae, polysaccharide  
 (presence) 257f
- Cyanotheca epiphytica*,  
 composition 256
- d**
- Density functional theory (DFT)  
 simulations 61
- Deoxyribonucleic acid (DNA)  
 damage 286–287
- Desulfovibrio desulfuricans* (microbial  
 community) 192
- Dichlorodiphenyltrichloroethane  
 (DDT), presence 301
- Diclofenac sodium (DCF)  
 adsorption values 62  
 elimination 112
- Dictyota divaricata* 261
- Dimethylarsinic acid (DMA) 361
- Dimetridazole (DMZ), adsorption  
 behavior 59
- Diphenylcarbazide (DPC) 274
- di(2-Ethylhexyl) phthalate,  
 removal 309
- Dipole polarization, impact 32
- Direct Nanofiltration (dNF)  
 membranes, low-fouling  
 hollow fiber structure 164
- DMF  
 adenine (usage) 109  
 Hg adsorption 234  
 usage 32, 38
- Domestic waste (DW) 75
- Donor heteroatoms, impact  
 331–332
- Drinking water  
 arsenic content 363  
 metals, presence 285–286  
 standards 286t
- Dubinin-Radushkevich (D-R)  
 isotherm model 346–347
- Durvillea antarctica* 261
- Dyes  
 contaminant presence 262–263  
 photocatalytic degradation 154
- e**
- Ecklonia maxima* 261
- Electrochemical method, heavy metal  
 removal technique 187–188
- Electrochemical synthesis 121  
 MOF usage 32–33
- Electrocoagulation method, heavy  
 metal removal technique 188
- Electrodialysis (ED) 181, 187  
 heavy metal removal  
 technique 186

- Electron, excitation 79
  - Electron microscopy, usage 324
  - Electrostatic activities 13
  - Electrostatic interactions 80–81, 270
  - Elemental analysis, usage 323, 324
  - Emerging contaminants
    - definition 2
    - examples 303t–304t
    - NORMAN database
      - classification 2
  - Emerging pollutants (ECs) 305–306
    - aqueous-phase adsorption
      - elimination 291
  - Emerging water contaminants
    - adsorption, usage 2, 6, 7
    - advanced oxidation processes (AOPs), usage 2, 7
    - biodegradation, usage 2, 6–7
    - catalytic oxidation, usage 7
    - membrane technology, usage 2, 6
    - MOFs, efficiency 73
    - MOFs, usage 12–17
      - challenges/perspective 17–18
    - removal, MOFs (application) 1
    - sources 1–2
    - treatment methods 2–7
  - Endocrine disruptors (EDs)
    - contaminants 74
    - detection 74
    - treatment, MOF efficiency 73
  - Energy crisis, handling 212
  - Energy dispersive spectroscopy (EDS) 324
  - Energy dispersive X-ray analysis (EDX) (EDAX) 324
  - Energy-dispersive X-ray (EDX) spectroscopy 266
  - Environmental contaminants (ECs), research 54
  - Environmental issues, handling 212
  - Environmental pollution 283
    - monitoring, heavy metal pollution
      - index (usage) 288t–289t
  - Environmental remediation, adsorbents (effectiveness) 232
  - Environment, heavy metals (presence) 183–184
  - Enzymatic production (bioengineering approach) 194
  - Enzymes
    - materials 210
    - silica supports, affinities 210
  - EOCs 300
  - Equilibrium models 345
  - Estradiol, removal efficiencies 309
  - Ethylenediamine (ED), integration 59
  - Ethyl tetrahydro-2-furoate (ETF), one-pot synthesis 110
  - Excess organic matter, pollution 302
  - Ex-situ approaches (bioremediation) 191
  - Ex-situ synthesis, involvement 264–265
- f**
- Factor analysis (FA) 290
  - Fe/Mn-MOF-74, Fe/Mn ratio 108
  - Fenton
    - reactions 10–11
    - usage 7
  - Fenton-like oxidation 205
  - Ferric oxide-carbon composites, production 57
  - Fiber-shaped hydrogels, derivation 262–263
  - Fibrillar cell walls 260
  - Field emission scanning electron microscope (FESEM), usage 266, 324
  - Filtering techniques 339
  - Fixed film bioreactors (FFB), usage 254
  - Flexible/dynamic frameworks (MOF classification) 28
  - Flocculation 339
  - Forward osmosis (FO) 6, 158
    - membrane 159
    - separation method 41
  - Fourier-transform infrared spectroscopy (FTIR) 324
    - chemical composition 270
  - Free sulfur atom, bonding 234

- Freundlich isotherm model 346  
*Fucus vesiculosus* 261  
 Fungicides, long-term residual  
   deposition 111  
 Furosemide (FS), MOF adsorption  
   capability 58
- g**  
*Galaxaura oblongata* 261  
 Ganga Action Plan (GAP) 153  
 Gas separation/adsorption 109  
 Genomics, application  
   (bioengineering  
   approach) 194  
*Gloeocapsa* sp., cellulose  
   (detection) 256  
 Glyphosate, lethality 301  
*Gracilaria fergusonidura* 261  
*Gracilaria fergusonii* 261  
*Gracilaria longa* 261  
 Graphene oxide (GO) 98  
   increase 213  
   MOF function, combination 213  
   nanosheet layers, porous  
     modifiers 164  
   usage 208–209  
 Graphitic carbon nitride,  
   hybridization 15  
 Graphitization 208–209  
*Grateloupia lithophila* 261  
 Green chemistry, role 122–124  
 Groundwater arsenic  
   exposure 361–365  
 Groundwater arsenic mitigation,  
   MOF applications  
   (evaluation) 355  
 Groundwater arsenic removal, MOFs  
   (application) 364–365  
 Ground water, mysterious  
   ingredients 74–76
- h**  
 Hard-soft acid-base (HSAB)  
   theory 55–56  
 Hazardous waste, pollution 302  
 Heat capacity (Cp) 332–333  
 Heavy metal contaminant (HMC)  
   adsorption 343–347  
   removal, MOFs (usage) 291–292,  
     337  
   sources/impacts 340–343  
 Heavy metalloids, pollution 301  
 Heavy metal oxyanion  
   adsorption methods/  
     mechanisms 100, 101f  
   MOF-based materials adsorption  
     processes 99–102  
 Heavy metal pollution index  
   (HPI) 288t–289t, 289–290  
 Heavy metals  
   bioremediation, fungi (usage) 189  
   characteristics 179  
   environmental presence 183–184  
   existence 284–285  
   exposure, inhalation/  
     percutaneous contact/  
     consumption 179–180  
   ions 229  
     removal 229–230  
   maximum contaminant levels  
     (MCLs) 184t  
   microbial recycling  
     approach 181–182  
   natural/anthropogenic  
     sources 284–285  
   phosphate removal, MOFs  
     (usage) 241–242  
   pollution 183–184  
     ecological risk assessment 283  
     impacts 285–287  
     statistical technique 290  
   remediation 180–181  
   removal  
     microbial applications,  
       prospects/potentials 179  
     techniques 185–188  
   segregation, chemical avenues  
     (rewards/pitfalls) 182t  
   sources/toxicity effects 184t  
   system, natural/anthropogenic  
     activities 284f  
   toxic effects 287f  
 Herbicides  
   long-term residual deposition 111

- phenoxy herbicides, presence 75
    - removal 10, 15
  - Heteronanosheets,
    - addition 265–266
  - highest occupied molecular orbital (HOMO) 79
  - HKUST-1, 120, 322
    - creation 237
    - crystals, production 32
      - SEM images 33f
    - functionalization 236
    - permeability 208
    - POM-encapsulated HKUST-1,
      - thermal stability (improvement) 332
    - synthesis 121, 133–134
    - TFN RO membranes, strategy 160
    - thin films, generation 33
    - unmodified HKUST-1 MOF,
      - affinity (absence) 134
  - Holocene sediments, deposition 356
  - Homogeneous pore assemblies 337
  - Hormonal imbalance, arsenic (impact) 358f
  - Hormophysa triquerta* 261
  - Host-guest polymerization,
    - frameworks 211
  - Humic acid molecules, impact 165–166
  - Humic substances, formation 299
  - Hydration Technologies, Inc. 160
  - Hydroclathrus clathratus* 261
  - Hydrogen bonding (H-bonding) 82, 270
  - Hydrogen evolution reaction,
    - enhancement 211–212
  - Hydrogen peroxide, impact 310
  - Hydrophilicity 255
  - Hydrophilic MOF, types 326
  - Hydrophilic polyacrylonitrile
    - nanofibers, usage 162–163
  - Hydrophobicity
    - increase 112
    - usage 109
  - Hydrophobic MAF-6, usage 42
  - Hydrothermal procedures 30
  - Hydrothermal treatment, usage 209
  - Hydroxide salts, precipitation 237
  - Hydroxyl, presence 234
  - Hydroxyl radicals, conversion 79
  - Hydrophilic molecules, adsorption 208
  - Hypnea musciformis* 261
  - Hydrophobic interactions 81–82
- i**
- Ibuprofen, removal efficiencies 309
  - India, cancer cases 363
  - Inductively coupled plasma (ICP)
    - analysis, usage 234, 238, 266
  - Inductively coupled plasma optical emission spectroscopy (ICP-OES) application 266
  - Industrial compounds,
    - by-products 17
  - Industrial discharge 305f
  - Industrial heavy-metal wastewater
    - treatment, metal-organic framework adsorbents (usage) 337
  - Industrialization, impact 285
  - Infrared spectroscopy (IR),
    - usage 323
  - Inorganic contaminants 253–254
    - removal 126t–130t
      - MOF usage 125, 131–136
  - Insecticides, long-term residual
    - deposition 111
  - In-situ approaches
    - (bioremediation) 191
  - Internal surface areas (ISAs) 338
  - Ion exchange (heavy metal removal technique) 180, 185
    - column, usage 104
  - Ionic conduction, impact 32
  - Ionic liquid-assisted gridding (ILAG)
    - method 31
  - Ionic liquids (ILs), green synthesis
    - focus 123
  - Ion import systems (bioengineering approach) 193
  - Ionizable liquid-filled ZIF-8-derived carbon (IMDXs), adsorption
    - performance 62



- Ion storage systems (bioengineering approach) 193
- IRMOF-3 solution, seed crystals (contact) 210
- Iron-ore mining 253
- Iron oxyhydroxides, collection 356
- Irrigation water infiltration 356–357
- Isobutyl methyl ether (IBU), adsorption value 62
- Isoelectric point 81
- Isostructural MOF (SIFSIX-3), preparation 325
- Isostructural Zr-MOF, obtaining 112
- k**
- Kinetic hydrate inhibitor (KHI), presence (avoidance) 40–41
- KSCN solution, MOF submergence 134
- l**
- Laminaria ochroleuca* 261
- Landfill leachate 183
- Langmuir isotherm model 346
- Langmuir model 99–100
- Lanthanide, presence 237
- Layer-by-layer synthesis (MOF usage) 36
- Lead
- adsorption, MOFs (usage) 236–237
  - removal 133–134, 214, 214f
  - magnetic MOFs, usage 237
- Levofloxacin (LEVO), removal 136
- Levoglucosenone LGO, synthesis 123
- Lewis acid-based interaction 242
- Ligand functionalization 78
- Limnothrix redekei*, release 256
- Liquid aided grinding (LAG), usage 31
- LMOF-263, discovery 134
- LMOF-263 MOF, development 235
- Low-coordinated manganese, redox reactions 105
- Lowest unoccupied molecular orbital (LUMO) 79
- Lyngbya stagnina*, cellulose (detection) 256
- m**
- Macrocystitis pyrifer* 261
- Macroporous MOFs, synthesis 233
- Magnetic MOFs
- introduction 236
  - usage 237, 238, 240
- Magnetic nanoparticles (MNPs), adsorbent suitability 106
- Magnetic technology, application 62
- Malachite green
- removal, Ca-Alginate MOF (impact) 262–263
  - usage 137
- Malacite green (MG), removal 214
- MALgs/CMAlgs aerogels, regeneration 274
- Materials of Institute Lavoisier (MILs) 255
- composites 59–60
  - features 58
  - MILs-derived materials 60
  - pristine MILs 58–59
  - series 204
- Maximum contaminant levels (MCLs) 184t
- Mechanochemical synthesis 121
- MOF usage 31
- Medicines (purgings), UiO composite materials (utilization) 62–63
- Melamine foam, loaded Zr-MOFs (synthesis) 138
- Membrane bioreactors (MBRs), presence 254
- Membrane distillation (MD), thermal approach 41–42
- Membrane filtration 39, 180
- heavy metal removal technique 186
- Membrane pervaporation (PV), membrane separation process 42

- Membrane technology,
  - classification 6
- Mercury
  - adsorption 233–236
    - magnetic MOFs,
      - introduction 236
    - hazard 286–287
    - ion adsorption efficiency 234
    - removal 134–135
  - Mercury (II), elimination 234
  - Mesoporous MOFs, uses 36
  - Metal azolate frameworks (MAFs) 56
  - Metal-binding peptides/
    - polymers, enzymatic
      - production (bioengineering approach) 194
  - Metal-binding proteins
    - (bioengineering approach) 194
  - Metal-containing composites,
    - uses 283
  - Metal-doped modification 63
  - Metal extraction, biosorbent
    - efficiencies 183t
  - Metal ions
    - absorption equilibrium 344
    - clusters, usage 109
    - removal, adsorption
      - (impact) 105–106
    - uptake 240
  - Metallic nanoparticles (MNPs),
    - concern 205
  - Metal nanoclusters 205
  - Metal nanoparticle materials 205
  - Metal-organic framework-
    - metal oxide (MOF-MO)
      - materials 206–207
      - silica materials 207–208
  - Metal-organic frameworks (MOFs)
    - 76–78, 154–155, 230–231
    - 3D nanostructure 98–99
    - adsorbents
      - bio-based adsorbents,
        - comparison 338–339
        - usage 337
    - adsorption capacity 237
    - adsorption efficiency,
      - insufficiency 104–105
    - alternative synthesis
      - methods 31–36
    - application 1, 53, 55f, 153–155, 159–160, 255, 338
      - case studies (success stories) 151
    - aqueous phase MOF
      - stability 96–97
    - aqueous-stable composites,
      - development/design
        - methods 56–57
    - background 322
    - benefits 59–60, 291–292
    - building, 1D nanowire
      - (usage) 106–107
    - carbon materials 208–209
    - chemical reactivity 325–327, 329
    - chemical stability 329–330
    - classification 28
    - class, potential 28
    - composites 110–111
      - use/application 103–109
    - compounds, thermal stability
      - assessment 331
    - crystallinity 270
    - crystals 209–210
    - development 204
    - effectiveness 159–160
    - efficiency 73
    - electrochemical synthesis 32–33
    - enzyme materials 210
    - formulations, usage 212–213
    - functionalization 41–42
    - functional materials, synergistic
      - relationship 204
    - function, graphene oxide
      - (combination) 213
    - future 322
    - green applications 119, 124–138
    - hazardous materials, adsorption
      - mechanism 271f
    - heavy metal oxyanion adsorption
      - methods 100
    - hydrothermal stability 331
    - hydrothermal synthesis 124

- interaction 102–103
- ions, acid resistance 97
- layer-by-layer synthesis 36
- loading rates 161
- materials, voids (accessibility) 231
- mechanical stability 333
- mechanochemical method 30–31
- membranes, impact 39
- membrane usage 158f
- microwave-assisted synthesis 31–32
- modification
  - functional groups/
    - absorptivity 232f
    - sorption enrichment 231–232
- MOF-5 crystals, SEM images 32f
- MOF-5, PXRD patterns (alterations) 56
- MOF-based materials 205–211, 206f
  - adsorption processes 99–102
  - environmental effects 211–214
  - heavy metal oxoanions, adsorption mechanisms 101f
  - usage 203
- MOF-based materials, usage 9
- MOF-based membrane
  - technologies, impact 158
- MOF-based photocatalyst
  - applications 83t–84t
- MOF-based photocatalytic operations 76
- MOF-supported adsorption/ photocatalysis 79–80
- morphology 266, 325–327, 328t–329t
- nanocrystals, benefits 324–325
- organic polymer
  - materials 210–211
- performance 84–85
- phosphonate group, selectivity 271
- physical features 325–326
- physicochemical properties/ effects 324–333
- physiochemical properties (determination), techniques (usage) 322–324
- pollutants, adsorption/ photocatalysts 76f
- porosity 324–325
- porous material 73, 96
- porous nature 230
- postsynthetic modification (PSM) 232
- potential 55–56
- preparation, green chemistry (role) 122–124
- presentation 254–255
- pre-synthetic modification 232
- properties 154–155
- quantum dot materials 207
- reaction temperature, importance 38
- reformed MOFs 229
- regeneration 273–274
- relative stability, predictor 77–78
- room-temperature synthesis 30
- scaffold 80
- sequence, moist environment (mpact) 330–331
- shell structures 209–210
- size 325–327
- solvent system, importance 37–38, 37f
- sonochemical synthesis 34
- stability, aqueous phase 77
- stepwise preparatory methods (synthesis) 2
- strategies 7–12
- structural designs, oxygenated linker governance 332
- structural properties 291–292
- structure 326f
  - COFs, comparison 107–108
  - creation 155f
  - influence 97
- surface, pollutant adsorption (interactions) 81f
- surfactant-assisted
  - synthesis 35–36
- thermal stability 331–333
- toxic-metal ion adsorption 233–243
- TUM-30, presence 239–240

- unconventional methods 30–31
- usage 12–17, 236–238
  - benefits 7, 120
  - challenges/perspective 17–18
  - utilization 79
  - water stability, improvement (enhancement strategies) 77–78
  - water-stable MOF-derived materials, synthesis/design 57
- Metal-organic frameworks (MOFs)
  - synthesis 16, 29–31, 119, 231
  - factors 37–38
  - macroporous MOFs, synthesis 233
  - methods/characteristics/applications 156t
  - pathways 36f
  - pH, effect 38, 38t
  - temperature, effects 38
- Metal-organic structures 291
- Metal oxides, usage 62
- Metal oxoanions, contaminant role 95
- Metal removal processes, solid sorbents analysis (usage) 104f
- Metals
  - contributions, industrial origin basis 341f
  - removal 135–136
- Methanothermobacter thermautotrophicus*, bioremediation 192
- Methylene blue (MB)
  - adsorption 272–273
  - evaluation 136, 263
- Methyl isobutyl ketone (MIBK)
  - synthesis 111
- Methyl orange (MO), evaluation 136
- Methyl violet, usage 263
- Metolachlor, groundwater/surface water presence 306
- Microbes, bioengineering approaches 193–194
- Microbial applications, prospects/potentials 179
- Microbial bioremediation
  - approaches 192–193
- Microbial recycling
  - approach 181–182
- Microfiltration (MF) (MIF) 6, 181, 186–187, 309
  - membrane sieving, usage 39–40
- Micro/nano polymers, removal rates 138
- Microplastics (MPs)
  - contaminants 74–75
  - particles, problems 137–138
  - treatment, MOF efficiency 73
- Micropollutants
  - adsorption 309
  - advanced oxidation processes (AOPs) 309–310
  - concentrations 308
  - degradation 310
  - filtration 39–40
  - membrane processes 309
  - occurrence 307
  - oxidation 309–310
  - ozonation 309
  - removal methods 308–310
  - sources 307t–308t
- Micro-sized tea leaves (MSTL), usage/study 347
- Microwave-assisted synthesis (MOF usage) 31–32
- Microwave synthesis 121
- Middle Ganga Plains (Bihar, India), groundwater arsenic mitigation
  - arsenic-affected regions 360t
  - arsenic contamination 355–361
  - arsenic-exposed area, mitigation status 364
  - Bhar, arsenic map 360f
  - Buxar district, mitigation unit (installation) 365f
  - diarrhea, outbreak 357
  - MOF applications evaluation 355
- MIL-53(Al)
  - thermal analysis 331
- MIL-53(Fe)
  - adsorption 131
  - As(V) adsorption capability 240

- crystals, creation 34
- usage 263
- MIL-53(Al), affinity 135
- MIL-53(Cr), evaluation 15
- MIL-53 MOFs, role 10
- MIL-53 (A1), synthesis 13
- MIL-53, zeta potential 111
- MIL-88B, catalytic performance 11
- MIL-100 (Fe), performance 58–59
- MIL-101(Cr)
  - application 15–16
  - performance 58–59
- MIL-101 stability 78
- MIL-101-Thymine
  - postsynthesis
    - modification 134–135
    - study 235–236
- MIL-125(Ti), usage 263
- MIP imprinting 14
- Mixed matrix membrane (MMM),
  - making 42
- Mixed nonionic surfactant,
  - importance 35–36
- M-L bond 77
- MOF-786 (Y), synthesis 105–106
- MOF-801, preparation 324
- MOF-808, usage
  - (recommendation) 241
- Monomethylarsonic acid
  - (MMA) 361
- MOR-1, MOR-2 (comparison) 102
- Morphological analysis, usage 323
- M-phenylenediamine
  - (MPD), interfacial
    - polymerization 160
- Multi-metals, usage 61–62
- Multiwall carbon nanotubes
  - (MWCNTs), MIL mixture 59
- Municipal wastewater,
  - micropollutants
    - (sources) 307t–308t
- Mycoremediation 189
- n**
- Nannochloropsis gaditana*,
  - composition 260
- Nanochannels, usage 211
- Nano filters (NF)
  - membranes 162–163
- Nanofiltration (NF) 6, 158
  - heavy metal removal
    - technique 186
  - membrane separation
    - technology 40–41
  - wastewater usage 187
- Nanoparticles, anchoring sites 76
- Nanoscale MOFs (Cu-TMA),
  - incorporation 136
- Nanostructured Fe-Co bimetallic
  - MOFs, production 107–108
- Nascent colloids, creation 187–188
- Natural organic matter
  - (NOM), micropollutant
    - interaction 309
- NCS ligand, free sulfur atom
  - bonding 234
- N-doped porous carbon (NPC),
  - creation 62
- Nickel
  - adsorption, MOF (usage) 242
  - characteristics/effects 342–343
  - hazard 286
- Nickel-doped MOF-5, moisture
  - retention 56
- Nickel foam (NF), BDC array 99
- NiFe hydroxide (NFH), 3D organized
  - macropores (creation) 98
- Nitrates, pollution 301
- Nitrobenzene, usage 137
- Non-essential heavy metals,
  - generation 284
- Nonionic surfactants 35
- Nonpoint-source pollution,
  - process 304
- Non-solvothermal synthesis 120
- Nonsteroidal anti-inflammatory
  - drugs (NSAIDs), impact 54
- NORMAN database, contaminant
  - classification 2
- Nostoc muscorum*, cellulose
  - (detection) 256
- Noxious chemical moieties 82, 85
- NU-1000 MOF 242
- NZF/NFT 112

**O**

- Oedogonium bharuchae*, bilaminar cell wall 260
- Oil crude/petroleum products, presence 253
- One-step MIBK synthesis 111
- Open metal site (MOF classification) 28
- Organic (bio) adsorbents, alternative 344
- Organic chelates, metal ions (self-linkage) 54–55
- Organic contaminants, removal 126t–130t
  - methods 213t
  - MOF-based materials, usage 203
  - MOFs, usage 136–138
- Organic dyes, photodegradation experiments 214
- Organic functional groups, categorization 155f
- Organic linkers, usage 109
- Organic pollutants 253–254
  - photocatalytic elimination, MOFs (impact) 113
  - photodegradation 125
  - removal, advanced treatment technologies (usage) 3t–5t
- Organic polymer materials 210–211
- Organic solvent nanofiltration (OSN), advent 40
- Organic solvents, presence 253
- Organic-water mixture, reaction occurrence 29
- Organochlorines, freshwater presence 306
- Organophosphate pesticides, concentration 75
- Organophosphates, freshwater presence 306
- Oscillatoria* sp., cellulose (detection) 256
- Oxidation
  - Fenton-like oxidation 205
  - process 74
- Oxygenated linkers, impact 332
- Oxygen evolution, enhancement 211
- Ozonation, application 54–55
- Ozone/hydrogen peroxide, usage 7
- Ozonolysis 76

**P**

- Padina pavonica* 261
- Panasonic, photocatalytic water filtration technology 157f
- Pb(II) adsorbent, success 133
- PEI-modified Cu-BTC, usage 12
- Perfect MOFs, impact 102
- Perfluorooctane sulfonate (PFOS), removal 17
- Pesticides
  - freshwater presence 305
  - organophosphate pesticides, concentration 75
  - pollution 301
  - presence 302–303
  - removal 10, 15
  - treatment, MOF efficiency 73
- Petroleum products, pollution 301
- Phaeophyceae, polysaccharides (presence) 261
- Pharmaceutical drug
  - resistance 63–64
- Pharmaceutical effluents, production 75–76
- Pharmaceuticals
  - market numbers 303
  - stabilization 154
  - treatment, MOF efficiency 73
  - waste (removal), MOFs (application) 53, 55f
- Pharmaceuticals and personal care products (PPCPs) 13
  - adsorption removal products 112
  - contamination 2
  - presence 306–307
  - research focus 53–54
  - types 54
- Phase-changing process 2, 6
- Phase transitions, study 29
- Phenoxy herbicides, presence 75

- Phormidium autumnale*, cellulose (detection) 256
- Phosphonate-based MOFs, porous conjugated polymer variety 78
- Photoassisted multicomponent postsynthetic modification process 326
- Photocatalysis 212  
activity 156  
heavy metal removal technique 187  
usage 7, 76, 79–80, 205  
uses 181
- Photocatalysts  
core-shell configuration 157f  
MOF action 125  
synergistic effect 12
- Photocatalytic activities 13, 14–17
- Photocatalytic material, existence 212
- Photo-degradation,  
application 54–55
- Photo-Fenton processes 76
- Phycoremediation 190
- Physical adsorption 271, 344
- Phytochelatin (microbial polymer) 194
- Phytodegradation 190
- Phytoextraction 189
- Phytofiltration 189
- Phytoremediation 189–190
- Phytostabilization 190
- Pi-pi interactions ( $\pi$ - $\pi$  interactions) 80
- Pi-pi stacking ( $\pi$ - $\pi$  stacking) 111
- Plant hyper accumulators 190
- Pocockiella variegata* 261
- Point of zero charge (PZC) 81
- Point pollution 300–301
- Pollutants  
adsorption, interactions 81f  
adsorption/photocatalysis 76f  
consumption, impact 53–54  
MOF-based adsorption 80  
trace pollutants 305–306  
volatility 304
- Pollution  
indices, usage 288–290  
source 299–300
- Polyacrylonitrile-co-maleic acid-polyethyleneimine-Ag-modified polyethersulfone membranes, development 165
- Polyacrylonitrile/MOF-808 nanofiltration membranes, elimination ability 163–164
- Polyamide (PA)  
production 160  
usage 162–163
- Polybrominated diphenyl ethers (PBDEs) 305–306
- Polychlorinated biphenyls (PCBs), deposition 304–305
- Polydimethylsiloxane (PDMS)  
coating, application 57, 58  
usage 162–163
- Polyethersulfone TMU-5 membrane, pollution 165–166
- Polyethylene terephthalate (PET)  
bottle waste 124
- Polyimide, usage 162
- Polymer composites, UV-Vis spectrophotometers (usage) 214
- Polymerization  
host-guest polymerization, frameworks 211  
nano-reactors, relationship 211
- Polymer-supported ultrafiltration (PSUF) approaches 187
- Polymethyl methacrylate (PMMA)  
display 160  
removal 138
- Polyoxometalate-modified form, stability 238
- Poly(1,1-difluoroethylene) (PDFE), removal rates 138
- Polysaccharides (Ps)  
characteristics 257t–259t, 267t–269t  
extraction 255
- Polystyrene (PS)  
removal 138  
sphere templates 98
- Polysulfone (PSF)  
membrane, usage 41  
nanocomposite layer 161

- Polyvinylidene fluoride (PVDF) 138
- POM-encapsulated HKUST-1, thermal stability (improvement) 332
- Pond sand filters (PSFs) 364
- Porous asymmetric membranes (PMMs), generation 159
- Porous coordination polymer (PCPs), examination 54
- Porous crystalline materials, MOF potential 28
- Porous metal-organic frameworks, nanoscale voids 205
- Porous MOF  
development 27  
microporous characteristics 203
- Porous silica supports 208
- Postsynthetic modification (PSM) 212, 232, 237  
MOF-867, -CH<sub>3</sub> groups (addition) 239  
procedures 100–101
- Powdered X-ray diffraction (PXRD)  
pattern, usage 109
- Powder X-ray diffraction (PXRD) 323  
analysis 231, 235  
data, combination 59  
patterns, alterations 56
- Pre-synthetic modification 232
- Pristine MILS 58–59
- Pristine ZIFs 60–61
- Protein adsorption 64
- Pseudomonas putida* (microbial community) 192
- Pseudo-second-order kinetics study 326–327
- Pterocladai heteroplatus* 261
- Pyrethroids, freshwater presence 306
- q**
- Quantum dots (QDs) 207  
materials 207
- r**
- Radicals, oxidation 229–230
- Rainwater harvesters (RWHs) 364
- Redox equivalents 212
- Redox reactions 105
- Remediation, perfect MOFs (impact) 102
- Removal, MOF composites (usage) 106–107
- Reverse osmosis (RO) 6, 158, 181  
heavy metal removal technique 186  
membrane-based purification technique 41  
membranes 160–161
- Rhizofiltration 189
- Rhodamine B, impact 263
- Rhodophyceae, polysaccharides (presence) 260–261
- Rigid frameworks (MOF classification) 28
- Room-temperature synthesis (MOF usage) 30
- ROX adsorption capacity, improvement 63
- S**
- Saccharides, biomass conversion 124
- SAM, adsorption behaviors 112
- Sargassum Muticum* 261
- Scanning electron microscopy (SEM) spectroscopy 238  
usage 266, 324
- Schroden, Rick C. 233
- Scytonema hofmanni*, cellulose (detection) 256
- Secondary building units (SBUs) 230, 237–238
- Sedimentation, application 54–55
- Sediment, pollution 302
- Selective adsorption 271
- Selenate, presence 242
- Selenium adsorption, MOF (usage) 242
- Separation technique, establishment 27–28
- Sewage treatment plants (STPs), input source 151
- Sewage treatment policies 152–153



- Shewanella sp.* (microbial community) 192
- Silica materials 207–208
- Silica nanocomposite, thiol composition 235
- Sludge, formation 187
- Small-angle X-ray scattering (SAX), usage 266
- S-MOF-5 crystals, contrast 34
- Sn(II)-based MOFs, synthesis 135–136
- Sodium alginate (SA), mixture 59
- Sodium hypochlorite, use 311
- Sodium laurate (template agent) 61
- Solid-liquid interface, protein adsorption 64
- Solid sorbents, usage 104f
- Solvents
- green synthesis focus 122
  - molecules, interior channel entry 231
  - system, importance 37–38, 37f
- Solvothermal conditions 209–210
- Solvothermal procedures 30
- Solvothermal synthesis 120
- Sono-chemical oxidation, usage 7
- Sonochemical synthesis 121–122
- MOF usage 34
- Sorption enrichment 231–232
- Spatoglossum asperum* 261
- Species
- mitigation 8
  - MOFs, interaction 102–103
- Starch-chitosan-UiO-66-COOH composite, adsorption 255
- State implementation strategies 152–153
- Stoechospermum marginatum* 261
- Sulfachloropyridazine (SCP)
- adsorption capacity, increase 62–63
- Sulfamethoxazole (SMX) adsorption
- behavior 59
  - rate, enhancement 14
- Sulfasalazine, MOF adsorption capability 58
- Sulfate radical-based oxidations, Fenton alternative 11
- Sulfur dioxide
- toxicity 213–214
  - water vapor, reaction 301
- Sulfuric acid, production 301
- Supercritical liquids, green synthesis focus 122–123
- Super-radiant photoluminescence (SRP) properties, utilization 15
- Surface area analysis, BET adsorption-desorption measurements 323
- Surface functionalization-based etching, usage 165
- Surface functionalized framework (MOF classification) 28
- Surface plasmon resonance (SPR) spectroscopy, usage 36
- Surface water filter membranes, usage 364
- Surface water, mysterious ingredients 74–76
- Surfactant-assisted synthesis (MOF usage) 35–36
- Surfactants, categories 35
- Sustainable metal ions, green synthesis focus 122
- Synthetic hormones, pollution 307
- t**
- Tannic acid, usage 165
- TATAB 132
- linker 234
  - linking sites 237
- Tea-waste adsorption, review 347–348
- TEMPO, usage 265
- Tetracarboxylate 236–237
- Tetracarboxylate-based MOF (AMOF-1) 133
- Tetracycline (TC), removal 136
- Thermogravimetric analysis (TGA) 323, 324, 331
- TGA-DSC, usage 332

- Thermosynechococcus vulcanus*,  
 impact 256
- Thin-film composite (TFC) 158
- Thin-film nafion (TFN) 158  
 RO membrane 162f
- Thin-film nanocomposite  
 (TFN) 161–162
- Thin-film nano (TFN) membrane,  
 study 159
- Thin-film PMMs  
 display 160  
 generation 159
- Thiol groups, number (change) 233
- Titania framework 233
- Titanium dioxide  
 photocatalysts 156–157
- TMU-4, synthesis 238–239
- TMU-5 MOF  
 exposure 236–237  
 synthesis 238–239
- TMU-6, synthesis 238–239
- Total mixed phase (TMP) 158–159
- Toxic organic pollutants, negative  
 impacts 213
- Toxic pollutants, elimination 125
- Trace pollutants 305–306
- Transmembrane pressure 212–213
- Transmission electron microscopy  
 (TEM), usage 266, 324
- Triclosan (TCS), impact 54
- Trihalomethanes, impact 253
- TUM-30, presence 239–240
- U**
- UiO-66, 255  
 adsorption ability,  
 improvement 108  
 grafting 9–10
- UiO-66/alumina hollow-fiber  
 membranes, examination  
 165–166
- UiO-67, 241–242
- UiO-68, 242
- UiO composite materials,  
 utilization 62–63
- UiO-derived materials 63
- Ultrafiltration (UF) 6, 158, 180–181, 309  
 heavy metal removal  
 technique 186  
 membranes, characteristics 40,  
 164–165  
 polymer-supported ultrafiltration  
 (PSUF) approaches 187
- Ultraviolet (UV) light, impact 310
- Ultraviolet (UV) radiation,  
 usage 156–157
- UMCM-15, SEM images 35f
- Unconventional methods (MOF  
 usage) 30–31
- Unmodified HKUST-1 MOF, affinity  
 (absence) 134
- Uranium adsorption, MOF  
 (usage) 242–243
- Uranyl dications, electrostatic  
 interaction 243
- Urbanization, impact 285
- USY zeolite 111
- UV photolysis, usage 7
- V**
- Van der Waals forces 271
- Veterinary drugs, presence 302–303
- Virgin RO membrane,  
 rejections 161
- Visible-light-driven antibiotic  
 degradation activity 156
- Visible light-driven wastewater  
 treatment 156
- W**
- Wastewater  
 contaminants  
 adsorption 263  
 removal 124–138  
 discharges 187, 342  
 chemical treatment 311
- Wastewater heavy metal  
 bioremediation, classification 191  
 microbial remediation 190  
 mycoremediation 189  
 phycoremediation 190  
 phytoremediation 189–190  
 pollution, overview 183–184  
 remediation 180–181

- removal
  - biological remediation 189–191
  - improvement, microbes (bioengineering approaches) 193–194
  - microbial applications, prospects/potentials 179
  - microbial/biological approaches 188–189
  - zooremediation 190–191
- Wastewater treatment (WWT)
  - algal-polysaccharide metal-organic frameworks, application 253
  - applications (possibilities), MOFs (usage) 78–82
  - industrial heavy-metal wastewater treatment, metal-organic framework adsorbents (usage) 337
  - methods 340f
  - merits/demerits 340t
  - MOF application, case studies (success studies) 151, 156–166
  - MOF green applications 119
  - MOF membranes, usage 39
  - MOF usage 42f, 254–255
  - processes, depiction 152f
  - techniques 254
- Wastewater treatment plants (WWTPs)
  - emerging water contaminant source 2
  - influent/effluent, presence 307
  - requirement 73–74
- Water
  - carry capacity, reduction 285
  - contaminants
    - abstraction 229
    - removal, MOFs (usage) 328t–329t
  - environments, MOFs (physicochemical properties/stability) 321
  - green synthesis focus 122
  - heavy metals
    - contaminant removal, MOFs (usage) 291–292
    - existence 284–285
  - micropollutants, occurrence 307
  - organic contaminants, removal methods 213t
  - pollutants
    - photocatalysis, usage 205
    - sources 253–254
  - pollution 211
    - environmental/socio-economic problem 284
  - purification 230
  - quality
    - assessment, pollution indices (usage) 288–290
    - evaluation, HPI (usage) 289–290
  - regeneration, MOF membranes (usage) 39
  - resources, heavy metal
    - pollution (ecological risk assessment) 283
  - stability
    - improvement, enhancement strategies 77–78
    - MOF resistance, potential 55–56
- Water (Prevention and Control of Pollution) Act of 1974 152
- Water (Prevention and Control of Pollution) Cess Act 152
- Water-insoluble pollutants, hydrophobic interaction 271
- Water remediation, MOFs
  - strategies 7–12
  - usage
    - benefits 7
    - issues/perspectives 82, 84–85
- Water-stable MOF-derived materials, synthesis/design 57
- Water-stable zirconium MOFs, synthesis 365
- Water treatment
  - MOFs, efficiency 73
  - MOFs, stepwise preparatory methods/synthesis 27
- Water treatment plants (WTPs), input source 151

- Wavelength dispersive X-ray fluorescence (WDXRF), application 266
- Wide-angle X-ray scattering (WAXS), usage 266
  
- X**
- XPS, usage 105, 108
- X-ray diffraction (XRD) 270, 323
  
- Y**
- Yamuna Action Plan (YAP) 153
- Yeast-based bioaccumulation process 181
  
- Z**
- Zeolite imidazolate frameworks (ZIFs) 56, 60, 97, 255
  - composites 61
  - fabrication 265f
  - materials derivation 61–62
  - preparation 265f
  - pristine ZIFs 60–61
  - series 204
  - synthesis 29–31
- ZIF-8, 262, 332
  - development 138
  - hydrophobicity, impact 39–40
  - phase, creation 35–36
- ZIF-9/SA/PVA (polyvinyl), adsorption 273
- ZIF-67, growth 99
- ZIF-90-SH
  - PXRD analysis 235
  - synthesis 235
- ZIF90-THP, BET surface area 326
- ZIF-300, elimination rate 41
- Zinc-based clusters, usage 338
- Zinc-MOF core, shell crystal production 209–210
- Zinc, sources 342
- Zirconia framework 233
- Zirconium-based MOFs
  - surface charge, change 9
- ZJU-101, 133
- ZJU-100, 239
- ZJU-101, 133
- Zn-based L-aspartic acid bioMOF (Zn L-Asp bioMOF), synthesis 137
- Zn-based MOF (MOF-5), copper removal 162–163
- Zn-based MOF ZIF-8, adsorption capacity 240–241
- Zoodegradation 190
- Zooextraction 190
- Zooremediation 190–191
- Zoostabilization 190
- Zootransformation 190
- Zr-based MOFs 96–97
  - water stability 56
- Zr-DMBD, MOF efficiency 234–235
- Zr-MOFs 333

















