

Index

a

- acetamido-pyridine *N*-oxide 64
- acetonitrile, reactions 51
- N*-acetylbenzoxazine 83
- acid-catalyzed biomass conversions in GVL 271
- acidic ionic liquids 123, 238
- activation of DMSO enabled by single-electron transformation 151–162
- β -acyl allylic methylsulfones 148, 154
- S*-acyl- and *N*-acylcysteines 88
- N*-acylbenzoxazides 83
- N*-(acyloxy)phthalimides 165
- addition reaction 11–13, 28
 - alkene/alkyne functionalization via radical addition 392–396
 - alkene/alkyne functionalization via radical-free addition 396–399
 - cycloaddition reactions 399–403
 - nucleophilic addition 386–392
- β -adrenergic blocking agents 219
- alcohol dehydrogenase (ADH) 218, 423–425
- alcohols
 - dihydric 1
 - fluorinated 1
 - green solvents
 - addition reaction 11–13
 - condensation/ring condensation reaction 21–28
 - coupling reaction 18–21
 - cyclization reactions 13–18
 - hydrogenation/reduction reaction 6–8
 - oxidation reactions 8–10
 - substitution reactions 10–11
 - green solvents and catalysts
 - addition reaction 28
 - condensation reaction 30–35
 - coupling reactions 30
 - cyclization reactions 28–30
 - green solvents and hydrogen donor 35–39
 - metathesis reaction 35
 - guidelines for solvents 3
 - monohydric 1
 - perfluoro *tert*-butyl 1
 - physical and chemical properties of 2
 - structure of 2
 - tertiary 1
- alicyclic carbonates and cyclic carbonates 268
- alkene or alkyne functionalization via radical-free addition 396–399
- alkenyl boronic esters 21
- alkenyl C–H/aromatic C–H cross-coupling reaction 163
- α -alkyl-acetophenone product 165
- 7-[4-alkyl- and (hetero)aryl-1*H*-1,2,3-triazol-1-yl]thio[3,2-*b*]pyridines 11
- alkyl arylacetates 195
- N*-alkylated 1,4-diazabicyclo[2.2.2]octane/polyethylene glycol 219
- 2-alkylbenzoxazoles 152
- alkylidene-cyclopropyl esters 80
- 5-alkylidene-thiazolones 227
- N*-alkyloxaziridines 195
- γ -alkynoic acids 228–229
- o*-alkynylanilines 159
- γ,δ -alkynyl oximes 15
- “all-water” synthesis of α,α -difluoro- β -aminoketones 387–388
- allylic alcohols 38, 175, 196, 228, 229, 334–335, 341, 377, 382–383, 427, 428
- amide condensation reactions 431–435
- 1-amidoalkyl naphthols 226
- 1-amidoalkyl-2-naphthols 226

- amino acid dithiocarbamate 29
 5-amino-2,3-dihydro-7*H*-thiazolo[3,2-*a*]
 pyrimidin-7-one 25, 27
 amino esters/amino acids 79
 2-aminoimidazoles 223
 β-amino ketones 138
 α-amino nitrile derivatives 225
 aminophenoxazinones 118
 2-aminophenyl 155
 8-aminoquinoline amides 209–210,
 369–370
 2-aminothiazoles 21–22
 Anderson-type polyoxometallate 216
 anionic polymerization of alkenes 231
 annulated pyrroles 224–225
 aromatic esters 19, 417–418
 aromatic ketones 13, 300, 376
 3-arylimidazo[1,2-*a*]-*N*-heterocycles 144
N-aryl-γ-aminonitriles 85
 2-aryl and 2-alkyl quinazolines 155
 2-aryl aziridines 80
 aryl boronic acids 19–20, 71, 212, 285, 291,
 298
 1-aryl-2,2-difluoroalkenes 191
N-arylethynylsulfonamides 176
N-arylhydroxylamine synthesis 8
 4-aryl-NH-1,2,3-triazoles 14
 4-aryl-NH-2,3,4-triazoles 14
 2-aryloxy phenylacetylenes 95–96
 aryloxy propanolamines 109
 2-aryl pyridines and cyclic or acyclic ethers
 333
N-arylpyrroles 22
 4-aryl quinolines 140
 2-aryl terephthalates 82
 via [3+3] cyclization 82
 aryltrifluoroborates 203, 321, 322
 arylthioethers 73
 assembly-promoted single electron transfer
 (APSET) 332
 asymmetric copper-catalyzed Si–H insertion
 of 1-aryl-2,2,2-trifluoro-
 1-diazoethanes 189
 asymmetric transfer hydrogenation (ATH)
 37, 300, 379–380
 azide-alkyne cycloaddition 296, 399–400
 azomethine ylides 81
- b**
- benzimidazole 24–25, 145, 256–257,
 294–295, 306–307
 benzo[*g*]-and dihydropyrano[2,3-*g*]
 chromene derivatives 85, 86
 benzodiazepine 24, 25
 benzodihydrofurans 74
 benzofurans 76–77
 benzoic acids 60–61, 213, 299–300, 359, 371
 benzophosphole oxides 94
 benzothiazoles 24–25, 76, 145, 152, 274,
 307
 benzotriazoles 82, 151, 295, 429, 432
 benzoxazines 83, 96–97
 benzoxazole 24, 25
N-benzyl-4-methylaniline 38
 benzyne 1,2,4-trisubstitution and
 dearomatization 68
 biaryl coupling of aryl iodides and
 organoboron reagents 186
 bifunctional *N*-doped Co@C catalysts 37
 Biginelli reaction using NBP 267
 bimetallic Pd/Cu catalyst system 52
 bio-based solvents
 cyclopentyl methyl ether (CPME)
 117–120
 ethyl lactate (EL) 128–130
 eucalyptol (Euc) 130
 γ-valerolactone (GVL) 125–128
 glycerol 108–112
 2-methyltetrahydrofuran (2-MeTHF)
 114–117
 organic carbonates 120–125
 polyethylene glycols (PEGs) 112–113
 biomass-derived ethyl lactate (EL) 273
 biomimetic aerobic oxidative desulfurization
 process 217
 3,3'-bipyrazolo[1,5-*a*]pyridine derivatives
 172
 bis-enol derivatives 222
 bis(4*H*-chromene)-and 4*H*-benzo[*g*]
 chromene-3,4-dicarboxylate
 derivatives 86
N-Boc-(prop-2-yn-1-yl)pyridine-2-amines
 75
 Buchwald reaction 336, 337
- c**
- carbene insertion/transfer reactions
 429–431
 carbonylation reactions 114, 248–252, 253,
 288
 carbonylative Sonogashira reactions in
 PEG-2000 288
 carbonyl cross-coupling 331
 carboxylic acid synthesis 214
 cascade aminoxygenation reaction 62

- cascade annulation/alkylation of acetylenic oximes 243, 244
 cascade annulation/aminocarbonylation reaction 252, 253
 C–C activation 374–376
 C–C bond couplings 201–210
 C–C bond formation 292–293
 C–H acylation 354–356
 C–H alkenylation 352–354
 C–H alkylation 359–362
 C–H alkynylation 356
 C–H allylation 357, 358
 C–H arylation 347–351
 C–H benzylation 357–359
 C–H cyanation 356–357
 C–H fluoroalkylation 362–364
 C–C cross-coupling
 carbonyl cross-coupling 331, 332
 cross-dehydrogenative coupling (CDC) 333–334
 cyanation reaction 330–331
 decarboxylative coupling 335
 dehydrative cross-coupling 334
 deprotonative cross-coupling 334
 Liebeskind–Srogl cross-coupling 322–323
 Mizoroki–Heck cross-coupling 326–328
 Murahashi coupling 323
 Negishi coupling 323–325
 reductive coupling 331–333
 Sonogashira coupling 328–330
 Stille coupling 325–326
 Suzuki–Miyaura reactions 318–322
 Tsuji–Trost type allylic arylation 330
 C–C, C–Si bonds formation 90
 cellulose-modified magnetite-graphene oxide nanocomposite 207
 cetyltrimethyl ammonium hydrogensulfate (CTAS) 389
 cetyltrimethylammonium bromide (CTAB) 322, 338, 351
 cetyltrimethylammonium peroxodisulphate (CTAPS) 220
 C–H acylation 354–356
 C–H alkenylation 125–126, 352–354
 C–H alkylation 171, 359–362
 C–H alkynylation 356
 C–H allylation 357
 C–halogen bonds formation 98–102
 C–H amination 83, 364–365
 C–H annulation/cyclization 370–374
 C–H arylation 126, 209, 272, 347–351, 374, 391
 C–H benzylation 357–359
 C–H cyanation 356
 C–H difluoromethylation reactions 265
 chemo-domino/tandem/cascade reactions
 catalyst-free 421–422
 organo-catalyzed 420–421
 transition metal-catalyzed 417–420
 chemoenzymatic reactions 317, 422–425
 C–H fluoroalkylation 362–364
 C–H functionalization
 C–C bond formation 347–364
 C–H annulation/cyclization 370–374
 C–N bond formation 364–367
 C–O bond formation 367–369
 C–H halogenation 369–370
 1-chloromethyl-4-fluoro-1,4-diazoniabicyclo[2.2.2]octane bis(tetrafluoroborate) 148
 choline based-DES mediated Friedlander annulation 221
 choline chloride/1,4-butanediol (ChCl/Bd) 219
 C–H oxygenation 367–369
 C–H sulfonamidation 365–367
 C–N bond couplings 210–211
 C–N bond formation 293–296
 C–H amination 364–365
 C–H sulfonamidation 365–367
 C–N, C–P bond formation 93–96
 C–N cross-coupling
 Buchwald reaction 336–337
 Tsuji–Trost N-Allylation 340–341
 Ullmann-type reactions 338–340
 cobalt(II) bromide catalyzed allylation of alkyl halides 68
 C–O bond couplings 211–212
 C–O bond formation 211, 291
 C–H oxygenation 367–369
 C–O cleavage reactions 376–377
 C–O, C–S bond formation 96–98
 condensation reaction 30–35
 catalyst/solvent system 221–223
 other catalytic system 223–224
 condensation/ring condensation reaction 6, 21–28
 conjugate addition 389–392
 conventional organic solvents 4, 41, 123, 233, 263
 copper-bisoxazoline-catalyzed allylic oxidation 56
 copper-catalyzed azide–alkyne cycloaddition (CuAAC) 12, 399
 copper-catalyzed carboamination of alkenes 94

- copper-catalyzed Chan–Lam cross-coupling 73
 - copper-catalyzed coupling reactions 19, 257–259
 - copper-catalyzed oxidative coupling reaction of carboxylic acids 186
 - copper-mediated assisted tandem catalyzed double functionalization process 54
 - copper(I)-catalyzed asymmetric allylic oxidation 56
 - coumarinstyryl dyes 221
 - coupling reactions
 - copper-catalyzed 19, 257–259
 - green solvents and catalysts 18–21, 30
 - C–P cross-coupling 346–347
 - C–S bond couplings 212–213
 - C–S cross-coupling
 - dehydrative 345
 - Migita C–S cross-coupling 342–344
 - oxidative C–S coupling 344
 - radical 345–346
 - reductive 344–345
 - cross-coupling of tetraphenylstannane and aromatic halides in PEG-400 289
 - cross-coupling reactions
 - C–C bond couplings 201–210
 - C–N bond couplings 210–211
 - C–O bond couplings 211–212
 - C–S bond couplings 212–213
 - C–C cross-coupling
 - carbonyl cross-coupling 331
 - cross-dehydrogenative coupling (CDC) 333–334
 - cyanation reaction 330–331
 - decarboxylative coupling 335–336
 - dehydrative cross-coupling 334–335
 - deprotonative cross-coupling 334
 - Liebeskind–Srogl cross-coupling 322–323
 - Mizoroki–Heck cross-coupling 326–328
 - Murahashi coupling 323
 - Negishi coupling 323–325
 - reductive coupling 331–333
 - Sonogashira coupling 328–330
 - Stille coupling 325–326
 - Suzuki–Miyaura reactions 318–322
 - Tsuji–Trost type allylic arylation 330
 - C–N cross-coupling 336–341
 - C–P cross-coupling 346–347
 - C–S cross-coupling 342–346
 - in ionic liquids 238
 - cross-dehydrogenative coupling (CDC) 172, 333–334, 344, 345, 349
 - Csp³-H functionalization of ketones with alcohols 209
 - Cu catalyst/TBHP system 57
 - Cu-catalyzed diamination of styrenes 55
 - Cu-catalyzed intermolecular cycloaddition 76
 - Cu-catalyzed reactions
 - C–C bond formation 292–293
 - C–N bond formation 293–296
 - C–O, C–S, C–Se bond formation 296–298
 - Cu/Fe catalyzed intermolecular oxidative amination 57
 - cyanation reaction 330–331
 - cyano-containing ketones 170
 - 1-cyanoethylated 3,4-dihydronaphthalenes 90, 92
 - 3-cyanoindoles 70, 71
 - cyanomethane 51
 - cyanomethylated benzoxazines 96
 - cyclic carbonates 41, 124, 191–192, 268
 - cyclic enol-lactones 228–229
 - cyclization/annulation reactions
 - radical cyclization 406–410
 - radical-free 403–406
 - cyclization reactions 13–18, 28–30
 - five-membered ring synthesis 219–220
 - six-membered ring synthesis 220–221
 - cycloaddition reactions
 - azide-alkyne cycloaddition 399–400
 - [4 + 2] cycloaddition 400–403
 - cyclodextrin 202
 - cyclopentadiene 190, 402
 - cyclopentyl methyl ether (CPME) 108, 117–121
 - Cyrene 263–266, 275
- d**
- decarboxylative coupling 335–336
 - deep eutectic solvents (DESS)
 - condensation reactions
 - catalyst/solvent system 221–223
 - other catalytic system 223–224
 - cross-coupling reactions
 - C–C bond couplings 201–210
 - C–N bond couplings 210–211
 - C–O bond couplings 211–212
 - C–S bond couplings 212–213
 - cyclization reactions
 - five-membered ring synthesis 219–220
 - six-membered ring synthesis 220–221
 - multicomponent reactions

- one-pot four-component reaction 227–228
- one-pot three component reaction 224–227
- organic reactions
 - esterification reaction 230–231
 - isomerization reaction 228–229
 - ring-opening reaction 230
- oxidation reactions
 - metal-catalyzed oxidation 213–214
 - other oxidative processes 214–217
- polymerization
 - anionic polymerization of alkenes 231
 - glycolysis and polyesterification 231
 - oxidative polymerization 232
 - visible-light-driven RAFT polymerization 232
- reduction reactions
 - metal-catalyzed reduction 217–218
 - other catalytic reduction 218–219
- dehydrative cross-coupling 334–335
- dehydrative C–S cross-coupling 345
- dehydroalanine (Dha)-containing peptides 390–391
- deoxyfructosazine 223
- deprotonative cross-coupling 334
- 2,5-diacylthiophenes 148
- diamines 7, 54–55, 81
- diamino dihydroquinazolines
 - derivatives 77
 - synthesis 78
- β,β -diarylation of acrylates derivatives 19
- diaryl ether motifs 211
- 1,1-diaryl-2-iodoethane 163
- 2,5-diarylpyrazines 215–216
- diarylsulfides 73
- 1,4-diazabicyclo [2.2.2] octane (DABCO) 120, 170, 193, 205, 219, 271, 391
- α -diazocarbonyls 189
- 1,3-dicarbonyl compounds 110–111, 119, 151, 227
- di- μ -chlorobis[5-hydroxy-2-[1-(hydroxyimino- κ N)ethyl]phenyl- κ C]palladium(II) dimer 19
- 2,2-dichloroethenamines 84–85
- Diels–Alder (D–A) reactions 25, 190, 220–221, 400–402
- diethyl carbonate (DEC) 120–121, 269–270
- N,N*-diethylprop-2-yn-1-amine 240
- 1,2-difunctional ring-opening products 230
- β,β -di(hetero)aryl- α,α -difluorinated ketones 174
- dihydric alcohols 1
- 1,4-dihydropyridines 63
- 2,5-dihydropyridine derivatives 27
- 2,5-dihydropyridine skeleton 25
- 3,4-dihydropyrimidinothiones in EL 274
- di(indolyl)methanes 32
- 2,5-dimethoxytetrahydrofuran 22
- dimethyl carbonate (DMC) 270
 - alkyl arylacetates 195
 - N*-alkyloxaziridines 195
 - 1-aryl-2,2-difluoroalkenes 191
- asymmetric copper-catalyzed Si–H insertion of 1-aryl-2,2,2-trifluoro-1-diazoethanes 189
- biaryl coupling of aryl iodides and organoboron reagents 186
- borrowing carbonate-enabled allylic amination reactions 196
- copper-catalyzed oxidative coupling reaction of carboxylic acids 186
- cyclic carbonates 192
- cyclization between aliphatic and aromatic 1,4-bifunctional compounds 192
- cyclopentadiene 190
- α -diazocarbonyls 189
- 5-hydroxymethylfurfural 188
- intramolecular hydroalkoxylation of double bonds 187
- 5-iodo-1,2,3-triazoles 190
- iron-catalyzed hydrosilylation of dicarboxylic acids 191
- iron-catalyzed methylation of secondary amines and imines 194
- iron(II) caffeine-derived ionic salt catalyst 190
- levulinic acid (LA) 193
- lignin β -O-4 model compounds 194
- malonate derivatives 192
- MnCO₃-300 catalyzed transesterification of alcohols 196
- NaAlO₂-catalyzed carboxymethylation 187
- non-symmetrical alkyl carbonates 195
- palladium-catalyzed carbonylative transformation of benzyl amines 187
- palladium-catalyzed coupling of benzyl/allyl alcohols with malonates 194
- silica-supported FeCl₃ catalyzed amination synthesis 186
- N*-substituted cyclic amines 190
- α -substituted homoallylamines 189

- dimethyl carbonate (DMC) (*contd.*)
 sulfonimidates and sulfonimidamides 188
 1,5,7-triazabicyclo[4.4.0]dec-5-ene (TBD) 193
 1,4,5-trisubstituted
 1,2,3-triazole-5-carboxamides 190
 Tsuji–Trost type reaction 194
 α,β -unsaturated *N*-acyl-oxazolidinones 190
- dimethyl sulfoxide (DMSO)
 activation enabled by single-electron transformation 151–162
 acts as the metal ligand 171–174
 electrocatalytic synthesis enabled activation 163–164
 photocatalytic reaction enabled activation 164–171
 Pummerer-type activation 138–148
 Selectfluor-enabled activation 148–151
 special activation or usage of 174–181
 1,8-dioxo-decahydroacridines 109
 1,1-diphenylpropane-1,3-diol 179
 dipolar aprotic solvents 107, 125, 265–267, 270, 275, 394
 direct C-5 arylation of imidazole derivatives 209
 directed *ortho*-metallation (DoM) 230
 N,N' -disubstituted oxalamides 69
 1,4-disubstituted pyrazoles 148
- e**
 electrocatalytic synthesis enabled activation of DMSO 163–164
 electrochemical oxidation 163, 377–379
 electron-deficient polyfluoroarenes 76
 electrophilic substitution 383–384
 enol silyl ethers 93–94, 387, 388
 (*Z*)-enynols 15
 esterification reaction 88, 230–231
 esters
 ethyl lactate 273–274
 γ -valerolactone (GVL) 270–272
 organic carbonates 268–270
 2-(1-ethoxyethylideneamino) malonic acid dimethyl ester 81
 ethylammonium nitrate (EAN) 237
 ethyl 7-iodo-2-heptynoate 80
 ethyl lactate (EL) 128–130, 268, 273–275
 ethylene glycol 1–4, 6, 10, 13, 15–16, 25, 27, 112, 279
 eucalyptol (Euc) 130
- f**
fac-Ir(ppy)₃ 165, 170
 Fe-catalyzed reductive cross-coupling 332–333
 FeI₂-catalyzed reductive Strecker reaction 53
 Fe₃O₄@SiO₂-BT-Cu catalyzed O-arylation of phenols 212
 Fischer indole synthesis 219–220
 five-membered ring synthesis 219–220, 306–308
 florfenicol phosphodiester 90
 fluorinated alcohols 1, 5–6, 33, 35, 43, 45–46
 fluoroalkylated (*Z*)-alkenes 169
 α -fluoro- and α,α -difluoroimines 89–90
 α -fluoromethyl selenoethers 116
 fructosazine 223
 functionalized pyrazine derivatives 215
 functionalized pyrroles 228
 functionalized quinolines 141
- g**
 γ -valerolactone (GVL) 108, 111, 125–128, 254, 268, 270–272
 G2/Co for Suzuki coupling reaction 204
D-glucosamine 223
 glycerol 1, 4, 6, 9–11, 13–20, 24–26, 28–39, 45–46, 57, 108–112, 207, 209
 glycolysis and polyesterification 231–232
 gold(I) *N*-heterocyclic carbene complex 11
 green solvents
 addition reaction 11–13
 and catalysts
 addition reaction 28
 condensation reaction 30–35
 coupling reactions 30
 cyclization reactions 28–30
 metathesis reaction 35
 condensation/ring condensation reaction 21–28
 coupling reaction 18–21
 cyclization reactions 13–18
 hydrogenation/reduction reaction 6
 and hydrogen donor 35–39
 oxidation reactions 8–10
 substitution reactions 10–11
- h**
 Hansen solubility parameters (HSP) 264
 2*H*-azirines 98, 117–118
 4*H*-3,1-benzoxazin-4-one skeleton 114

- Heck reaction 79, 266–267, 269–270, 281, 327–328
- 2-(hetero)aryl THF and THP derivatives 205
- 2,5-hexanedione 22
- highly functionalized benzo[g]- and dihydropyrano[2,3-g]chromene derivatives 85
- highly functionalized polysubstituted quinolines 220–221
- 2*H*-indazoles 154–155
- Hiyama cross-coupling in PEG 289
- Hiyama reaction 18, 126, 207–208, 271–272
- HLADH-catalyzed cinnamaldehyde reduction 218
- 4*H*-pyrans 32–33, 412
- 1*H*-tetrazoles 30, 219, 227
- hydrodehalogenation of aryl chlorides and aryl bromides 66
- hydrogen bond acceptors (HBAs) 200–201
- hydrogenation/reduction reaction 6
- 1,5-hydrogen atom transfer process 167, 169, 350
- hydrophilic palladium(II) *cis*-[PdCl₂(DAPTA)₂] 14
- α -hydroxyacetophenone 16, 17, 110, 111
- 2-hydroxyacetophenone (HAP) 219
- 3-hydroxypyridines 15
- 5-hydroxymethylfurfural 188, 331
- 4-hydroxy-1-methyl-2-quinolone 25
- α - and β -hydroxyphosphine oxides 216
- i**
- IBX promoted primary amine oxidative coupling 215
- IBX-facilitated primary amine oxidative coupling reaction 214
- imidazopyridines 97–98, 151
- 2-(imidazo[1,2- α]pyridine-3-yl)-*N,N*-dialkylacetamides 74
- indium-mediated Reformatsky reaction of iododifluoroketones with aldehydes or isatins 388, 389
- intramolecular hydroalkoxylation of double bonds 186, 187
- β -iodoalkoxysulfonium ion 163
- o*-iodoanilines 145
- 5-iodo-1,2,3-triazoles 190
- ionic liquids (ILs) 200
- molecular liquids 237
 - physicochemical properties of 237
 - transition-metal-catalyzed reactions
 - carbonylation reactions 248–252
 - copper-catalyzed coupling reactions 257–259
 - palladium-catalyzed cascade cyclization reactions 239–248
 - Sonogashira coupling reactions 252–255
 - Suzuki coupling reactions 255–257
- ionic liquids-accelerated oxyarylation 246–247
- iron-catalyzed hydrosilylation of dicarboxylic acids 190–191
- iron-catalyzed methylation of secondary amines and imines 194
- iron-catalyzed reductive Strecker reaction 54
- iron(II) caffeine-derived ionic salt catalyst 190
- iron(II) cyclam complex 59
- isomerization reaction 228–229
- 2,3-isopropylidenglycerol 61
- isoquinolino[1,2-*b*]quinazolines 127–128
- k**
- ketones
- Cyrene 263–265
 - in NBP 266–268
- α -keto-imides 176–177
- γ -ketonitriles 90–91
- 3-ketoquinoline 141
- Knoevenagel condensation 59, 222–224, 303
- Kornblum oxidation reaction 166
- K₂S₂O₈-promoted Pummerer-type reaction 138
- l**
- levulinic acid (LA) 114, 125, 193
- Lewis acid catalyzed [3+2] cycloaddition 81
- Liebeskind–Srogl cross-coupling 322
- ligand-free Cu(I) or Cu(II)-catalyzed C–O coupling reactions 212
- lignin β -O-4 model compounds 194
- liquid PEG 4
- lithium phosphide 216
- low molecular weight PEGs 4, 5, 41
- m**
- magnetic Pd-nanocomposite mediated Sonogashira reaction 207
- magnetic reduced graphene oxide-supported palladium catalyst 209

- Maitland–Japp reaction using NBP 267–268
- malonate derivatives 192
- Menschutkin reaction using Cyrene 266
- mesoionic *N*-heterocyclic carbene (NHC)-Pd complex 207
- metal-catalyzed oxidation 56–64, 213–214
- metal-catalyzed reduction 217–218
- metathesis reaction 35, 259
- methane carbonitrile (MeCN)
- C–X bonds formation with radicals involved
 - C–C, C–Si bonds formation 90–93
 - C–halogen bonds formation 98–102
 - C–N, C–P bonds formation 93–96
 - C–O, C–S bonds formation 96–98
 - transition-metal catalyzed reactions
 - without radicals involved
 - addition reactions 52–55
 - oxidation reactions 56–64
 - reduction reactions 64–66
 - substitution reactions 66–73
 - transition-metal catalyzed cyclization reactions 74–80
 - transition-metal-free catalyzed reactions
 - without radicals involved
 - C–X bonds formation 87–90
 - cyclization reactions 80–84
 - multi-component reactions 84–87
- N*-methylation/*N*-formylation 67
- 2-methylbenzoic acid 57–58
- methyl α -cinnamide 217
- N*-methylindole 110–111
- O*-methyloximes 240, 245–246, 251
- N*-methylpyrrole 110
- 2-methyltetrahydrofuran (2-MeTHF) 108, 114–117
- Micellar-enabled aqueous reactions 318
- microwave-assisted Suzuki–Miyaura coupling in PEG-400 284
- Minisci-type reaction 159
- Mizoroki–Heck cross-coupling 204, 205, 326–328
- MnCO₃-300 catalyzed transesterification of alcohols 196
- mono- and difluoroimines 89
- monobromination of phenols and anisoles 87
- monohydric alcohols 1, 3
- multicomponent domino reactions 228
- multicomponent reactions (MCRs) 304–306, 410–417
- one-pot four-component reaction 227–228
 - one-pot three component reaction 224–227
- Murahashi coupling 323
- n**
- NaAlO₂-catalyzed carboxymethylation 187
- 2-naphthol 4-hydroxy-6-methyl-2-pyrone, 25
- 1,8-naphthyridine derivatives 159
- NCN-Pd pincer catalyst for Hiyama reaction 207
- Negishi coupling 323–325
- Negishi cross-coupling reactions 208
- NHC-Pd catalyzed cascade annulation/allylation of acetylenic oximes 244
- N*-heterocyclic carbene (NHC) palladium polymers 284
- Ni, Ru, Pt-catalyzed reactions 299–302
- Ni-catalyzed C3-cyanation of *N*-aryl indoles 71
- Ni-catalyzed cross-electrophile-coupling 70
- nickel(II)-catalyzed 6-*exo-dig* cyclization 404
- nickel-catalyzed azide-alkyne cycloaddition (NiAAC) 399, 400
- NiCl₂/2,2'-bipyridine-catalyzed synthesis 73
- nitrile, defined 51
- nitroarenes, reduction of 65
- N*-methyl-pyrrolidinone (NMP) 107, 114, 125, 264–269, 272, 275
- non-symmetrical alkyl carbonates 195–196
- n*-substituted-4-aryl quinolines 140
- nucleophilic addition
 - addition reactions with
 - ketone/imine/nitrile 386–389
 - conjugate addition 389–392
 - nucleophilic substitution 175, 381–383
- NZSM-5 zeolite catalyzed synthesis 195–196
- o**
- oligoethylene glycols (OEGs) 7
- one-pot four-component reaction 227–228, 412–413
 - one-pot Mizoroki–Heck cross-coupling/reduction 205
 - one-pot O₂-oxidation-HWE (Horner–Wadsworth–Emmons) reaction 61

- one-pot three component reaction 27, 28, 33, 224–227, 410
- organic carbonates 108, 119, 120–125, 268–270, 275
- organic esters 230
- organic reactions
- esterification reaction 230–231
 - in esters
 - γ -valerolactone (GVL) 270–272
 - ethyl lactate 273–274
 - organic carbonates 268–270
 - isomerization reaction 228–229
 - in ketones
 - Cyrene 263–266
 - in NBP 266–268
 - ring-opening reaction 230
- organolithium promoted anionic polymerization of alkenes 231
- organosilicon reagents 207
- 2-organylselanyl pyridines 11
- 3-oxabicyclo[3.1.0]hexan-2-ones 80–81
- oxidation of benzaldehyde 215
- oxidation of ethylbenzene 42, 58
- oxidation of toluene 57, 213
- oxidation reactions 8–10
- metal-catalyzed oxidation 213–214
 - other oxidative processes 214–217
- oxidative polymerization 232
- 1-oxo-hexahydroxanthenes 32
- P**
- Paal–Knorr reaction 219
- palladium-catalyzed reactions
- allylative dearomatization of naphthyl halides 114–115
 - α -arylation of (hetero)aryl ketones 334
 - carbonylative transformation of benzyl amines 187
 - cascade cyclization reactions 239–248
 - alkylation of oxime ethers 245
 - cascade of alkynoic acids with unactivated alkenes 248
 - C–C bond formation 207
 - C–H arylation of thiophenes 272
 - coupling of benzyl/allyl alcohols with malonates 194
 - C–P bonds formation in PEG-600 291–292
 - deoxygenation reaction 64
 - formal [4+2] cycloaddition 172
 - Heck cross-coupling of aromatic bromides 281
 - ionic liquids-accelerated oxyarylation 246
 - oxidative cross-trimerization 63
 - Sonogashira reaction 206
 - 4-sulphenylisoxazoles synthesis 243
 - Suzuki–Miyaura coupling of aromatic chlorides in PEG-300 286
 - synthesis of tetrahydrofuroindoles 55
 - tandem dehydrogenative[4 + 2] annulation 172
- Pd-catalyzed coupling reactions
- C–B bonds formation 291–292
 - C–C, C–Si bonds formation 280–290
 - C–N, C–P bonds formation 290–291
 - C–O bonds formation 291
- Pd-catalyzed cross-coupling reaction 264
- in GVL 272
 - in ILs 238
- Pd/ β -cyclodextrin cross-linked catalyst (Pd/C β CAT) 127
- Pd/Cu-catalyzed diboration of propargylic alcohols 53
- PdI₂-catalyzed carbonylation 75
- Pd(II)/Cu(II) catalyzed synthesis 159
- penta-2,4-dien-1-yl moiety 66
- perfluoro *tert*-butyl alcohol 1
- persulfate/peroxide-mediated radical cyclization 406
- phenacyl azides 215
- phenol, synthesis of 60
- (*R*)-1-phenyl-1,2-ethanediol 219
- (*R*)-1-phenyl-1,2-ethanol (PED) 219
- 2-phenylimidazo[1,2-*a*]pyridine 138, 344
- phosphorylated pyrrolines 95
- photo-induced decarboxylation of silacarboxylic acids 93
- photo-induced radical cyclization 408–410
- photocatalytic reaction enabled activation of DMSO 164–171
- Pictet–Spengler dehydrogenative cyclization 221
- poly(ethylene 2,5-furandicarboxylate) (PEF) 231–232
- polycyclic spiroindolines 84
- polyethylene glycol (PEG) 112–113
- in Cu-catalyzed reactions
 - C–C bond formation 292–293
 - C–N bond formation 293–296
 - C–O, C–S, C–Se bond formation 296–298
 - in cyclization reactions
 - Five-Membered Ring Systems 306–308

- polyethylene glycol (PEG) (*contd.*)
 six and seven-membered ring systems 308–309
 multicomponent reactions (MCRs) 304–306
 in Ni, Ru, Pt-catalyzed reactions 299–302
 organic reactions in 280
 in organocatalysis reactions 302–304
 in Pd-catalyzed coupling reactions
 C–B bonds formation 291–292
 C–C, C–Si bonds formation 280–290
 C–N, C–P bonds formation 290–291
 C–O bonds formation 291
 radical-initiated oxidation reactions 41–43
 as solvent for CO₂ capture and conversion 39–41
 polyfunctional furans 145
 polyhydroquinolines 226
 polymerization
 anionic polymerization of alkenes 231
 glycolysis and polyesterification 231–232
 oxidative polymerization 232
 visible-light-driven RAFT polymerization 232–233
 polypyrrole (PPy)/Cu(II) nanocomposite 14
 polystyrene-stabilized iridium (Ir@PS) nanoparticles 7
L-proline-catalyzed Knoevenagel condensation 224
 propargylamines 86–87, 402, 412
 (*E*)-prop-1-en-1-ylbenzene 160
 2-propylquinolines 17–18
 Pummerer-type activation of DMSO 138–148
 Pummerer-type mechanism 145
 pyranoid heterocyclic derivatives 32
 pyrazine derivatives 215
 pyrazolo[1,5-*a*]pyridines 172
 pyridines, synthesis of 75
 pyrido[2,3-*d*]pyrimidine 111
 pyrrolidinedione-fused hexahydropyrrolo [2,1-*a*]isoquinolines 79
 pyrrolo[1,2-*a*]quinolines 121
 pyrrolo[3,2-*c*]pyridines 22
- q**
 quinazoline derivatives 155
 quinoline derivatives 7, 224–225
 quinoxalines 24–25, 308, 379
- r**
 radical C–S coupling 345–346
 radical cyclization
 persulfate/peroxide-mediated 406–408
 photo-induced 408–410
 radical-relayed cyclization process 166
 radical substitution 384–385
 rearrangement reactions 15, 425–428
 reduction reactions
 metal-catalyzed reduction 217–218
 other catalytic reduction 218–219
 reductive C–S coupling 344–345
 reductive coupling 331–333
 reductive desulfurization process 217–218
 reversible addition-fragmentation chain transfer (RAFT) polymerization 232–233
 Rh-catalyzed asymmetric hydrogenation 269
 Rh-catalyzed hydroformylation and hydrogenation 65
 rhodanine derivatives 223, 227
 ring-closing metathesis (RCM) 325, 376, 424, 425
 ring-opening reaction 5–6, 43–45, 141, 170, 230
- s**
 Sc(OTf)₃-catalyzed [4+2] annulation reaction 16, 17
 1-selanylindolizines 16, 17
 Selectfluor-enabled activation of DMSO 148–151
 Selectfluor-mediated Pummerer-type reaction 151
 short-chain aliphatic alcohols 1
 silica-supported FeCl₃ catalyzed amination synthesis 186
 silicon heterocycle synthesis 92
 six-membered ring synthesis 220–221
 sodium lauryl oligoethylene glycol sulfate (SLES) 332
 solid palladium nanoparticle 19
 solid-phase peptide synthesis (SPPS) 267–268
 Sonogashira coupling reactions 206–207, 252–255, 264, 287–288, 328–330
 Sonogashira reactions in PEG-400 287
 stereoselective Michael addition reaction 224
 Stille coupling 288–289, 325–326
 Stille cross-coupling reaction 208, 288, 326

- 3-substituted-1-aryl-1*H*-pyrazolo-[3,4-*b*]quinoline 141
- substituted benzo[*d*]imidazo[5,1-*b*]thiazol-1-amine derivatives 75
- N*-substituted cyclic amines 190
- α -substituted homoallylamines 189–190
- 2-substituted indoles 83–84
- 4-substituted, 3-substituted, or 3,4-disubstituted quinolines 138
- 5-substituted 1*H*-tetrazoles 30, 227
- substitution reactions 10–11
- electrophilic substitution 383–384
 - nucleophilic substitution 381–383
 - radical substitution 384–385
- 1-sulfanyl- and 1-selanylindolizines 17
- 1-sulfanyllindolizines 16
- N*-sulfonyl-2-aryloxoacetamides 176
- 3-sulfonyl benzofurans and indoles 79
- (*E*)- β -sulfonyl enamines 98–99
- sulfonamides 163–164, 225, 412–413
- sulfonimidates and sulfonimidamides 188
- Suzuki coupling reactions 204, 255–257, 273, 320
- Suzuki–Miyaura (SM) coupling
- amides via C–N cleavage 322
 - of aromatic halides
 - carboxylic anhydride, and acyl chlorides in PEG 285
 - in PEG-400 287
 - arylboronic acids and aryl halides 320
 - BaryPhos-facilitated asymmetric 321
 - cross-coupling reactions in aqueous EL 273
 - DNA-compatible 320
 - electron-poor aryl chlorides 320
 - EvanPhos-bearing *N,C*-diisopropyl biaryl palladacycle 318
 - HandaPhos-containing palladacycle 319
 - Pd/NHC-catalyzed 321
 - reaction 202, 284
 - reaction using Cyrene 265
- symmetrical 2,5-diarylpyrazines 215
- symmetrical methylene-bridged imidazoheterocycles 138
- t**
- [3 + 3] tandem annulation–oxidation approach 214
- t*-BuOK/DMSO/air reaction system 161
- TCCA induced chlorine radical cascade chlorination 101
- C*-terminal decarboxylative conjugation addition 389, 390
- tertiary alcohols 1, 92, 321, 350, 375, 386, 388, 407, 429
- tertiary alkyl halides 69, 99, 332
- tetrabutylammonium bromide (TBAB) 63, 192, 255, 285–286, 342, 368, 432–433
- tetrahydrofuroindoles 55
- 2,3,6,7-tetrahydro-1*H*-pyrrolo[3,2-*c*]pyridin-4(5*H*)-ones 22
- tetrahydroisoquinoline compounds 113, 172, 213–214, 377, 378
- 2,2,6,6-tetramethylpiperidine-1-oxyl 43, 61
- tetrasubstituted β -sulfonyl *N*-unprotected enamines 97
- 2-tetrazolyl-substituted 3-acylpyrroles 61
- thiazolopyrimidine derivatives 25
- thioamides 153
- thiophene-aryl coupling 208, 209
- thiophosphates 96–97
- Z*-thiovinyl sulfone 88–89
- three-component domino reaction 226
- toluene oxidation by hydrogen peroxide 213
- p*-toluene sulfonic acid 216
- o*-tolyl tetrahydrofuran derivatives 230
- toxic nonrenewable fossil-based solvents 107
- transition-metal-catalyzed reactions
- addition reactions 52–55
 - carbonylation reactions 114, 248–252
 - copper-catalyzed coupling reactions 257–259
 - cyclization reactions 74–79
 - oxidation reactions 56–64
 - palladium-catalyzed cascade cyclization reactions 239–248
 - reduction reactions 64–66
 - Sonogashira coupling reactions 252–255
 - substitution reactions 66–73
 - Suzuki coupling reactions 255–257
- transition-metal-free catalyzed reactions
- C–X bonds formation 87–90
 - cyclization reactions 80–84
 - multi-component reactions 84–87
- trans-resveratrol 228
- 4,5-trans-1,5-scis-3-oxabicyclo[3.1.0]hex-2-ones 81
- 2,4,5-triaryl and 1,2,4,5-tetraaryl imidazole derivatives 33, 34
- 1,5,7-triazabicyclo[4.4.0]dec-5-ene (TBD) 193
- 1,2,3-triazole in PEG 282, 283
- 2,2,2-trichloroethanamines 84–85
- trichloroisocyanuric acid (TCCA) 101
- triethylene glycol (3-OEG) 7

- α -trifluoromethylated ketones 166
- trifluoromethyl tertiary alcohols 92
- 2,4,6-trihydroxyphenanthrene 229
- 2-(trimethylsilyl) aryltriflates 82
- 2,3,4-trisubstituted imidazole derivatives 23
- trisubstituted nicotinonitriles 76, 77
- 1,4,5-trisubstituted
 - 1,2,3-triazole-5-carboxamides 190
- L*-tryptophan methyl ester and aldehydes 34
- Tsuji–Trost type reaction 194
 - allylic arylation 330
- U**
- Ullmann amine synthesis 211
- Ullmann homocoupling reactions 283–284
- Ullmann-type reactions 338–340
- Z*- α,β -unsaturated esters 61
- α,β -unsaturated ketones 81, 141, 214, 359–360, 415
- α,β -unsaturated *N*-acyl-oxazolidinones 190
- α,β -unsaturated nitriles 59, 60
- 2-unsubstituted benzothiazoles 145
- unsymmetrical thioethers 71, 72
- V**
- visible-light-driven RAFT polymerization 232–233
- W**
- water as solvent
 - addition reactions
 - alkene/alkyne functionalization via radical addition 392–396
 - alkene/alkyne functionalization via radical-free addition 396–399
 - cycloaddition reactions 399–403
 - nucleophilic addition 386–392
 - amide condensation reactions 431–435
 - carbene insertion/transfer reactions 429–431
 - C–C activation 374–376
 - C–H functionalization
 - C–C bond formation 347–364
 - C–H annulation/cyclization 370–374
 - C–N bond formation 364–367
 - C–O bond formation 367–369
 - C–X bond formation 369–370
 - C–O cleavage reactions 376–377
 - cross-coupling reactions
 - C–C cross-coupling 318–336
 - C–N cross-coupling 336–341
 - C–P cross-coupling 346–347
 - C–S cross-coupling 342–346
 - cyclization/annulation reactions
 - radical cyclization 406–409
 - radical-free 403–406
 - domino/tandem/cascade reactions
 - chemo 417–422
 - chemoz enzymatic reactions 422–425
 - electrochemical oxidation 377–379
 - multicomponent reactions (MCRs) 410–417
 - rearrangement reactions 425–428
 - reduction and related reactions 379–381
 - substitution reactions
 - electrophilic substitution 383–384
 - nucleophilic substitution 381–383
 - radical substitution 384–385
- water-soluble hypervalent iodine(III) reagent (phenyliodonio)sulfamate 83
- water-soluble PEG 4
- X**
- xanthene-1,8(2*H*)-diones 32