

Index

a

acetaminophen detection 112
acid catalysts 33
activated carbons (AC) 96, 329, 334, 335, 351
Ag-containing biimidazole ($H_2\text{biim}$)
complexes, Keggin-type
POM-based 197
Ag NCs-BSA/[SiW₁₂O₄₀]⁴⁻-assembly 176
alkaline media 197, 224, 246, 248, 250, 252, 266, 267, 269
3-aminopropyltriethoxysilane (ATS) 78, 79, 87
ammonium phosphomolybdate 241
amperometric DA detection 99
amperometry 81, 137, 143, 144
Anderson–Evans structure 10–11
Anderson-type 243
heteropolyanion 3–4
POM 236, 239
anodic peak current 112
APAP 111, 112
aqueous electrolytes 290, 326, 351
artificial reductase systems, for oxidation catalysis 85
ascorbic acid oxidation 107–111, 136
asymmetric functionalised
organic-inorganic hybrid
Wells–Dawson POM 43
asymmetric hybrid POMs 43
asymmetric supercapacitor 336, 337

b

1,3,5-benzentricarboxylate ($H_3\text{BTC}$) 136
benzothiadiazole-imidazolium cations
[P₂W₁₈O₆₂][BTD-4,7-ImH]₃ 38
bifunctional electrocatalyst 200, 229
binding energy 200, 268–270
bis-organophosphonyl POM hybrids 41
bis-Ru-polypyridyl substituted hybrid POM 42
bovine serum albumin (BSA) 176
Britton–Robinson buffer 70, 72
bromate reduction 134–138

c

capacity retention (CR) 287, 289, 297, 300
carbon black/phosphotungstic acid composites 104
carbon composites, POMs 222, 223, 329–338
carbon diamond nanoparticles (CDNPs) 272
carbon monoxide (CO) 157, 158, 166–172, 174–176, 178, 264
carbon nanotubes (CNTs) 329
hybrid catalysts 197
nitrogen-doped 106, 112, 274
carbon paste electrode (CPE) 69–72, 86, 106, 108, 112, 127, 131, 135, 143, 195
carbon/POM 221–225
catalysis, POMs 33

- catalytic efficiency (CAT) 47, 76, 99, 100, 102–104, 106–109, 111, 127, 131, 133, 135, 136, 139–145, 225
- cationic chitosan 97, 103, 141
- Ce-containing POMs
as electro-catalysts in homogeneous phase
L-cysteine electro-catalytic oxidation 67–69
- cell capacitance 325
- cetyltrimethylammonium bromide (CTAB) 140, 236
- chemical vapor deposition (CVD) 242
- chemisorption reaction, POMs 332
- chronoamperometry 70, 141, 202, 204, 220, 234, 268, 270, 271
- chronoamperometry tests 271
- class I hybrid POMs 37–39
- class II hybrid POMs 39–42
- cobalt-centred POM 275
- Co-based POMs (Co-POM) 109, 190–196, 201, 209, 273, 275, 276
- Co-by-Fe substitution effects 195
- CO_2 conversion 42
ruthenium complex as electrocatalyst 42
- CO_2 coordination by POMs 164, 165
- Co-Mo POM-derived materials 207
- Co-Mo-S/N,S-doped porous carbon 208
- complex coacervate core micelles (C3Ms) 14
- composite/hybrid materials
carbon/POM 221–225
MOF/POM (POMOFs) 226–228
polymer/POM 232–235
transition metal/POM composites 228–232
- condensation reactions 29
- conductive polymers, POMs 296, 338–341
- controlled-potential electrolysis tests 174
- $\text{Co}_3\text{O}_4/\text{CoMoO}_4$ nanocages 207
- $\text{Co}_4(\text{PW}_9)_2@\text{Co}/\text{Ni}@C$ nanocomposite 198
- $\text{Co}_4(\text{PW}_9)_2@\text{GDY}$ system 197
- $\text{Co}_4(\text{PW}_9)_2@\text{N,S-Co}@C$ nanocomposites 198
- $\text{Co}_4\text{POM}@\text{FeOOH-P}$ nanocomposite 200
- $\text{Co}_4\text{POM/NCNT}$ hybrids 197
- CO_2 reduction
POM properties
hopping electrons 159–160
massive electron storage 161–162
proton-coupled electron transfer 160–161
tuning of the reducibility 161
versatile platform 162–163
- CO_2 reduction reaction (CDRR) 157
with equilibrium potentials 158
thermodynamics 158–159
- CoSe/MoSe_2 hybrid system 207
- costs and safety 291
- CO_2 -to-CO reduction 176, 177
- Coulombic efficiency (CE) 287, 289, 298–302, 304–306, 308–313
- covalent grafting strategies 48
- $\text{CoW}_{12}@\text{ZIF-8}$ nanocomposites 204
- CoW_{12} -based PIC 201
- crystallization solvent 128
- Cu-based electrodes 157
- $[\text{Cu}_{12}(\text{BTC})_8(\text{H}_2\text{O})_{12}] [\text{H}_4\text{PMo}_{11}\text{VO}_{40}]$ 50
- $[\text{Cu}_{12}(\text{BTC})_8(\text{H}_2\text{O})_{12}] [\text{H}_5\text{PMo}_{10}\text{V}_2\text{O}_{40}]$ 50
- $[\text{Cu}(\text{phen})_2]_2\text{PVW}_{11}\text{O}_{40}$ 71, 128
- Cu-POMs 193
- current density (*j*), HER performance 220
- cyclic voltammetry 44, 64, 65, 70, 74, 79, 81, 128, 140, 160, 191, 193, 221, 222, 274, 298, 299, 301, 325, 333
- cyclic voltammograms 139, 335, 345
of $\{\text{[PEI/PSS]}_2/\text{Au}@2\text{Ag}/[\text{PEI}/\text{P}_2\text{Mo}_{17}\text{V}]\}_2$ films 75
of $\{\text{[PEI}/[\text{P}_2\text{W}_{18}]/[\text{Ru}(\text{phen})_3]_7/\text{P}_2\text{W}_{18}\}$ multilayer film 72–74
of $\{\text{SiW}_9\text{Cu}_3\}$ 167
- cyclopropylamine 233

d

Dawson-type anions 93
 density functional theory (DFT) 176, 178, 191, 268, 271, 345
 diacetylene-nitrilotriacetate (DANTA) 97
 differential electrochemical mass spectrometry (DEMS) 128
 differential pulse voltammetry (DPV) 42, 70–72, 104
 differential pulse voltammograms, with $\text{SiW}_{12}/\text{CoSal}$ CPE 41, 72
 dodecamolybdocerate anion 12
 dopamine (DA) 81, 84, 98–108, 113, 241, 251
 oxidation 98–107
 dopaminechrome (DC) 104
 dopamine-*o*-quinone (DOQ) 99, 103, 104
 dual-site reduction 266

e

electrical double-layer capacitors (EDLCs) 324, 325
 electro-catalysts in heterogeneous phase
 electro-catalytic oxidation of L-cysteine
 carbon paste electrodes 69–71
 layer-by-layer and
 nanoparticle-modified electrodes 74–76
 layer-by-layer-modified electrodes 71–74
 NADH, electro-catalytic oxidation
 layer-by-layer-and precipitate
 deposition-modified electrodes 78–82
 precipitate deposition-modified
 electrodes 85
 electro-catalysts in homogeneous phase
 electro-catalytic oxidation of L-cysteine
 Ce-containing POMs 67–69
 V-containing POMs 61–68
 NADH, electro-catalytic oxidation
 V-containing POMs 76–78

electro-generated chemiluminescence (ECL) 85, 86
 electrocatalysis, POM-based 97–98
 electrocatalysts 98
 single atom catalysts (SACs) 235–237
 transition metal carbides 237–241
 transition metal chalcogens (TMCs) 242–246
 transition metal nitrides 246–248
 transition metal oxides 251
 transition metal phosphides 247–251
 electrocatalytic CO_2 reduction
 with dissolved POMs
 electron relays in aqueous solution 171–172
 platinoid containing hybrid POMs 169–171
 3D transition metal-substituted
 POMs 165–169
 at POMs-modified (semi)conducting
 electrode surfaces
 immobilization 173–174
 electrocatalytic current 111, 139
 electrocatalytic reactions 51, 98, 176
 electrocatalytic tests 100, 141
 electrochemical CO_2 reduction reaction
 (CDRR) 157–159, 161, 164, 165, 167–169, 171, 172, 174, 176–177
 electrochemical energy production 263
 electrochemical reaction 98, 225
 electrochemical sensor 70, 73, 102, 109, 112, 142
 electrochemical techniques 61, 86, 126, 327
 electrochemistry 33, 61, 125, 263, 347
 electrode/electrolyte interface 109
 electrode materials, POMs 228, 328, 329, 346, 349
 electrodeposition methods 105, 110
 electrolyte 98
 additives, POMs 349–351
 requirements, RFBs 290, 291
 electrolyzer device 186

electron transfer reactions 66, 93, 98, 125, 159, 287, 295, 296, 316, 328
 between Cys (and thioglicolic acid (TGA)) and Keggin-type species 66
 electrooxidation, DA 102, 109
 electropolymerization 94, 137, 141
 electrospinning 14
 electrospun fibrous meshes 14
 energy density, RFBs 290
 energy efficiency (EE) 198, 287–289, 299–302, 304, 305, 308–310, 313, 315
 energy storage devices 285, 286, 292, 295, 297–299, 301, 305, 308, 310, 313, 323–326
 equivalent series resistance 325
 ethanol formation 172
 europium-exchanged ($[\text{Eu}(\text{OH}_2)\text{P}_5\text{W}_{30}\text{O}_{110}]^{14-}$ -anion 11
 $[\text{Eu}(\text{W}_5\text{O}_{18})_2]^{9-}$ -anion 6
 Evans–Showell-type POM 244
 exchange current density (j_0) 220

f

Faradaic efficiency 167, 171, 172, 175, 199, 220, 230
 fast electron transfer kinetics 290, 298
 FeCo_3 core-containing POM 194
 $[\text{Fe}_{11}(\text{H}_2\text{O})_{14}(\text{OH})_2(\text{W}_3\text{O}_{10})_2(\alpha\text{-SbW}_9\text{O}_{33})_6]^{27-}$ 193
 ferrocene 112
 few layer graphene (FLG) 97, 274
 fluorine-doped TTF (TTF-F) 273
 functionalisation approaches 34
 addenda atoms substitution 35
 class I hybrid POMs 37–39
 class II hybrid POMs 39–42

g

gadolinium-containing Keggin POMs 7
 geometric effect 270
 glassy carbon (GC) 48, 63–65, 78–84, 95, 127, 131, 173, 190, 191, 193, 204, 222, 333
 electrodes 80, 95, 101

graphdyne (GDY) 197, 198
 graphene conductive carrier 196
 graphene flakes (GF) 96, 109, 224, 272, 273
 graphene oxide 96, 105, 106, 110–112, 132, 138, 141, 142, 145
 graphite counter electrode 229
 green hydrogen 263

h

half-wave potential 127, 161, 267, 269, 271–273, 275
 heteroatom-doped MWCNTs 197
 $\text{heterometallic Na}_{14}[\text{Ru}^{\text{III}}_2\text{Zn}_2(\text{H}_2\text{O})_2(\text{ZnW}_9\text{O}_{34})_2]$ 190
 heteropolyacids 95
 heteropolyanions 3, 4, 93, 108, 125, 164, 327
 heteropolyblue (HPB) 66, 76–78, 93
 heteropolyoxometalates 30, 241, 292
 hexonic sugar acid 107
 high ionic conductivity 94, 290, 291, 349
 HKUST-1 50, 136, 237
 hollow PBA@POM hybrid 205
 homogeneous electrocatalysis 62, 190–193
 host-guest approach 347
 $\text{H}_6[\text{P}_2\text{W}_{17}\text{O}_{57}(\text{H}_{27}\text{C}_{17}\text{O}_4\text{PS})_2].3\text{C}_4\text{H}_9\text{NO}$ (H₆1), solvent-dependent behaviour of 45
 hybrid materials, POM 34
 hybrid Mn-Anderson POM-SWCNT composite material 48
 hybrid (nano)composites 96, 104
 hydrogen bonding interactions 101
 hydrogen evolution reaction (HER) 158, 288
 electrocatalysts 221, 222
 with equilibrium potentials 158
 process 219–221
 hydrogen peroxide reduction reaction 142–145
 hydrothermal method 50, 71, 108, 128–130, 143, 175, 200, 229, 232, 244, 297
 hydrothermal synthesis 230

- hydroxyl ammonium ionic liquids 132
 hydroxyl ion (OH^-) 210, 263
- i**
 immobilization techniques 46–47
 nanoencapsulation 49–51
 surface immobilisation 47–49
 immobilization, of POMs 14, 113, 126,
 131, 136, 137, 143, 145, 173–174
 indium (In) electrodes, electrocatalytic
 potential of 36
 intracluster ‘I2M type’ mechanism, in
 Co-POM water oxidation catalyst
 190
 iodate reduction 138–142
 Ir/VC/C nanocomposites 208
 iron phthalocyanine (FePc) 271
 isopolyanions 3, 6, 108, 326, 327
 isopolyoxometalates 30, 292
- k**
 Keggin anions 5–7, 96, 130
 ball-and-stick representation 4–5
 Keggin heteropolyanion 4, 202
 Keggin heteropolyoxometalate 30
 Keggin polyanion 221
 Keggin silicotungstate 95
 Keggin-type 93
 anions 93, 143
 phosphotungstic acid 271
 phosphovanadomolybdates 50
 POM 230, 327
 POM structures 326
 Ketjenblack (KB) 198, 273
Koutecky–Levich equation 268
- l**
 Lacunary species 6, 9, 32
 Langmuir–Blodgett (LB) technique 14
 lanthanide-containing Wells–Dawson
 POMs 10
 lanthano-phosphomolybdate 134
 layer-by-layer (LbL) 111
 approach 97
 films 109
 method 137, 140
 and nanoparticle-modified electrodes
 74–76
 self-assembly method 95
 layer-by-layer-and precipitate
 deposition-modified electrodes
 as electro-catalysts in heterogeneous
 phase
 NADH electro-catalytic oxidation
 78, 82
 layer-by-layer-modified electrodes 71–74
 layered double hydroxides (LDHs) 14,
 15, 202
 L-cysteine (Cys), chemical formula 61,
 62
 L-cysteine (Cys), electro-catalytic
 oxidation
 electro-catalysts in heterogeneous
 phase
 carbon paste electrodes 69–71
 layer-by-layer and
 nanoparticle-modified electrodes
 74–76
 layer-by-layer-modified electrodes
 71–74
 electro-catalysts in homogeneous phase
 Ce-containing POMs 67–69
 V-containing POMs 61–68
 leucodopaminechrome (LDC) 104
 limit of detection (LOD) 99, 100, 102,
 105–112, 132, 137, 142, 145
 Lindquist-type POM 108
 Lindqvist isopolyanion 4
 Lindqvist isopolyoxometalate 30
 Lindqvist structure 6
 linear polarization 225
 linear ranges (LR) 71, 99, 102, 104,
 106–109, 111, 112, 132, 136, 141
 linear scan voltammetry 266
 Lipscombe classification 34
 lithium-ion (Li-ion) batteries 296
- m**
 manganese POMs (Mn-POMs) 36, 193
 materials by design 346

- mesoporous silica materials 14
- metal copper-based electrocatalysts 171
- metal indium catalysts 171
- metal-organic frameworks (MOFs) 14, 15, 50, 94, 173, 202
- metal-POM nanocomposites 177
- metal-rich carbon-based supports 208
- methyl green (MG) 134, 141
- mixed-metal Keggin anion $[\text{PMo}_{12-x}\text{V}_x\text{O}_{40}]^{n+3-}$ 171
- Mn-Anderson C₁₆ POM 45
- 193Mo₆ connectivity, in POMs 4
- polyhedral and ball-and-stick representation 4
- modified graphene materials, POMs 336, 337
- modified {[PEI/PSS]₂/Au@2Ag/[PEI/P₂Mo₁₇V]_n} ITO electrode 76
- MOF/POM (POMOFs) 226–228
- molecular hydrogen 185, 219
- mono-site reduction 266
- monolacunary Keggin-type POMs 7
- polyhedral and ball-and-stick representation 4–5
- monolacunary Lindqvist polyoxotungstate unit 6
- monolacunary Wells–Dawson anions 9
- α -monolacunary Wells–Dawson structure 9
- monolacunary $[\text{XM}_{11}\text{O}_{39}]^{(n+4)-}$ -Keggin anion 6
- multi-metallic Fe-S-NiMoO₄/MoO₃@NF electrodes 209
- multi-walled carbon nanotubes (MWCNT) 106, 131, 132, 138, 141, 144, 196, 272, 273, 275, 276, 332, 333
- MXene 337, 338, 346, 349
- n**
- Nafion–carbon black inks 193
- nanoencapsulation 47, 49–51
- N-doped MWCNT (N-MWCNT) 272
- neuroprotectors 107
- NiCoFe/TX/PW-CNTPE 199
- NiCo-POM/Ni electrode, OER activity of 199
- nicotinamide adenine dinucleotide (NADH), chemical formula 62
- nicotinamide adenine dinucleotide (NADH), electro-catalytic oxidation
- artificial reductase systems, for oxidation catalysis 85
- electro-catalysts in heterogeneous phase
- layer-by-layer-and nanoparticle-modified electrodes 82–85
- layer-by-layer-and precipitate deposition-modified electrodes 78–82
- precipitate deposition-modified electrodes 85
- electro-catalysts in homogeneous phase V-containing POMs 76–78
- NiFe-based layered double hydroxides (NiFe LDHs) 202
- NiFe LDH-PMo₁₂ 202
- NiMoFe@NC-type materials 208
- nitrides-based electrocatalysts 246
- nitrite electrocatalysis 128
- nitrite reduction 126–134, 136
- nitrogen-doped carbon nanotubes (CNT-N) 106, 112, 274
- N,N'-dicyclohexylcarbodiimide (DCC)-dehydrated protocol 240
- non-phosphate Preyssler-type POM 11
- non-protonated A-type Anderson 10
- o**
- one-pot acid-catalysed condensation approach 43
- one-step electrochemical 223
- onset potential 175, 193, 194, 201, 222, 227, 243, 267, 270–276
- ordered mesoporous carbon (OMC) 96, 138, 144

- organic-inorganic hybrid chemistry 34
 organoarsenic hybrids 40
 organofunctionalized Wells–Dawson polyoxotungstates $[P_2W_{17}O_{61}(p\text{-AsOC}_6H_5)_2]^{6-}$ 40
 organophosphonate hybrid POMs 41
 organophosphonate hybrid Wells–Dawson POMs 40
 osmium metallocopolymer 134, 141
 oxidation of thioanisole by molybdic POM $[PMo_{12}O_{40}]^{3-}(PMo_{12})$ and FMN-PEI 85, 87
 of thioanisole by tungstic POM $[(ZnW_9O_{34})_2WZn_3(H_2O)_2]^{12-}(Zn_5W_{19})$ and FMN-PEI 85, 87
 oxidized single-walled carbon nanotubes (ox-SWCNTs) 132
 oxygen evolution reaction (OER) 185, 288
 electrocatalysts 187
 long-term stability 187
 performance evaluation 186
 POM/carbon (nano)composites 195–199
 POM/MOF nanocomposites 202–204
 POMs combined with metals/metal oxides/metal hydroxides/metal complexes 199–202
 pure POMs as heterogeneous electrocatalysis 193–195
 homogeneous electrocatalysis 190–193
 structural and mechanistic considerations 188–190
 oxygen reduction reaction (ORR)
 electrocatalysts for 269–270
 fundamentals of 265–269
 LSV 271
 pathways 265
 performance parameters 266–267
 POM for 270–276, 278
- p**
- paracetamol 106, 111
 pararosaniline (PR) 109, 141
 Pauling model 266
 peroxide pathway 265
 pharmaceutical molecules oxidation ascorbic acid 107–111
 dopamine 98–107
 electrocatalysis 97–98
 other molecules 111–112
 preparation method of 94–97
 phosphomolybdic acid (PMA) 102, 109, 137, 141, 271, 272
 phosphomolybdoavanadate ($PMo_{10}V_2$) 96, 105, 107, 109
 α -phosphotungstate anion 31
 platinoid containing hybrid POMs 169–171
 platinum group metals (PGM) 187
 platinum on carbon (Pt/C) 264
 polyaniline (PANI) 94, 95, 138, 235, 338
 polyanionic ruthenium-containing clusters 196
 polycondensation reaction of $[MO_x]$ polyhedra 29
 polydiallyldimethylammonium chloride (PDDA) 95, 97, 105, 110, 111, 141, 145, 332–334
 polyethyleneimine (PEI) 14, 72, 74, 84, 85, 95, 132, 133, 200, 233, 242
 polymer/POM 232–235
 polymeric ionic liquid (PIL) 341, 346
 polyoxometalate metal-organic framework (POMOF) 100–102, 108, 131, 136, 208, 227, 228, 296, 347, 348
 polyoxometalates (POMs) classification 292–295
 electrochemical properties of 329–330, 338–339, 341–342
 energy conversion and storage devices 295–313
 lithium-ion (Li-ion) batteries 296–297

- polyoxometalates (POMs) (*contd.*)
 redox flow batteries 297–302, 304, 305, 308–313
 sodium-ion (Na-ion) batteries 297
 supercapacitors 296
 hybridization 34
 modification design possibilities 33
 structure bonding and formation
 28–30
 polyoxomolybdate 32, 49, 85, 144, 272, 275, 327
 polyoxomolybdate clusters $[\text{PMo}_{12}\text{O}_{40}]^3-$ 49
 polyoxotungstate 6, 40, 142, 170, 174, 200, 327
 polypyrrole (PPy) 94, 137, 138, 141, 204, 296, 297, 338
 polythiophene (PT) 94
 poly(vinyl butyl imidazolium)
 (PVIM)-CoPOM OER catalyst 205
 poly(4-vinylpyridine) linker 131
 POM@MOF composites 15
 POM@MOF hybrids 206
 POM@ZIF nanocomposites 203
 POM-based composites 12–15, 94, 96, 107, 111–113, 128, 131, 135, 136, 140, 146
 POM/carbon (nano)composites 195–199
 POM-embedded thin films and
 membranes 14
 POM-intercalated LDHs 15
 POM-supported nickel (II) coordination complex 201
 porous ionic crystals (PICs) based on Co-POMs 201
 porous POM/ZnFe₂O₄ nanoplates 200
 post-functionalization 41
 of organophosphonate hybrid Dawson POM 41
 postphotoreduction 223
 potential of polyoxometalates (POMs) 16, 54, 210, 316, 318
 polyoxometalate (POM) structures
 Anderson–Evans structure 10–11
 building block synthesis method 6
 Keggin structure 6–8
 Lindqvist structure 6
 one-pot synthesis 6
 Preyssler-type POM 11
 Wells–Dawson structure 8–10
 precipitate deposition-modified electrodes as electro-catalysts in heterogeneous phase
 NADH electro-catalytic oxidation 85
 Preyssler-type POM 11, 159, 161, 162
 protonated B-type Anderson 10
 proton-coupled electron transfer (PCET) 160–161, 172, 176, 186, 189, 299
 Prussian blue analogs (PBA) 208
 pseudocapacitors 325, 326
 Pt/C electrocatalyst 269–271, 275
 Pt²⁺-coordinated asymmetric functionalised hybrid
 Wells–Dawson POM 44
 PVIM-Co₅POM/NCNT composite 106
 PW₁₂/Ag/graphene-a and-b nanocomposites 197
 pyrazine 100, 108, 348
- R**
- rate-determining step (RDS) 169, 185, 266, 267
 redox flow batteries (RFBs) 285, 316
 capacity 287
 coulombic efficiency 289–291
 crucial parameter 288
 design 286
 electrolyte requirements
 costs and safety 291
 energy density 290
 fast electron transfer kinetics 290
 high ionic conductivity 290
 long-term stability of active materials 291
 mass transfer 291
 wide potential window 290
 energy efficiency 289–291
 negolyte 286

- performance 287
 POM-based 315–316
 posolyte 286
 voltage efficiency 289
 reduced graphene oxide (rGO) 96, 106, 111, 112, 132, 142, 222, 224, 269–271, 273, 329
 rotating disc electrode (RDE) 225, 266, 272
 rotating ring-disc electrode (RRDE) 266, 272
 Ru-based POM/CNT hybrid catalysts 197
 $[\text{Ru}_4(\text{H}_2\text{O})_4(\mu\text{-O})_4(\mu\text{-OH})_2(\gamma\text{-SiW}_{10}\text{O}_{36})_2]^{10-}$ 190
 Ru₄POM-based LBL assemblies 205
 RuPOM/KB composites 198
- S**
 Sabatier principle 268
 selenization method 242
 self-assembly
 of amphiphilic hybrid POMs on carbon surfaces 46
 mechanisms 45
 silver-analogue $[\text{AgP}_5\text{W}_{30}\text{O}_{110}]^{14-}$ Preyssler structure 11
 single atom catalysts (SACs) 235–237, 252
 single-walled carbon nanotubes (SWCNT) 48, 49, 96, 101, 109, 131, 132, 271, 272
 sodium-ion (Na-ion) batteries 297
 solid state batteries (SSBs) 285, 288
 solid-state electrolytes 349
 solvent-casting 14
 spatial arrangement, of POMs 3
 spin-coating 14, 173
 square wave voltammetry (SWV) 104, 105
 stable polyoxometalate-metallocporphyrin organic frameworks 175
 Strandberg-type 128, 245
 structure–redox relationship 34
 supercapacitors (SC) 296
- asymmetric 336, 337
 POMs 326–351
 supramolecular assembly 27, 44–46, 143, 346
 of redox-active $[\text{W}_{17}\text{C}_{20}]$ 47
 supramolecular structures, POMs 346–349
 surface immobilization 47–49
 surfactant-encapsulated POMs (SEPs) 13
 synergistic effect 99, 103, 109, 176, 178, 201, 202, 210, 223, 225, 231, 232, 235, 236, 241, 243, 245, 246, 249, 251, 252, 274, 328, 332, 340, 343, 346, 350, 351
- t**
 Tafel slope (TS) 186, 187, 195, 197, 199, 204, 205, 219, 220, 232, 239, 267, 271–276
 ternary nanohybrids (TNH), POMs 270, 341–347, 351
 tetra-*n*-butyl ammonium (TBA) 136, 165, 169, 170, 227, 233, 334
 thermodynamics, of CO₂ reduction 158–159
 three-dimensional CO₂-coordinated POM polymer 165
 3D polyoxovanadoborate framework 205
 3D transition metal-substituted POMs 165–169
 TM substituted-POM doped β-FeOOH nanocomposite 200
 top-down approach 275
 transition metal carbides 237–241, 270
 transition metal chalcogens (TCM) 242–246
 transition metal nitrides 246, 248, 270
 transition metal oxides 251, 269, 296, 326
 transition metal phosphides 247–251
 transition metal substituted POMs (TMS-POMs) 36–37, 165–169
 transition metal/POM composites 228–232

- triazine-based frameworks (TTF) 273
 trilacunary Keggin anions 7
 trilacunary Keggin-type POMs
 polyhedral and ball-and-stick
 representation 5
 tri-metallic OER electrocatalyst 199
 trimetalloco-substituted Keggin-type POMs,
 electrocatalytic performance of
 166
 tungsten-based bimetallic electrocatalysts
 241
 tungsten-based Keggin-type POMs 208
 turnover frequency (TOF) 168, 175, 178,
 186, 195, 197, 200, 201, 204, 205,
 220, 227
 Type I structures 34
 Type III structures 34
- U**
 UV spectra 72, 73
 of {PEI/[P₂W₁₈/[Ru(phen)₃]_n}
 multilayer film 73
- V**
 V-containing POMs
 as electro-catalysts in homogeneous
 phase
 L-cysteine electro-catalytic oxidation
 61–76
 NADH electro-catalytic oxidation
 76–85
 vanadium carbide (VC) preparation 208
 vanadium-containing POM [SiW₉V₃O₄₀]⁷⁻
 171
 vanadium-substituted phosphomolybdate
 104, 141
 vitamin C 107
 Volmer–Heyrovsky pathways 219, 220
 Volmer–Tafel pathways 219, 220
- voltage efficiency (VE) 289
 voltammetry 42, 44, 64, 65, 70–72, 74,
 79–81, 104, 128, 137, 140, 160, 191,
 193, 203, 221, 266, 274, 298, 299,
 301, 325, 333
 voltammogram 81, 311, 332–335, 337,
 340, 343, 344, 350
- W**
 water electrolysis 185
 water nucleophilic attack (WNA) 189,
 190, 195
 water oxidation catalysts (WOC)
 97, 188
 water oxidation on POMs
 electrocatalysis 188–189
 general mechanism 189
 water splitting reactions 185, 288, 335,
 349
 Wells–Dawson heteropolyanion 4
 clusters 31
 Wells–Dawson POM 10, 30–33, 40, 41,
 43, 44, 76, 130
 Wells–Dawson structure 8–10, 31, 32, 62
 Wells–Dawson-type 65, 93, 108, 136
 wet-bench technique 95
 wheel-shaped giant POM structures 12
 wide potential window 290, 308
- Y**
 yolk/shell ZIF-67@POM nanostructures
 204
- Z**
 zeolitic imidazolate frameworks (ZIFs)
 202, 207, 209, 239, 249
 ZIF-63 203, 204, 207, 208, 239
 ZIF-8@ZIF-67@POM hybrids 204
 ZnCoS nanowires 231, 232

