

Index

a

ab initio calculations 1, 35, 91, 99, 102, 171, 174
 adjacency probabilities 199
 anharmonic parameter 105
 anisotropic Gaussian function 98, 104
 aspherical model 6
 aspheric atomic scattering factors 130–131
 atomic basins 53, 57, 58, 78
 atomic centrosymmetry 127
 atomic charge 9, 18, 49, 59, 172, 204
 atomic dipole moment 62, 125
 atomic displacement parameter (ADP) 98, 103–108, 110, 172
 atomic form factor 5, 104
 atomic information entropy 63
 atomic interaction energy decomposition 73
 atomic kinetic energy 59–60
 atomic Laplacian 60
 atomic orbital basis functions 5, 182
 atomic quadrupole moment 62–63
 atomic virial theorem 61
 atomic volume 59, 204

b

Bayesian method 160–161
 Bloch functions 10, 44, 47
 Bloch theory 101
 Bohr's atomic model 4
 bond charge density 21, 24, 45, 128

bond critical points (BCP) 53–57
 bond order (BO) 55, 57–58
 delocalization index and 57–58
 bond path 53–57, 64
 length 55
 bond radius 55
 and bond path length 55
 Born–Oppenheimer approximation 1, 15, 35, 72, 86
 Born's interpretation 171
 Born–von Karman boundary condition 3, 37
 Born–von Karman condition 7, 41
 Bragg's Law 110
 Brillouin zone 44, 101

c

charge density distribution 10, 15
 charge-flipping method 100
 chemical interaction analysis
 electron localization function 65–68
 reduced density gradient 68–69
 source function 63–65
 Clinton method 10
 closed-shell atomic interactions 57
 closed-shell interactions 55, 93
 coarse-grained density matrices 70–72, 74
 commensurate magnetic structure 195
 commensurate modulation 197
 complementary error function 92
 composite structures 197, 198
 Compton effect 112

- Compton profile 3, 11, 41, 112, 113, 159, 162, 164–167
- Compton profile function (CPF) 7, 41
- Compton scattering 2, 5, 10, 11, 21, 41, 46, 112–113, 136, 159, 162, 165, 166
- Compton scattering profile 10, 41
- conditional density matrix 72
- Condon–Shortley phase factor 126
- configuration interaction 1, 35
- conjugate gradient method 98
- control function 77–82
- convergent-beam electron diffraction method 14
- convolution theorem of Fourier transform 17
- correlation coefficients 24, 114, 199, 200
- correlation function 157
- coupled cluster 1, 35
- covariance matrix 114, 116, 117, 160
- Cox–Williams model 91
- critical points 3, 50–57
- crystal binding energy 50, 91
- crystalline spin orbitals 8, 42
- crystal structure 2, 6–8, 12, 14, 21, 23, 24, 26, 50, 52, 86, 88, 91, 98–99, 124, 189–193, 197–199, 202
- d**
- data correction 22, 25–26
- Debye–Waller factor 98, 105, 132, 181
- deformation atomic energy 74
- deformation density 10, 15, 17–19, 90, 92, 129, 193, 205
- delocalization index 57–58, 76
- density functional theory (DFT) 1, 2, 36, 49, 171, 187
- density functions 2, 3, 8, 35–48, 98, 103, 105, 126–128, 172, 178
- density matrices 8, 20, 42
 - electron population statistics 75–77
 - energy partition 72–75
 - in real space 69–72
- density matrix and function
 - definition 4, 5, 38–41
 - electron density 5, 6, 39–40
 - momentum density 6, 7, 40–41
- density matrix model 3
 - Bayesian method 160–161
 - data types 161–163
 - definition of 154
 - dynamic scattering factor 156–157
 - elastic scattering 157–158
 - inelastic scattering 158–160
 - localized of 154–156
 - 1-RDM 163–164
 - refinement of structure factor and Compton profile data 165
 - spin-resolved one-order reduced density matrix (1-SRDM) 165–169
 - static structure factor 157
- diamond anvil cell (DAC) 8
- directional Compton profile 41, 159, 165
- directional Compton scattering profile 7, 41
- directional reciprocal form factor 7, 41
- dispersion energy 87, 91
- displacement modulation 197
- Dittrich’s invariom method 174
- DRK plots 26, 203, 204
- dynamic model deformation density 19
- dynamic scattering factor 156–157
- e**
- elastic scattering 15, 157–158
- electron density 1, 2, 5, 15–16, 35–48, 193
 - at bond critical points 55
 - density matrix and function 5, 6, 39–40
 - distribution 15
 - gradient 50
 - matrix models 9–12
 - model 3
 - topological graph 54
- electron-depleted region 55, 65, 193
- electron energy 61, 72
- electronic band structure 194–195
- electronic structure 189–206
 - deformation density 17–19

- electron density 15–16
 - electron wavefunction and density
 - matrix 19–21
 - residual density 16–17
 - electronic structure crystallography
 - 1–26
 - electron-density matrix models 9–12
 - electronic structures 14–15
 - electron wavefunction models 12–14
 - experimental electronic structure
 - research 5
 - pseudoatom models 5–9
 - X-ray crystallography and quantum
 - mechanics 4–5
 - electronic structure measurement
 - data correction 25–26
 - electronic structure refinement, quality
 - of 26
 - measurement process 25
 - single-crystal samples 24–25
 - electronic structure model 3, 26, 97, 113
 - electron localization function (ELF) 4,
 - 13, 50, 65–69
 - electron localization index 13
 - electron localization indicators (ELI)
 - 82–83
 - in momentum space 85–86
 - same-spin electron pairs 83–84
 - singlet and triplet electron pairs 84–85
 - electron momentum density 3, 5, 39–40,
 - 112, 165–166
 - electron-pair volume function 84
 - electron population distribution function
 - 77
 - electron population statistics 75–77
 - electron-rich region 55
 - electron-sharing bonds 55, 56
 - electron structure refinement 22, 26
 - electron wavefunction and density matrix
 - 19–21
 - electron wavefunction models 3, 12–14,
 - 171–187
 - electrostatic energy 88–91
 - electrostatic interaction energy 87–89
 - electrostatic interactions
 - EPMM 89
 - lattice energy 91–93
 - multipole expansion approximation
 - 88–89
 - non-electrostatic interactions 90–91
 - promolecular approximation 89–90
 - electrostatic potential 2, 7, 54, 89, 91–92,
 - 172, 193–194, 205
 - electrostatic theorem 9
 - ellipticity 56
 - delocalization index and bond order
 - 57–58
 - energy density of bond critical points
 - 56–57
 - energy partition 69–77
 - error function 92, 113–115
 - Ewald summation method 92
 - exact potential and multipole moment
 - (EPMM) 89
 - exchange operator 8, 42
 - experimental electronic structure 2–3,
 - 5, 8, 14–15, 21–26, 67, 113–120,
 - 136
 - experimentally constrained extremely
 - localized molecular orbital
 - refinement 185
 - experimentally constrained Hartree–Fock
 - equation 1, 180
 - experimentally constrained wavefunction
 - refinement 180, 185
 - extremely localized molecular orbital
 - (ELMO) 3–4, 13–14, 172,
 - 183–187
- f**
- Fermi correlation 58, 85
 - Fermi hole 65–66, 172
 - Fermi hole curvature 83–84
 - Fermi surface 11, 45, 198
 - first atomic electrostatic moment 62
 - first Brillouin zone 10, 44, 101
 - Fourier–Bessel transform 131, 143
 - fractal dimension of residual electron
 - density 203

- functional electronic structures 4,
189–205
- functional motif 4, 13, 49, 189–205
- functional state 202, 205
- g**
- Gauss divergence theorem 61
- generalized atomic scattering factor
(GASF) 5–6
- gradient kinetic energy 57, 60
- Gram Charlier coefficient 98
- h**
- Hansen–Coppens multipole model 10,
87, 131, 136
- Hartree equation 1, 35
- Hartree–Fock energy 11
- Hartree–Fock (HF) equation 1, 35,
179
- Hartree–Fock (HF) methods
- basis set 13, 14, 47–48
 - crystal density matrix and density
function 11, 12, 45–46
 - periodic solutions of 10, 11, 44–45
 - pseudopotentials 12, 13, 46–47
 - theoretical framework 8–9, 42–43
- Hellman–Feynman theorem 9
- Hessian matrix 51, 68
- Hirshfeld atomic partitioning 174, 176
- Hirshfeld atomic refinement 174, 178
- Hirshfeld atom model 8
- Hirshfeld atom refinement 8–9,
174–178
- electron density 175–176
 - partitioning method 176
 - structure factor calculation 176–178
 - wavefunction selection 174–175
- Hirshfeld atoms 8–9, 174, 176–177
- i**
- idempotent density matrix 10
- impulse approximation 7, 41, 112–113,
159–160, 165
- incoherent inelastic scattering 160
- incommensurate magnetic structure 195
- independent atom model 19, 99, 120,
124–125, 202
- induction energy 87
- inelastic scattering 100, 112, 150,
158–160, 165–166
- influence function 64
- initial state 202, 205
- Interacting Quantum Atoms (IQA)
method 3, 69
- interaction energy 50, 73–75, 86–93
from experimental charge analysis 93
- interaction region indicator 69
- intermediated interactions 57
- intermolecular interaction energy 50
of experimental electron density 86,
88
- irreducible component of the
second-order density matrix 76
- isolated-atom scattering factor 5
- isotropic Gaussian function 98
- j**
- joint probability density of electrons 20
- k**
- Kappa model 99, 125–126, 129
- kinematical theory 15
- kinetic energy density 56–57, 60, 64,
66–67, 69, 93, 172
- Kohn–Sham (KS) equation 2, 36
- Kohn–Sham (KS) methods
- periodic solutions of 10, 11, 44–45
 - theoretical framework 8, 9, 42–43
- Kohn–Sham orbitals 12, 66
- Koopmans’ theorem 1, 35
- k*-space 194
- l**
- Lagrange multiplier method 12, 172,
173
- Lagrange multipliers 12, 168, 181
- Laplacian 3, 51, 54–57, 60
of electron density 56–61, 64, 68, 78,
193, 205
- lattice dynamics 101–104, 108

- lattice energy 91–93
 Laue's equation 110
 least square method 98, 113–117, 120
 least square refinement method 99, 113–116, 117, 120
 Lewis acid 55, 193
 Lewis base 55, 193
 linear combination of atomic orbitals 19
 localization index 13, 58, 76–77
 local defects 189–191, 199–201
 local sources 64–65
- m**
- magnetic Compton profile (MCP) 11, 113, 166–167
 magnetic Compton scattering 10, 113, 162
 magnetic form factors 5, 132, 134, 135
 magnetic structure 189, 195
 magnetic structure factor 11, 111–112, 120, 132–136, 166–167, 189
 magnetic susceptibility tensor 189–190
 magnetic X-ray diffraction 10
 many-body perturbation 1, 35–36
 material functional motif
 crystal structure 191–193
 electronic structure 193–195
 local defects 200–201
 magnetic structure 195–196
 modulated defects 197–198
 statistical defects 199–200
 materials science research paradigm 189
 maximum entropy method 100, 117–120
 microfocus light source 22–23, 25
 microscopic structure 190
 modulus of the quadrupole moment 63
 molecular geometry diagram 54
 molecular orbitals with variable
 occupation numbers (MOON)
 model 10, 124, 149–150
 molecular orbital wavefunctions 9
 molecular spin orbitals 8, 42, 179
 molecular topological graph 53–54
- momentum density 1, 2, 3, 5, 6, 7, 36, 38–41, 47, 63, 86, 112–113, 136, 153, 159, 165–166, 193
 momentum electron pair volume 86
 Monkhorst lattice 10, 44
 Monte Carlo wavefunction 100
 Morse equation 52
 multicenter bonds 76–77
 multi-configuration wavefunction 21
 multi-electron Schrödinger equation 1, 35
 multiple scattering 25, 109–110, 165, 176
 multipole expansion approximation 88–90
 multipole model 6, 99, 123
 aspheric atomic scattering factors 130, 131
 of core electron expansion 131–132
 framework 129
 radial distribution functions 128–129
 real spherical harmonic density function 127–128
 spherical harmonics 126–127
- n**
- natural spin orbitals 21, 163
N-electron density matrix 1, 153, 154
N-electron wavefunction 153, 154, 164, 165
 net spin density 5, 38–39
 neutron diffraction-assisted analysis 108–110
 neutron sources 21, 97
 noncentrosymmetric 127, 134
 non-collinear magnetism 136
 non-commensurate modulation 197
 non-electrostatic interactions 90–91
 non-nuclear attractors 53
 non-relativistic electrostatic Hamiltonian 3, 37
 norm-conserving pseudopotential 13, 47
N-representability conditions 9–11, 153, 164, 168
 nuclear attractor 53
 nuclear critical point 51

o

- one-center term 21
- one-electron reduced density matrix
 - (1-RDM) 1, 3, 9–11, 13, 153–155, 158–160, 163–165
- one-order reduced density matrix 1, 165–169
- open shell system method 180–182
- orbital magnetization 111, 113

p

- Parseval's theorem 17
- Patterson function 17
- Pauli exclusion principle 9, 19–21, 35, 65, 168, 193
- Pauli repulsion principle 65–66
- Pauli spin matrix 182
- phonons 101, 158, 177–178, 199
- picture-change effect 183
- piezoelectric material 192
- plane waves 13, 46–48, 130, 175, 176
- Poincaré–Hopf relationship 52
- polarization energy 87
- polarized neutron diffraction 5, 7, 10, 11, 21, 111–112, 136, 137, 162
- position density matrix 8, 38, 42, 43
- position-spin density matrix 4, 38
- posterior probability distribution function 160
- post-HF methods 9, 35, 36, 43
- primitive Gaussian-type orbitals 145
- procrystal 92, 175
- projector augmented wave 13, 47
- promolecular approximation 89–90
- promolecule 18, 90, 124, 174
- pseudo-atom model 4–9, 123–150, 172
- pseudoatoms 6, 53, 88, 89
- pseudopotentials 12, 13, 46–48, 176
- pure spin contribution
 - atomic orbital model of spin density 132–134
 - multipole refinement of spin density 134–135

q

- quantum mechanics 1, 4–5, 15, 39, 150, 171, 172
- Quantum Theory of Atoms in Molecules (QTAIM) 3, 39, 49, 50, 57, 69, 73, 93, 204
- quasi-continuous distribution 81–82
- quasicrystals 198

r

- radial distribution functions 128–129
 - reciprocal form factor (RFF) 7, 11, 41, 46
 - reduced density gradient (RDG) 4, 50, 68–69
 - relativistic XCW method 13
 - relaxation energy 91, 92
 - N -representability conditions 9–11, 153, 164
 - repulsion energy 70, 72, 73, 75, 87, 91
 - residual density 16–17, 98, 124
 - residual density map 17, 124
 - restricted electron population analysis 80–81
 - ω -restricted partition 77–80, 85
 - ω -restricted population 81, 82
 - restricted space partition
 - electron localization indicators (ELI) 82–86
 - electron population analysis 80–81
 - quasi-continuous distribution 81–82
 - ω -restricted partition 77–80
 - ω -restricted space partition 3, 79
 - rigid fragment analysis 106–108
 - rigid pseudo atom approximation 103
 - Roby index 13
- S**
- same-spin electron pairs 83–85
 - scattering experiments
 - Compton effect 112–113
 - polarized neutron diffraction 111–112
 - X-rays diffraction 110–111
 - Schrödinger equation 1, 35, 37, 39, 44, 46, 47, 86, 138
 - Schrodinger kinetic energy 59

- second atomic electrostatic moment 62
 second-order density matrix 73, 76, 80, 82
 second-order Douglas–Kroll–Hess (DKH) Hamiltonian 182
 Seitz notation 5, 39
 self-energy 69, 73, 74
 shared electron pair 57, 76
 shared interactions 57
 single-crystal samples 5, 24–25
 single determinant wave function 9, 10, 20, 43, 76
 single-particle density matrix 10, 175
 single-Slater-determinant wavefunction 9–12
 singlet and triplet electron pairs 84–85
 singlet electron pair density 84, 85
 source function 4, 50, 63–65
 spin and orbital contributions 135, 136
 spin density 2, 5, 7, 36, 39, 136
 of atomic orbital model 132–134
 of multipole refinement 134–135
 spin density model
 of electron density and spin density 136–137
 non-collinear magnetism 136
 pure spin contribution 132–135
 spin and orbital contribution 135
 spin-orbit coupling 11, 36, 135, 138
 spin population matrix 166–169
 spin-resolved one-order reduced density matrix (1-SRDM) 11, 165–169
 static model deformation density 19
 static structure factor 157
 statistical defects 190–191, 199–200
 statistical indicator 26, 180
 Stirling’s formula 118
 supersoft pseudopotential 13, 47
 synchrotron 21–22, 97
- t**
- temperature factor 7–8, 12, 18, 24, 98–99, 108–109, 126, 131, 136, 141, 147–149, 173, 177, 190, 192, 197, 199
- thermal diffuse scattering 109, 176
 thermal vibration analysis
 atomic displacement parameters 103–106
 lattice dynamics 101–103
 neutron diffraction-assisted analysis 108–110
 rigid fragment analysis 106–108
 TLS model 106
 topological analysis
 bond path and molecular topological graph 54
 chemical bonds 55–58
 electron density 50–53
 gradient vector field 53–54
 Laplacian 54–55
 topological atomic properties 3
 atomic charges 59
 atomic dipole moment 62
 atomic information entropy 63
 atomic kinetic energy 59–60
 atomic quadrupole moment 62–63
 atomic volume 59
 Laplacian 60
 total atomic energy 60–61
 topological atoms 50–63, 204
 topological bond properties 3
 total atomic energy 60–61
 total electron density 13, 16–17, 124, 136, 144, 172
 total electron energy density 57
 total energy 12, 40, 56, 60–61, 73–75, 86–87, 163
 total number of electrons 58–59, 79–81, 85
 translational symmetry 191, 197–198
 triplet electron pair density 84–85
 two-center term 21
 two-electron density 20, 50, 70
 two-electron reduced-density matrix 153
- u**
- unconstrained HF (UHF) wavefunctions 180
 unit cell 191

- unit cell (*contd.*)
 - density 98
 - electron density 16
- unit partition 69–70, 73, 77
- V**
- valence orbital model 100
- valence shell charge concentration 55
- virial field 56
- virial graphs 54
- virial path 54
- virial theorem 9, 40, 56–57, 61, 64, 93
- volume function 82, 84
- W**
- Wannier functions 10, 44
- wavefunction 1, 15
 - electron 3, 12–14, 171–187
 - model 3
- Wigner–Seitz primitive cell 11, 45
- X**
- X-ray absorption coefficients 25
- X-ray atomic orbital (XAO) model 10, 100, 123, 137–143
 - atomic single-electron orbitals 137–141
- X-ray Compton scattering 11, 21, 159
- X-ray constrained extremely localized molecular orbital (XC-ELMO) method 13, 172
 - constrained extremely localized molecular orbitals 185–187
 - theoretical extremely localized molecular orbitals 183–185
 - valence bond method 14
- X-ray constrained spin-coupled method 14
- X-ray constrained wavefunction (XCW) model 12, 100, 171–173
 - Hirshfeld atom refinement 174–178
 - mathematical framework 173–174
 - open shell system method 180–182
 - refinement 178–180
 - relativistic effects, treatment 182–183
- X-ray constrained wavefunction refinement 178
 - density matrix representation 179
 - experimental 179–180
 - thermal vibrations treatment 178–179
- X-ray crystallography 2, 4–5
- X-ray diffraction 2, 10, 110–111
 - and non-polarized neutron 136–137
- X-ray diffractometers 8
- X-ray molecular orbital (XMO) model 4, 10, 124, 143–149
- Z**
- zero-flux surface 53–55, 59–61, 65, 90