

## Index

### **a**

absorption chiller 66, 192, 194, 244, 330, 337, 338  
 AC optimal power flow (ACOPF) 211–214  
 active customers 20, 21, 45, 102, 398, 405  
 active power balance 202  
 active power consumption 303, 310, 317  
 actors  
   in distributed system 102  
   framework setters 104, 105  
   interactions among 105, 107–108  
   operators and utilities 102–104  
   supporters and suppliers 104–105  
 evolution of 102  
 grouping, based on stakeholder characterization 101  
 roles 101  
 supporters and suppliers 106  
 actuators 83–86  
 adaptive control algorithms 162  
 aggregators 102, 328, 422  
 alkaline electrolyzers 33  
 alternating direction method of multipliers (ADMM) approach 273, 276–279, 316  
 Alternative Fuels Infrastructure Directive (AFID) 10  
 anion exchange membrane (AEM) electrolyzers 34

apartment/detached house/  
 condominiums 326  
 application programming interfaces (API) 372  
 Artificial Intelligence (AI) techniques 84, 168, 418  
 Augmecon-based Pareto optimal solution 245

### **b**

balance responsible parties (BRPs) 99, 102, 103, 132, 357  
 balancing energy supply 1  
 bandwidth network tariff 250, 253  
 battery energy storage system (BESS) 170, 194, 209, 210, 213–214, 242, 243, 245–247, 337  
 bi-level optimisation model 277  
 bill sharing (BS) 274  
 binary decision variables 143, 198  
 blockchain technology 79, 89, 90, 373, 403, 404  
 boilers 6, 22, 31, 35, 37–39, 65, 66, 91, 113, 147, 192, 193, 243, 327, 330, 397  
 branch-and-cut algorithm 144  
 BRIDGE (Building the Research and Innovation for the Development of Green Energy) 12  
 Business Model Canvas (BMC) 121, 124  
 Business Models (BMs) 100, 121  
   development 124  
   overview 121–124

**C**

- Calliope 217, 218, 420
- capacity of dispatchable units 202
- capacity tariff 250
- centralised markets 271, 272, 278, 279
- centralised optimisation techniques 271, 275, 279
- chance-constrained optimization 150, 151
- chemisorption 69
- Citizen Energy Communities (CECs) 100, 344, 359
  - policy and regulation analysis 57
  - vs. REC vs. ILEC analysis 58
- Clean Energy for All Europeans Package 10, 45, 100, 247, 323
- Clean Energy Package 10, 45, 57, 226, 254, 344, 359, 367–369, 415, 420
- Cloud-based data storage and processing 164–165
- Cloud Computing 87, 164–165
- coefficient of performance (COP) 9, 35, 66, 127, 194
- cogeneration plants (CHP) 192, 339, 340
- cogeneration system 66
- collective self-consumption (CSC) 28, 78–79, 104, 132, 266–267, 316, 344, 402, 404
- combined cooling heat and power (CCHP) 9, 32, 326
- Common Information Model (CIM) 163
- Common Smart Grid Model (CSGM) 163
- Communication (2022/230) REPowerEU Plan 22
- communication infrastructure 128, 233, 269
- community acceptance 361–363
- community-based markets 271–272
- community-based virtual power plant (cVPP) 365, 370, 372–373
- community NPO 118
- confidentiality, integrity, and availability (CIA) 88
- congestion mitigation strategies, in distribution grid
  - grid access rejection 234
  - grid reconfiguration 233
  - grid reinforcements 233
  - using reserve capacity 233–234
- Connecting Europe Facility (CEF) 11
- connecting technologies
  - at community level 32–33
    - characteristics 36
    - desalination process 34–35
    - electric planes, ferries and hydrogen transport 34
    - electrolysers 33–34
  - at prosumer level 31
    - characteristics 33
    - combined cooling heat and power 32
      - EV charging station 32
      - heat pump 32
    - definition of 31
- consumers' empowerment policies 28
- consumers/prosumers 326, 342, 347, 422
- continuous decision variables 143, 196–198
- continuous double auction mechanism (CDA) 273, 276–278, 281
- Control and Management Technologies 79, 82–83
- control technologies 156–166
- cooperatives 99, 104–105, 118, 120, 344, 360, 367–368, 370–371
  - development agencies 361
- cost-effective implementation 100
- cost-related barriers, for enabling technologies 90
- CREST tool 304
- cross-vector sector coupling 3, 323
- crowdsourced resources 285
- cryo-polygeneration demonstrator (CPD) for Nanyang Technological University 334–337
- cybersecurity 2, 88–89, 110, 165–166, 255, 420

**d**

Data Analytics 83, 84, 158  
 Data Architectures 140, 156–166, 420  
 data exchange and privacy regulation 397  
 data governance 80, 81  
 Data Management technologies 79–82, 90, 418  
 data privacy and security barriers, for enabling technologies 90  
 data processing component 80–81  
 data security 80, 81, 256  
 data storage 80, 164, 165, 228, 373  
 day-ahead operation planning framework, of MCES 150, 189  
 DC optimal power flow (DCOPF) 211  
 decarbonization 4–9, 15, 19–22, 24, 30, 46, 127, 139, 323, 337–340, 346, 357, 393, 396, 399, 401, 404, 410, 415–418  
 of energy sector 30  
 decentralised markets, P2P 272  
 Deep Learning (DL) 84  
 demand response programs, in multi-carrier energy systems 154  
 demand side flexibility technologies barriers for enabling technologies 91  
 energy conversion technologies 63–67  
 descriptive analytics 83  
 diagnostic analytics 83–84  
 DICOPT (DIScrete and Continuous OPTimizer) solver 204  
 digital twins 165, 394  
 discrete optimisation techniques 273  
 DistFlow method 300, 301  
 Distributed Control System (DCS) 83  
 Distributed Energy Resources (DER) 6, 15, 29, 40, 111, 112, 122, 131, 155, 202, 255, 265, 278, 309, 326, 327, 330, 357, 361, 364, 365, 370, 372, 389, 401, 402, 415, 416  
 distributed locational marginal price (DLMP) 282, 283  
 distributed markets 271, 272, 279

distributed multi-energy systems (DMES) 63, 64, 90, 91  
 flexibility 63–76  
 distributed optimisation approach 273, 278  
 distributed renewable energy technologies photovoltaic supply and demand interactions 78–79  
 photovoltaic systems 76–78  
 distribution grid congestion in definition 231  
 mitigation strategies 232–234  
 developments 228–231  
 distributed renewable energy resources growth 229  
 electrification of demand 229–230  
 energy transition 228  
 grid metering 230  
 higher assets controllability 230–231  
 distribution system operators (DSOs) 102, 227, 276, 394  
 objective of 228  
 obligations for 228  
 distribution systems, characteristics 226  
 district heating network (DHN) 102, 113, 121, 123, 127–129, 133, 245, 287  
 district heating system operator 394, 401

**e**

economic dimension, ILECs blockchain technology 403–404  
 cost-effective tools 402  
 economic incentives 402  
 energy market and supporting financial viability 403  
 financial tool 403  
 flexibility market regulation 402–403  
 economic incentives 13, 111–113, 132, 282, 402, 410, 422  
 E-Coop 370, 371  
 Edge Computing 87–88  
 EH level 71, 289

- electrical energy storage systems 194
- electrical power system, schematic
  - diagram of 226–227
- electric chiller 66, 91
- electric heater 66
- electric heat pump (EHP) 4, 6, 9, 66, 91, 127, 147, 199
- electricity network 6, 43, 199, 201–202, 204, 205, 226, 247, 248, 250
- electric mobility 15, 30, 188, 316, 416
- electric vehicles (EVs) 242
  - modelling 195–196
  - optimal flexibility management 237–240
  - owners 102
- electrification
  - concept of 4
  - industrial processes 4, 6
  - residential and commercial buildings 4
  - transportation 4
- electrolyser 67, 330, 338
- electromobility 29, 299, 315–317, 390, 399, 421
- electromobility integration 315–317
- Emissions Trading System (EU ETS) 11
- end user
  - in ILEC 102
  - sector coupling 3, 31
- EnerGent 372, 373
- energy balance equations 244
- EnergyCAP 218
- energy carriers 20
  - ECs 60–61
  - types, changes for 22
- Energy Communities (ECs) 288, 313, 328, 390, 395
  - characteristics, activities, and scale of deployment 359–360
  - Clean Energy Package 368–369
  - community acceptance 361–363
  - cVPP in Loenen Gent 372–373
  - energy carriers 60
  - energy technologies 62–63
  - Local Token Economy 373–374
  - markets reproducing path
    - dependencies 367–368
  - motivation for establishment 59–60
  - organizational structure 58–59
  - other emerging actors 360–361
  - roles and responsibilities of 41
  - Spanish Energética Cooperativa 370–372
  - technology facilitating or hindering 363–366
  - upscaling processes of 422
- energy conversion technologies 3, 30, 63–67, 113, 243
  - types and characteristics of 63–64
- Energy Cooperative Loenen (ECL) 372, 373
- Energy Efficiency Directive (EED) 10, 41
- energy efficiency, role of 22
- EnergyExemplar PLEXOS 218
- energy hub (EH)
  - aggregators 328
  - for aggregators, EV charging station 331, 334
  - architecture 340, 421
  - concept 325
  - energy communities 328
  - multisite consumers 328
  - renewable energy communities 344, 347
  - SMES project in Singapore 333–338
  - technologies 328–329
  - Università Politecnica delle Marche (UNIVPM) 329–332
- Energy Infrastructure Regulation (TEN-E) 10, 25
- energy management systems (EMS, BEMS) 15, 75, 82, 85, 106, 109–110, 125–128, 130, 162–163, 269, 288–289, 325–327, 330, 357, 365–366, 372–373
- energy optimisation module 289
- Energy Performance of Buildings Directive (EPBD) 10
- EnergyPLAN 217, 218, 420
- energy policy regulation 269

- energy service provider 102, 122, 282
  - energy storage assets 43, 74, 77, 102
  - energy storage integration 42–44
  - energy storage owners 102, 103, 128, 132
  - energy storage segmentation 27
  - Energy Storage Systems (ESS) policies 43
  - energy system 356, 358
    - modeling 163–164
    - needs and challenges of 1–2
  - eNeuron project
    - algorithm definition 290–291
    - architecture 289–290
    - overview of 288–289
  - ENTSO-E RD&I Roadmap 28
  - environmental dimension, ILECs
    - GHG emissions taxing exemption 400–401
    - impact cost analysis 399–400
    - life cycle assessment (LCA) 399–400
    - raw materials and waste management 400
  - environmental key issues 113
    - emission mitigation
      - carbon capture and storage 117
      - demand response 117
      - electrification of transportation 117
      - energy efficiency measures 116–117
      - energy storage solutions 117
      - renewable energy integration 116
    - noise issues
      - construction and maintenance 115
      - electrical equipment 115
      - wind turbines 115
    - spatial issues 114
      - infrastructure requirements 114–115
      - land availability 114
      - land use conflicts 114
    - waste management and disposal 115–116
  - ESCOs 102, 122–123, 125, 127, 128, 132
  - ETIP Smart Networks for Energy Transition (SNET) 11
  - Vision 2050, 2, 11
  - EU directives 57, 100, 324, 344, 346, 372, 396, 407
  - EU Internal Electricity Market (IEM) Directive 2019/944 21, 41, 57
  - EU Reference Scenario 22
  - European Energy Storage Technology Development Roadmap 25
  - European Green Deal 11, 247
  - European Technology & Innovation Platforms (ETIPs) 11–12
  - European Technology and Innovation Platform Smart Networks for Energy Transition (ETIP SNET) 2, 11–12, 23, 29
  - EV charging station/supply equipment (EVSE) 72
  - EV infrastructure standardisation 44
  - EV integration into electricity market 44–45
  - E-waste 115–116
- f**
- Feed-In Premium (FIP) 119
  - feed-in tariffs (FITs) 119, 358, 403
  - Field Area Network (FAN) 86
  - fit-and-forget 392
  - flexibility aggregators 328
  - Flexible Electric Load (FEL) 242–243, 245, 247
  - Flexible Investment Promotion schemes 119
  - fog computing 88
  - forecasting techniques 153, 168, 393
  - framework setters 99, 104, 105, 132
  - fuel cell-micro-CHP units 42
  - full P2P markets 272, 279
- g**
- game-theoretic approaches 273, 275, 276
  - gas distribution system operator (GDSO) 102, 132
  - gas turbine combined heat and power (GT-CHP) systems 37
  - GHG emissions taxing exemption 400–401

- GOPACS 248–249
  - government's role 103–104
  - greenhouse gas emission reduction 1, 4, 29, 116, 123, 126, 128, 225, 228, 237, 391, 399, 410
  - green hydrogen production 42
  - grid-friendly manner 406
  - grid-to-vehicle (G2V) mode 315
  - grid usage prices (GUPs) 283, 287
  - gross domestic product (GDP) 22
  - gross inland consumption (GIC) 22
  - Gurobi solvers 312
- h**
- heat pump (HP) 32
    - mathematical model 243
    - reversible heat pump 193
  - heuristic methods 144, 272, 273
  - hierarchical control architectures 163
  - high-efficiency cogeneration 41
  - holistic approach, in ILEC planning and operation
    - higher hierarchical level 166–167
    - interaction with aggregators/retailers 172
    - local market interaction 172
    - lower hierarchical layer-real-time operation and assets' control 168–170
    - lower hierarchical level 167–168
    - network interaction 171–172
    - wholesale market interaction 172
  - Home Area Network (HAN) 86–87
  - home (building) energy management system 241–242
    - case study and results 245–247
    - mathematical model
      - absorption chiller 244
      - battery energy storage system 242
      - electric vehicle 242
      - energy balance equations 244
      - flexible electric load 242–243
      - heat pump 243
      - objective functions 245
      - photovoltaics 242
      - solar thermal 242
      - space heating/cooling demand 244
      - thermal storage system 243–244
      - time-shiftable electric load 243
    - mixed-integer linear program model 242
  - HOMER Pro 217–218, 420
  - hosting capacity problem 76
  - H<sub>2</sub> storage 68–70
  - hybrid markets 267, 272
  - hydrogen
    - infrastructure, deployment of 24–25
    - regulatory barriers related to 41–42
    - storage 27, 30, 195
  - Hydrogen Hub for the Decarbonization of Singapore Industrial Port Area (IPA) 337–339
  - The Hydrogen Roadmap Europe 25, 27
  - Hydrogen Strategy 24
  - HYSYS 218
- i**
- ICT-based Energy Management System (EMS) 82, 106, 109, 125–128, 130, 327, 330, 365, 366, 372, 373
  - IEC 61851 72
  - IEC 62351 series of standards 165
  - IEM Directive 21, 28, 29, 41, 43
  - immature market 44
  - incentive-based DR program (EDR) 201, 203–207
  - independent system operators (ISOs) 227
  - industrial processes 4, 6, 23, 117, 142
  - Information and Communication Technologies (ICT) 79, 357, 365
    - blockchain 89–90
    - communication systems 86–87
    - computing technologies 87–88
    - Control and Management Technologies 82–83
    - cybersecurity 88–89
    - Data Management technologies 79–82
    - Internet of Things (IoT) 84–86
    - Technologies for Analytics 83–84

- institutional issues 117
    - funding local projects 118–119
    - (self-) governance 119–120
    - ILEC ownership model 118
    - incentives and targets 119
    - institutional (re-)design 120–121
    - promoting energy democracy 118
    - regulatory issues and policy framework 120
    - support schemes 119
    - trust level and motivation of citizens 117–118
  - instruments
    - flexibility activation for congestion management 247–254
    - bandwidth tariff 250–251
    - capacity tariff 250
    - in Europe 247–248
    - market instruments 248–250
    - network tariff instruments 248
    - simulation case study 251–254
  - Integrate 116, 218, 420
  - Integrated Demand Response Programs (IDR) 236, 237
  - integrated energy systems 2, 23, 132
  - integrated flexibility
    - characterization 235–237
    - description 235
    - in distribution grid 254
      - customer related barriers 255–256
      - market barriers 254
      - regulatory barriers 254–255
      - technological barriers 255
    - at sector-level studies 236
    - spatial and temporal attributes 235
    - at system level 236
  - integrated local energy communities (ILECs) 15, 16
    - economic dimension 401–404
    - environmental dimension 398–401
    - European level 390–391
    - implementation
      - barriers 130–131
      - benefits 131–132
      - policy implications 132–133
      - vs. REC vs. CEC analysis 58
      - regulatory dimension 395–396
      - social dimension 404–409
      - technical dimension 392–395
  - integrated local multi-energy systems 19
  - Integrated Systems approach 4–5
  - intermediate market rate (IMR) 274
  - Internal Electricity Market Directive (EMD II) 10, 57, 100, 102, 103
  - Internet of Things (IoT) 79, 84–86
  - involved stakeholders 28, 59
  - Italian city scale multi energy microgrid (Osimo) 339–343
- k**
- Kirchhoff's law 202, 211
- l**
- latent TES (LTES) 67–68
  - lead-acid batteries 71, 73
  - LHCDSO 102, 104, 122, 128–130
  - license procedures and paperwork 396–397
  - life cycle assessment (LCA) 116, 399–400
  - linear programming problem 143, 144, 147
  - liquid hydrogen storage 69
  - lithium-ion batteries 69, 71, 73, 228, 229
  - load forecasting 110, 153
  - local authorities 58, 99, 104–105, 130, 132, 359, 370, 393, 396, 409
  - local electric generation, in LECs 41
  - local energy resources, optimal use of 35
    - regulatory limitations 39–40
      - market-related issues 40
      - need of grid codes revision 40
    - technical limitations 35
      - cost and cost-effectiveness 39
      - environmental issues 38
      - low efficiency 35–37
      - low flexibility 37
      - security concerns 38
      - spatial issues 38–39

- local multi-carrier energy systems,
  - benefits of 187–188
- local P2P pricing module 289
- Local Token Economy (LTE) 370, 373–374
- LP techniques 277
- m**
- Machine Learning (ML) 84
- marine renewable energy devices 41
- Maritime Singapore Decarbonisation blueprint 338
- Maritime Singapore Green Initiative programme 338
- market barriers 254, 283, 367, 369, 373–374, 420
- market-based instruments, for congestion management
  - GOPACS 248–249
  - Piclo Flex 249–250
- market-based mechanisms 273–274
- market interaction, with multi carrier energy systems 154–156
- market participants 228, 234, 269, 369
- market price forecasting 153
- market simulation and clearing 275–276
- material-based storage 69
- metering infrastructure 89, 106, 123, 269
- micro energy hub (mEH) 325
  - apartment/detached house/condominiums 326
  - campuses 327
  - CHP plant 340, 341
  - factories 326–327
  - flexibility results 342–343
  - local energy community 342
  - MV/LV network 340–341
  - office buildings 326
  - renewable energy communities 344–347
  - smart building 341–342
  - technologies 327
- microgrid, EV-based 316
- mid-market rate (MMR) 274, 277–279
  - pricing method 277
- Mission Innovation (MI) 12
- mixed-integer linear programming (MILP) approach 143, 198, 239, 241, 242, 273, 276–279, 338
- Mixed-Integer Nonlinear Programming (MINLP) 144, 204, 212, 273, 276
- Mixed-Integer Programming (MIP) approach 143, 204
- monolithic program 217
- multi-agent-based approach 278
- multi-carrier energy systems (MCES) 390, 392
  - commercial tool analysis 215–220
  - control technologies, developments and trends on 160–166
  - cost minimization 190
  - data and data architectures, complexity and challenges of 158–160
  - DR programs and flexibility 190
  - emissions reduction 190
  - energy planning tools
    - bottom-up models 217
    - level of detail 216
    - modularity 217
    - optimization models 217
    - purpose 216
    - scope 216
    - simulation models 217
    - top-down models 217
  - modelled energy technologies 191–196
    - primary energy technologies 192–193
    - renewable energy sources 191–192
    - secondary energy technologies 193–194
    - storage systems 194–196
  - operational planning of 147–151
  - optimal day-ahead scheduling 200–209
  - optimal design problems 196–200
  - optimal planning
    - analysis of literature works 147
    - decision making process 142–143



- exact modeling/optimization
    - dilemma 144–145
  - multi-objective approach, need for 145–147
  - optimization problems, features and modeling approaches of 143–144 and technical aspects 141–142
  - optimal real-time operation 209–215
    - case study and simulation results 212–215
    - network constraints 211
    - objective function 210
    - solution methodology 211–212
    - technology operation constraints 210–211
  - optimization framework for
    - coordinated planning and operation 189–191
  - reliability and resilience 190
  - real-time operation of 152–153
    - demand response programs 154–156
    - market interaction with 154–156
    - multi-objective approaches 153
  - renewable energy integration 190
  - stakeholder engagement and collaboration challenges 157
  - system architectures, developments and trends on 160–166
  - system controllability benefits 157–158
  - system monitoring benefits 156–157
  - visibility and controllability 156–158
  - multi-effect distillation (MED) 35
  - multi-energy network constraints 285–287
  - multi-objective Home Energy Management System (HEMS) 153, 231, 235, 241, 242, 244, 245, 247, 251
  - multi-objective optimization problem (MOOP) 242, 245, 289
  - multiple energy communities
    - case study and analysis 304–307
    - optimization model 300–304
    - reactive power compensation services 307–315
  - multi-stage flash (MSF) 35
- n**
- Nash bargaining theory 277, 278
  - Neighbourhood Area Network (NAN) 86
  - nickel-metal hydride (NiMH) batteries 69, 71
  - NIST cybersecurity framework 165, 166
  - noEC group 304, 308
  - non-cooperative approach 277
  - nonlinear programming problem 144
- o**
- office buildings 239, 326, 328
  - On-premise Computing 87
  - Open Charge Point Protocol (OCPP) 45, 231
  - operational phase, eNeuron project 289
  - operators and utilities 75, 77, 99, 101–104
  - optimal day-ahead operation problem, multi-energy microgrid 201
    - case study and simulation results 204–209
    - demand response constraints 203
    - electricity network constraints 201–202
    - gas network constraints 202–203
    - objective function 201
    - solution methodology 204
    - uncertainty consideration 203–204
  - optimal design problems, for MCES 196
    - case study and simulation results 198–200
    - design constraints 197
    - objective function 196–197
    - operation constraints 198
    - solution methodology 198
    - system balance constraints 198
  - optimal planning, of multi-carrier energy systems
    - analysis of literature works 147

- optimal planning, of multi-carrier energy systems (*contd.*)
    - decision making process 142–143
    - exact modeling/optimization dilemma 144–145
    - multi-objective approach, need for 145–147
    - optimization problems, features and modeling approaches of 143–144
    - technical aspects 141–142
      - electrification of heat 142
      - electrification of transport 141–142
      - modelling and interaction 141
  - optimal power flow (OPF) 211, 276, 300
  - optimization framework
    - for coordinated planning and operation of MCES 189–191
  - optimization model 300
    - of multiple communities 300–304
    - reactive power compensation services 309–311
  - optimization problems
    - goal of 147
    - of Mixed-Integer Linear Programming (MILP) type 143–144
    - of Mixed-Integer Non-Linear Programming (MINLP) type 144
    - for multi-carrier energy systems planning 143–144
  - ownership model of ILEC projects 118
- p**
- Pan-European dimension 21–22
  - Pan-European priorities 20–30, 35
  - Panhandle equation 203, 204
  - parametric design modeling 236
  - Pareto front analysis 147
  - pay-as-bid 274, 277, 285
  - pay-as-clear 273
  - peer decision-making process 270, 272–274, 278–279
  - peer-to-peer trading 102, 131, 358, 360, 397–398
  - photovoltaics 418
    - supply and demand interactions 78–79
    - systems 76–78
  - physisorption 69
  - Piclo Flex 249–250
  - planning and operation processes 140
  - policy makers 103–104
  - Power Facts Europe 24, 26
  - power flow model 300
  - power-to-gas (P2G/PtG) technologies 2, 65, 415
  - power-to-gas-to-power process 3
  - power-to-heat process 65
  - power-to-heat technologies 4, 68, 127, 128, 187
  - power-to-liquid process 65
  - power-to-liquid route 3
  - power-to-power case 65–66
  - P2P energy exchange 287
  - P2P energy trading
    - ancillary services 284–285
    - background 266–268
    - concept and challenges 268–270
    - eNeuron project 288–291
    - market design 276–279
    - multi-energy network constraints 285–287
    - wholesale and multi-energy markets 279–284
  - P2P market designs
    - community-based or centralised markets 271–272
    - full P2P or decentralised markets 272
    - hybrid or distributed markets 272
  - P2P market implementation
    - market simulation and clearing 275–276
    - peer decision-making process 272–273
    - transaction price determination process 273–275
  - predictive analytics 83–84, 165
  - prescriptive analytics 84
  - pressurized hydrogen gas storage 69
  - price signals 74, 77, 122, 235, 236, 248, 272, 278
  - pricing algorithms 272, 274, 275

- pricing mechanism 75, 268, 269, 277, 279, 282, 287
- Programmable Logic Controller (PLC) 83, 84, 86
- project initiators 408
- prosumer 313, 397
  - connecting technologies 31–33
  - and consumer 326, 342, 347, 422
- Proton Exchange Membrane (PEM)
  - electrolysers 33–34
- P2X conversion 63–64
- Pyomo 211, 212
- q**
- Qdown optimization 311, 312
- quadratically constrained programming (QCP) 304, 312
- Qup optimization 312
- r**
- ramp-rate limits 202
- raw materials and waste management 400
- reactive power balance 202
- reactive power compensation services
  - case study and analysis 312–315
  - maximum up and down flexibilities 311–312
  - optimization model 309–311
- reactive power flexibility 300, 307, 311, 312, 314, 317, 421
- real-time operation, of multi-carrier energy systems 152, 153
  - demand response programs 154
  - market interaction 154–156
  - multi-objective approaches for 153
- recyclability 399, 400
- reference optimization 311, 314
- regional transmission organizations (RTOs) 227
- regulators 103–104, 130–132, 267, 307, 419
- regulatory and compliance barriers, for enabling technologies 90–91
- regulatory dimension, ILECs
  - data exchange and privacy regulation 397
  - EU directives 396
  - license procedures and paperwork 396–397
  - peer-to-peer trading 397–398
  - social communities, vulnerable 398
  - taxing and incentives schemes 397
- regulatory sandboxes 398
- Reinforcement Learning 84
- Renewable Energy Communities (RECs) 41, 100, 339, 344
  - vs. CEC vs. ILEC analysis 58
  - policy and regulation analysis 57
- Renewable Energy Directive (RED) 43, 299, 344, 357
- Renewable Energy Directive (RED II) 10, 21, 57, 100, 406
- renewable energy forecasting 153
- renewable energy sources (RES) 115, 415
  - challenges 1
  - in MCES 191–192
- Renewable Heating and Cooling (RHC-Platform) 12
- REPowerEU plan 11, 22, 139
- Research, Development & Innovation (RD&I) 11, 12
- residential and commercial buildings 4
- retail energy provider (REP) 282
- reverse auction (RA) mechanisms 274
- Reverse Osmosis (RO) 34
- reversible heat pump 9, 193–194
- revised Renewable Energy Directive (RED II) 100, 299
- robust data architectures, for multi-carrier energy systems 158, 160
- robust optimization 110, 150, 154, 278
- Roulette Wheel mechanism 151
- S**
- scenario generation 151, 168, 189
- second-order cone programming based ACOPF (SOCP-ACOPF) 211

- sector coupling 55, 323
  - cross-vector 3–4
  - decarbonization of heating and cooling 9
  - definition of 2–4
  - economic barriers 13
  - electrification 4–6
  - end-user 3
  - European energy legislation
    - directives 10
    - initiatives 11–12
    - policy 11
  - integrated local energy community 14–16
  - interoperability barriers 13
  - omissions in legislation/regulation 13
  - social barriers 13–14
  - system stability and reliability 6–9
  - technologies 30–35
    - barriers 13
    - and infrastructure lists for ILECs 31
  - self-organizing ILEC challenges 119
  - selling electricity 283, 356
  - sensible TES (STES) 67
  - sensor network/wireless sensor network 85
  - sensors 80, 82–86, 128, 152, 365
  - short-term operation planning
    - framework, of MCES 189
  - single-stage absorption chiller 194
  - Smart Metering system 28, 84
  - smart meters (SM) 29, 83, 84, 110, 152, 230, 255, 335, 339, 394–395, 420
  - Smart Readiness indicator (SRI) 10
  - SMES project in Singapore
    - cryo-polygeneration demonstrator (CPD) for Nanyang Technological University 334–337
    - hydrogen Hub for the Decarbonization of Singapore Industrial Port Area (IPA) 337–338
  - social acceptance 8, 111, 358, 361, 366, 370–372, 391, 392, 407–408, 410, 422
  - social communities, vulnerable 398
  - social dimension
    - citizens through energy communities 406–407
    - engagement and cooperation 408–409
    - projects to communities 405–406
    - social acceptance 407–408
  - socio-economic issues 111
    - energy poverty reduction 112
    - high initial costs 111–112
    - inadequate economic incentives 111–112
    - increasing community engagement and willingness to pay 113
    - increasing energy autonomy and security of supply 112
    - split-incentives 111–112
  - socio-technical approach 355, 356
  - socio-technical systems 355, 367
  - solar PV 24, 41, 192, 209, 266, 358, 364, 372
  - solar thermal (ST) 9, 28, 31, 38, 192, 241
  - space heating/cooling demand (SHD/SCD) 244
  - Spanish Energética Cooperativa 370
  - spatial flexibility 235
  - SPINE Toolbox 218
  - split incentives 111–112, 130
  - Stackelberg game model 278
  - stochastic optimization 150, 151, 173, 189, 316, 419
  - stochastic programming 150, 151, 201, 203
  - storage technologies 67
    - electrical energy storage 69–72
    - H<sub>2</sub> storage 68–69
    - thermal energy storage 67–68
  - Strategic Energy Technology Plan (SET Plan) 11
  - Study on Energy Storage 26
  - Supervised Learning 84
  - Supervisory Control and Data Acquisition (SCADA) 80, 82–83, 162
  - supply-demand ratio (SDR) 274, 275, 277–279
  - supporters and suppliers 104–106

**t**

tariff-based DR programs 200  
 taxing and incentives schemes 397  
 technical dimension, ILECS  
   coordination and control 394  
   energy community 395  
   generation sources fluctuations 393  
   project implementation 394  
   reduce grid reinforcement 392–393  
   smart meters installation 394–395  
 technological ILEC implementation  
   issues 106  
   data management and cybersecurity 110  
   energy management system  
     implementation 109–110  
   grid integration 109  
   local ancillary services 111  
   promoting energy storage 110  
   scalability 111  
   smart metering implementation 110  
 technology facilitating or hindering  
   energy communities  
   opportunities, barriers and impacts of  
     digitalisation 365–366  
     traditional technologies 364, 365  
 temporal flexibility 236  
 thermal energy storage (TES) 26, 66–68,  
   127, 128, 194–195, 337, 338, 342  
 thermal storage system (TSS) 142, 170,  
   241, 243  
 thermochemical TES (TTES) 38, 39, 68,  
   231  
 time-of-use (TOU) DR program 203  
 Time-Shiftable Electric Load (TSEL)  
   243, 247  
 total net consumption 304

traditional technologies 364, 365  
 transaction price determination process  
   273–276  
 transmission system operators (TSOs)  
   21, 22, 227, 357, 394  
 transmission systems, characteristics  
   226

**u**

UN Climate Change Conference (COP21)  
   415  
 Università Politecnica delle Marche  
   (UNIVPM) 329–332  
 Unsupervised Learning 84

**v**

vehicle-to-grid (V2G) technology 74,  
   237, 315  
 virtualization 164  
 virtual power plants (VPPs) 119, 266,  
   324, 328, 343, 365, 366  
 Vision 2050, 2, 11, 23  
 V2X services 4, 45

**w**

waste management practices 116  
 waste-to-energy conversion 116  
 water desalination, solutions for 34  
 Wide-Area Monitoring and Control  
   (WAMC) systems 162, 163  
 Wide Area Network (WAN) 87  
 WindEurope 12, 20, 24  
 wind turbines (WT) 38, 39, 41, 115, 150,  
   188, 192, 229, 265, 361, 405

**z**

ZIP model 211, 303



















