

## Contents

**Preface** *xix*

**Author Biography** *xxi*

<b>1</b>	<b>Introduction to Polymers, Wood Adhesives, and Wood Finishes</b>	<b>1</b>
1.1	Good Wood Adhesives Must Be Optimum Polymers with Optimum Secondary Forces	1
1.2	Polymeric Materials	2
1.3	Synthetic Polymer Preparation Methods	2
1.4	Typical Synthetic Polymer Materials	3
1.5	Typical Natural Polymers	8
1.6	Summary	10
	References	11
<b>2</b>	<b>Principles of Polymer Chemistry for Wood Adhesives and Finishes</b>	<b>12</b>
2.1	Degree of Polymerization and Molecular Weight	12
2.1.1	Determination of Molecular Weight or Degree of Polymerization	12
2.2	Properties of Polymer Solutions or Suspensions	13
2.2.1	Viscosity of Polymer Solutions	13
2.2.2	Dependence of Viscosity on the Shear Rate (Stirring Rate)	14
2.2.3	Temperature Dependence of Viscosity of Polymer Solutions	15
2.2.4	Dependence of Viscosity on the Concentration and Molecular Weight of Dissolved Polymers	15
2.2.5	Methods of Viscosity Measurement of Liquid Materials	17
2.3	Polymer Solids Level and Specific Gravity of Polymer Solutions	18
2.4	pH of Polymer Solutions and Buffers	18
2.4.1	pH	18
2.4.2	Acidic Buffers and Buffer Capacity	19
2.5	Solid Properties of Polymer Materials	20
2.5.1	Adhesive Property of Polymer Solids	20
2.5.2	Cohesive Property of Adhesive Polymer Solids	20
2.5.3	Cohesive Strength Measurement and Viscous and Elastic Responses	20
2.5.4	Measurement of the Elasticity of Solid Polymer Materials	21
	References	22

<b>3</b>	<b>Thermosetting and Thermoplastic Wood Adhesives and Practices</b>	<b>23</b>
3.1	Selection Criteria of Wood Adhesives	23
3.2	High Temperature-Curing Thermosetting Adhesives and Curing Conditions	24
3.3	Room Temperature-curing Thermosetting Wood Adhesives and Processes	25
3.4	Room Temperature-curing Thermoplastic Wood Adhesives	25
3.5	Adhesive Application Methods and Loading Rates and Costs	26
3.6	Adhesive Curing by Hot Presses and Other Heating Methods	26
3.7	Evaluation of Adhesive Bonds	28
3.8	Summary	28
	References	28
<b>4</b>	<b>Principles of the Curing of Thermosetting and Thermoplastic Wood Adhesives</b>	<b>29</b>
4.1	Principles of Curing of Thermosetting Adhesive Resins at Elevated Temperatures	29
4.1.1	Viscosity Changes of Adhesive Layer Before Hot-Pressing	30
4.1.2	Spreading and Penetration of Adhesive Layers in Hot-Pressing	30
4.1.3	Viscosity Decreases by Moisture Content Changes	31
4.1.4	Viscosity Increases and Curing of Adhesive Layer by Polymerization Reaction	31
4.1.5	Flow and Wetting of Adhesive Layers and Molecular Adsorption	31
4.1.6	Gelation of Adhesive Layer	32
4.1.7	Vitrification of Adhesive Layer	32
4.1.8	Post-Curing of Adhesive Layer	33
4.2	Relationship of Temperature and Moisture Content in Hot-Pressing of Wood Composite Mats	33
4.2.1	Platen Pressure, Mat Thickness, and Density Profiles	33
4.2.2	Temperature Changes and Moisture Movements in Board Mat	34
4.2.3	Extents of Resin Cure in Hot-Pressing	35
4.3	Curing of Thermosetting Adhesives at Room Temperature	35
4.4	Curing of Thermoplastic Emulsion Adhesives	36
4.5	Volume Contractions of Adhesive Layers upon Curing	37
4.6	Thermal and Moisture Expansion/Contraction of Adhesive Layers	38
4.7	Summary	38
	References	39
<b>5</b>	<b>UF and MUF Wood Adhesive Resins (Manufacturing and Resin Chemistry)</b>	<b>40</b>
5.1	Raw Materials of UF Resins	40
5.2	Urea-Formaldehyde (UF) Resins	42
5.3	Chemistry Occurring in UF Resin Synthesis	46
5.3.1	Second Step of Resin Synthesis	47
5.4	Polymer Chain Branching in UF Resins	50
5.5	Other Reactions Occurring in UF Resin Synthesis	52
5.6	F/U <sub>1</sub> Mole Ratio Effects in the Polymerization Step	53
5.7	Final F/U Mole Ratios and Formaldehyde Emission Problem	54

5.8	Physical and Chemical Tests and Properties of Industrial UF Resins	55
5.9	Resin Changes Occurring After Manufacture of UF Resins	58
5.10	Bond Performances and Durability Tests of UF Resins in Industry	60
5.11	UF Resins vs. Various Operating Parameters in PB, MDF, and Hardwood Plywood Industry	61
5.12	Other UF Resin Synthesis Procedures	62
5.13	Polymeric Chemical Structures of UF Resins	63
5.14	Melamine-Urea-Formaldehyde (MUF) Resins	63
5.15	Urea-Melamine-Formaldehyde (UMF) Resins	66
5.16	Summary	69
	References	69
<b>6</b>	<b>Urea-Formaldehyde and MUF/UMF Wood Adhesive Resins (Curing)</b>	<b>72</b>
6.1	Typical Latent/External Catalysts Based on Ammonium Salts for UF Resins	72
6.2	Organic Tertiary Amine Salts of Strong Acids and Other Catalysts	73
6.3	Catalyzation of UF Resins by Wood Acids	74
6.4	Buffering of Acidic Catalysts	77
6.5	Thermosetting Curing Reactions, Cured Resin Structures, and Formaldehyde Emission Problem	78
6.6	Control of the Curing Speeds of UF Resins	81
6.7	Side-Reactions Occurring in the Curing of UF Resins	81
6.8	Phenomenological Changes of UF Resins in Curing	82
6.9	Chemical Curing Mechanisms, F/U Mole Ratio, and Cured Resin Structure	84
6.10	Composition of Cured UF Resins	85
6.11	Uses of UF Resins	86
6.12	Properties of UF Resin-Bonded Wood Composite Boards	86
6.13	Formaldehyde Emission Mechanisms, Mole Ratios, and Board Strength Properties	87
6.14	Various Methods Proposed/Practiced for Reducing the Formaldehyde Emissions of Boards	88
6.15	Curing of Melamine-Urea-Formaldehyde (MUF) Resins	89
6.16	Curing of Urea-Melamine-Formaldehyde (UMF) Resins	90
6.17	Cost Increases Estimated for Boards with Very Low Formaldehyde Emission Values	91
6.18	Summary	92
	References	92
<b>7</b>	<b>Particleboard, MDF, and Hardwood Plywood Bonding with UF Resin Binders</b>	<b>94</b>
7.1	Particleboard	94
7.1.1	Wood Furnishes in Particleboard Manufacture	94
7.1.2	Blending of Resin, Catalyst, and Wax Emulsion in Particleboard Manufacture	95
7.1.3	Mat Formation and Transport	97
7.1.4	Hot-pressing	98
7.1.5	Equilibration and Finishing	100

7.1.6	Bison–Mende process	100
7.1.7	Properties of Commercial Particleboards	100
7.1.8	US Particleboard (PB) Industry	100
7.1.9	Summary	101
7.2	Medium Density Fiberboard (MDF) Bonded with UF Resins	102
7.2.1	Fiber Manufacture and Blowline Resin Blending	102
7.2.2	Paddle Blending System of Resins	104
7.2.3	Comparison of MDF Resin Blenders	105
7.2.4	Mat-Forming and Hot-Pressing Parameters of PB and MDF in Industry	107
7.2.5	Physical Properties of Commercial MDF	108
7.2.6	Medium Density Fiberboard Industry	109
7.2.7	Summary	109
7.3	Hardwood Plywood Bonding with UF Resin Adhesives	109
7.4	Paraffin Wax and Uses in Wood Composites	112
7.4.1	Use of Paraffin Wax	112
7.4.2	Properties of Paraffin Wax	112
7.4.3	Analyses of Wax	113
7.4.4	Wax Application Methods	114
7.4.5	Wax Use Levels	114
7.4.6	Summary	114
7.5	Effects of UF Resins' Curing Catalysts on Tool Wear in Machining of Boards – An Example of Laboratory PB Manufacturing and Testing	115
7.6	Summary	120
	References	120
<b>8</b>	<b>PF Novolac Wood Adhesive Resins (Manufacturing and Chemistry)</b>	<b>122</b>
8.1	Raw Materials of PF Resins	122
8.2	Reaction Chemistry of Phenol	123
8.3	Synthesis and Chemistry of Novolac Phenol-Formaldehyde (PF) Resins	124
8.4	Compounding and Curing of Novolac PF Resins	129
8.5	Curing Speed and Testing Methods of Molding Compounds of PF Novolac Resins	130
8.6	Wood Adhesive Uses of Novolac PF Resins	132
8.7	Summary	133
	References	134
<b>9</b>	<b>PF Resole Wood Adhesive Resins (Manufacturing and Chemistry)</b>	<b>136</b>
9.1	Alkaline PF Resole Wood Adhesive Resins	136
9.2	Synthesis Chemistry and Manufacturing Practices of Alkaline PF Resole Resins	136
9.3	Typical Synthesis Procedures of Alkaline PF Resole Resins for Various Uses	140
9.4	Properties and Polymer Structures of Alkaline PF Resole Resins and Measurements	143

- 9.5 Resin Characteristics and Uses of Various PF Resole Resins 147
- 9.6 Molecular Weights (Sizes) of Alkaline PF Resole Resins and Wood Cell Wall Penetration 148
- 9.7 Powder PF Resole Resin Manufacturing by Spray-drying 149
- 9.8 Curing of Alkaline PF Resole Resins 150
  - 9.8.1 Pre-dry and Pre-cure, Resin Spreading, and Flow 150
  - 9.8.2 Final Curing of Alkaline PF Resole Resins in Wood Bonding 151
  - 9.8.3 Gel Times and Stroke Cure Times of Liquid PF Resins 153
  - 9.8.4 Dynamic Mechanical Analysis (DMA) Method of Curing Tests for Thermosetting Resins 153
  - 9.8.5 Differential Scanning Calorimetric (DSC) Analysis of PF Resole Resins 157
- 9.9 Good Wood Adhesion and Exterior Durability of PF Resin Adhesives 158
- 9.10 Formaldehyde Emission Problem of PF Resin-bonded Products 159
- 9.11 Various Binder Uses of PF Resins in the US Wood Products Industry 159
- 9.12 Acid-curing PF and PMF Resole Resin and Dispersion Wood Adhesives 162
- 9.13 Summary 163
  - References 163
  
- 10 PRF Novolac Wood Adhesive Resins and Lumber Lamination 166**
  - 10.1 Manufacturing and Chemistry of PRF Resins 167
    - 10.1.1 Chemical Structures of PRF Resins 169
    - 10.1.2 Relationship Between Target Viscosity, Resin-Solids, and Storage Stability of PRF Resins 171
      - 10.1.3 P/R Ratio Measurements from  $^{13}\text{C}$  NMR Spectra 172
  - 10.2 PRF and RF Resin Adhesives Currently Available in Industry 172
    - 10.2.1 Some Nonideal Aspects of PRF Resins 173
  - 10.3 Hardeners for PRF Resin Adhesives 174
  - 10.4 Mixing of a PRF Resin and Hardener, Pot-Lives, Working Life, and Assembly Time 175
  - 10.5 Applying and Curing of PRF Adhesives in Wood Lamination 176
  - 10.6 Curing Chemistry of PRF Resin Adhesives and Industry Practices 179
  - 10.7 Wood Lamination Industry 179
  - 10.8 Recent Developments in PRF Resin Adhesives 182
  - 10.9 Laminating Wood Adhesives Based on Other Resorcinolic Materials 184
    - 10.10 Advanced Reading Materials on Resorcinol-Formaldehyde (RF) Resins 185
      - 10.10.1 Synthesis and Fractionation of an RF Resin and GPC Analysis 185
      - 10.10.2 Assignments of  $^{13}\text{C}$  NMR Chemical Shift Values of RF Resin Fractions 187
      - 10.10.3 Polymer Structures of RF Resins Derived from  $^{13}\text{C}$  NMR Spectra 188
      - 10.10.4 Relationship Between Intrinsic Viscosity and Molecular Weight Values from Equation  $n_3$  190
  - 10.11 Summary 191
    - References 191
  
- 11 Softwood Plywood Adhesives and Manufacturing Technology 194**
  - 11.1 Softwood Plywood Manufacturing Technology 194
  - 11.2 PF Resole Resins for Bonding of Softwood Plywood 195

11.3	Veneer, Veneer Drying, and Adhesion Problems	196
11.4	Bond Performance Characteristics of Softwood Plywood Adhesives	197
11.5	Softwood Plywood Adhesive Mixing Procedure	197
11.6	Softwood Plywood Adhesive Formulation and Characteristics	198
11.6.1	Characteristics of PF Resin Adhesive Mixes	198
11.6.2	Gap-Filling Capability of Softwood Plywood Adhesives	199
11.6.3	Viscosity Targets of Softwood Plywood Adhesive Mixes	200
11.6.4	Fillers in Softwood Plywood Adhesives	200
11.6.5	Extenders in Softwood Plywood Adhesives	201
11.6.6	PF Resin Adhesives, Adhesive Spread Rates, and Application Methods	202
11.7	Open and Closed Assembly Times	204
11.8	Pre-pressing of Softwood Veneer Assembly	204
11.9	Hot-Pressing Parameters of Softwood Plywood	204
11.10	Laminated Veneer Lumber (LVL)	207
11.11	Parallel (Veneer) Strand Lumber (PSL)	207
11.12	New Developments in the Softwood Plywood Adhesive Technology	208
11.13	Phenolic Components Present in PF Resin-Bonded Softwood Plywood	209
11.14	Softwood Plywood Manufacturing Industry	209
11.15	Plywood Adhesive Fillers Made from Hydrolysis Residues of Municipal Newsprint Wastes	210
11.15.1	TVA Fillers and a Control Filler	210
11.15.2	Plywood Adhesive Mix	211
11.15.3	Plywood Manufacture	211
11.15.4	Plywood Test Results	212
11.16	Conclusion	214
11.17	Summary	214
	References	214
<b>12</b>	<b>Isocyanate Wood Adhesive Resins</b>	<b>217</b>
12.1	Chemical Compositions of Isocyanate Wood Adhesive Resins	217
12.2	Reactivity, Polymerization, and Curing Reactions of Isocyanate Resins	218
12.3	Mat Moisture Levels in Using pMDI Resins for OSB Bonding	223
12.4	Bond Properties and Uses of pMDI Resins as OSB Binders	224
12.5	pMDI Resins Used in Bonding of Other Wood Composite Products	226
12.6	Summary	227
	References	227
<b>13</b>	<b>OSB Manufacturing with PF and Isocyanate Wood Adhesive Resins</b>	<b>229</b>
13.1	Oriented Strand Board (OSB) Manufacturing Processes	229
13.1.1	Wood Species Used in OSB Manufacture	229
13.1.2	Stranding (Flaking)	230
13.1.3	Drying and Screening of Strands	231
13.1.4	Binder Resin Types	231
13.1.5	Blending of Binder Resin and Slack Wax	232
13.1.6	Mat Forming with Strand Orienters	234

- 13.1.7 Hot-Pressing of Mat 235
- 13.1.8 Oriented Strand Lumber (OSL) 238
- 13.1.9 Adhesive Improvements Needed in the OSB Industry 239
- 13.1.10 History of Wafer Board and Flakeboard 239
- 13.1.11 Durability and Span Ratings of Oriented Strandboard in Use 239
- 13.2 OSB Bonded with PF Resins with Various Levels of Urea Added at the End of Resin Synthesis 240
  - 13.2.1 Syntheses of PF Resole Resins with Urea Added at the End of Synthesis 241
  - 13.2.2 Testing of Synthesized Resins 242
  - 13.2.3 Resin Curing Rates Determined by DMA 242
  - 13.2.4 Laboratory OSB Manufacturing and Testing 243
  - 13.2.5 Test Results of Manufactured OSB Panels 244
  - 13.2.6 Conclusion 246
- 13.3 Summary 246
  - References 247
  
- 14 Polyvinyl Acetate (PVAc) Emulsion Wood Adhesives 249**
  - 14.1 Polyvinyl Acetate (PVAc) Emulsion Wood Adhesive Resins 249
    - 14.1.1 Manufacturing of PVAc Emulsion Resins 249
    - 14.1.2 Properties of PVAc Emulsions and Polymers 250
    - 14.1.3 Commercial PVAc Emulsions 250
    - 14.1.4 Additives Used in Formulating PVAc Emulsion Wood Adhesives 251
    - 14.1.5 Properties of Formulated PVAc Emulsion Wood Adhesives 252
    - 14.1.6 Various Commercial Formulated PVAc Emulsion Wood Adhesives 252
    - 14.1.7 Application Methods of PVAc Emulsion Wood Adhesives 253
    - 14.1.8 Curing Mechanism of PVAc Emulsion Wood Adhesives 253
  - 14.2 Summary 253
    - References 254
  
- 15 Troubleshooting in Wood Bonding with PVAc Resin Adhesives 255**
  - 15.1 Effects of Moisture Content of Wood 255
  - 15.2 Troubleshooting Methods in Various Gluing Operations 259
    - 15.2.1 Troubleshooting in Cold-Press Lamination 260
    - 15.2.2 Troubleshooting in Hot-Press Laminating Process 260
    - 15.2.3 Troubleshooting in Radiofrequency Edge-Gluing 261
    - 15.2.4 Troubleshooting in Edge and Face Gluing by Clamping 261
    - 15.2.5 Troubleshooting in Assembly Gluing by Clamping 262
    - Reference 262
  
- 16 Hot-melt and Other Specialty Wood Adhesives 263**
  - 16.1 Introduction to Hot-melt Adhesives 263
  - 16.2 Requirements For Hot-melt Adhesives 263
  - 16.3 Materials Used for Hot-melt Wood Adhesive Formulations 265
  - 16.4 Advantages and Disadvantages of Hot-melt Adhesives 266
    - 16.4.1 Advantages 266

- 16.4.2 Disadvantages 266
- 16.4.3 Uses of Hot-melts 267
- 16.5 Thermosetting Hot-melt Adhesives – Recent Development 267
- 16.5.1 A Typical Thermosetting Hot-melt Formulation 267
- 16.5.2 A Comparison of a Thermosetting Hot-melt Against Other Types 267
- 16.6 Key Variables in Hot-melt Edge-banding Operation 268
- 16.7 Other Specialty Wood Adhesives 269
- 16.7.1 Mastic Adhesives 269
- 16.7.2 Contact Adhesives 270
- 16.7.3 Epoxy Resin Adhesives 271
- References 273
  
- 17 Casein, Soybean Flour, Animal Blood, and Lignin Wood Adhesives 275**
- 17.1 Casein Wood Adhesives 275
- 17.2 Animal Protein-Based Wood Adhesive 276
- 17.3 Soybean Meal and Soybean Protein Wood Adhesives 276
- 17.4 Animal Blood-based Wood Adhesives 278
- 17.5 Various Lignins and Uses in Wood Adhesives 278
- References 281
  
- 18 Theory and Practices of Adhesive Bonding for Wood 283**
- 18.1 Formation of Interphase in Wood Adhesive Bonds and Failure Modes 283
- 18.1.1 Interphase Present Between Wood and Adhesive Layer in Adhesive Bond 283
- 18.1.2 Failure Modes in Mechanical Testing of Wood Bonds 284
- 18.1.3 Causes of Adhesive-layer or Interphase Failures in Wood Adhesive Bonds 284
- 18.1.4 Possible Further Divisions of Interphase in Wood Adhesive Bonds 285
- 18.1.5 Adhesive Failure vs. Wood Failure in Testing of Adhesive Bonds 285
- 18.1.6 Monitoring is a Must: Adhesive Quality, Adhesion Operation, and Bonded Products 286
- 18.2 Wettability of Solid Surface, Contact Angle, and Surface/Interface Tensions 287
- 18.3 Work of Adhesion 291
- References 291
  
- 19 Physical and Chemical Mechanisms of Adhesive Bonding for Wood 292**
- 19.1 Adsorption (Secondary Bond Forces) Theory of Adhesion 292
- 19.2 Mechanical Interlocking Theory of Adhesion 296
- 19.3 Diffusion Theory of Adhesion 297
- 19.4 Primary Chemical Bond (Covalent Bond) Theory 298
- 19.5 Summary of Adhesion Mechanisms 299
- 19.6 Glueline Layer Thickness and Bond Strengths 299
- 19.7 Summary 301
- References 301



<b>20</b>	<b>Evaluation of Wood Adhesive Bonds, Quality Control, and Bond Durability</b>	<b>302</b>
20.1	Mechanical Testing Modes and Methods for Measuring the Adhesive Bond Strength	302
20.1.1	Shear Strength Test	302
20.1.2	Tensile Strength Tests	303
20.1.3	Cleavage and Peel Strength Tests	306
20.1.4	Bending Strength Tests	307
20.2	Quality Control, Certification Tests, and Adhesive Bond Durability	309
20.2.1	Objectives and Scope of Quality Control Processes	309
20.2.2	Durability Evaluation of Wood Composite Boards and Certification	309
20.2.3	Certification of Exterior-Use Wood Composite Products	310
20.2.4	Certification of Exterior-Use Wood-Based Structural Panels (PS2-92)	311
20.2.5	Cyclic Delamination Test Procedure (AITC Test 110)	312
20.2.6	Other Common Laboratory Aging Test Methods Used in the Industry	312
20.2.7	Testing and Certification Organizations Involved	313
20.3	Comparison of Various Wood Adhesive Bonds by Accelerated Aging or Exterior Exposure Tests	313
20.4	Nondestructive Testing of Wood and Wood Adhesive Bonds	315
20.5	<i>In-situ</i> Adhesion Testing	315
	References	316
<b>21</b>	<b>Introduction to Coatings Technology for Wood</b>	<b>317</b>
21.1	Three Components of Coatings	317
21.2	Pigment Volume Concentration (PVC)	317
21.3	Various Kinds of Vehicle Polymers	319
21.3.1	Fatty Oils and Modified Fatty Oils	319
21.3.2	Alkyd Resins	320
21.3.3	Polyester – Unsaturated and Saturated Polyesters	321
21.3.4	Cellulosics	322
21.3.5	Acrylic Resins	323
21.3.6	Vinyl Resins	324
21.3.7	Epoxy Resins	325
21.3.8	Isocyanate Resins (urethane resins)	326
21.3.9	Silicone Resins	327
21.3.10	PF, MF, UF Resin Derivatives	327
	References	328
<b>22</b>	<b>Introduction to Coatings Technology for Wood. II</b>	<b>329</b>
22.1	Pigments and Fillers	329
22.2	Manufacturing and Kinds of Pigments and Fillers	329
22.3	Color Control Methods	329
22.4	Color Scales – Hunter <i>L</i> , <i>a</i> , <i>b</i> , and CIE 1976 <i>L</i> * <i>a</i> * <i>b</i> * (CIELAB) Color Scales	331
22.5	Carriers of Coatings	332
22.6	Additives to Coatings	332
22.7	Manufacturing Procedures of Coatings	332

- 22.8 Film Formation Mechanisms 333
- 22.9 Water-Borne Coatings and Coatings for Less VOC Emissions 334
- 22.10 Exterior Coatings for Wood 336
  - 22.10.1 Stains 336
  - 22.10.2 Varnishes 336
  - 22.10.3 Paints 337
- 22.11 Summary 337
- References 338
  
- 23 Industrial Coating Application Processes 339**
  - 23.1 Application Methods of Coatings 339
  - 23.2 Sanding Processes 342
  - 23.3 Sanding Abrasives, Construction, and Flexing 344
  - 23.4 Typical Furniture Finishing Procedures and Materials 344
  - 23.5 Flat Line Finishing Procedures of Wood Composite Boards for Furniture Production 346
  - 23.6 Kitchen Cabinet Finishing Procedures 347
  - 23.7 Hardwood Plywood Panel Prefinishing 348
  - 23.8 Hardboard Panel Finishing Procedures 349
  - 23.9 Summary 350
  - References 350
  
- 24 Advanced Reading Materials on UF Wood Adhesive Resins 351**
  - 24.1 Introduction to the  $^{13}\text{C}$  NMR Spectroscopic Analysis Method 351
  - 24.2 Introduction to  $^{13}\text{C}$  NMR Analysis Methods of UF and UMF Wood Adhesive Resins 356
  - 24.3  $^{13}\text{C}$  NMR Analysis Results of Reaction Intermediates Taken in UF Resin Syntheses 360
  - 24.4  $^{13}\text{C}$  NMR Analysis Results of Reaction Intermediates Taken in UF Resin Syntheses with a Higher Power Instrument 366
    - 24.4.1 Effects of the Addition of Second Urea and Mild Heat Treatments 369
    - 24.4.2 Polymerization in the Acidic Polymerization Step Observed with Second Urea Addition 370
    - 24.4.3 Polymerization In the Acidic Reaction Step Observed Without the Second Urea Addition 372
    - 24.4.4 Summary 373
  - 24.5 Chemical Changes Occurring in UF Resins on heat/stirring and Room-temperature Storage Treatments by  $^{13}\text{C}$  NMR and Formaldehyde Emission Tests of Particleboard 374
    - 24.5.1 Effects of Mild and Intermediate Level Heat/Stirring Treatments (Samples A<sub>2</sub>-A<sub>6</sub>) 374
    - 24.5.2 Effects of Room-temperature Storage Treatments of UF Resins 378
    - 24.5.3 Formaldehyde Emission Test Results of Particleboard (PB) 381
    - 24.5.4 Summary 382
  - 24.6 Effects of Mild Heating/Stirring Treatments on UF Resins Synthesized with Different F/U<sub>1</sub> Mole Ratios by  $^{13}\text{C}$  NMR 382

- 24.6.1 Syntheses of UF Resins with Varying F/U<sub>1</sub> Mole Ratios 382
- 24.6.2 Heat/Stirring Treatments of Synthesized UF Resins 383
- 24.6.3 Viscosity and Turbidity Changes in Heat Treatments 383
- 24.6.4 F/U<sub>1</sub> Mole Ratio Effects on UF Resin Structures in Heat Treatments Observed by <sup>13</sup>C NMR 384
- 24.6.5 Summary 388
- 24.7 Effects of Room-temperature Storage Treatments on UF Resins Synthesized with Various F/U<sub>1</sub> Mole Ratios by <sup>13</sup>C NMR and Formaldehyde Emission Tests of Particleboard 388
  - 24.7.1 F/U<sub>1</sub> Mole Ratio Effects on Viscosity/Turbidity Changes in Room-temperature Storage Treatments 389
  - 24.7.2 Functional Group Changes of UF Resins in 7–50-day Room Temperature Storage 392
  - 24.7.3 Test Results of Particleboards Bonded with Various UF Resins 393
    - 24.7.3.1 Internal Bond and Bending Strengths of Particleboards (PBs) 393
    - 24.7.3.2 F/U<sub>1</sub> Mole Ratio Effects on Formaldehyde Emission Values of Particleboards 394
  - 24.7.4 Applications to the UF Resin and PB Manufacturing Industry 396
  - 24.7.5 Summary 397
- 24.8 Effects of Mild Heat/Stirring and Room-temperature Storage Treatments of UF Resins Synthesized with Various F/U<sub>1</sub> Mole Ratios by <sup>13</sup>C NMR and Formaldehyde Emission Tests 397
  - 24.8.1 Resin Synthesis and Treatment Procedures 398
  - 24.8.2 Collection of Data 398
  - 24.8.3 Heat Treatment Effects of UF Resins Made with Various F/U<sub>1</sub> Mole Ratios 402
  - 24.8.4 Heat Treatments at 60 °C for 2.5 hours Followed by Storage at Room Temperature for up to 27 days 405
  - 24.8.5 Reaction Mechanisms of Methylene and Methylene-ether Group Forming Reactions 406
  - 24.8.6 Viscosity and Phase Changes of UF Resins During Heating/Storage Treatments 408
  - 24.8.7 F/U<sub>1</sub> Mole Ratio and Posttreatment Effects on Resin Polymeric Structures and Compositions 409
  - 24.8.8 F/U<sub>1</sub> Mole Ratio and Heat Treatment Effects on Particleboard Strength Properties 411
  - 24.8.9 Particleboards Bonded with Resins of 2.5-hours Heat and Followed Room-temperature Storage Treatments 415
  - 24.8.10 Summary 417
  - References 418
- 25 Advanced Reading Materials on UMF Resins Modified with 6–12% Melamine 420**
  - 25.1 Introduction and Synthesis and Analysis Results of UF and UMF Resins 420
    - 25.1.1 Background and Known Resin Synthesis Methods of UMF Resins 420
    - 25.1.2 Reaction Chemistry of MF and UMF Resins 421
    - 25.1.3 Resin Syntheses of UF and UMF Resins 422

- 25.1.4 Characteristics of UMF Resins and Resin Intermediates Determined by  $^{13}\text{C}$  NMR Spectra 422
- 25.1.5 General Resin Characteristics of Synthesized UMF Resins 429
- 25.1.6 Conclusion 432
- 25.2 DMA Curing Properties of UF and UMF Resins 432
  - 25.2.1 Past Research Using Dynamic Mechanical Analysis (DMA) Method on Wood Adhesive Resins 432
  - 25.2.2 DMA Sample Preparation and Experiments 433
  - 25.2.3 Three Curing Segments of DMA Curing of Resin UFA<sub>1.15</sub> 433
  - 25.2.4 Curing Chemistry of Resin UFA<sub>1.15</sub> 435
  - 25.2.5 Effects of Catalyst Level and Mix Time and Temperature on DMA Curing of Resin UFA<sub>1.15</sub> 438
  - 25.2.6 Comparison of Resins UFA<sub>1.15</sub> and UMF<sub>1.15</sub> by DMA at Three Different Temperatures 439
  - 25.2.7 Effects of Three Different F/(U + M) Mole Ratios on Curing Rates at 150 °C 441
  - 25.2.8 Summary 441
- 25.3 Bond Performance of UMF Resins as Particleboard Binders 443
  - 25.3.1 Preparation and Tests of Laboratory Particleboards 443
  - 25.3.2 Test results of Particleboards Bonded with Resins at an F/(U + M) Ratio of 1.15 443
  - 25.3.3 Summary 445
  - References 445
- 26 Advanced Reading Materials on UMF Resins Modified with 2.5% and 5.0% Melamine 447**
  - 26.1 UMF Resins Synthesized with 2.5% and 5.0% Melamine Levels 447
    - 26.1.1 Experimental Procedures 447
    - 26.1.2 Resin Chemical Structures Determined by  $^{13}\text{C}$ -NMR 449
    - 26.1.3 Storage Stability of UF and UMF Resins 451
    - 26.1.4 Properties of Catalyzed Resins 451
    - 26.1.5 Particleboard Test Results 453
    - 26.1.6 Summary 456
  - 26.2 UMF Resins Synthesized by Adding Melamine at Different Points 456
    - 26.2.1 Syntheses of UMF Resins 457
    - 26.2.2 Physical Properties of Synthesized UMF Resins 458
    - 26.2.3 Resins' Chemical Structures From  $^{13}\text{C}$  NMR Results 458
    - 26.2.4 Storage Stability of Un-catalyzed Resins 459
    - 26.2.5 Properties of Catalyzed UMF Resin 461
    - 26.2.6 Particleboard (PB) Test Results 462
    - 26.2.7 Summary 466
    - References 467
- 27 Advanced Reading Materials on Diethylene Tricarbamide-Formaldehyde Resins 468**
  - 27.1 Introduction 468
  - 27.2 A Higher Functionality Urea Analogue – Diethylene Tricarbamide 469

- 27.3 Chemical and Physical Properties of Diethylene Tricarbamide 469
- 27.4 An Efficient Synthesis Method of Diethylene Tricarbamide 470
- 27.5 Synthesis Chemistry and Procedure and Properties of D-formaldehyde (DF) and Copolymer Resins 470
- 27.6 Synthesis Formulations of DF Resins vs. UF Resins 471
- 27.7 Room Temperature Storage Properties of DF and Copolymer Resins 472
- 27.8 Pot-lives and Curing Characteristics of DF and Copolymer Resins 472
- 27.9 Preparation of Laboratory Particleboards and Testing 473
- 27.10 Test Results of Prepared Laboratory Particleboards 473
- 27.11 Summary 475  
References 475
- 28 Advanced Reading Materials on PF Resole Wood Adhesive Resins 476**
- 28.1 Chemical Structures of PF Resole and Novolac Resins by  $^{13}\text{C}$  NMR Spectroscopy 476
- 28.1.1 PF Resin Model Compounds 476
- 28.1.2 An Example Spectrum of a PF Resole Resin 479
- 28.1.3 A Second Example Spectrum of a PF Resole Resin 480
- 28.1.4 A Third Example  $^{13}\text{C}$  NMR Spectrum of a Novolac PF Resin 480
- 28.1.5 Summary 481
- 28.2 Reaction Rates and Structures of a PF Resole Resin Synthesized at  $70^\circ\text{C}$  482
- 28.2.1 Introduction 482
- 28.2.2 Peak Intensity Changes of Aromatic Carbons Due to Polymerization During Resin Synthesis 483
- 28.2.3 Peak Intensity Changes of Aliphatic Carbons due to Polymerization Reaction 484
- 28.2.4 Polymerization of PF Resole Resins Observed by Gel Permeation Chromatography (GPC) 487
- 28.2.5 Summary 488
- 28.3 Polymer Structures of a PF Resole Resin Synthesized at  $102^\circ\text{C}$  vs. a Commercial Resin 490
- 28.3.1 Introduction 490
- 28.3.2 Acetylation of PF Resin Samples and Fractionation 491
- 28.3.3  $^{13}\text{C}$  NMR Chemical Shift Values of Model Compounds and PF Resin Fractions 492
- 28.3.4  $^{13}\text{C}$  NMR Results of PF Resin Model Compounds and Resin Fractions 492
- 28.3.5 Intrinsic Viscosity ( $[\eta]$ ), Vapor Phase Osmometric (VPO) Analysis, and M-H Equation 496
- 28.3.6 Conclusion 499
- 28.4 Polymer Structures of High Molecular Weight Fractions of a PF Resole Resin 500
- 28.4.1 Synthesis of an Oriented Strand Board Binder-type PF Resin and GPC Analysis 500
- 28.4.2 Acetylation and Fractionation 501
- 28.4.3 Instrumental Analyses of Acetylated PF Resin Fractions 501

28.4.4	Results and Discussion	502
28.4.5	Conclusion and Summary	508
28.5	Polymer Structures of Cured PF Resole Resins by Solid-state $^{13}\text{C}$ NMR	508
28.5.1	PF Resin Synthesis and Curing Procedures	508
28.5.2	Curing Mechanisms of PF Resole Resins and Loss of Some Formaldehyde? – a Review	510
28.5.3	Solid-state CP/MAS $^{13}\text{C}$ NMR Spectra	511
28.5.4	Solid-state CP/MAS $^{13}\text{C}$ NMR Chemical Shift Assignments of Aliphatic Carbons	511
28.5.5	Solid-state CP/MAS $^{13}\text{C}$ NMR Chemical Shift Assignments of Phenolic Ring Carbons	513
28.5.6	Solid-state CP/MAS $^{13}\text{C}$ NMR Chemical Shift Assignment of Quinone Structures	513
28.5.7	Results and Discussion	514
28.5.8	Conclusion and Summary	517
	References	518
	<b>Index</b>	<b>521</b>