

Index

a

acrylic-based adhesives 496
 acrylic polymers, TDDS 566–567
 addition polymerization 5, 8, 12, 17, 18,
 20, 40, 263, 265
 addition reactions 166, 282–284
 nucleophilic form 283
 adhesives
 ASTM methods for 499–502
 commercial aspects of 504–505
 differential scanning calorimetry (DSC)
 497
 dispersion medium 496
 for energy conservation 508
 for environmental sustainability 506
 Fourier Transformed Infrared (FT-IR)
 spectroscopy 497
 gel permeation chromatography (GPC)
 497
 history and developments 492–494
 in industrial use 498–503
 in medical and pharmaceuticals
 503–504
 natural 495
 nuclear magnetic resonance (NMR)
 analysis 497
 strength tests 498
 synthetic 495–496
 thermogravimetry analysis (TGA) 497
 viscosity 497
 X-ray diffraction (XRD) 497
 agrochemicals delivery 407–408
 alginic acid 301–302

allylglycidyl ether (AGE) 181, 182
 amylopectin 3, 8, 178, 179
 amylose 3, 178, 179, 190
 animal based polymers for environmental
 remediation
 chitin and chitosan 387–390
 keratin and keratin derivatives
 390–392
 anion detection 320–321
 aromatic aldehydes 40
 asymmetric transfer hydrogenation (ATH)
 168
 ATRP catalysts 3
 azine based COF 42
 azobisisobutyronitrile (AIBN) 181, 205,
 225

b

Bakelite 3, 4, 17, 24, 37, 175, 493
 ball milling 289
 batteries
 additives and functional separators
 233–234
 carbonyl-containing electrode materials
 233
 lithium-sulphur 233
 nitrogen-containing electrode materials
 233
 and supercapacitors 230–231
 benzimidazolium cations 222
 benzoquinone 49, 50, 98, 233, 298
 BET model 517
 BF-CPFs 165

- bifunctional OER/ORR catalysts 229
 - bilayer heterojunction 61, 62
 - solar cells 62
 - bioadhesives 251, 503
 - biodegradable nature, POLYOX 247
 - biodegradable polymers 176, 267, 515
 - classification 268
 - significance and prospects 382
 - biodegradable system 548
 - biohybrid catalyst 162
 - bioplastics 22, 280, 382, 392, 393, 450, 451, 538
 - bio-recognition 321
 - bioremediation 383–395, 409, 411, 456–458, 517, 546
 - biosurfactant's method 457
 - biotic stress 403, 404, 411–415, 419
 - biphasic drug delivery system 305–306
 - bipolaron 215–316
 - blade coating 63–65
 - blending, starch 181–182
 - block copolymers (BCPs) 129, 134, 437, 472, 567
 - BO linkage 219
 - boron containing COF 40–42
 - bottom-up approach 118, 216, 526
 - bottom up process 525
 - brittle aromatic monomers 202
 - Brunauer–Emmett–Teller (BET) 39, 96, 98, 103, 105, 202, 206, 207, 222, 436, 439, 440, 516, 517, 520, 527, 529
 - Buchwald–Hartwig coupling reaction 102–103
 - bulk heterojunction (BHJ) 61–64, 71, 73–76, 335, 338, 340–342
 - butyl acetate 366
 - butylated hydroxyl toluene (BHT) 71, 255
- C**
- carbohydrate polysaccharides 8
 - carbon dioxide (CO₂) emissions 382, 527–528
 - carbon dioxide reduction reaction (CO₂RR) 229–230
 - carbonyl-containing electrode materials 233
 - carboxyl and amine group 117
 - carboxymethyl cellulose (CMC)
 - advantages of 187
 - drawbacks of 188
 - modification of 188–189
 - structure and synthesis 186–188
 - β-carotene 298
 - carrier mobility 65, 342, 344, 440
 - cation detection 320
 - CC linkage 219–220
 - cellophane 37
 - cellulose acetate 4, 356, 360, 365, 384, 559
 - cellulose and cellulose derivatives 383–385
 - cellulose-based biopolymers 268
 - cellulose nitrate 22, 384, 493
 - cellulose, nutraceuticals 301
 - cellulose sulphate 384
 - cellulose, TDDS 565
 - charge-blocking interlayers 339, 340
 - charge collection 56, 59, 341
 - charge separation 59, 62, 93, 94, 154
 - chemical permeation enhancers 560–561
 - chitin and chitosan 383, 387–390, 394
 - chitosan 287, 300
 - starch-based blend 383
 - TDDS 566
 - cis-polyisoprene 8
 - CN linkage 219
 - colloid crystal templating 208
 - compostable plastics 268–271
 - material of 269–271
 - compound annual growth rate (CAGR) 293, 505, 555
 - condensation polymerization 5, 10, 12, 40, 265, 284, 455
 - condensation polymerization reactions 284

- condensation reactions 165, 283–284, 475
- conducting polymers (CPs) 11
 anion detection 320–321
 biosensing 317–318
 cation detection 320
 conductometry 321
 DNA sensing 322
 doping 316–317
 enzyme entrapment 321–322
 hydrogel-based biosensors 322–323
 ionic detection 319–320
 oxidation & charge transfer 318
 PDA, colour change 318–319
 polarons, bipolarons & solitons 315–316
 processibility & sensitivity issues 314
 side chain & π electron backbone 314–315
 transforming in 469–470
 urea & melamine detection 323
- conductometry 321
- conjugated microporous polymers (CMPs) 28, 29, 38, 45, 70, 94, 96, 107, 202, 358–359, 469, 514, 538
- conventional polymers, advantages 223
- coordination polymerization 18–20, 162, 163
- copolymerization 4, 50, 181, 188, 284, 477, 568
- CO₂ photoreduction reaction (CO₂PRR) 156
- COPs 50, 204, 537, 543–545
- corona discharge 122–126, 139
- corona treatment
 additive effects 126
 aging 127
 parameters controlling optimum 126
 reverse lateral 126
 top layer modification 125
 treatment time 126–127
- covalent organic frameworks (COFs)
 azine based 42
 in batteries and supercapacitors 230–231
- bifunctional OER/ORR catalysts 229
- boron containing 40–42
- carbon dioxide reduction reaction (CO₂RR) 229–230
 chemistry 163–164
 classification of 164–165
 for heterogeneous catalysis 164
 hydrazone based 40–42
 hydrogen evolution reaction (HER) 228
 imide based 42
 imine based 42
 molecular catalysts for heterogeneous catalysis 168
 oxygen evolution reaction (OER) 228–229
 oxygen reduction reaction (ORR) 229
 pollutants and organic dyes 227–228
 polygon skeletons 217
 pore-engineering 217–223
 pyrolysis of 226–227
 reactive metals for heterogeneous catalysis 167–168
 reactive pendant groups for heterogeneous catalysis 166–167
 reactive skeletons for heterogeneous catalysis 165–166
 sp² hybridised carbon conjugated 41, 42
 thermal stability 223
 as thin films 216–217
 vulnerability of active sites 221
- covalent triazine frameworks (CTFs) 28, 38, 39, 205, 223, 230, 434, 441
- COVID-19 Pandemic Crisis 452–453
- Crospovidone 285
- cross-linking agents 4, 9, 182–183, 565
- cryogenic grinding 289
- curcumin 296, 297, 299, 303–306
- current-voltage (J-V) measurement 56
- cyanoacrylate 492, 495, 496
- cyclic voltammetry (CV) 95–97, 99, 104, 232

d

daidzein 298
 degradable polymer 266–267
 degradation
 PEMFCs 236
 POPs 438–439
 dehydration reaction 283
 dental adhesives 504
 dewetting patterning 130–131
 dextran 21, 30, 301, 405, 417, 565–567
 TDDS 565, 566
 dibenzonaphthyridinedione (DBND)
 71
 dichloromethane 15, 167, 251, 435, 563
 diclofenac diethylamine (DDEA) 566
 Diels–Alder reactions 165
 diethylamine 69, 440, 566
 differential scanning calorimetry (DSC)
 288, 291, 485, 486, 497
 diffusion-controlled system 547
 dimethyl-tert-butylsilyl groups 466
 direct polymerization
 end-functionalized 465–466
 in-chain functionalized 466–467
 dispersion polymerization 285–286, 472
 divinyl benzene 205
 DNA sensing 322, 323
 Doctor-blade coating 63–65
 double solvent method 161
 drinking water purification 459, 537
 drought stress 405, 415–419
 drug nanocarriers 29
 dye-sensitized solar cells (DSSCs) 57, 67,
 68, 74, 77, 79, 551
 dynamic covalent chemistry 224, 235

e

eco-friendly polymers 392, 506
 elastomer 7, 10, 15, 24, 27, 30, 38, 272,
 279, 282, 450, 494, 498, 536, 562,
 567
 elastomeric adhesives 494
 electrical double-layer capacitors (EDLCs)
 93
 electric double layer capacitors 93, 234

electric field gradient patterning 132
 electrochemical sensors 235
 electrochromic supercapacitor (ECS)
 103
 π electron backbone 314–315
 electron-hole pairs (EHPs) 156, 337, 338
 electronic band gap (Eg) 74
 electron transport layer (ETL) 77, 78,
 339, 342
 electrophilic addition 282
 electrospinning 50, 138, 298, 347, 486,
 565
 emollient, POLYOX 246–249
 end-functionalized polymerization
 465–466
 enhanced medication delivery 307
 environmental concerns, synthetic
 materials 381–382
 enzyme composites 161–162
 enzyme entrapment 321–323
 epichlorohydrin (EPI) 16, 182
 epoxy adhesives 507
 epoxy-based adhesives 495
 epoxy resins 16, 17, 506
 ethyl cellulose (EC) 251, 299–300, 384,
 559, 565
 ETICS 507
 evaporation patterning 131
 exciton migration 59
 exciton photogeneration 59
 external quantum efficiency (EQE) 64,
 339, 340
 extracellular polymeric substances (EPS)
 204, 393, 409
 extrusion method 181

f

Fenton reaction 368
 fill factor (FF) 56
 finite element analysis 343
 flocculent activity, POLYOX 246–247
 flooding stress 414
 Fourier Transformed Infrared (FT-IR)
 spectroscopy 98, 105, 288, 289,
 497

- Fourier Transform-Raman spectroscopy 290
- free radical additions 282, 283
- free radical reactions 435
- Friedel–Craft alkylation 44
- acylation polymerization 435
- self-condensation 205, 527
- functional group, transformation 468–469
- g**
- galvanostatic charge–discharge (GCD) 96, 97, 99, 103, 105
- gamma oryzanol (GO) 299
- gate voltage 339
- gel permeation chromatography (GPC) 469, 497
- gene clustering 457
- generally recognised as safe (GRAS) 301
- Gibb's free energy 156
- glass transition temperature 17, 19, 20, 246, 248, 269, 296, 394, 486, 497, 567
- grafting process 117, 180–181
- graphene polymeric material 185
- graphene quantum dot 79, 345
- green catalyst 272–273
- green polymers
- cellulose 263
- chemistry 270, 271
- LDPE 264
- natural polymers 263, 265–266
- nylon 264
- pipeline to 271
- polypeptides and proteins 263
- polypropylene 264–265
- polyvinyl chloride 264
- starches 263
- synthetic polymer 264
- green processing 271–272
- green reactions 271
- green synthesis
- raw materials 272
- Grignard metathesis reaction 480, 483
- grinding method 290
- gun cotton 384
- h**
- halogenation mechanism 116
- halogenation method 115, 116
- heavy metal toxicity 409–411
- Heck coupling reaction 167
- heterogeneous catalysts 153, 158, 161, 164, 166, 169, 434, 436, 441, 516
- heterogeneous polymerization catalysts 162
- high-density polyethylene (HDPE) 1, 3, 5, 19, 23, 24, 264, 280
- HOMO 56, 59, 71, 73–77, 156, 176, 287, 455, 466
- energy level 73
- homogeneous catalysis 168–169, 434
- homogeneous polymerization 284–285
- homopolymerization 284
- homopolymers 1, 265, 472
- HPMC 23, 245, 253, 298–299, 548, 559, 565
- hyaluronic acid 300
- hydrazone based COF 40–42
- hydrogel-based biosensors 322
- hydrogen absorption 526, 527
- hydrogen evolution reaction (HER) 228–230, 237
- hydrogen storage 27–29, 443, 545
- hydrolysis method 116
- hydrophobic alkyl side chains 73
- hyper cross linked polymers (HCP) 29, 38, 44–45, 201–202
- i**
- imide based COF 42
- imine based COF 42, 224
- in-chain end-functionalized polymerization 466–467
- indium tin oxide 61, 339
- injection moulding process 113–114
- inkjet printing 65–66
- inorganic membrane materials 357–358

instability-induced polymer patterning
129–130

integrally skinned asymmetric (ISA)
membranes 363–364

interfacial synthesis 217

inverse vulcanisation 225

ionic detection 319–320

ionic exchange 409

Iontophoresis 556, 561

irreversible thermodynamic model 360

k

keratin 383
derivatives 391
and keratin derivatives 390–392

β -ketoester 284

Knoevenagel condensation reaction 42,
159, 165, 219

Krazy Glue 496

l

laser light excitation method 289

laser surface modification 137

laser surface texturing (LST) 135–137

Le Chatelier's principle 457

levan 382, 393–395

linear polymers 8

linkage conversion 223–224

linker changing 224–225

liposomes, nutraceutical delivery systems
302–306, 309

liquid-phase polymer-based retention
(LPR) 177

lithium-ion batteries (LIBs) 93, 94, 231,
313, 547

lithium-sulphur batteries 233

low-density polyethylene (LDPE) 3, 8,
19, 20, 23, 24, 264, 280, 562

lowest unoccupied molecular orbital
(LUMO) 56, 59, 75, 76, 156

low-molecular-weight oxidized materials
(LMWOM) 124, 125

low-temperature conductivity 236

low-voltage electric current 561

m

macromolecules, defined 1

massive waste generation 370

mass transfer models 360

matrix-dispersion systems, TDD
558–559

matrix systems, TDD 558

mechanical testing 22, 23, 486

melamine 24, 45, 98, 323, 494

melamine-formaldehyde (MF) spheres
45

Mercury poisoning 520

Metabolix 392

metal (loid) pollution 448, 536

metalloporphyrin 47, 159

metalloalen 159

metal nanoparticle composites 160–161

metal nanoparticles 160, 164, 165, 167,
525

metal-organic frameworks (MOFs)
chemistry 157–158
enzyme composites 161–162
for heterogeneous catalysis 158–160
heterogeneous polymerization catalysts
162

metal nanoparticle composites
160–161

molecular species composites 160

polyoxometalates (POMs) 161

metal-semiconductor-metal type 344

methane 46, 104, 154, 202, 205, 266, 382,
526–529, 545

methanol 48, 169, 206, 229, 283, 357,
364, 366, 368, 369, 393

methyl cellulose 22, 23, 384, 559

methyl methacrylate (MMA) 182, 189,
191, 287, 566

micellar imprinting 207, 208

microbe based polymers for
environmental remediation
levan 393–395
polyhydroxyalkanoates 392–393

microcontact printing 134–135

microfiltration 367

- microinjection compression moulding
114
- micro milling 289
- microporous polymer material 95–107
- microreservoir systems, TDD 558
- micro-supercapacitors (MSCs) 235
- minor carrier trap 340
- mixed matrix membranes (MMMs) 363,
365
- molecular imprinting 207, 208, 366
- molecular species composites 160
- molten sulphur 225
- monomers, defined 1
- multiwalled carbon nanotubes (MWNT)
102
- n**
- nano-architecture POPs 524–525
- nanoencapsulation 301, 302
- nanofillers 184–185, 189, 190, 261, 486
- nanofiltration, membrane separation
360
- nanoimprinting lithography 135, 136
- nanomedicines 297, 543, 545, 547
- nanorod array (NRA) 345
- narrow-band photodetector (NPD) 342
- natural adhesives 491, 495
- natural polymers 7, 176
application of 21–23
TDDS 559
- natural polysaccharides 192, 300
- natural rubber 3, 4, 8, 23, 37, 192, 263,
265, 408, 493, 503
- N-containing ligands 159
- n-doping 12
- nitrogen-containing electrode materials
233
- nitrogen rich microporous carbon 45
- nuclear magnetic resonance (NMR)
analysis 497
characterization and physical structure
476–478
- NMR-¹³C 476
- NMR-¹H 473–476
- noise-equivalent power (NEP) 336
- non-conducting polymer 319
- non-hazardous nature, POLYOX 247
- N-riched covalent crystalline 521–522
- nucleic acids 8, 263, 279, 404, 447, 541
- nucleophilic form 283
- nutraceutical delivery systems 294, 295
biphasic 305–306
liposomes 302–304
phytophospholipid 305
self-emulsifying 306
solid lipid nanoparticles 304
- nutraceuticals
alginate acid 301–302
cellulose 301
chitosan 300
classification of 294, 295
dextran 301
EC 299–300
and global progression 293–294
HPMC 298–299
hyaluronic acid 300
PCL 296–297
pectin 302
PLA 297
PLGA 297–298
PVP 298
- nylon 3, 4, 10, 12, 13, 24, 264, 281, 284
- Nylon-6 8, 12–14, 450, 535
- Nylon-6,6 12–13
- o**
- oleo polyol 287
- one-pot polycondensation 100
- open-circuit voltage (V_{OC}) 56, 68, 75
- optoelectronics 134, 206, 333, 334, 347
- oral dosage forms 243
- organic adhesives
disadvantages of 508–509
in energy sector 507–508
for environment sustainability
505–507
- organic linkers 158–160, 231
- organic membrane materials 358
- organic photodetectors 337
advanced 339–341

- organic photodetectors (*contd.*)
 - device architecture of 338–339
 - working principle of 337–338
 - organic polymeric membranes 40, 45
 - organic polymers 279
 - advantages of 450–451
 - agriculture field 453–456
 - and agrochemicals delivery 407–408
 - applications of 545–548
 - biomedical field 451–453
 - bioremediation 456–458
 - biotic stress 414–415
 - characteristics of 537–542
 - classification of 6–12
 - clinical research of 549–551
 - current scenario of 551
 - defined 449–450
 - disadvantages of 450–451
 - flooding stress 414
 - and heavy metal toxicity 409–411
 - method and preparation 540–541
 - nitrogen containing porous 45
 - polymeric biosorption 409
 - properties 541–542
 - salinity stress 411, 413
 - in separation and purification 356–357
 - as soil conditioners/stabilizers 405–407
 - superabsorbent organic polymer 415–419
 - synthesis of functionalized 465–468
 - temperature stress 413–414
 - organic solar cells 57, 59
 - architecture 61–62
 - blade coating 63–65
 - inkjet printing 65–66
 - role of 66–79
 - spin-coating 62–63
 - working mechanism 59–61
 - organic solvent
 - food processing 367
 - industrial process 365–368
 - ISA 363–364
 - MMM 365
 - OSFO 361
 - OSN 360
 - OSRO 360–361
 - OSU 361, 362
 - pervaporation 359–360
 - resistant membranes 356
 - resistant nanofiltration 356
 - separation of 366–367
 - TFCs 364–365
 - wastewater treatment 367–368
 - organic solvent forward osmosis (OSFO) 359, 361–363
 - organic-solvent-resistant membranes (OSRM)
 - commercial 368–370
 - conjugated microporous polymers (CMPs) 358–359
 - current status of 370–371
 - inorganic membrane materials 357–358
 - organic membrane materials 358
 - organic solvent reverse osmosis (OSRO) 359–364, 367
 - organic solvent solubility 247, 249
 - organic solvent ultrafiltration (OSU) 359, 361–363
 - organophosphorus nerve agents 158
 - organophosphorus substrates 157, 158
 - orthopaedic fixing composites 272
 - osmotic pump systems 252
 - oxidation & charge transfer 318
 - oxidative coupling 436
 - oxycellulose derivatives 384
 - oxygen evolution reaction (OER) 228–229, 237
 - oxygen reduction reaction (ORR) 229, 237
- p**
- p-benzoquinone (PBQ) 101
 - p-Cymene 168, 370
 - PDA, absorption spectra of 319
 - p-doping 12, 470
 - pectin, nutraceuticals 302
 - PEG-SO₃H 169

- permeation enhancers 560–563
- perovskite conjugate photodetectors 341–343
- pervaporation 356, 358–360, 362, 367
- PHA biopolyesters 393
- phase inversion method 358, 363
- phase transfer catalyst 15
- phenol formaldehyde resin 11, 12, 17–18, 494
- phenolic resin 494
- phenyl-phosphate-based POPs 522–524
- photocatalysis
 - mechanism of 154–156
 - oxidation mechanism 155
 - reduction mechanism 155–156
- photodetection
 - materials 335
 - mechanism 334–335
- photodetectors
 - detectivity 336
 - noise-equivalent power (NEP) 336
 - organic 337–338
 - perovskite/polymer conjugate 341–343
 - polymer-graphene oxide (GO) conjugate 345–348
 - polymer-metal oxide based 343–345
 - quantum efficiency 336
 - reduced graphene oxide (rGO) conjugate 345–348
 - response time 336
 - responsivity 335
 - spectral response 337
- photolithography 129, 133–134
- photonic detectors 346
- photo thermoelectric (PTE) detectors 346
- physical permeation enhancers 561–562
- phytophospholipid 305
- phytosomes method 305
- planar heterojunction (PHJ) 61, 338, 340
- plant based polymers for environmental remediation
 - cellulose and cellulose derivatives 383–385
 - starch and starch derivatives 386
- plasma etching 121
- plastic adherends 500
- plasticization 357
- plasticizers 20, 22, 24, 184, 268, 281, 563
- plastic solar cells 57
- p-n junction type 344
- pNTCDA-TAPT 104–106
- polar additives 466
- polarons, bipolarons & solitons 315–316
- polyacrylamide 128, 188, 405, 418, 447, 448, 539
- poly acrylates 280, 286, 356, 448, 466, 562
- polyamides 12, 24, 38, 103, 116, 117, 264, 265, 280
- polycarbonates 10, 12, 15, 24, 38, 280, 476, 481
- polycaprolactone (PCL) 296, 297
 - TDDS 567, 568
- polyester 8, 12, 14–16, 24, 38, 113, 123, 180, 182, 262, 280, 284, 296–297, 358, 361, 383, 392–393, 471, 494, 562, 567
- polyethene 18
 - low density 280
 - high density 280
- polyethylene terephthalate (PET) 14–15, 116, 280, 358, 370, 450, 535, 563
- polyhydroxyalkanoates 382, 383, 392–393, 451, 506
- poly-hydroxyethyl methacrylate (pHEMA) 286
- poly(lactic acid) (PLA) 50, 116, 124, 180, 182, 267, 269, 297, 383, 451, 471
- poly(lactide-co-glycolide) (PLGA) 297–298, 478
- polymer-based homogeneous catalysis 168–169
- polymer conjugate photodetectors 341–343
- polymer dosage form 542, 544
- polymer-graphene oxide (GO) conjugate photodetectors 345–348
- polymer hydrophobicity 452

- polymeric biocides 454–456, 546
- polymeric biosorption 409
- polymeric co-delivery systems 548–549
- polymeric herbicides 454–456, 547
- polymeric hydrogels 286–287, 456, 546
- polymeric raw material 266
- polymerization
 - addition 265
 - condensation 265
 - defined 264–265
 - UV treatment 127–129
- polymerization-ablation technique 119, 120
- polymer matrix composites (PMCs) 5, 31
- polymer-metal oxide based photodetector 343–345
- polymers of intrinsic microporosity (PIMs) 203
- polymers, defined 449–450
- polymer solar cells 61, 62
- polymer surface modification
 - chemical treatment for 115–119
 - corona treatment for 122–127
 - physical treatment for 115–119
 - plasma treatment for 119–122
 - surface patterning treatment for 129–137
 - thermal annealing treatment for 137–138
 - UV treatment for 127–129
- polymer surfaces
 - addition of functional group on 119–121
 - cross-linking formation 121–122
 - roughness on 121
- polymethoxylated flavone (PMF) 299
- POLYOX
 - advantages of 245
 - characteristics 247–249
 - consistency of 255–256
 - disadvantages of 254–255
 - drug delivery 252–253
 - extended duration of effect 254–255
 - grades of 245
 - ocular drug administration 251–252
 - in osmotic pump systems 252
 - pharmaceutical property 246–247
 - physical and chemical constituents 245–249
 - regulatory aspects of 255
 - release mechanism 249–251
- polyoxometalates (POMs), MOFs 161
- polypeptides and proteins 263
- polypropylene (PP) 5, 10, 24, 38, 114, 121, 124, 126, 185, 244, 263–265, 269, 281, 283, 358, 364, 367, 382, 391, 449, 476, 480, 535, 535, 562, 563
- polystyrene (PS) 3, 8, 24, 38, 44, 68, 125, 127, 134, 163, 185, 208, 244, 262–264, 269, 280, 281, 320, 340, 343, 344, 367, 369, 450, 466, 471, 472, 535
- polytetrafluoroethylene (PTFE) 20–21, 281, 370
- polyurethanes 12, 15–16, 24, 38, 69, 280, 451, 492–495
- polyvinyl acetate (PVAc) 24, 494–496
- polyvinyl chloride (PVC) 20, 125, 175, 264, 280, 281, 382, 450, 535
- polyvinylpyrrolidone (PVP) 189, 253, 298, 560, 568
- TDDS 568
- popcorn polymerization 285
- porous aromatic frameworks (PAFs) 202
- porous organic polymers (POPs) 542–543
 - as adsorbent for volatile organic compounds 48
 - advantageous of 436
 - artificial pathway for 519, 520
 - in asymmetric catalysis 47
 - carbon dioxide (CO₂) emissions 527–528
 - carbon dioxide reduction 440–441
 - catalysis 205–206
 - for catalytic application 47
 - characteristics 438
 - for chemical sensor 48–50
 - chemical synthesis of 208, 209

- classification of 539, 540
 - COFs 203
 - colloid crystal templating 208
 - degradation of 438–439
 - development of 156
 - in dye adsorption 517, 519
 - electro catalysts 442
 - of environmental remediation 518
 - free radical reactions 435
 - functions 515
 - for gas extraction 526
 - HCPs 201–202
 - hydrogen absorption 526–527
 - hydrogen evolution 439–440
 - methane 527
 - micellar imprinting 208
 - molecular imprinting 207–208
 - nano-architecture 524–525
 - N-riched covalent crystalline 521–522
 - oxidation 441
 - PAFs 202
 - phenyl-phosphate-based 522–524
 - photocatalysis, mechanism of 154, 156
 - PIM 203, 207
 - principle of 436–437
 - properties and functions 437–438
 - PSM 525–526
 - radical mechanism-assisted
 - polymerization 434–435
 - removal of 207
 - for segregation, and transformation 526
 - separation of organic gas 46–47
 - Sonogashira coupling 435
 - sulfur and nitrogen-rich 520–521
 - super capacitors 206–207
 - TALPOPs 519–520
 - water purification 204–205
 - water-splitting 441
 - pore design 221
 - pore-engineering 217–223, 237
 - pore flow model 360
 - pore surface engineering 164, 221–223, 237
 - post polymerization 467–468
 - post-synthetic modification 230–231, 237, 525–529
 - potential synthetic polymer, TDDS 560
 - power conversion efficiency (PCE) 56, 57, 61–66, 69–79
 - p-phenylenediamine (PPD) 101, 102, 219
 - PPS 316
 - PPYS cathodes 233
 - pressure-sensitive adhesives (PSAs) 491, 496, 498, 503, 507, 559, 562
 - protein nano hydrogels 307–308
 - proton-exchange membrane fuel cells (PEMFC) 236
 - pseudocapacitors 93
 - post-synthetic modification (PSM) 230, 237
 - POPs 525–526
 - Pueraria lobata isoflavone 306
 - pullulan, TDDS 569
- q**
- quantum dot sensitized solar cells (QDSCs) 57, 68–69
 - quantum efficiency 61, 64, 336, 339, 340
 - quercetin 297, 298, 302–304
- r**
- radical polymerization 180–181, 204, 205, 207, 225, 434–435, 455
 - Raman shift 290
 - Raman spectroscopy 288–291, 479–481
 - reduced graphene oxide (rGO) conjugate photodetectors 345–348
 - release liner 563, 566
 - repeating units (RU) 1, 7, 9, 14, 186, 234, 262–264, 284, 477–478
 - reservoir systems, TDD 558
 - resorcinol 45, 494
 - retinoic acid (RA) 299
 - “reuse, reduce, and recycle” strategy 382
 - reverse AA stacking mode 222
 - reverse lateral 126

- reversible deactivation radical
 - polymerization (RDRP) 162–163
- rheometric analysis 486
- ring opening metathesis polymerization (ROMP) 5
- room temperature vapor-assisted conversion synthesis 217

- S**
- SACMP 102–103
- SA-COF 223
- salicylideneimine 163
- salinity stress 411, 413
- Schiff base reaction 42, 206, 529, 537
- Schottky junction type 344
- SEBS copolymers, TDDS 567
- Seebeck effect 334
- self-emulsifying delivery systems (SEDS) 306
- self-forming dynamic membrane
 - bioreactor (SFDMBR) 368
- separation process 176, 338, 356, 359, 365, 515, 542
- short-circuit current density (J_{sc}) 56
- silicone-based coatings, TDDS 566
- silybin phytosome 305
- single-atom catalysis 515, 537
- single-crystal XRD 288
- single or monolayer 61
- sodium alginate, TDDS 568–569
- soil conditioners 404–407, 418, 419
- soil stabilizers 405
- solar cells
 - effectiveness of 56
 - generation of 56–57
 - organic 57–66
- sol-gel method 117–118
- solid lipid nanoparticles (SLNs) 304
- solution diffusion model 360
- solvent-activated system 548
- solvent resistant nanofiltration (SRNF) 356, 360
- solvothermal 40, 42, 96, 168, 207, 216, 217, 220, 228, 237
- solvothermal synthesis 216, 217
- Sonogashira coupling 435, 440
- sonophoresis 556, 561
- sp² hybridised carbon conjugated COF 41, 42
- spin-coating 62–65
- starch 177
 - advantages of 178–179
 - blending 181–182
 - crosslinking agent 182–183
 - drawbacks of 178–179
 - grafting 180–181
 - modification of 179–180
 - nanofillers 184–185
 - plasticizers 184
 - structure of 177–179
- starch and starch derivatives 386
- starch-based adhesives 495
- starch-based biopolymers 267
- starch-based nano-materials 386
- starch hybrid nanomaterials 386
- step growth polymerization 7, 12, 284
- stoichiometry 466, 537
- stratum corneum (SC) 556, 560–562
- sugar-based biopolymers 267
- sulphur loading 225
- superabsorbent hydrogels 416
- superabsorbent organic polymers
 - SAH and water retention 416
 - SAP and drought stress 416–419
- superabsorbent polymers (SAP) 415–419
- supercapacitors 93, 94, 100, 103, 107, 206–207, 215, 230–231, 234–235, 237, 345
 - and batteries 230–231
- Superglue 496
- supersaturating drug delivery system 308
- surface doping 231, 237
- surface patterning treatment
 - block copolymers 134
 - dewetting patterning 130–131
 - electric field gradient patterning 132
 - evaporation patterning 131
 - instability-induced polymer patterning 129–130

- laser surface texturing (LST) 135–137
 - microcontact printing 134–135
 - nanoimprinting lithography 135, 136
 - photolithography 133–134
 - thermal gradient patterning 132–133
 - surgical adhesives 504
 - Suzuki cross-coupling 43, 100, 436
 - Suzuki–Miyaura chemical reaction 105
 - symmetry-breaking strategy 71
 - synthetic adhesives 492, 494–496, 506, 509
 - synthetic dyes 383
 - synthetic metals 30, 165, 469
 - synthetic organic polymers 4, 23, 279–280, 405, 539, 545
 - synthetic polymer materials 273–274
 - synthetic polymers
 - application of 23–27
 - types of 280–282
 - uses 280
- t**
- tablet manufacturing 263, 286
 - TALPOPs 519–521
 - tandem solar cells 61, 76
 - Teflon 3, 5, 8, 10, 20, 21, 24, 37, 264, 281–282, 358, 450, 535
 - temperature stress 413–414
 - Terracotta process 226
 - Terylene 14, 15
 - properties 15
 - TESPSA 118
 - 3,5,7-tetraaminoadamantane (TAA) 165
 - thermal analysis 288, 483–486
 - thermal annealing 137–138, 438
 - thermal gradient patterning 132–133
 - thermal gravimetric analysis (TGA) 98, 100, 190, 288, 291, 485, 486
 - thermal photodetectors 333, 334
 - thermodynamic water splitting 156
 - thermogravimetry analysis (TGA) 98, 100, 190, 288, 291, 485, 486, 497
 - thermoplasticity, POLYOX 246
 - thermoplastic polyurethane 3, 282
 - thermoplastics 10, 12, 24, 27, 248, 279, 450, 498, 536
 - thermosetting plastics 10, 493
 - thermosetting polymers 11, 16, 17
 - thin film composites (TFCs) membranes 364–365
 - thioether 207, 222
 - thiol-ene reaction 225–226
 - thiol functionalized porous organic polymer (POP) 38, 39, 47, 48, 70, 154, 156–157, 204, 205, 435, 441, 443, 515–517, 519, 520, 523, 527, 529
 - thymoquinone 298
 - TP-COF-BZ 224–225
 - TP-COF-DAB 224–225
 - transcriptive templating strategy 208
 - transdermal delivery system (TDDS) 559
 - acrylic polymers 566–567
 - backing membrane 562–563
 - biological properties 560
 - cellulose 565
 - chemical permeation enhancers 560–561
 - chitosan 566
 - complexities of 556–557
 - and current scenario 555–556
 - dextran 565–566
 - drug candidates 564
 - matrix-dispersion systems 558–559
 - matrix systems 558
 - microreservoir systems 558
 - natural polymer in 559
 - PCL 567–568
 - physical permeation enhancers 561–562
 - physicochemical properties 560
 - polymer matrix/drug reservoir 559–560
 - potential synthetic polymer 560
 - pressure-sensitive adhesives (PSAs) 562
 - pullulan 569
 - PVP 568
 - release liner 563

transdermal delivery system (TDDS)
(*contd.*)
 reservoir systems 558
 SEBS copolymers 567
 silicone-based coatings 566
 sodium alginate 568–569
transparent conductive electrode (TCE)
 78, 79
trimerization reaction 39, 44
trimesoylchloride (TMC) 45, 364

U

ultracapacitors 93
ultrafiltration 177, 356, 361, 362, 367,
 370, 522
urea & melamine detection 323
UV grafting 128
UV-visible spectroscopy 481–483

V

vacuum pump 359
vinyl benzyl chloride (VBC) 205
viscosity 23, 63, 64, 66, 132, 176,
 185–188, 190, 246, 247, 252, 255,
 256, 286, 486, 497, 503, 559, 569
viscosity POLYOX 246
vitamin E formulation 306
volatile organic compounds
 adsorbent for 48
vulcanised rubber 4, 10, 123

W

waste valorization strategy 382
water purification 38, 156, 204–205, 443,
 537, 542
water retention 394, 416–418
water-soluble polymer
 chemical resistance properties
 191–192
 mechanical properties 189–190
 thermal resistance properties 190–191
 water resistance and dimensional
 properties 191
water-soluble polymers 176, 177, 191,
 192, 246, 286
water splitting 27, 28, 156, 344, 441
wet tack, POLYOX 246
Williamson ether synthesis 186

X

X-ray diffraction (XRD) 96, 103, 104,
 288, 289, 497, 524
X-ray powder diffraction (XRPD) 288,
 289, 291

Y

Yamamoto reaction 39

Z

Ziegler–Natta catalysts 18, 19
Zincke reaction 222

