

## Contents

### Preface *xiii*

|          |                                                                                                             |          |
|----------|-------------------------------------------------------------------------------------------------------------|----------|
| <b>1</b> | <b>The Palladium/Norbornene-Catalyzed Annulation Chemistry:<br/>Rapid Access to Diverse Ring Structures</b> | <b>1</b> |
|          | <i>Mark Lautens and Xavier Abel-Snape</i>                                                                   |          |
| 1.1      | Introduction                                                                                                | 1        |
| 1.2      | Intramolecular Cyclizations                                                                                 | 3        |
| 1.2.1    | Electrophile Tethered to Terminating Reagent                                                                | 3        |
| 1.2.1.1  | <i>Ortho</i> Alkylation                                                                                     | 3        |
| 1.2.1.2  | <i>Ortho</i> Arylation                                                                                      | 8        |
| 1.2.1.3  | <i>Ortho</i> Acylation                                                                                      | 11       |
| 1.2.1.4  | <i>Ortho</i> Amination and <i>Ipso</i> Heck Termination                                                     | 14       |
| 1.2.1.5  | <i>Ortho</i> Alkenylation and <i>Ipso</i> Amination via Reversal of<br>Regioselectivity                     | 15       |
| 1.2.1.6  | Pd(II)-Initiated Annulations                                                                                | 16       |
| 1.2.2    | Aryl Halide Tethered to Terminating Reagent                                                                 | 17       |
| 1.2.2.1  | <i>Ortho</i> Alkylation, <i>Ortho</i> Arylation and <i>Ortho</i> Amination                                  | 17       |
| 1.2.3    | Aryl Halide Tethered to Electrophile                                                                        | 17       |
| 1.2.3.1  | <i>Ortho</i> Alkylation                                                                                     | 17       |
| 1.2.4    | Aryl Halide Tethered to Electrophile and Terminating Reagent                                                | 19       |
| 1.2.4.1  | <i>Ortho</i> Alkylation                                                                                     | 19       |
| 1.3      | Intermolecular Cyclizations Following Intermolecular <i>Ortho</i><br>Functionalization                      | 21       |
| 1.3.1    | <i>Ortho</i> Arylation                                                                                      | 21       |
| 1.3.1.1  | <i>Ipso</i> Alkyne Insertion and <i>Ipso</i> Formal Benzyne Insertion                                       | 21       |
| 1.3.2    | <i>Ortho</i> Amination                                                                                      | 22       |
| 1.3.2.1  | <i>Ipso</i> Alkyne Insertion                                                                                | 22       |
| 1.4      | Cyclizations with Three-Membered Heterocycles as Both the<br>Electrophile and Terminating Reagent           | 22       |
| 1.4.1    | 2 <i>H</i> -Azirines                                                                                        | 23       |
| 1.4.2    | Aziridines                                                                                                  | 24       |
| 1.4.3    | Epoxides                                                                                                    | 25       |
| 1.5      | Norbornene/Norbornadiene-Integrated Cyclizations                                                            | 25       |

|         |                                                                                                      |    |
|---------|------------------------------------------------------------------------------------------------------|----|
| 1.5.1   | Norbornene                                                                                           | 25 |
| 1.5.2   | Norbornadiene                                                                                        | 27 |
| 1.6     | One-Pot Postcatalytic Intramolecular Cyclizations                                                    | 29 |
| 1.6.1   | Postcatalytic Intramolecular Michael Additions                                                       | 29 |
| 1.6.1.1 | <i>Ortho</i> Alkylation                                                                              | 29 |
| 1.6.1.2 | <i>Ortho</i> Arylation                                                                               | 30 |
| 1.6.2   | Postcatalytic Intramolecular Addition to Norbornyl Moiety                                            | 31 |
| 1.7     | Summary                                                                                              | 32 |
|         | References                                                                                           | 33 |
| <br>    |                                                                                                      |    |
| 2       | <b>Diverse <i>Ipso</i> Arene Functionalization by the Palladium/Norbornene Cooperative Catalysis</b> | 45 |
|         | <i>Bo-Sheng Zhang and Yong-Min Liang</i>                                                             |    |
| 2.1     | Introduction                                                                                         | 45 |
| 2.2     | <i>Ipso</i> Functionalization Reaction in the Pd/NBE Catalytic Cycle                                 | 46 |
| 2.2.1   | The Role of <i>Ipso</i> Functionalization Reaction in the Catalytic Cycle                            | 46 |
| 2.2.2   | Competitive or Side Reactions of <i>Ipso</i> Functionalization                                       | 46 |
| 2.2.2.1 | Competitive Pathways Between <i>Ipso</i> Functionalization and NBE Insertion                         | 46 |
| 2.2.2.2 | Compatibility Between Electrophile Reagents and <i>Ipso</i> Functionalization Reagents               | 48 |
| 2.2.2.3 | Process of NBE Extrusion and <i>Ipso</i> Functionalization                                           | 49 |
| 2.2.2.4 | Dehalogenation Reaction and <i>Ipso</i> Functionalization Reaction                                   | 51 |
| 2.3     | Type of <i>Ipso</i> Functionalization Reactions                                                      | 52 |
| 2.3.1   | Alkenylation Reaction                                                                                | 52 |
| 2.3.1.1 | Heck Coupling                                                                                        | 52 |
| 2.3.1.2 | Carbene Coupling                                                                                     | 58 |
| 2.3.1.3 | Allenylation Reaction                                                                                | 59 |
| 2.3.2   | Alkynylation Reactions (Sonogashira Coupling)                                                        | 61 |
| 2.3.3   | Arylation Reactions                                                                                  | 61 |
| 2.3.3.1 | Suzuki Coupling                                                                                      | 61 |
| 2.3.3.2 | <i>Ipso</i> C–H Arylation                                                                            | 64 |
| 2.3.3.3 | Decarboxylation Coupling Reaction                                                                    | 67 |
| 2.3.4   | Alkylation Reaction                                                                                  | 67 |
| 2.3.4.1 | Coupling Reaction of Boron Reagents                                                                  | 67 |
| 2.3.4.2 | Coupling Reaction of Germanium Reagents                                                              | 67 |
| 2.3.4.3 | <i>Ipso</i> Ketone $\alpha$ -Arylation                                                               | 69 |
| 2.3.4.4 | C–H Activation of Inert Alkyl Groups                                                                 | 71 |
| 2.3.4.5 | The C—C Bond Cleavage Reaction                                                                       | 71 |
| 2.3.4.6 | The 1,4-Pd Shift                                                                                     | 72 |
| 2.3.5   | Hydrogenation Reaction                                                                               | 74 |
| 2.3.6   | Cyanation Reaction                                                                                   | 74 |
| 2.3.7   | Borylation Reaction                                                                                  | 76 |

- 2.3.8 The Construction of C—N Bond 76
- 2.3.9 The Construction of C—O Bond 76
- 2.3.10 The Construction of C—S or C—Se Bonds 78
- 2.3.11 *Ips*o Iodination 79
- 2.4 Prospects and Challenges of *Ips*o Functionalization 80
- References 81

### 3 Diverse *Ortho* C—H Functionalization by the Palladium/Norbornene Cooperative Catalysis 89

*Xin Liu and Guangbin Dong*

- 3.1 Introduction 89
- 3.2 Carbon-Electrophile 91
  - 3.2.1 *Ortho* Alkylation 91
    - 3.2.1.1 Alkylation Using Alkyl Halides 91
    - 3.2.1.2 Alkylation Using Methyl Sulfonates, Trimethylphosphate, and Phenyltrimethylammonium Salt 92
    - 3.2.1.3 Annulation Using 2*H*-Azirines 96
    - 3.2.1.4 Alkylation Using Epoxides 97
    - 3.2.1.5 Alkylation Using Aziridines 97
    - 3.2.1.6 Alkylation Using Ethers and TMSI 98
  - 3.2.2 *Ortho* Arylation 99
    - 3.2.2.1 “*Ortho* Effect” in the Pd/NBE Catalysis 99
    - 3.2.2.2 Arylation Using Aryl Halides 101
    - 3.2.2.3 Homo *Ortho* Arylation 103
    - 3.2.2.4 Cross *Ortho* Arylation and the Chelating Effect 103
    - 3.2.2.5 Arylation Using Aryl Diazonium Salts 105
  - 3.2.3 *Ortho* Acylation 107
    - 3.2.3.1 Acylation Using Acid (Mixed) Anhydrides, Acid Chlorides, and Carboxylic Acids 107
    - 3.2.3.2 Carboxylation Using Thioesters and Selenides 109
    - 3.2.3.3 Alkoxy carbonylation and Aminocarbonylation 110
- 3.3 Nitrogen-Electrophile 112
  - 3.3.1 *Ortho* Amination 112
    - 3.3.1.1 Amination Using *N*-Benzoyloxyamines 113
    - 3.3.1.2 Amination Using Dialkylamino Carbonates 114
- 3.4 Sulfur-Electrophile 116
  - 3.4.1 *Ortho* Thiolation 116
    - 3.4.1.1 Thiolation Using Aryl or Alkyl Thiosulfonates 116
    - 3.4.1.2 Thiolation Using Aryl or Alkyl Sulfenamides 116
- 3.5 Oxygen-Electrophile 117
  - 3.5.1 *Ortho* Alkoxylation 117
- 3.6 Conclusion and Outlook 119
- References 121

|          |                                                                                 |
|----------|---------------------------------------------------------------------------------|
| <b>4</b> | <b>Asymmetric Palladium/Norbornene Cooperative Catalysis</b> 129                |
|          | <i>Shuming Zhan and Zhenhua Gu</i>                                              |
| 4.1      | Introduction 129                                                                |
| 4.2      | Stereochemistry Controlled by the Substrate 131                                 |
| 4.2.1    | Intramolecular Chirality Transfer 131                                           |
| 4.2.2    | Intermolecular Chirality Transfer 132                                           |
| 4.3      | Catalytic Asymmetric Transformations Controlled by Chiral Ligands 138           |
| 4.3.1    | Catalytic Asymmetric Transformations Controlled by Chiral Phosphine Ligands 138 |
| 4.3.2    | Catalytic Asymmetric Transformation Controlled by Chiral Amino Acids 139        |
| 4.4      | Catalytic Asymmetric Transformation Controlled by Chiral Norbornenes 142        |
| 4.4.1    | Desymmetrization 142                                                            |
| 4.4.2    | Kinetic Resolution 144                                                          |
| 4.4.3    | Enantioselective Transformations 147                                            |
| 4.5      | Summary and Outlook 152                                                         |
|          | References 154                                                                  |
| <b>5</b> | <b>Pd(II)-Initiated Palladium/Norbornene Cooperative Catalysis</b> 157          |
|          | <i>Hong-Gang Cheng, Kevin Wu, Qianghui Zhou, and Jin-Quan Yu</i>                |
| 5.1      | Introduction 157                                                                |
| 5.2      | Pd/NBE-catalyzed C–H Functionalization of NH-containing Heteroarenes 159        |
| 5.2.1    | C2 Alkylation of NH-Indoles and NH-Pyrroles 159                                 |
| 5.2.1.1  | C2 Alkylation of NH-Indoles 159                                                 |
| 5.2.1.2  | C2 Alkylation of NH-Pyrroles and C1 Alkylation of NH-Carbazoles 164             |
| 5.2.2    | C2 Arylation of NH-Indoles 166                                                  |
| 5.3      | Directing Group-Enabled <i>meta</i> -C–H Functionalization of Arenes 167        |
| 5.3.1    | Directing Group-Enabled <i>meta</i> -C–H Alkylation of Arenes 168               |
| 5.3.2    | Directing Group-Enabled <i>meta</i> -C–H Arylation of Arenes 170                |
| 5.3.2.1  | Amide as Directing Group 170                                                    |
| 5.3.2.2  | Tertiary Amine as Directing Group 172                                           |
| 5.3.2.3  | Sulfonamide as Directing Group 172                                              |
| 5.3.2.4  | Pyridine Derivative as Directing Group 173                                      |
| 5.3.2.5  | Acetal-based Quinoline as Directing Group 175                                   |
| 5.3.2.6  | Free Carboxylic Acid as Directing Group 175                                     |
| 5.3.3    | Directing Group-Enabled <i>meta</i> -C–H Chlorination of Arenes 176             |
| 5.3.4    | Directing Group-Enabled <i>meta</i> -C–H Amination of Arenes 176                |
| 5.3.5    | Directing Group-Enabled <i>meta</i> -C–H Alkynylation of Arenes 178             |
| 5.3.6    | Directing Group-Enabled Distal C–H Functionalization of <i>Z</i> -Alkenes 178   |

|          |                                                                                              |            |
|----------|----------------------------------------------------------------------------------------------|------------|
| 5.4      | Directing Group-Free Mono- and Difunctionalization of (Hetero)Arenes                         | 179        |
| 5.4.1    | Directing Group-Free <i>meta</i> -C–H Arylation of (Hetero)Arenes                            | 179        |
| 5.4.2    | Directing Group-Free Difunctionalization of Heteroarenes                                     | 181        |
| 5.5      | Template-Enabled Remote C–H Functionalization                                                | 183        |
| 5.6      | Enantioselective Remote C–H Functionalization                                                | 184        |
| 5.7      | Borono-Catellani Reactions                                                                   | 188        |
| 5.8      | Conclusion and Outlook                                                                       | 190        |
|          | References                                                                                   | 194        |
| <b>6</b> | <b>Functionalization of Heteroarenes by the Palladium/Norbornene Cooperative Catalysis</b>   | <b>199</b> |
|          | <i>Jung Min Joo</i>                                                                          |            |
| 6.1      | Introduction                                                                                 | 199        |
| 6.2      | Pd/NBE Reactions of Five-Membered Haloheteroarenes                                           | 200        |
| 6.2.1    | Reactions of Haloheteroarenes without Incorporation of NBE                                   | 200        |
| 6.2.2    | Reactions of Haloheteroarenes with Incorporation of NBE                                      | 202        |
| 6.3      | Pd/NBE Reactions of Six-Membered Haloheteroarenes                                            | 206        |
| 6.3.1    | Reactions of Six-Membered Haloheteroarenes without Incorporation of NBE                      | 206        |
| 6.3.2    | Reactions of Six-Membered Haloheteroarenes with Incorporation of NBE                         | 211        |
| 6.4      | Pd/NBE Reactions of Parent Heteroarenes                                                      | 214        |
| 6.5      | Conclusion                                                                                   | 219        |
|          | List of Abbreviations                                                                        | 219        |
|          | Acknowledgments                                                                              | 219        |
|          | References                                                                                   | 219        |
| <b>7</b> | <b>Addressing the Substrate Limitation in the Palladium/Norbornene Cooperative Catalysis</b> | <b>225</b> |
|          | <i>Zhao Wu</i>                                                                               |            |
| 7.1      | Introduction                                                                                 | 225        |
| 7.2      | <i>Ortho</i> Constraint                                                                      | 227        |
| 7.2.1    | “ <i>Ortho</i> Effect” and “ <i>Ortho</i> Constraint”                                        | 227        |
| 7.2.2    | Addressing the <i>Ortho</i> Constraint with Bridgehead-Substituted NBEs                      | 230        |
| 7.2.3    | Annulation with the C7-Modified NBE                                                          | 234        |
| 7.2.4    | Hybrid Cycloolefin Ligand Strategy                                                           | 235        |
| 7.3      | <i>Meta</i> Constraint                                                                       | 237        |
| 7.3.1    | Addressing the <i>Meta</i> Constraint with the C2-Amide-Substituted NBE                      | 241        |
| 7.4      | Aryl Iodide Constraint                                                                       | 243        |
| 7.4.1    | Aryl Sulfonates                                                                              | 244        |
| 7.4.2    | Aryl Bromides                                                                                | 246        |
| 7.5      | Beyond Aromatic Substrates                                                                   | 251        |

|          |                                                                                                                         |            |
|----------|-------------------------------------------------------------------------------------------------------------------------|------------|
| 7.5.1    | Partially Aromatic Substrates                                                                                           | 252        |
| 7.5.2    | $\alpha$ -Alkylation and Arylation of Alkenyl Triflates and Bromides                                                    | 253        |
| 7.5.3    | $\alpha$ -Amination of Alkenyl Triflates: Formal Carbonyl<br>1,2-Transposition                                          | 255        |
| 7.5.4    | $\alpha$ -Carbamoylation of Alkenyl Triflates                                                                           | 257        |
| 7.5.5    | Distal Alkenyl C—H Bond Functionalization                                                                               | 258        |
| 7.6      | Conclusions and Outlook                                                                                                 | 260        |
|          | Acknowledgments                                                                                                         | 260        |
|          | References                                                                                                              | 261        |
| <b>8</b> | <b>Application of the Palladium/Norbornene Cooperative<br/>Catalysis to Synthesis of Natural Products and Materials</b> | <b>265</b> |
|          | <i>Jianchun Wang</i>                                                                                                    |            |
| 8.1      | Applications in Synthesis of Natural Products and Drugs                                                                 | 265        |
| 8.1.1    | Synthesis Using <i>Ortho</i> Functionalization of Aryl Halides                                                          | 265        |
| 8.1.1.1  | Synthesis Using <i>Ortho</i> Alkylation Reactions                                                                       | 267        |
| 8.1.1.2  | Synthesis Using <i>Ortho</i> Arylation Reactions                                                                        | 273        |
| 8.1.1.3  | Synthesis Using <i>Ortho</i> Amination Reactions                                                                        | 275        |
| 8.1.1.4  | Synthesis Using <i>Ortho</i> Acylation Reactions                                                                        | 277        |
| 8.1.2    | Synthesis Using 2-Alkylation of Indoles                                                                                 | 279        |
| 8.1.3    | Synthesis Using <i>Ortho</i> Functionalization of Vinyl Substrates                                                      | 283        |
| 8.2      | Applications in Synthesis of Organic Aromatic Materials                                                                 | 284        |
| 8.3      | Summary                                                                                                                 | 290        |
|          | References                                                                                                              | 291        |
|          | <b>Index</b>                                                                                                            | <b>295</b> |