

Index

a

(AB)_nB_m type block copolymers 237
 AB diblock copolymers 59, 60
 accelerated amine mechanism by
 monomer activation (AAMMA)
 155
 acid–base binary catalysts 18
 acid catalysts 6–7, 16, 18, 23, 159, 224,
 234, 235, 291, 336, 366, 375, 382,
 383, 421
 activated chain-end (ACE) 6, 7
 activated monomer (AM) pathway 223
 activated monomer mechanism (AMM)
 149
 amine-based organo-catalysts
 150–156
 autocatalysis of 160–165
 derivatives 129–131
 derived chiral phosphoric acids 13
 activators regenerated by electron-transfer
 (ARGET) 409
 aliphatic polyesters 79, 115, 129, 131,
 135, 309, 317
 alkali-metal carboxylates (AMCs) 16, 19,
 21
 alkali-metal salts 3, 9, 19–21
 alkoxide-ⁱBu₃Al complexation 225
 alkylamine/bis-thiourea binary catalyst
 132
 alkyl-δ-lactones 130
 alkynylsilyl end-capped polysiloxanes
 302

all-polycarbonate block copolymers
 60–62
 allyl glycidyl ether (AGE) 50, 66, 69, 82,
 87, 222, 225, 231, 238, 258, 259,
 261, 268, 270, 276, 278, 279
 α-amide-ω-hydroxyl PEG 260
 amidines 3, 4, 198, 213, 221
 amine-based organo-catalysts 150–155
 amino acids 173
 aminoalcohols 156, 158
 α-amino-ω-(di)hydroxyl PEOs 230
 α-amino-ω-hydroxyl PEO 228
 amphiphilic block-graft copolymers 222
 amphiphilic PEG-*b*-PγBL diblock
 copolymers 120–121
 anionic ROP of cyclosiloxanes 291, 292,
 297–304
 anthraquinone 427
 aromatic polyesters 79, 115
 atactic PLA 191, 198, 200, 315
 atom transfer radical polymerization
 (ATRP) 399, 407, 408, 411
 autocatalysis of NCA ring-opening
 polymerization 160–165
 6-azido-1-hexanol 125

b

base catalysts 4–6, 12, 15, 16, 18, 26, 94,
 103, 105, 234, 235, 377, 421, 423
 base/(thio)urea binary catalyst 118, 121,
 131
 9-BBN ammonium borane system 277

- 9-BBN-derived borane moieties (PBB-Br) 228, 229, 274
- 9-BBN tethered with ammonium cations 65–67
- BBN tethered with phosphonium cations 67–68
- 1,3,4-benzene tricarboxylic anhydride (TBA) 57, 154
- benzoic acid (BA) 8, 15, 16, 20, 134, 136, 183, 404, 424, 427
- benzyl alcohol (BnOH) 124, 125, 128, 135, 136, 199, 200, 202, 206, 210, 277, 279, 295, 313, 318, 320
- benzyl bispidine 204
- γ -benzyl-L-glutamate 149, 312
- ϵ -benzyl-L-lysine N-carboxyanhydride (Lys-NCA) 313
- β -diiminate zinc acetate [(BDI)ZnOAc] catalyst 83
- bicomponent Lewis pair 88–92
- bi-component organocatalysts 203–211
- bicyclic guanidines 297
- endo*-bicyclo[2.2.2]oct-5-ene-2,3-dicarboxylic anhydride (BCODA) 82
- bifunctional activation mechanism 118
- bifunctional and multifunctional catalysts 9–10
- bifunctional and multifunctional organocatalysts 9
- bifunctional borinane compounds 276, 277
- bifunctional chiral catalysts 203
- bifunctional Lewis pair 92–95
- bifunctional multinuclear organoboron catalysts 67
- bifunctional organoboron catalysts 46, 65
- 9-BBN tethered with ammonium cations 65–67
- BBN tethered with phosphonium cations 67–68
- borinane tethered with ammonium cations 68–69
- bifunctional organocatalyst $\text{Et}_3\text{N-C}_5\text{-BBNBr}$ 65
- bifunctional organocatalysts 9, 14, 65, 66, 94, 179, 181, 200–203
- bifunctional phosphazene-thiourea/urea organic catalysts 202
- bifunctional thiourea-quaternary ammonium salt catalyst 157
- 1,1'-bi-2-naphthol (BINOL) 13, 15, 193, 195, 196, 211–213, 279
- binaphthol (BINOL)-derived monophosphoric acids 193, 195, 196, 213
- binary Lewis pair systems 258–260
- binary TEB/ $\text{C}_3\text{N}_3\text{-Py-P}_3$ system 105
- binary TEB/organobase catalyst 94
- bio-based epoxides 82
- bio-based monomer 83
- biodegradable poly(ester-co-carbonate)s 91
- biodegradable polymers 15, 23, 28, 79, 115
- biodegradable poly(trimethylene carbonate) (PTMC) 51, 52, 316, 420
- bio-derivative polymers 115
- bis-amino functionalized POM $[\text{MnMo}_6\text{O}_{18}((\text{OCH}_2)_3\text{CNH}_2)_2]^{3-}$ with tetrabutylammonium (TBA) 57, 60, 154
- 1,3-bis(2,6-diisopropylphenyl)imidazol-2-ylidene 125
- bis(2-(4-formyl-2-methoxyphenoxy)-ethyl) carbonate (DVEC) 422
- bis(heptamethylcyclotetrasiloxanyl) ethane (Bis- D_4) 296
- 1,3-bis-(hydroxyhexafluoroisopropyl) benzene (1,3-bis-HFAB) 51, 157, 158
- 1,3-bis(2-hydroxyhexafluoroisopropyl) benzene (1,3-BIS-HFAB) 51, 157, 158
- 1,3-bis(isopropyl)4,5(dimethyl)imidazol-2-ylidene (I^iPr) 227
- 1,1'-bisnaphthol derivatives 335, 336
- bisphosphonium photocatalysts 370, 371

- bis-thiourea (Bis-TU1) 132, 134, 206
 1-(3,5-bis(trifluoromethyl)-phenyl-3-cyclohexyl-2-thiourea) (TU) 153
 1,3-bis-(2,4,6-trimethylphenyl)imidazol-2-ylidene 125
 bis(triphenylphosphine)iminium (PPN) phosphonium 54, 55, 84, 183, 185
 bisurea 122, 130, 131, 206
 block copolymers (BCPs) 310
 all-polycarbonate 60–62
 CO₂-based 55–60
 polycarbonate-based block copolymers 46
 2-(Boc-amino)ethanol 229
 9-borabicyclo[3.3.1]nonane (9-BBN) 65–68, 223, 224, 228, 265, 267, 273, 274, 276
 borabicyclo[3.3.1]nonane moiety 94
 borane-catalyzed PO/SA copolymerization 89
 borane compounds
 bond length and strengths 254
 characterization 255
 general characteristics of boron and boranes 253–254
 Lewis acidity of (organo)borane 255–256
 borane-mediated (co)polymerization 45
 borane–thiourea–amine trifunctional organocatalyst 10
 borane trifluoride (BF₃) 102, 254, 255, 257
 borinane tethered with ammonium cations 68–69
 borohydride ion 254
 boronic ester (alkoxyborane) species 90
 Brønsted acid catalysts 6, 7, 375
 Brønsted acids 6, 101, 193, 220, 223
^tBuP₄-alcohol system 230, 231
 1,2-butylene oxide (BO) 50, 55, 62, 66, 68, 69, 82, 87, 222, 225, 227, 228, 234, 238, 258, 259, 268, 270, 278, 279, 348
t-butyl glycidoxo acetate 90
 β-butyrolactone (β-BL) 1
 γ-butyrolactone (γBL) 1, 119–124
 and derivatives 119–124
- C**
- δ-caprolactone (δCL) 130
 ε-caprolactone (εCL) 1, 124, 136, 264
 4-carbomethoxyvalerolactone (CMVL) 24
 α-carboxyl-ω-hydroxyl PEG 259
 carboxylic (di)acids 259
 α-carboxylic ester-ω-hydroxyl polyethers 225
 catalytic mechanism of various organocatalysts
 bifunctional activation mechanism 118–119
 chain-end activation mechanism 117
 electrophilic monomer activation mechanism 116
 nucleophilic monomer activation mechanism 117
 cationic copolymerization of cyclic hemiacetal esters 23
 cationic ROP of cyclosiloxanes 290
 ceiling temperature 25, 103, 119, 129
 chain-end activation mechanism 116–118, 120, 128
 chain transfer agent (CTA-1) 3, 68, 69, 104, 183, 224, 258, 267, 273, 276–278, 367–369, 374, 403
 chemical degradation of functional polymers
 ionic liquids and acid-base salts 423–426
 organic bases and organic acids 420–423
 photocatalytic degradation of non-functional polymers 426–427
 chemically labile moieties into polymer chains for higher degradability 22–25
 chemical recycling 21, 25–29, 130, 419, 423
 of polymer materials 25, 26

- chiral and achiral
 urea-iminophosphoranes 202
 chiral BINOL-derived CPAs 212
 chiral organoborane mediated asymmetric
 ROP of epoxides 279–281
 chiral (*R*)-BINOL-derived CPAs 211
 CHO/CO₂ copolymerization 49, 67
 chromium salophen complex 83
 cis-5-norbornene-endo-2,3-dicarboxylic
 anhydride (NA) 82, 86
 citraconic anhydride (CA) 82, 175, 185
 classical Lewis adducts (CLAs) 309
 closed-loop chemical recycling 29, 423
 closed-loop recyclable polymers 115, 123
 C₃N₃-Py-P₃/TEB system 55
 CO₂-based block copolymers
 all-polycarbonate block copolymers
 60–62
 CO₂-based triblock copolymers 62–65
 one-step ter-, quater-polymerization
 55–58
 polycarbonate block copolymers from
 orthogonal polymerization 58–60
 CO₂-based copolymers 49, 55
 CO₂-based triblock copolymers 62–65
 CO₂/epoxide copolymerization system
 47
 CO₂/epoxides copolymerizations 45–55,
 65, 66, 69
 controlled radical polymerization (CRP)
 238, 334, 366, 399–411
 CO₂/PO copolymerization 54, 56, 57, 61,
 67
 copolymerization of cyclic acetal
 (aldehyde) with cyclic anhydride
 100–103
 copolymerization of epoxide with cyclic
 anhydride
 metal catalysts 83–85
 organocatalysts 85–86
 scope of 82–83
 copolymerization of oxetane with cyclic
 anhydride 95–97
 copolymerization of tetrahydrofuran with
 cyclic anhydride 97–100
 crown ethers 163, 210, 220, 221, 257
 cryptates 220, 221
 (3-cyanopropyl)pentamethylcyclotrisil-
 oxane (CNPD2) 301
 cyclic acetals 23, 24, 28, 81, 100–103,
 105, 106
 5 cyclic acetals 101
 cyclic carbosiloxane 2,2,5,5-tetramethyl-
 oxa-2,5-disilacyclopentane
 (TMOSC) 298, 303
 cyclic ester 4-ketovallero lactone (KVL)
 24
 cyclic ester monomers 1, 3, 4, 9, 18, 23,
 24, 26–29, 59
 with bicyclic structures 27
 with heteroatoms 29
 cyclic esters, ROP of 25
 cyclic hemiacetal esters 22–24
 cyclic phosphazene organobases 54
 cyclic (thio)ester monomers 173
 cyclic trimeric PB CTPB 199
 cyclic trimeric phosphazene base (CTPB)
 54, 87, 90, 95, 120–123, 129, 136,
 199, 209, 295–297, 304
 cyclohexene oxide (CHO) 47–51, 55,
 58–60, 65–68, 82–83, 86–88, 90, 92,
 94–95, 105, 258, 423
 cyclopentene oxide (CPO) 65, 66, 68
 CyN-C₃-BBN₂Br dinuclear organoboron
 catalysts 66
- d**
 di- and triblock copolymers 59
 1,4-diazabicyclo[2.2.2]octane (DABCO)
 203, 258, 311
 1,8-diazabicyclo[5.4.0]undec-7-ene
 (DBU) 3, 4, 8, 11, 14, 57, 127, 129,
 135, 137, 153, 198, 204, 205, 209,
 210, 225, 238, 258, 279, 317, 319,
 420, 424, 425
 diazabicyclo[5.4.0]undec-7-ene (DBU)
 3, 4, 8, 11, 14, 57, 90, 129, 131, 135,
 137, 153, 198, 204, 205, 209, 225,
 238, 258, 279, 317, 319, 420, 424,
 425

- 8-diazabicyclo[5.4.0]-undec-7-ene DBU
amidine 198
N,N-dibenzylglycidylamine (DBGA)
230, 231
 α -(di)carboxylic ester- ω -hydroxyl
PEO/PPO 229
3,5-dichlorobenzaldehyde 103
diglycolic anhydride (DGA) 82, 88, 90
dihydrophenazine derivatives 330–331
 α,ω -dihydroxy PPO 228
diiminate ligand skeletons 83
1,3-diisopropyl-4,5-dimethylimidazol-
2-ylidene 126
1,3-diisopropylimidazol-2-ylidene (IⁱPr)
123, 227, 319, 320
dimethylacridine derivatives 333
4-(dimethylamino)pyridine (DMAP) 3,
4, 8, 9, 18, 19, 83, 92, 117, 131, 134,
135, 176–178, 180, 182, 192, 258,
317, 319, 423, 425
4-(*N,N*-dimethylamino)pyridine
hydrochloride (DMAP.HCl) 134
5,5-dimethyl-1,3-dioxane-2-one 52
3,3-dimethyl oxetane 52
dinuclear chromium-salan catalysts 84
dinuclear metal-salen catalysts 84
dinuclear/trinuclear multi-chirality
catalysts 85
dinucleating Schiff-base orthovanillin
ligand 84
1,3-dioxolane (DXL) 23
1,3-dioxolan-4-one (DOX) 22, 23
diphenyl phosphate (DPP) 8, 92, 125,
234, 420
4,8-diphenyl-1,5,7-triazabicyclo[4.4.0]
dec-5-ene 198
1,3-di-*tert*-butylimidazol-2-ylidene (I^tBu)
123, 313
di-/triblock co-/terpolymers 234
DMAP/neopentane alcohol 176
dodecanolactone (DDL) 135, 136
dodecylbenzenesulfonic acid (DBSA)
420
double metal cyanide (DMC) catalytic
system 257
dual activation model 9
dual organocatalysts 137, 200–211, 213
dynamic achiral rotaxanes 210
- e**
eight-membered cyclic diolide (DL) 2,
14, 161, 211
electrophilic monomer activation
mechanism 116, 125
enantiomorphic site control (ESC)
mechanism 192–194, 200, 202,
208, 212
enantiopure glycidyl butyrates (GBs)
232, 263
entropy change of polymerization 25
enzymatic deoxygenation in RAFT
polymerization 400–403
enzymatic initiation of RAFT
polymerization 403–407
enzyme-catalyzed controlled radical
polymerization 399, 400, 411
ATRP 407–411
enzymatic initiation of RAFT
polymerization 403–407
in RAFT polymerization 400–403
epichlorohydrin (ECH) 67, 68, 82, 88,
258
epoxides 219
equilibrium polymerization 124, 129,
290
 α -ester- ω -hydroxyl PEO 222
Et₃B-catalyzed epoxide
homopolymerization 263
Et₃B-catalyzed epoxide polymerization
259
Et₃B-catalyzed homopolymerization of
epoxides 258
Et₃B-mediated ROP of epoxides
binary Lewis pair systems 258–260
mechanism 260–261
poly(alkylene oxide) structures
261–264
ROP of epoxides 256–264
ethylene oxide (EO) 82, 219

2-ethylhexyl glycidyl ether (EHGE) 258
 excited state proton transfer (ESPT) 378, 381, 382
 exocyclic hemiacetal esters 23, 24

f

five-membered γ -butyrolactone (γ -BL) 26
 fluorenone 391, 426
 fluorescein derivatives 340
 fluoride ion affinity (FIA) 256
 fluorinated alcohol 157, 158
 free-radical polymerization (FRP) 399, 400, 403, 404
 frustrated Lewis pairs (FLP) 150, 151, 309
 full width at half maximum 341, 343–344
 functionalized aminoalcohols 156
 functionalized PAHs 328, 329
 functionalized polyether
 end-group functionalization 228–230
 pendant-group functionalization 230–232
 functionalized poly(thio)esters 173
 α -functional/ ω -OH heterotelechelic PPOs 278

g

Gibbs free energy change of polymerization 25
 glutaric anhydride (GA) 51, 82, 90, 96, 103, 223, 231, 263
 glycidyl azide (GA) 51, 223, 263
 glycidyl butyrates (GBs) 232, 263
 glycidyl ethers 50, 82, 90, 219, 222, 225, 228, 231, 258, 268, 276, 278
 guanidines 4, 198, 213, 221, 291, 297–302, 304
 base TBD 127
 catalyzed anionic ROP of cyclosiloxanes 297–302
 guanidinophosphazene 297

h

heteroatom-doped anthanthrene derivatives 334
 α,ω -heterobifunctional PEO 228
 α,ω -heterobifunctional PPOs 228
 N -heterocyclic organic catalysts 135
 organo-catalysts before 2010 149–150
 heterodinuclear catalysts 84
 heterodinuclear Zn/Mg catalyst 84
 heterogeneous zinc-cobalt (III) double metal cyanide complex (DMCC) catalyst 85
 hexaethylcyclotrisiloxane 293
 hexahydrophthalic anhydride (HHPA) 82
 hexamethylcyclotrisiloxane 293
 hexamethyldisilazane (HMDS) 150, 152, 153, 159
 2,4,4,6,6-hexa(tetramethyl-guanidyl) 1,3,5,2 λ 5,4 λ 5,6 λ 5-cyclotri(phosphazene) (HTGCP) 297, 298
 hexyl-9-BBN/butyltriethylammonium bromide 65
 higher-temperature tolerance 17–19
 hinged polypeptides 161
 high molecular weight linear polysiloxanes 289
 high molecular weight poly(γ -butyrolactone) (P(γ -BL)) 26
 high-molecular-weight polyesters 115
 HRP/H₂O₂/ACAC ternary initiating system 405
 hybrid POM-polypeptide materials 154
 hydrogen atom transfer (HAT) cycle 389, 390, 426–428
 hydrogen bond donor (HBD) 9, 10, 51, 91, 193, 200, 213, 422
 2-hydroxyethyl acrylate 228, 277, 400
 hydroxyethylated derivative of vanillin (HEV) 421
 N -(2-hydroxyethyl)maleimide 125
 2-hydroxyethyl methacrylate 228
 α -hydroxyl- ω -aminotelechelic polypeptide 151

hydroxyl-terminated linear polyethers
223

hydroxyl-terminated polycarbonates 53
1-hydroxypyrene (PyOH) 382, 383

i

imidazolium-based ionenes 425

intramolecular Lewis acid-base
cooperative catalytic approach
224

ionic catalysts 7–9

ionic liquids and acid-base salts 423–426

isobutylene oxide (IBO) 82, 85

β -isocupreidine 202, 203, 311

β -isocupreidine core 203, 311

isotactic poly(3-hydroxybutyrate) (P3HB)
28, 29, 211, 212

isotactic polypropylene oxide (it-PPO)
280

l

L-LacOCA (L-1) 176

lactide (LA) 1, 3, 11, 13, 23, 62, 116, 131,
133, 134, 173, 191, 192, 238, 264,
309, 316, 379

rac-lactide 198, 311–313, 315, 316, 319,
380

large-membered lactones 135–136

Lewis acidic tris(pentafluorophenyl)
borane ($B(C_6F_5)_3$) 102, 203, 223,
311, 313

Lewis acidity of (organo)borane 255–256

Lewis acids 6, 48, 90, 101, 220, 223, 227,
255, 256, 272, 273, 310

Lewis pair

catalytic ROP of cyclic esters 309–310
mechanisms for 310

used for ROP of cyclic esters

metal halide-based Lewis pairs
318–322

organo zinc-based Lewis pair
315–318

organoaluminum-based Lewis pair
313–314

organoboron-based Lewis pair

311–313

Lewis pair polymerization (LPP) 282,
309, 312–317, 320, 321

linear oligomer siloxanes 289

linear poly(cyclohexene carbonate)s
($k_{p1,2} > k_{p1,1}$ and $k_{p2,1} > k_{-p2,1}$) 47

Liptrot's group 422

living/controlled anionic polymerization
220

low-tension heterocyclic compounds
100

m

macrocyclic (co)polyethers 228

macromolecular organoborane mediated
ROP of epoxides 272–274

main-chain oxygenated polymers 219

maleic anhydride (MA) 82, 85, 106, 404

maximum absorption wavelength 341,
344

Mayr nucleophilic parameter 3

Mayr reactivity parameters 3

3 and 4-membered cyclic ethers 97

merocyanines (MEH) 379, 380

Me_6TREN /bis-thiourea (Bis-TU2) 133

meso-lactide 311, 312

metal-based catalysts 45, 174, 185, 191,
213, 219, 221, 257, 280, 281, 291,
419

metal catalysts 1, 3, 83, 85, 88, 91, 95,
106, 185, 384

metal-free oxetane/ CO_2 coupling 51

metal halide-based Lewis pairs 318–322

α -(meth)acrylate- ω -hydroxyl PPOs 228

methanesulfonic acid (MSA) 9, 18, 82,
125, 134, 420

2-methoxyethyl acrylate (MEA) 405

α -methylbenzyl cyanide 228

2-methyl-2-butene 28

α -methylene- γ -butyrolactone (MBL) 122,
123

4,4'-methylene diphenyl diisocyanate
(MDI) 121

- α -methylene- δ -valerolactone (MVL) 122, 131
 (2*S*,3*R*,4*S*,5*S*)-1-methyl-4-nitro-3,5-diphenylpyrrolidine-2-carboxylic acid 209
 (2*S*,3*S*,4*R*,5*S*)-1-methyl-4-nitro-3,5-diphenylpyrrolidine-2-carboxylic acid 209
 methylsuccinic anhydride (MSA) 18, 82, 125
 7-methyl-1,5,7-triazabicyclo[4.4.0]decane-5-ene (MTBD) 11, 57, 127, 129, 135, 198, 258, 298, 317
 7-methyl-1,5,7-triazabicyclo[4.4.0]dec-5-ene (MTB) 225, 258, 298
 γ -methyl-L-glutamate 149
 β -methyl- δ -valerolactone (β M δ VL) 129, 130
 modified organoborane mediated ROP of epoxides
 macromolecular organoborane 272–274
 one-component ammonium borane-based Lewis pair systems 265–269
 one-component phosphonium borane-based Lewis pair systems 269–272
 poly(alkylene oxide) structures 274–279
 silicon-based borane Lewis pair system 272
 molar extinction coefficient 341, 344–345
 mono-component bifunctional organocatalysts 200–203
 monofunctional cyclotrisiloxanes 300
 mono-substituted aldehydes 102
 monosubstituted epoxides 219, 222, 225, 231
 mono(thio)ureas 206
 morpholino-2,5-dione derivatives (MDs) 153
 multifunctional tetrabutylammonium carboxylates 53
- n**
 nanoscale metalorganic frameworks (MOF) 164
N-carboxyanhydrides (NCAs) 312
 neopentyl alcohol (*neo*-PentOH) 315
 NHC-Zn(C₆F₅)₂ 315
N-heterocyclic carbenes (NHCs) 3, 117, 123–126, 135, 175, 178, 196–198, 205, 206, 213, 222, 227, 257, 258, 291, 303, 319
 catalyzed anionic ROP of cyclosiloxanes 303
N-heterocyclic olefins (NHOs) 121, 135, 206, 222, 257, 258, 314, 320, 321
N-heterocyclic phosphine (NHP) 422
N-hydroxyphthalimides (NHPIs) 427
N,N'-bis[3,5-bis(trifluoromethyl)phenyl]thiourea (TU-S) 156
N,N'-bis(salicylidene)cyclohexanediamine chromium (III) chloride[(salen)CrCl] 83
N,N-dimethylcyclohexylamine/TEB 58
N,N',N''-trihydroxyisocyanuric acid (THICA) 427
 nonafluorobutanesulfonimide (Nf₂NH) 99
 non-alcohol protonic compounds 222
 non-equilibrium polymerization 290
 non-eutectic mixture organocatalysts (NEMO) 18
 non-ionic phosphazene base *t*-BuP₄ 293
 non-nucleophilic tetrafluoroborate anion (BF₄[−]) 150
 normal amine mechanism (NAM) 154
 nucleophilic catalysts 3
 nucleophilic monomer activation mechanism 117
N-unsubstituted diketopyrrolopyrrole derivatives 336
- o**
 O-ATRP
 1,1'-bisnaphthol derivatives 335–336
 dihydrophenazine derivatives 330–331

- dimethylacridine derivatives 333
- heteroatom-doped anthanthrene
derivatives 334–335
- mechanism of 328
- N*-unsubstituted diketopyrrolopyrrole
derivates 336
- organic donor–acceptor scaffolds
333–334
- phenothiazine derivatives 329–330
- phenoxazine derivatives 331–332
- polynuclear aromatic hydrocarbons
328–329
- OCA polymerization
- ROP catalyzed by acid/base adducts
178–179
- ROP catalyzed by DMAP 176–178
- ROP catalyzed by *N*-heterocyclic
carbenes 178
- thiourea-based organocatalysts
179–182
- octamethylcyclotetrasiloxane (D_4) 293
- offspring [3.2.1] bicyclic lactone 123
- oligomeric α,ω -dihydroxyl PTMC 51
- one-component ammonium borane-based
Lewis pair systems 265–269
- one-component phosphonium
borane-based Lewis pair systems
269–272
- one-pot two-step block copolymerization
232–236
- one-step block copolymerization 232,
236–240
- one-step ter-, quater-polymerization
55–58
- onium chloride salts 52
- organic acids for stereoselective ROP of
rac-LA 193–196
- organic bases 9, 11, 19, 57, 86–92,
196–200, 213, 291, 317, 319, 377,
420–423
- and organic acids 420–423
- organic catalysis for polymerisation 420
- organic donor–acceptor scaffolds
333–334
- organoaluminum-based Lewis pair
313–314
- organobase catalysts 4, 15, 16, 18, 94,
234
- organobases 11, 54, 120–123, 129, 132,
133, 198, 220, 221, 257, 258, 260,
420
- organoboron-based Lewis pair
311–313
- organocatalysis for depolymerisation
420
- organo-catalysts before 2010 149–150
- organocatalysts 85, 156–160
- for SCA polymerization 182–185
- organo-catalytically copolymerizable
epoxide monomers with CO_2
45–46
- other organo-catalysts 156–160
- organocatalytic ROP of lactones or
lactides
- γ -butyrolactone and its derivatives
119–124
- ϵ -caprolactone (ϵ CL) 124–129
- lactide 131–134
- large-membered lactones 135–136
- δ -valerolactone (δ VL) 124
- δ -valerolactone derivatives 129–131
- organocatalyzed stereoselective
ring-opening (co)polymerization
- dual organocatalysts 200–211
- mechanisms in 192–193
- organic acids 193–196
- organic bases 196–200
- other cyclic monomers 211–213
- organophosphazene base *t*-BuP₄ 120
- organophosphazene bases 86, 87, 127,
135, 137
- organo zinc-based Lewis pair 315–318
- O(*S*)-carboxyanhydrides (O(*S*)CAs)
173
- racemization of α -proton 175–176
- synthesis and purification of 175
- 6-oxabicyclo[3.2.1]octan-7-one (BiL)
123, 124

- oxetane (OX) 51, 52, 69, 95–97, 103, 105, 106
- oxidative quenching pathway (OQP) 325, 326, 328, 336–338, 347, 350, 352, 353
- p**
- PB-Et₃B two-component organocatalysts 229, 232, 237
- PDMS bi-terminated with bromoaryl groups 302
- PEG-PBLG amphiphilic macroinitiators 163
- ω -pentadecalactone (PDL) 2, 135, 136, 317, 319–321
- 58 ω -pentadecalactone (DL) 2, 161, 211
- 2,3,4,5,6-pentafluorobenzyl alcohol 125
- pentamethylene-(CH₂)₅-linked triphenylphosphonium bromide (Lewis base) 4, 18, 69, 85, 88, 91, 94, 221, 255, 265, 269, 309
- petroleum-based methyl methacrylate (MMA) 122, 328, 329, 331, 334, 336, 404
- PGC-based amphiphilic and double-hydrophilic copolyethers 232
- phenoxazine derivatives 331–332
- phenyl containing prepolymers (p-PDMS) 296
- phenyl glycidyl ether (PGE) 50, 82, 258, 268, 278
- 3-phenyl-1-propanol (PPA) 125, 134, 159, 193
- phenyl trimethylsilyl sulfide (PhS-TMS) 158, 159
- phosphazene bases (PBs) 11, 20, 54, 86, 87, 90, 105, 127, 135, 137, 198, 199, 220, 221, 291–293, 297, 304
- phosphazene motifs 202
- phosphazenes 4, 6, 9, 13, 54, 198–200, 207, 209, 213, 293
- phosphazene-type organobases 257
- phosphazenes catalyzed anionic ROP of cyclosiloxanes
- cyclic trimeric phosphazene base 295–297
- guanidinophosphazene 297
- phosphazanium hydroxide P₅OH 293–294
- Schwesinger's phosphazene bases 293
- trisphosphazene base-C₃N₃-Me-P₃ 297
- phosphazanium hydroxide P₅OH 293–295
- phosphines 3, 84, 117, 131, 269, 372
- phosphonium alcoholates 302
- phosphonium-bridged bisborane organo-initiator/catalyst 269
- phosphorus ylides 291, 302–303
- phosphorus ylides catalyzed anionic ROP of cyclosiloxanes 302–303
- photo-acid generators (PAGs) 366–378
- photobase generators (PBGs) 377
- photo-controlled polymerization 353, 365, 366, 378, 381
- photo-excited photocatalyst 367
- photo-responsive azobenzene-based TU 205
- photocatalytic degradation of non-functional polymers 426–427
- photocatalyzed reversible deactivation radical polymerization (photo-RDRP) 325–327, 341, 347, 350, 352–354
- photocontrolled ring-opening polymerization
- ArOH as ESPT catalysts 381
- azobenzene compounds 379
- hydroxypyrene 382
- L-lactide monomer 379
- MEH transforms 379
- PAGs 377
- photochromic NHC catalyst 378
- photo-cyclization mechanism 379
- photo-switchable catalysts 378
- photo-switchable ROP 378
- photoinduced irreversible decomposition or isomerization 378

- PyOH 382
- reversible MEH-type photoacids 380–381
- visible light-regulated ROP of lactones 383
- photocontrolled step-growth polymerizations
- bis(silane)s and bisolefins 390–391
- electron-rich dienes 390
- hydrosilylation 389, 390
- photocatalytic thiol-ene aqueous emulsion polymerization 389
- [2 + 2] photopolymerization 390
- thiol-ene click reactions 387, 388
- photoenzymatic RAFT polymerization 404, 405
- photoinduced electron/energy transfer
- reversible addition fragmentation chain transfer (PET-RAFT)
- chain transfer mechanism 340
- fluorescein derivatives 340
- mechanism of 337–338
- phthalocyanine derivatives 340
- porphyrin derivatives 338–339
- photoinitiated cationic polymerization
- acridinium salts 372
- bisphosphonium-mediated 370–371
- chain growth 368
- p*-MOS 367
- PAGs 366
- phosphonium photocatalysts 372
- phosphonium salts 372
- stereoselective photocontrolled 376
- temporal control and proposed mechanism 374–375
- tritylium photocatalysts 374
- photoinitiated polymerization 365
- photon absorption
- full width at half maximum 343–344
- maximum absorption wavelength 344
- molar extinction coefficient 344–345
- theory for absorption spectrum 342–343
- Ph₃P-C_n-BBNX bifunctional phosphonium 9-BBN catalysts 68
- phthalic anhydride (PA) 55, 57, 58, 82, 83, 87, 88, 90–92, 94, 95, 97, 104, 105, 237, 238
- phthalocyanine derivatives 340, 341
- P(LA-co-CL) copolymer 20
- plastic pollution 419
- plastic waste 21, 25, 29, 419, 425, 426
- PLLA-*b*-PδCL-*b*-PLLA triblock copolymers 130
- PLLA-PβMδVL-PLLA triblock polymers 129
- poly(L-7) 177
- poly(acetal-*alt*-ester)s 101
- polyacetal-*b*-polyether block copolymer 232, 234
- poly(alkylene oxide) structures 261–264, 274–279
- poly(bisphenol A carbonate) (BPA-PC) 421, 425
- poly(butyleneadipate-*co*-terephthalate) 79
- poly(butylene succinate) 79
- poly(ε-caprolactone) 1, 20, 80, 234, 309, 422
- poly(4-carbomethoxyvalerolactone) (PCMVL) 24
- polycarbonate-based block copolymers 46
- polycarbonate block copolymers from orthogonal polymerization 58–60
- poly(carbonate-ester) copolymers 55
- polycarbonate polyols 53, 69
- polycarbonates 45–53, 55, 59, 62, 64, 68–70, 103, 234, 420
- poly(cyclohexene carbonate) (PCHC) 47, 48, 57, 60–62, 64, 68–70, 105, 422, 423
- polydepsipeptides (PDPs) 153
- polydiethylsiloxane (PDES) 296, 297
- poly(dimethylsiloxane-co-diethylsiloxane)s (PMESs) 296
- polydimethylsiloxanes (PDMSs) 293–295, 297, 301
- poly(1,4-dioxan-2-one) (PPDO) 28

- polyester-based block copolymer 103–105
- polyester-based block-like copolymers 16
- poly(ester-*b*-carbonate) block copolymers 58, 59
- poly(ester-*b*-carbonate) diblock copolymers 58
- polyester-*b*-polycarbonate di-block copolymers 105
- poly(ester-*co*-carbonate) tapered copolymers 57
- poly(ester-ether) multiblock copolymers 264
- polyesters 79
 general reactions to prepare 79–80
 synthesis route for 79
- polyether-based block copolymers 219, 220, 232
 one-pot two-step block copolymerization 232–236
 one-step block copolymerization 236–240
- polyether-*b*-PCL-*b*-PLLA triblock terpolymers 236
- polyether-*b*-polyester/polycarbonate block copolymers 234
- poly(ethylene carbonate) (PEC) 50, 57
- poly[(ethylene carbonate)-*co*(ethylene oxide)] (PECEO) 50
- poly(ethylene glycol) monomethyl ether 121
- poly(ethylene oxide) (PEO) 50, 91, 221, 222, 224, 225, 227–234, 256, 258, 262, 276, 278
- polyethylene terephthalate (PET) 79, 420, 423–425
- poly(glycidyl azide carbonate) 51
- poly(glycidyl azide) ether 51
- poly(glycidyl phenyl ether)-*b*-polylactide block copolymers 236
- polyglycolide (PGA) 24, 173, 263
- poly(hemiacetal ester)s 23, 24
- poly(hydroxy acid)s 173
- polyhydroxyalkanoates (PHAs) 28, 79, 119
- poly(4-hydroxybutyrate) (P4HB) 119, 121
- poly(hydroxyl alkanoates) (PHAs) 28, 79, 119
- poly(lactic acid) (PLA) 1, 10, 11, 13–15, 17, 18, 20–23, 28, 62–64, 79, 80, 103, 173, 180, 191–193, 196–200, 202–206, 210, 309, 313, 315–317, 422, 423
- poly(lactic acid)-*b*-poly(alkyl- δ -lactone)-*b*-poly(lactic acid) triblock copolymer 11
- polylactide (PLA) 1, 10, 11, 13, 14, 17, 18, 21–23, 28, 62–64, 79, 80, 103, 131, 173, 180, 191–193, 196–200, 202–206, 209, 210, 236, 280, 309, 313, 315–317, 422, 423
- poly(L-lactide) (PLLA) 13, 14, 23, 63, 119, 131, 133, 134, 191, 199, 203, 206, 234, 311, 312
- poly(mandelic acid)s (PMAs) 179, 180
- poly(methacrylic acid) (PMAA) 61
- polynuclear aromatic hydrocarbons (PAHs) 326, 328–329
- polyolefin-*b*-PEO hybrid amphiphilic block copolymers 234
- polyoxometalates (POMs) 154
- polypeptide brush 160
- polypeptides 147, 150–159, 161, 163, 165, 166, 312
- poly(propylene carbonate) (PPC) 53, 55, 57, 58, 60–63, 67, 69, 70, 91
- poly(propylene carbonate-*co*-propylene oxide) (PPPC)-based ABA triblock copolymers 62–64
- poly(propylene carbonate phthalate) (PPC-P) copolymers 58
- polysarcosine 160
- polysiloxanes 289–304
- polystyrene(PS)-*b*-poly(*p*-hydroxystyrene) diblock copolymers 222
- polytetrahydrofuran (PTHF) 102
- polythioesters 173, 176, 183

- polytrimethyl carbonate (PTMC) 51, 52, 316, 420
- poly(vinyl monomers)-*b*-poly(epoxides-*alt*-anhydride)-*b*-poly(*rac*-LA) triblock copolymer 104
- poly(4-vinylphenol) (PVP) 223, 273
- poly(4-vinylphenol) and 9-borabicycl [3.3.1]nonane (9-BBN) 65, 67–68, 223, 224, 228, 265, 267, 274, 276, 277
- poorly reversible pollutant 419
- porphyrin derivatives 338–339
- positive Gibbs free energy change 119
- PPO-*b*-PEO-*b*-PPO triblock copolymers (Pluronic R) 222, 224, 232, 276
- PPO-*b*-PLLA-*b*-P(PA-*alt*-PO)-*b*-PLLA-*b*-PPO pentablock terpolymers 238
- propylene oxide (PO) 82, 156, 219, 265, 275
- proton-coupled electron transfer (PCET) 405
- proton-mediated dual catalysis 310
- PTPU-*b*-PPPC-*b*-PTPU (U-PC-U) ABA triblock copolymers 64
- pure diblock poly(ester-*b*-carbonate)s 58
- PVL-*b*-PCL diblock copolyester 129
- pyromellitic dianhydride (PMDA) 58
- q**
- quadri-block copolymer 104
- quadripolymers 55
- quaternary ammonium salt (QAS) 65, 88, 92, 94, 156, 157, 220
- r**
- racemic β -butyrolactone (*rac*- β -BL) 13
- racemic lactide (*rac*-LA) 9, 13, 15, 63, 104, 131, 133, 191–213, 311
- racemic seven-membered cyclic substituted caprolactones (CLs) 212
- racemization of α -proton 175–176
- radical polymerization
- O-ATRP
 - dihydrophenazine derivatives 330–331
 - dimethylacridine derivatives 333–334
 - heteroatom-doped anthanthrene derivatives 334–335
 - mechanism of 328
 - N*-unsubstituted diketopyrrolopyrrole derivatives 336
 - organic donor–acceptor scaffolds 333–334
 - phenothiazine derivatives 329–330
 - phenoxazine derivatives 331–332
 - polynuclear Aromatic Hydrocarbons 328–329
- photo-controlled organocatalyzed radical polymerization 325–327
- rare earth (RE) complexes 151
- representative acid–base mixed or salt organocatalysts 19
- representative Brønsted acid catalysts 6
- representative Brønsted base catalysts 5
- reversible addition-fragmentation chain transfer (RAFT) polymerization 61, 238, 337–341, 366, 399
- reversible deactivation radical polymerization (RDRP) 399
- ring opening alternating copolymerization (ROAC) 80, 81, 90, 105
- ring-opening metathesis polymerization (ROMP) 366, 384–387
- electrochemical intermolecular olefin cross metathesis 384
 - metal-free 385, 386
 - photoredox catalysis 384
 - traditional transition metal-catalyzed 386, 387
 - transition-metal-based olefin metathesis 384
- ring-opening polymerization (ROP) of cyclic esters
- degradability and recyclability 22
 - polyesters 2
 - polymerization mechanism 3–10
 - recent trends in organocatalyst development
 - high selectivity 12–17

- ring-opening polymerization (ROP) of cyclic esters (*contd.*)
 - higher catalytic efficiency 11–12
 - higher-temperature tolerance 17–19
 - safety considerations 19–21
 - representative organocatalysts for 2
- ring-opening polymerization (ROP) of cyclic lactones 1, 80, 309
- ring-opening polymerization (ROP) of epoxides 256
- functionalized polyether
 - end-group functionalization 228–230
 - pendant-group functionalization 230–232
- polyether-based block copolymer
 - one-pot two-step block copolymerization 232–236
 - one-step block copolymerization 236–240
- single-component catalyst 221–225
- two-component catalyst 225–227
- ROP catalyzed by acid/base adducts 178–179
- ROP catalyzed by DMAP 176–178
- ROP catalyzed by *N*-heterocyclic carbenes 178
- S**
- salicylaldehyde skeletons 83
- sarcosine-derived
 - N*-thiocarboxyanhydrides (Me-NNTA) 153
- SCA polymerization, organocatalyst for 182–185
- Schwesinger's phosphazene bases 292, 293
- (self-)switchable (co)polymerization 236
- semi-aromatic polyester 79, 80, 82
- silicon-based borane Lewis pair system 272
- silicon-centered alkyl borane/ammonium salt binary catalyst 272
- single-component catalyst
 - acid 223–225
 - base 221–223
- single oxygen cycle 427, 428
- 9 six-membered cyclic anhydrides 101
- six-membered cyclic ester monomer 28
- solvent polarity 119, 261
- (–)-sparteine 204
- stereoregular polyester 86
- stereoselective polymerization of propylene 191
- structure-property-performance relationships
 - activation 350–352
 - chemical and geometric structures 342
 - deactivation 352
 - excited state evolution
 - quantum yield for long-lived state 346–347
 - theory for fluorescence 347–348
 - theory for internal conversion 348–349
 - theory for intersystem crossing 349–350
- photon absorption
 - full width at half maximum 343–344
 - maximum absorption wavelength 344
 - molar extinction coefficient 344–345
 - theory for absorption Spectrum 342–343
 - property-performance relationships 353–354
- styrene oxide (SO) 50, 51, 68, 87, 90, 222, 225, 258
- succinic acid 69, 82, 119
- sugar derivative 3-(benzyloxymethyl)-3-ethyloxetane (BMEO) 95
- sulfonium-type PAGs 377
- sustainable isotactic poly(thio)esters 175
- synthetic polypeptides 147, 166

t

- Takemoto's catalyst 9, 10, 14, 200, 209
 tBu-P₁/Et₃B binary system 260
 t-BuP₄ phosphazanium 54
 TEB-bonded carboxylate (alkoxide)
 anions 90
 TEB catalyzed CO₂/epoxides
 copolymerization
 development of 50–55
 discovery of 46–49
 TEB/PPNCl Lewis pair 58
 TEB/PPNCl Lewis-pair organocatalyst 58
 TEB/tetrabutyl ammonium m-phthalate (A-mPhA) pair 57
 telechelic PyBL diols 121
 terephthalamide-and urea-based
 bis-imidazole products 425
 terpolymerization of CO₂/epoxides/cyclic anhydrides 104
 tert-butyl glycidyl ether (TBGE) 225, 258
 2-tert-butyl glycolate 229
 2-tert-butylimino-2-diethylamino-1,3-dimethylperhydro-1,3,2-diazaphosphorine BEMP 199
 tert-butylimino-tris(dimethylamino) phosphorane P₁-t-Bu 199
 2-tert-butylimino-2-diethylamino-1,3-dimethylperhydro-1,3,2-diazaphosphorine BEMP 199
 1-tert-butyl-2,2,4,4,4-pentakis(dimethylamino)-2λ⁵, 4λ⁵-catenadi (phosphazene) P₂-t-Bu 199
 tethered bifunctional thiourea-amines 200
 tetraalkylammonium carboxylate-initiated open vessel NCA polymerization 155
 tetraalkylammonium carboxylates ion pairs 154
 tetraalkylammonium hydroxide 291
 tetrabutylammonium 51–54, 60, 154, 274
 tetrabutyl ammonium chloride (TBACl) 274
 tetrabutylammonium iodide 51
 tetrabutylammonium salt of succinic acid (TBASA) 274
 tetradentate sulfur ligands 84
 tetrahydrofuran (THF) 50, 81, 97–103, 105, 106, 125, 129, 130, 150, 151, 153, 154, 159, 178, 197, 206, 221, 222, 227, 279, 313, 316, 321, 422
 tetrahydrophthalic anhydride (THPA) 82, 238
 tetrahydropyranyl glycidyl ether (TGE) 231, 232
 tetrakis[tris(dimethylamino) phosphoranylideneamino] phosphazanium chloride (P₅Cl) 294
 tetrakis[tris(dimethylamino) phosphoranylideneamino] phosphazanium hydroxide (P₅OH) 293, 294
 tetramethyl glycolide (TMG) 28, 153, 154
 1,1,3,3-tetramethyl guanidine (TMG) 28, 153, 154
 1,3,4,5-tetramethylimidazol-2-ylidene 126
 2,4,6,8-tetramethyl-2,4,6,8-tetraphenylcyclotetrasiloxane 296
 tetra-*n*-butylammonium acetate (TBAA) 220
 tetra-*n*-butylammonium fluoride (TBAF) 220
 timeline of initiators and organo-catalysts for 147–148
 tetraphenyltetramethylcyclotetrasiloxane (P₄^{Me}) 293
 thiodiglycolic anhydride (TDGA) 82
 α-thioester-ω-hydroxyl PEO/PPO 229
 thiourea/amine binary catalyst 131, 132
 thiourea-based bifunctional
 single-molecule organocatalysts 175, 179, 185
 thiourea-based organocatalysts 179–182
 (thio)urea/PPNCl Lewis pair 91

- (thio)ureas 3, 11, 16, 62, 91, 92, 95, 129, 132, 133, 137, 205, 206, 209
- (thio)ureas catalysts 92
- 1,5,7-triazabicyclo[4.4.0]dec-5-ene (TBD) 4, 51, 118, 198, 258, 298
- 2,4,6-tris[tri(dimethylamino)iminophosphorane]-1,3,5-triazine (C_3N_3 -Me- P_3) 54, 87, 209, 297
- 2,4,6-tris[tri(1-pyrrolidinyl)-iminophosphorane]-1,3,5-triazine (C_3N_3 -Py- P_3) 54, 87, 105, 209, 297
- trans*-fused bicyclic and bridged lactones 27
- tin(II) 2-ethylhexanoate ($Sn(Oct)_2$) 1, 17, 20, 28, 121, 130, 131
- triaryl and trimethyl boroxines 223
- triabicyclo[4.4.0]dec-5-ene (TBD) 4, 5, 9, 18, 51, 90, 118, 120, 123, 124, 127, 129, 131, 135, 137, 153, 198, 225, 258, 298, 420, 421, 423–425
- 1,5,7-triazacyclic [4.4.0] dec-5-ene (TBD) 4, 5, 9, 18, 51, 90, 118, 120, 123, 124, 127, 129, 131, 135, 137, 153, 198, 298, 299, 420, 421, 423–425
- tributylaluminum (TiBA) 46–48, 67
- tributyl borane (TBB) 51
- triclocarban (TCC) 129
- triethylborane (Et_3B /TEB) 16, 45, 52, 57–60, 62, 64, 65, 67–69, 88–92, 95, 96, 103–105, 223, 225, 227, 230–239, 256–265, 267, 268, 279–281
- trifluoromethanesulfonimide (HNTf₂) 125
- trimethylborane 254
- trimethylene carbonate (TMC) 9, 18, 21, 51, 52, 235, 315, 316
- trimethyl glycine 9, 21
- trimethylsilyl amine substituted polynorbornene 160
- tris(pentafluorophenyl)borane ($B(C_6F_5)_3$) 102, 203, 223, 257, 311, 315
- 1,3,5-triphenyl-1,3,5-tri(ptyl)cyclotrisiloxane (PT3) 299, 300
- trisphosphazene base- C_3N_3 -Me- P_3 297
- tri-thiourea catalyst 156
- tulipalin A 122
- two-component catalyst 225–227
- U**
- ultrahigh molecular weight (UHMW) polymers 400, 401, 404, 405, 407, 411
- unfunctionalized PAHs 328
- V**
- δ -valerolactone (δ VL) 1, 123–125, 127–131, 135, 136, 264, 320, 379
- W**
- water-soluble polyesters 177
- Z**
- $Zn(C_6F_5)_2$ -based Lewis pair 317
- ZROP-of *rac*-LA 197
- zwitterionic 310
- intermediate 3
- ROP 197
- species mechanism 317
- zwitterions 9, 126