

## Index

### **a**

acidic ion-exchange (IEX) resins 185  
 Aspen Custom Modeler (ACM)  
     (www.aspentech.com) 90  
 air preheater (APH) 26  
 alcohol-to-jet (ATJ) process 313  
 American Institute of Chemical Engineers  
     (AIChE) 134  
 Aspen Dynamics 84, 90, 270  
 Aspen HYSYS 52  
 Aspen Plus 52  
 Aspen Plus Dynamics 161  
 attenuation ratio 97  
 ATV (Auto-Tune Variation) method 202

### **b**

bare module cost (BMC) 345  
 basic process control system (BPCS)  
     270, 271  
     control basis 276–284  
     safety analysis 284–292  
 batch and semi-batch processes, design of  
     88  
 batch distillation column 209  
 benzimidazolium based Brønsted acid  
     ionic liquid (BBAIL) catalyst 337  
 biobutanol 299  
 biodiesel plant design, goal of 342–343  
 biofuels, benefits of 335  
 bioprocesses 295  
 bioproducts purification  
     control and automation 298  
     control behavior analysis 306

equipment design and scalability 298  
 green metrics 299  
 inherent safety 298  
 intensification of alcohol to jet fuel  
     process 313–314  
 intrinsic safety 298  
 lactic acid 324–325  
 methodology 302–307  
 methyl ethyl ketone 307–313  
 new processes for furfural and  
     co-products 318–324  
 process controllability 301  
 process integration 297  
 process intensification 299  
 process robustness 297  
 process safety 297  
 validation and regulatory compliance  
     298  
 boiling liquid expanding vapor explosion  
     (BLEVE) 241  
 break-even cost (BEC)  
     base and optimized cases 352–353  
     minimization of 348–351

### **c**

carbon capture 30–31  
 Center for Chemical Process Safety  
     (CCPS) 134  
 checklist analysis 129–130  
 CHEMCAD 52  
 Chemical Engineering Plant Cost Index  
     (CEPCI) 345

- chemical engineers, survey and responses 257, 259–261
  - chemical safety index 239
  - circular chemistry 5
  - climate change 4
  - closed-loop dynamic simulations, for
    - distillation columns 284
  - conventional middle vessel batch distillation (CMVBD) vs. controlled CMVBD & single-stage vapor recompression in middle-vessel batch distillation (SiVRMVBD) 230–233
  - CMVBD vs. SiVRMVBD 225–226
  - COCO Simulator 53
  - commercial process simulator 52–23
  - compact heat exchangers (CHEs) 27
  - compact membrane deaerators/contactors 33
  - component object model (COM)
    - technologies 62
  - composition control 210
  - conceptual design 296
  - constant composition control 226–229
  - continuous improvement 135
  - continuous process improvement 296
  - control behavior analysis 306–307
  - control degrees of freedom (CDOF) 101–102
  - conventional middle vessel batch distillation (CMVBD)
    - constant composition control 216
    - dynamic composition profiles 219–222
    - systematic simulation approach of 212–216
  - conventional sequence of columns (CSC) 238, 245–251
  - critical alarms and human intervention (CA & HI) 270
  - CSC systems, comparative analysis 257
  - CycloneCC™ CO<sub>2</sub> capture solution 31
- d**
- damage index (DI) 240
    - calculation for
      - CSC system 251
      - DWC-MVR system 255
      - DWC system 253
  - decision variables, of base and optimized cases 353
  - dimethyl sulfoxide (DMSO) 158
  - distillation systems 21–24, 237, 241
    - conventional sequence of columns 241
    - dividing-wall column 241–242
    - dividing-wall column with mechanical vapor recompression 243–244
    - safety analysis 237–264
  - dividing-wall column (DWC) 84, 237–238, 251–253
  - dividing-wall column with mechanical vapor recompression (DWC-MVR) 253–255
  - dividing-wall column with MVR (DWC-MVR) 238
  - Dow Fire and Explosion index 240
  - DWC-MVR intensification effect 337
  - DWC-MVR systems, comparative analysis 257
  - DWC systems, comparative analysis 257
  - DWSIM 53, 90
  - dynamic matrix control (DMC) 188
  - dynamic process simulation 270
  - dynamic safety analysis, of process with independent protection layers (IPLs) 289–292
  - dynamic simulation of chemical processes
    - applications 87–88
    - case study
      - analysis of dynamic simulation results 112–120
      - control structure design 107–112
      - preparation/initialization 103–107
      - steady state simulation and optimization 103
      - tuning of controller parameters 112
    - dynamic simulation and control procedure 91–98
    - environmental impact assessment 83
    - intensified chemical processes 98–100
    - process control 100–102

- process control and optimization 83
  - process design and scale-up 83
  - process safety and risk assessment 83
  - software 88–91
  - understanding 84–87
  - DYNSIM Dynamic Simulation 90
- e**
- economic evaluation criterion 71–75
  - effective dangerous property (EDP) 240
  - environmental performance indicators 299
  - equation oriented method 93
  - Excel-based MOO (EMOO) program 342
  - extractive distillation (ED) 270
    - process intensification analysis 274–276
    - process intensification measures 272–273
    - steady-state process design 273–274
- f**
- failure modes and effects analysis (FMEA) 127, 129
  - feedforward control structure 172–177
  - fire and explosion damage radius (FEDR) 248–250
  - flue gas heat recovery 26
  - fossil fuels 296
  - free process simulators 53
  - furfural 318–324
- g**
- gain scheduling proportional integral controller (GSPI) 216
  - generalized modular representation framework 150
  - generalized predictive control (GPC) 188
  - glycerol
    - LC<sub>50</sub> 247
    - lower flammability limit 247
    - upper flammability limit 247
  - gPROMS 53, 90
  - gravity type L-L-G separator 21
  - greenhouse gas (CO<sub>2</sub>) emissions 4, 209, 219, 298
  - green metrics 299
  - Guthrie's method 314
- h**
- hazard and operability (HAZOP) study 127, 129, 304, 346
  - hazard identification 128–130
  - heat exchangers 26–27
  - heat-integrated distillation column (HIDiC) 210
  - heat integration schemes 210
  - heat transfer enhancement (HTE) techniques 27
  - heterogeneous catalysis 184
    - RD processes 185
  - hexane
    - LC<sub>50</sub> 247
    - lower flammability limit 247
    - upper flammability limit 247
  - hexoses 295
  - high-gravity (HiGee) technologies 31, 142
  - homogeneous catalysis 184
  - human factors and safety culture 132–134
  - hybrid reactive-extractive distillation (RED)
    - control performance evaluation 177–178
    - dynamic simulation setup 161
    - feedforward control structure 3 172–177
    - inventory control setup 162
    - quality control structures
      - simple temperature control 165–168
      - triple point temperature control 168–170
      - triple point temperature control using SVD analysis 170–172
    - sensitivity analysis 163–165
    - steady-state design of 160–161
  - 4-hydroxybutyl acrylate (HBA) 184, 192

**i**

individual risk (IR) 303  
 base and optimized cases 352  
 event table  
   for CSC system 249  
   for DWC-MVR 254  
   for DWC system 253  
 minimization of 348–351  
 Industry 4.0 5  
 inherently safer design (ISD) 33–35,  
 131–132  
 inherent safety 298, 299  
 inherent safety index (ISI) 239, 240  
 in situ transesterification 335  
 integral of absolute error (IAE) 177  
 integral of error criteria 98  
 integrated inherent safety index (I2SI)  
 240  
 intensification of alcohol to jet fuel  
   process 313  
 intensified algal biodiesel process,  
   development 337–340  
 intensified chemical processes  
   absence of intensified unit in the  
   simulator 65  
   availability of basic data for simulation  
   65  
   basic process flow design 57  
 case study  
   economic evaluation criterion  
   71–73  
   model construction 69–70  
   problem analysis 66–67  
   process flow design 67–69  
   process optimization 73–75  
   process simulation 70–71  
   results and analysis 75–78  
 commercial process simulator  
 52–53  
 computational methods for process  
   simulation 53–56  
 convergence difficulties 65–66  
 dynamic simulation of chemical  
   processes 98–100  
 free process simulators 53

mathematical optimization methods  
 59–62  
 MATLAB 62–63  
 model construction 57–59  
 need for experimental validation 66  
 problem analysis 56–57  
 process intensification and  
   integration 57  
 Python 63–65  
 result analysis 59  
 simulation and convergence 59  
 usefulness of process simulation  
 50–52  
 intensified distillation systems 237  
 International Organization for  
   Standardization (ISO) 134  
 intrinsic safety 298  
 i-safe method 240

**k**

Kyoto Protocol 210

**l**

lactic acid 324–329  
   design and synthesis of intensified  
   processes 326  
   optimization 326–327  
   production by reactive distillation  
   325–326  
   results and discussion 327–329  
 layer of protection analysis (LOPA) 127,  
 270, 271  
 liquid jet ejector (LJE) 29

**m**

management of change (MOC) 135  
   optimization methods 59–62  
 MATLAB 62–63  
 methanol  
   LC<sub>50</sub> 247  
   lower flammability limit 247  
   upper flammability limit 247  
 methyl acetate hydrolysis 183  
 methyl ethyl ketone (MEK) 307–313

- production from non-renewable sources 308
  - through process intensified schemes 308–313
  - microalgae based biodiesel production 335
  - middle vessel batch distillation
    - energy savings 218
    - greenhouse gas (CO<sub>2</sub>) emissions 219
    - total annual cost 218–219
  - Modelica 90
  - model predictive controllers (MPC) 188
  - moderation 143
  - Mond Index 240
  - multi-component batch distillation 209
  - multi-objective optimization (MOO) 336, 342
    - decision variables, bounds and constraints 343
    - framework for algal biodiesel production process 344
    - objective functions
      - break even cost 344–345
      - individual risk 345–347
    - simple additive weighting method 347
- n**
- non-dominated sorting genetic algorithm (NSGA-II) 337, 342
  - non-random two liquid (NRTL) model 337
  - non-safety instrumented solutions 37–39
  - NSGA-II *see* non-dominated sorting genetic algorithm (NSGA-II)
  - numerical descriptive inherent safety technique (NuDIST) 240
- o**
- open-loop sensitivity analysis 163
  - operator training 88
  - optimization 59–65, 336
  - overshoot 98
- p**
- Pareto-optimal front 342
  - Pareto-optimal solutions 60, 342
  - partial differential equations (PDEs) 86
  - Pasquille Gifford dispersion model 346
  - pentoses 295
  - potential of danger (POD) 240
  - pressure-driven simulations 161
  - pressure relief systems
    - non-safety instrumented solutions 37–39
    - safety instrumented system (SIS) solutions 39–40
  - pressure safety valves (PSVs) 270, 271
  - probability of affectation 248
  - probit model parameters 248, 305
  - process and hazard control index (PHCI) 240
  - process control 87–88, 100–102
  - process controllability 301
  - process design 87
  - process dynamic simulation 272
  - process hazard analysis (PHA) 129
  - process intensification (PI) 125, 299, 303
    - approaches 4
    - benefits of 16–17
    - carbon capture 30–31
    - challenges of 43–44
    - circular chemistry 5
    - climate change 4
    - definition 3
    - distillation 21–24
    - economical and sustainable technologies 3
    - goals of 4
    - greenhouse emissions 4
    - heating
      - compact heat exchangers (CHEs) 27
      - flue gas heat recovery 26
      - heat exchangers 26–27
      - sonic horn 27
      - steam/electric heaters 25
      - steam injection heater 24–25
    - impacts of 136–137

- process intensification (PI) (*contd.*)
    - inherently safer design (ISD) 33–35
    - pressure relief systems
      - non-safety instrumented solutions 37–39
      - safety instrumented system (SIS) solutions 39–40
    - principles 141–144
    - safety analysis 137–138
      - need for control 5–7
      - studies on control 7–9
    - separation vessels 18–21
    - static mixer 17–18
    - steam compression 27–30
    - sustainable development of chemical process plants 15
    - vacuum systems 31–32
    - wastewater recovery 41–43
    - water deaeration 33
  - process intensification 4.0 strategy 5
  - process route index (PRI) 240
    - calculation
      - for CSC system 250, 251
      - for DWC system 254
    - improved 262–263
  - process safety 336
  - process safety analysis (PSA) 87, 126, 128
  - process safety management (PSM) standard 134
  - process stream index (PSI) 240
  - PRO/II 52
  - proportional-integral-derivative (PID) controller 94
  - Python 63–65
- q**
- quadratic dynamic matrix control (QDMC) 188
  - quantitative risk analysis (QRA) 303
  - quaternary DWC process 337
- r**
- reactive distillation (RD) coupled with a distillation–reactor system and recycle
    - basis of design and basic data 192–197
    - discussion 204
    - process control 201–204
    - process design 197–200
  - reactive distillation (RD) 313
    - in recycle systems
      - case study 192–204
      - control of 188–192
      - design of 184–188
  - reflux flow rate 210
  - regulatory framework and compliance 134–135
  - retrofitting/revamping of existing plants 87
  - robust multivariable predictive control technology (RMPCT) 188
- S**
- safety, health and environment (SHE) index 240
  - safety analysis in chemical process industry
    - case studies 149–151
    - tools 128–135
  - safety analysis tools
    - hazard identification 128–130
    - human factors and safety culture 132–134
    - inherently safer design 131–132
    - monitoring and continuous improvement 135
    - regulatory framework and compliance 134–135
    - risk assessment 130–131
    - safety instrumented systems 132
  - safety indices
    - for process safety assessment 239–241
    - selection of 244
  - safety instrumented functions (SIF) 132
  - safety instrumented system (SIS) 39, 132, 270, 271
  - safety integrity level (SIL) 132
  - safety level assessment, of a chemical process 269
  - safety management systems (SMS) 144–146

safety performance indicators 135  
 safety training and competency  
     development for intensified  
     processes 146–149  
 scenario-based safety analysis 271  
 sensitivity analysis 163–165  
 separation vessels 18–21  
 Seveso Directive 134  
 shell and tube heat exchanger (STHE)  
     24  
 silane production schemes 299  
 simple additive weighting (SAW) method  
     347  
 simple temperature control 165–168  
 simplification 143  
 single objective approach (SOA) 61  
 single objective optimization (SOO) 60  
 single stage vapor recompression in  
     middle vessel batch distillation  
     (SiVRMVBD) 216–218, 222  
 singular value decomposition (SVD)  
     306–307  
 SiVRMVBD-GSPI 229  
 sonic horn 27  
 start-up and shutdown of a process 88  
 state variables 85  
 static mixer (SM) 17–18  
 steady state deviation (offset) 98  
 steam compression 27–30  
 steam/electric heaters 25–26  
 steam injection heater 24–25  
 steam jet ejector (SJE) 29  
 substitution 142  
 Sulzer Katapak™-SP11 199  
 sustainability metrics 299  
 sustainable development 295  
 sustainable process design 296

**t**

techno-economic feasibility, of biodiesel  
     production 337  
 tetrahydrofuran (THF) 157  
 total module cost (TMC) 345  
 toxic damage radius (TDR) 249–250  
 toxic release and consequence analysis  
     tool (TORCAT) 240  
 triacetin 338  
 triple point temperature control  
     168–170  
 triple point temperature control using  
     SVD analysis 170–172  
 tuning of a controller 94  
 Tyreus-Luyben tuning rules 278

**u**

ultrasound intensified algal biodiesel  
     production process  
     BEC and IR minimization 348–351  
     comparative analysis 352–353  
 unconfined vapor cloud explosion  
     (UVCE) 241

**v**

vacuum systems 31–32  
 vapor recompression column (VRC)  
     method 210  
 visual basic for application (VBA) 342

**w**

waste reduction 297  
 wastewater recovery 41–43  
 water deaeration 33  
 Wegstein's method 55  
 what-if analysis 129







