

Contents

Preface *xvii*

Introduction *xix*

1	Methane	<i>1</i>
1.1	Application	<i>1</i>
1.2	Conventional Production of Methane	<i>1</i>
1.3	Carbon Dioxide as Feedstock	<i>2</i>
1.4	Conversion of Carbon Dioxide into Methane	<i>4</i>
1.4.1	The Chemical Sabatier	<i>4</i>
1.4.2	The Biochemical Sabatier	<i>5</i>
1.5	Biochemical Pathway Design	<i>6</i>
1.6	Integration of Hydrogen Production and the Biochemical Methanation	<i>8</i>
1.6.1	Conversion of Carbon Dioxide into Methane with Integrated Production of Hydrogen	<i>8</i>
1.6.2	Mechanisms at the Cathode for the Uptake of Reduction Equivalents	<i>10</i>
1.6.3	R&D with Integrated Hydrogen Production and Biochemical Methanation and IET	<i>11</i>
1.6.4	Boundary Conditions for Potential Commercial Application	<i>12</i>
1.7	Process Development for the “Biochemical Sabatier” without Integrated Water Electrolysis	<i>13</i>
1.8	Commercial Application of Fermentative Methane Production	<i>14</i>
	References	<i>16</i>
2	Ethanol Ex Glucose	<i>20</i>
2.1	Application	<i>20</i>
2.2	Production of Ethanol	<i>21</i>
2.3	Pathway Design	<i>21</i>
2.3.1	Glycolysis as Natural Fermentation Pathway	<i>21</i>
2.3.2	<i>S. cerevisiae</i> as Fermentation Host	<i>24</i>
2.3.3	Generation of Carbon Dioxide as By-Product	<i>25</i>
2.3.4	<i>Zymomonas mobilis</i> as Fermentation Host	<i>25</i>
2.3.5	<i>Escherichia coli</i> as Fermentation Host	<i>27</i>
2.3.6	Digression: <i>E. coli</i> as Host for Acetaldehyde and Hydrogen	<i>28</i>
2.3.7	Ethanol Production in Cell-Free Systems	<i>29</i>

2.4	Process Development	29
2.4.1	Technology Scope	29
2.4.2	Dry Milling Process	30
2.4.3	Sterile or Non-sterile Fermentation	31
2.5	Alternative Raw Material Source	32
2.5.1	Second-Generation Ethanol Technology	32
2.5.2	Third-Generation Ethanol Technology	38
2.6	Industrial Production and Capacity	38
2.6.1	Ethanol Production First Generation	38
2.6.2	Ethanol Production Second Generation	39
2.6.3	The Project “LIBERTY” of POET and DSM	40
2.6.4	The Ethanol Second Generation Activities of Dupont	41
2.6.5	The “Sunliquid” Technology of Clariant	41
	References	42
3	Acetate and Ethanol Ex CO/H₂	49
3.1	The Wood–Ljungdahl Pathway	49
3.1.1	Methyl-Branch and CO-Branch	49
3.1.2	ATP Generation via Generation of Ion Gradient	49
3.1.3	Taxonomy of Acetogenic Bacteria	51
3.1.4	Hydrogen as Energy Source	52
3.1.5	Carbon Monoxide as Energy Source	54
3.2	Formation of Acetate in <i>A. woodii</i> Based on Carbon Dioxide and Hydrogen	55
3.3	Formation of Acetate in <i>A. woodii</i> Based on Carbon Monoxide	56
3.4	Formation of Ethanol in <i>A. woodii</i> Based on Carbon Dioxide and Hydrogen without AOR	58
3.5	Formation of Ethanol in <i>A. woodii</i> Based on Carbon Dioxide and Hydrogen with AOR	60
3.6	Formation of Ethanol in <i>C. woodii</i> Based on Carbon Monoxide	62
3.7	Formation of Acetate in <i>C. autoethanogenum</i> Based on Carbon Dioxide and Hydrogen	63
3.8	Formation of Ethanol in <i>C. autoethanogenum</i> Based on Carbon Dioxide and Hydrogen	63
3.9	Industrial Fermentation and Capacity	69
	References	70
4	Lactic Acid	74
4.1	Application	74
4.2	Chemical Synthesis of Lactic Acid	75
4.3	Pathway Design	76
4.3.1	Lactic Acid Production with Homofermentative <i>Lactobacillus</i> Strains	76
4.3.2	Lactic Acid Production With Heterofermentative <i>Lactobacillus</i> Strains	78
4.3.3	Lactic Acid Production with <i>Lactobacillus paracasei</i>	80
4.3.4	D-lactate Production with <i>E. coli</i>	81
4.4	Process Development	82
4.4.1	pH Management and Calcium Sulfate as By-product	82

4.4.2	pH Management and Ammonium Sulfate as By-product	84
4.4.3	Eukaryotic Host as Biocatalyst with Enhanced Acid Tolerance	85
4.4.4	pH Management with Co-production	85
4.4.5	Overcome Neutralization by Adjusted Product Concept	86
4.4.6	<i>In Situ</i> Recovery During the Fermentation	86
4.4.7	Reactor Design and Biocatalyst Immobilization	87
4.5	Evaluation of Alternative Feedstocks	87
4.5.1	Lignocellulosic Biomass as Carbon and Energy Source	87
4.5.2	D-lactate Production with <i>L. delbrueckii</i> with Rice Straw Hydrolysate	88
4.5.3	Lactic Acid Based on Methane	89
4.5.4	Digression: Lactic Acid Based on Carbon Dioxide and Light in <i>Synechocystis</i> sp.	89
4.6	Production Cost and Market Price	91
4.7	Industrial Application and Capacity	91
4.7.1	Corbion	91
4.7.2	Cargill/NatureWorks	92
4.7.3	Galactic/Anhui COFCO Biochemical	92
	References	92
5	Alanine	97
5.1	Application	97
5.2	Chemical Production of L-alanine	97
5.3	Pathway Design	98
5.4	Metabolic Engineering	101
5.4.1	Initial Fermentative Production of L-alanine in <i>Bacillus subtilis</i>	101
5.4.2	Fermentative Production of L-alanine in <i>Escherichia coli</i>	101
5.4.3	Initial Fermentative Production of L-alanine in <i>Pediococcus acidilactici</i>	102
5.4.4	Fermentative Production of L-alanine in <i>V. natriegens</i> in a High Cell Density Fermentation	102
5.4.5	Fermentative Production of D-alanine with <i>Corynebacterium fascians</i>	103
5.4.6	Biocatalytic (Whole Cell) Production of L-alanine Based on Fumaric Acid	103
5.4.7	Biocatalytic Production of L-alanine	104
5.5	Industrial Production and Application	105
	References	106
6	3-Hydroxypropionic Acid	109
6.1	Application	109
6.2	Chemical Synthesis	110
6.3	Pathway Design	111
6.3.1	Synthesis Based on Glucose via Malonyl-CoA	111
6.3.2	Synthesis Based on Glucose via Acetate and Malonyl-CoA	112
6.3.3	Synthesis Based on Glucose via α -Alanine and β -Alanine	113
6.3.4	Synthesis Based on Glycerol	114
6.3.5	Digression: Synthesis of Acrylic Acid Based on Glycerol	116
6.4	Industrial Application	116
	References	117

- 7** **1,3-Propanediol** 119
 - 7.1 Application 119
 - 7.2 Alternative Production of 1,3-Propanediol 119
 - 7.3 Pathway Design Toward 1,3-Propanediol 120
 - 7.3.1 Glucose as Carbon and Energy Source 120
 - 7.3.2 Glycerol as Carbon and Energy Source 123
 - 7.3.3 Glucose as Carbon Source and Provision of Reduction Equivalents via Electrical Power 126
 - 7.3.4 Glycerol as Carbon Source and Provision of Reduction Equivalents via Electrical Power 127
 - 7.4 Metabolic Engineering 128
 - 7.4.1 Commercial *E. coli* Strain with Glucose as Carbon Source 128
 - 7.4.2 Glycerol as Carbon Source with Carbon Dioxide as By-product (*Klebsiella pneumoniae*) 129
 - 7.4.3 Glycerol as Carbon and Energy Source (*Vibrio natriegens*) 131
 - 7.5 Process Development 132
 - 7.6 Industrial Application and Capacity 133
 - References 134

- 8** **Butanol** 137
 - 8.1 Application 137
 - 8.2 Conventional Production of Butanol 138
 - 8.2.1 ABE Fermentation as First Commercial Butanol Technology 138
 - 8.2.2 Hydroformylation of Propylene Toward oxo C4 Alcohols 139
 - 8.2.3 Butanol via the Dimerization of Ethanol 140
 - 8.2.4 Butanol via Catalytic Alkane Hydroxylation 140
 - 8.3 Pathway Design Based on Glucose 141
 - 8.3.1 Formation of Acetyl-CoA via the Pyruvate Dehydrogenase Complex 141
 - 8.3.2 Formation of Acetyl-CoA via the Pyruvate Dehydrogenase Bypass 145
 - 8.4 Pathway Design Based on Carbon Dioxide, Carbon Monoxide and Hydrogen 146
 - 8.4.1 Syngas Fermentation with Carbon Monoxide and Hydrogen 146
 - 8.4.2 Syngas Fermentation with Carbon Dioxide, Carbon Monoxide and Hydrogen 147
 - 8.5 Process Development for Fermentative Butanol 151
 - 8.5.1 The Conventional ABE Fermentation in the 20th Century 151
 - 8.5.2 Continuous Production Mode 153
 - 8.5.3 *In Situ* Recovery Attempts and Butanol Isolation 154
 - 8.5.4 Selection of Alternative Hosts 158
 - 8.5.5 High Cell Density Fermentation 158
 - 8.5.6 Digression: Derivatization of Butanol 159
 - 8.6 Alternative Raw Material Sources 160
 - 8.6.1 Use of Lignocellulosic Biomass as Second-Generation Feedstock 160
 - 8.6.2 Digression: Celtic Renewables with Pot Ale as Feedstock 161
 - 8.7 Industrial Application 161
 - 8.7.1 Fermentative Butanol Production with Conventional ABE Fermentation 161

- 8.7.2 Butanol Production Based on Sugarcane in Brazil 163
- References 163

- 9 Isobutanol 170**
- 9.1 Application 170
- 9.2 Conventional Synthesis of Isobutanol 171
- 9.3 Metabolic Engineering 172
- 9.3.1 Isobutanol via 2-Oxoisovalerate in *Escherichia coli* with Balanced Reduction Equivalents 172
- 9.3.2 Carbon Yield with Balanced Reduction Equivalents 174
- 9.3.3 Isobutanol via 2-Oxoisovalerate in *E. coli* Without Direct Balance of Reduction Equivalents 175
- 9.3.4 Isobutanol via 2-oxoisovalerate in *Saccharomyces cerevisiae* Without Balanced Reduction Equivalents 178
- 9.3.5 Isobutanol Based on Glycine and Butyryl-CoA 179
- 9.3.6 Isobutanol Based on CO and CO₂ 180
- 9.4 Process Development 182
- 9.4.1 Strain Adaptation to Overcome Product Toxicity 182
- 9.4.2 *In Situ* Recovery of Isobutanol to Raise Productivity 182
- 9.4.3 Recovery of Value Components into By-products 184
- 9.4.4 Cascade Biocatalysis to Overcome Product Toxicity 184
- 9.5 Industrial Application 187
- References 188

- 10 Isobutene 191**
- 10.1 Application 191
- 10.2 Conventional Synthesis 191
- 10.3 Pathway Design Toward Isobutene 192
- 10.3.1 Isobutene via 2-oxoisovalerate and 2-hydroxyisovalerate 193
- 10.3.2 Isobutene via 2-oxoisovalerate and Isobutanol 194
- 10.3.3 Isobutene via 2-oxoisovalerate via Isovalerate 196
- 10.3.4 Isobutene via 2-oxoisocaproate and Isovalerate 198
- 10.3.5 Isobutene via acetoacetyl-CoA and 3-methylcrotonate 199
- 10.3.6 Isobutene via acetoacetyl-CoA and 3-Hydroxyisovaleryl-CoA 200
- 10.3.7 Isobutene via Acetoacetyl-CoA and Acetone and 3-hydroxyisovalerate 201
- 10.4 Carbon Yield and Carbon Footprint 202
- 10.5 Industrial Fermentation and Capacity 202
- References 204

- 11 1,4-Butanediol 206**
- 11.1 Application 206
- 11.2 Conventional Synthesis of 1,4-Butanediol 207
- 11.3 Pathway Design 208
- 11.3.1 Oxidative Citric Acid Cycle Until Succinyl-CoA 208
- 11.3.2 Reduction Equivalents and Oxygen Demand 211
- 11.3.3 Theoretical and Practically Achieved Yield 212

11.3.4	Thermodynamically Challenging Reduction of Carboxylic Acid Functions	213
11.4	Process Design for Fermentative 1,4-Butanediol Based on Glucose	213
11.5	1,4-Butanediol Derived by Chemical Hydrogenation of Succinic Acid	215
11.6	Alternative Carbon and Energy Source for Fermentation	216
11.6.1	D-Xylose as Carbon Source via 2,5-Dioxopentanoate	216
11.6.2	D-Xylose as Carbon Source via Xylonic Acid	217
11.7	Industrial Application and Capacity	218
	References	219
12	Succinic Acid	222
12.1	Application	222
12.2	Conventional Synthesis of Succinic Acid	223
12.3	Pathway Design and Metabolic Engineering	224
12.3.1	Pathway via Glycolysis, PEP Carboxylation, and Oxidative Citric Acid Cycle	224
12.3.2	Pathway via Glycolysis, PEP Carboxylation, and Reductive Citric Acid Cycle	225
12.3.3	Pathway via Glycolysis, PEP Carboxylation, and Reductive Citric Acid Cycle Combined with PPP	227
12.3.4	Alternative Pathway via Glycolysis and Glyoxylate Cycle	229
12.3.5	Summary of TMY Pending on Pathway Design	230
12.3.6	Case Study: Combination of Reductive Citric Acid Cycle and Pentose Phosphate Pathway	231
12.3.7	Glycerol as Carbon and Energy Source	232
12.3.8	Oil Palm Frond Juice as Alternative Raw Material Source	235
12.3.9	Succinic Acid Based on Glucose Combined with Microbial Electrosynthesis	235
12.4	Production Host	236
12.4.1	Hosts Applied for Development of an Industrial Fermentation Process	236
12.4.2	Best Published Results on Technology Performance	238
12.5	Reactor Concepts	239
12.6	Downstream Processing	239
12.7	Industrial Capacity and Performance	241
	References	243
13	Itaconic Acid	248
13.1	Application	248
13.2	Metabolic Engineering	248
13.2.1	Citrate Conversion via <i>cis</i> -Aconitate Toward Itaconate in <i>Aspergillus terreus</i> (<i>A. terreus</i>)	248
13.2.2	Pathway Design: Citrate Conversion Toward <i>trans</i> -Itaconate in <i>Ustilago maydis</i> (<i>U. maydis</i>)	250
13.3	Process Design	251
13.3.1	Fermentation with <i>A. terreus</i> as Host	251
13.3.2	<i>U. maydis</i> as Alternative Production Host	252

- 13.3.3 *Pseudomonas putida* as Production Host with Pretreated Lignin as Feedstock 253
- 13.3.4 *A. terreus* as Production Host with Xylose as Feedstock 253
- 13.3.5 Overview of Achieved Fermentation Performance Data 254
- 13.3.6 Downstream Processing 254
- 13.4 Industrial Application and Capacity 255
- References 255

- 14 Glutamic Acid 258**
 - 14.1 Application 258
 - 14.2 Native Biochemical Pathway 259
 - 14.2.1 Glutamic Acid via Reductive Amination of α -Ketoglutarate 259
 - 14.2.2 Glutamic Acid via Reductive Amination of α -Ketoglutarate 262
 - 14.3 Metabolic Engineering 263
 - 14.3.1 Finetuning of the Native Pathway 263
 - 14.3.2 Coproduction of Glutamate and 1,3-Propanediol 263
 - 14.4 Process Development and Industrial Application 264
 - 14.4.1 Adaption to a Carbon Source 2nd Generation 265
 - 14.4.2 Industrial Process Performance 265
 - References 266

- 15 Isoprene 269**
 - 15.1 Application 269
 - 15.2 Chemical Synthesis 269
 - 15.3 Pathway Design 270
 - 15.3.1 Terpenes Derived from the Unique C5 Building Block IPP/DMAPP 270
 - 15.3.2 Mevalonate (MVA) Pathway Without Pyruvate-Dehydrogenase Bypass 271
 - 15.3.3 Mevalonate (MVA) Pathway with Pyruvate-Dehydrogenase Bypass 272
 - 15.3.4 Mevalonate (MVA) Pathways Pursued in Archaea 276
 - 15.3.5 Mevalonate (MVA) Pathway with Reduced ATP Consumption 277
 - 15.3.6 The Deoxy-Xylulose-Phosphate (DXP) Pathway 279
 - 15.4 Metabolic Engineering Toward Isoprene 280
 - 15.4.1 Isoprene Production by a Metabolically Engineered *E. coli* Strain Under Aerobic Conditions 281
 - 15.4.2 Coproduction of Isoprene and 1,3-Propanediol with Redox Recycling 283
 - 15.4.3 Isoprene via a Biocatalytic Conversion of Mevalonate 283
 - 15.4.4 Mevalonate (MVA) Pathway with Reduced ATP Demand 284
 - 15.4.5 Isoprene via Mixed MVA and DXP Pathway in *E. coli* 284
 - 15.4.6 Isoprene via MVA Pathway in *Clostridium ljungdahlii* with CO/H₂ and Fructose as Feedstock 285
 - 15.5 Metabolic Engineering Toward Mevalonate 286
 - 15.5.1 Mevalonate via an Engineered MVA Pathway in *S. cerevisiae* 286
 - 15.5.2 Mixing of Cell-Free *E. coli* Extracts to Derive Mevalonate 288
 - 15.5.3 Isoprene via Mevalonate in a Two-Step Process 289
 - 15.5.4 Isoprene via Chemical Decarboxylation of Mevalonolactone 290
 - 15.5.5 Overview of Reported Fermentation Performance Data 290

- 15.6 Downstream Processing 292
- 15.7 Industrial Application and Capacity 292
- References 293

- 16 Pentamethylenediamine 297**
- 16.1 Application 297
- 16.2 Chemical Synthesis 298
- 16.3 Pathway Design 298
- 16.3.1 Glucose as Feedstock via Lysine Decarboxylation 298
- 16.3.2 Methanol as Feedstock via Lysine Decarboxylation 299
- 16.3.3 Pathway Design: The Ribulose Monophosphate Pathway in *Bacillus methanolicus* 300
- 16.3.4 Kinetics and Thermodynamics of the Methanol Dehydrogenase 304
- 16.4 Metabolic Engineering 305
- 16.4.1 Glucose as Carbon and Energy Source with *C. glutamicum* as Host 305
- 16.4.2 Xylose as Carbon and Energy Source with *C. glutamicum* as Host 309
- 16.4.3 Glucose as Carbon and Energy Source with *E. coli* as Host 309
- 16.4.4 Whole-Cell Biocatalysis as Production Technology 310
- 16.4.5 Methanol as Carbon and Energy Source with *Bacillus methanolicus* as Host 312
- 16.5 Downstream Processing 313
- 16.6 Industrial Application 313
- References 314

- 17 Lysine 319**
- 17.1 Application 319
- 17.2 Chemical Production 320
- 17.3 Metabolic Pathway via DAP and Metabolic Engineering 320
- 17.3.1 Pathway via Aspartate and Diaminopimelate (DAP) 320
- 17.3.2 Theoretical Maximum Molar Yield of the DAP Pathway via Succinylase 324
- 17.3.3 Achieved Carbon Yield of the Pathway via Aspartate and L-THP 328
- 17.3.4 Engineering of the DAP Pathway via Aspartate and L-THF 328
- 17.4 Metabolic Pathway via α -Amino adipate in Fungi 329
- 17.5 Secretion of Lysine 330
- 17.6 Process Development 330
- 17.6.1 Aerobic Process and Oxygen Demand 330
- 17.6.2 Higher Flexibility of Carbon and Energy Source 331
- 17.6.3 Product Isolation and Purification 331
- 17.7 Industrial Application 333
- References 334

- 18 Citric Acid 339**
- 18.1 Application 339
- 18.2 Chemical Production and Natural Extraction 339
- 18.3 Biochemical Pathway 340
- 18.3.1 Provisioning of the Two Main Precursors and Pathway Split on Two Compartments 340

18.3.2	Surplus or Reduction Equivalents and Oxygen Demand	341
18.4	Process Development	343
18.4.1	Host Selection	343
18.4.2	Feedstock	343
18.4.3	Metal Ions in the Broth	344
18.4.4	Type of Fermentation Technology	345
18.4.5	Product Isolation	345
18.5	Industrial Production	347
	References	348
19	Adipic Acid	350
19.1	Application	350
19.2	Chemical Production of Adipic Acid	350
19.3	Metabolic Engineering for Fermentation	351
19.3.1	Adipic Acid via the Reverse Adipate Degradation Pathway	352
19.3.2	<i>cis, cis</i> -Muconic Acid Ex Glucose via the Partial Shikimic Acid Pathway	355
19.3.3	<i>cis, cis</i> -Muconic Acid via the Partial Shikimic Acid Pathway in Specific Organelles	357
19.3.4	Adipic Acid Ex Glucose via the Partial Shikimic Acid Pathway	357
19.3.5	Coculturing of Two Hosts with 3-Dehydroshikimate as Handover	358
19.3.6	<i>cis, cis</i> -Muconic Acid Derived from a Lignin Fraction via “Biological Funneling”	360
19.4	Digression: Metabolic Engineering for C ₆ + Diacids	361
19.4.1	Long-Chain Carboxylic Acids via Biotransformation	361
19.4.2	Generation of C ₆ + Diacids with <i>Candida tropicalis</i> Based on Waste Streams	362
19.5	Process Development	363
19.6	Industrial Application and Capacity	364
	References	364
20	Hexamethylenediamine	368
20.1	Application	368
20.2	Chemical Production of HMD	369
20.3	Metabolic Engineering for Fermentation Technology	370
20.3.1	Fermentation Based on Glucose via Adipyl-CoA	370
20.3.2	Fermentation Based on Glucose via 6-Hydroxyhexanoate	374
20.3.3	Fermentation Based on Glucose via 2-Amino-6-Oxopimelate	375
20.3.4	Fermentation Based on Glucose via α -Ketopimelic Acid	376
20.3.5	Fermentation Based on Glucose via 6-amino-2-Hydroxy Hexanoic Acid	377
20.4	Biocatalytic Routes Towards HMD	378
20.4.1	Biocatalytic Conversion of ADA	378
20.4.2	Digression: Biocatalytic Synthesis of ADN via C ₆ Dialdehyde	379
20.5	Process Design	380
20.6	Commercial Application	382
	References	383

21	Caprolactam and 6-Aminocaproic Acid	386
21.1	Application	386
21.2	Chemical Production of CPL	386
21.3	Metabolic Engineering for Fermentation Technology via Adipyl-CoA	387
21.3.1	Fermentation Toward CPL Based on Glucose via Adipyl-CoA	387
21.3.2	Pathway Engineering Toward 6-ACA or CPL: The Cyclization	389
21.3.3	Fermentation Toward 6-ACA Based on Glucose via α -Ketopimelic Acid	390
21.3.4	Fermentation Toward CPL Based on Glucose via α -Ketopimelic Acid	392
21.3.5	Fermentative Production of ADA and Chemical Conversion Toward CPL	392
21.4	Industrial Application	393
	References	394
22	Anthranilic Acid and Aniline	397
22.1	Application	397
22.2	Pathway Design	399
22.2.1	Shikimate Pathway via Chorismate Toward Anthranilate and Aniline	399
22.2.2	Tryptophan Degradation Pathway Toward Anthranilate	403
22.3	Metabolic Engineering for Anthranilate as Fermentation Product	403
22.3.1	Anthranilate in <i>Bacillus subtilis</i>	403
22.3.2	Anthranilate in <i>E. coli</i>	404
22.3.3	Anthranilate in <i>Pseudomonas putida</i>	405
22.3.4	Anthranilate in <i>S. cerevisiae</i>	406
22.4	Derivatives of Anthranilate as Fermentation Product	407
22.4.1	Metabolic Engineering: N-Methylantranilate in <i>C. glutamicum</i>	407
22.4.2	Methyl Anthranilate in <i>C. glutamicum</i>	407
22.4.3	Methylantranilate in <i>S. cerevisiae</i>	409
22.5	Alternative Fermentation Precursors for Aniline	409
22.5.1	<i>meta</i> -Aminobenzoate (3-Aminobenzoate) via Dehydroshikimate	409
22.5.2	<i>Para</i> -Aminobenzoic Acid via Shikimate	410
22.6	Process Development with Focus on Product Isolation	411
22.6.1	Anthranilic Acid with <i>S. cerevisiae</i> as Host and <i>In Situ</i> -Product Recovery	411
22.6.2	Anthranilic Acid with <i>C. glutamicum</i> as Host and <i>In Situ</i> -Product Recovery	413
22.6.3	Anthranilic Acid Isolation via Organic Solvent Extraction After the Fermentation	413
22.7	Industrial Fermentation	414
	References	414
23	Farnesene	418
23.1	Application	418
23.2	Chemical Production	420
23.3	Biochemical Pathway	420
23.3.1	Mevalonate Pathway Toward IPP/DMAPP and β -Farnesene via Oxidative Glycolysis	421
23.3.2	Mevalonate Pathway Toward IPP/DMAPP and β -Farnesene via Non-oxidative Glycolysis	424

23.3.3	DXP Pathway Toward IPP/DMAPP and β -Farnesene	426
23.4	Metabolic Engineering	428
23.4.1	Recombinant Reconstruction of Complete Pathways in Non-native Hosts	428
23.4.2	Formation of Acetoacetyl-CoA via Malonyl-CoA	429
23.4.3	β -Farnesene with Plant Oil as Feedstocks with Dual MVA Pathway in <i>Yarrowia lipolytica</i>	431
23.4.4	HMG-CoA Reductase with Changed Cofactor	432
23.4.5	Technology Development in <i>Cupriavidus necator</i> to Access Lithoautotrophic Feedstocks	432
23.4.6	Digression: α -Farnesene with Fused Pathway Enzymes	433
23.5	Process Design with Second Liquid Phase	434
23.6	Industrial Application	437
	References	439

Index 445

