

Index

a

Absorbers, perfect
 broadband near-perfect 274
 chalcogenide-based 272–276
 narrow-band 275–276
 reconfigurable 274–275
 structure (metal/insulator/metal)
 272–273

Absorption edge 166

Achiral metamaterials 298–299
 tunable chiroptical responses
 299–300
 valley-specific light emission
 300–303

Ag-In-Sb-Te (AIST) 198, 217, 218

AI-assisted material discovery 318

AI-driven adaptive photonic systems
 319–320
 autoencoders 319–320
 design optimization 319
 GAN-based design 320
 inverse design 319–320
 surrogate models 319

All-dielectric metaswitches 269

All-optical switching 268–271

Amorphous chalcogenide films
 33, 34

Amorphous semiconductors 36, 37, 39,
 40, 42, 43, 58

Amorphous state 4, 5, 12, 195, 199–202,
 206, 209, 210, 212–215

Annealing 73, 77, 83, 202, 216

Anode 74, 76, 85–87, 89

Appearance potential spectroscopy
 64–65

Arsenic sulfide (As_2S_3) 4, 34, 166, 168,
 191, 231–233, 249, 252, 256

As_2Se_3 172, 232, 249, 252, 254, 257

As-S glass 167, 168, 172, 174

As-S-Te glass system 154

Asymmetric split rings (ASR) 270, 271

Atomic clusters 166–167

Atomic force microscopy (AFM) 34, 217,
 218

Atomic layer deposition (ALD) 221, 223,
 224

Atomic motion 67

Attenuation 149

Auger electron appearance potential
 spectroscopy 65

Augmented reality (AR) 195, 196, 218,
 229

Avalanche photodiode 144

b

Backscattered electrons 54, 55

Band-edge emission 129

Bandgap 19, 199, 203, 221, 223

Bandgap engineering 2, 6, 8, 9, 14

Band theory 18–24

Beam splitter 174

Beam steering 276–284
 classification (reflection/transmission)
 278–284
 generalized laws of reflection/refraction
 277–278

- Beam steering (*contd.*)
 phase-change based 278–279,
 281–282
 reconfigurable metasurfaces for 279,
 281–284
- Bhaskaran, H. 209, 210
- Binary chalcogenides 3
- Biosensing 14, 158, 165, 168, 234
- Biosensors 158, 165, 232
- Birefringence 170, 171
- Bismuth alloy selenium ($\text{Bi}_2(\text{SeTe})_3$) 2
- Bismuth selenide (Bi_2Se_3) 4
- Bloch electron 22
- Bloch wave function 22
- Blu-ray discs 195
- Boltzmann constant 143
- Bond energy 167
- Born–Oppenheimer approximation 96
- Boron sulfide (B_2S_3) 3
- Bound states in the continuum (BIC)
 294–295, 297
- Bridge oxygen atoms 161
- Broadband absorption 264
- Brownian motion 141
- Burstein–Moss shift 121
- C**
- Cadmium Sulfide 41
- Chalcogen elements 1, 89, 148, 153, 154,
 252
- Chalcogenide 195, 196, 199, 202, 205,
 206, 213, 219, 229
- Chalcogenide glass 147–153, 246–250,
 252–254
 optical properties 153–179
 infrared transparency 249
 nonlinear refractive index 172, 173,
 175–179
 phase-change behavior 153
- Chalcogenide glass fibers 150, 157,
 179–185
- Chalcogenide metamaterials
 applications overview 268–308
 chirality definition 288
 classification by
 dimension/function/dynamics
 267
 definition and properties 263–264
 platform overview 264–268
 thermal management applications
 264
 tunable and switchable responses
 289–296
 tunable wavelength 296–298
- Chalcogenide photonic crystals (PCs)
 231–233
 basic principle of PCs 236–240
 defect modes 238–239
 photonic bandgap formation
 236–237
 classification of PCs 233–234
 one-dimensional photonic crystals
 234
 three-dimensional photonic crystals
 235–236
 two-dimensional photonic crystals
 234–235
- fabrication of
 direct laser writing 245
 electron beam lithography 243–244
 self-assembly method 244–245
- Chalcogenide semiconductors
 basic definition 1–3
 chemical properties 5
 classification 3–5
 optical properties 6–9
 physical properties 5–6
 research progress 15–16
- Change material on silicon (CMOS) 196,
 198, 203, 219, 221, 228, 229
 compatibility 196, 219, 229
- Characterization techniques 33, 50, 51,
 63, 65
- Chemical vapor deposition (CVD)
 45–48, 69–73
- Chiral metamaterials 288–303
- Circular dichroism (CD) 288–289,
 291–296, 298–300
- Circularly polarized light 170

- Coherent detection 191
 Color pixels 212–219
 Concentration detection 188, 189
 Conduction band 18, 19, 44
 Conductive AFM (c-AFM) 217, 218
 Convolutional neural networks (CNNs) 210, 211
 Core glass 182, 183
 Covalent bonds 147, 148, 154, 159
 Crystal evolution 161
 Crystalline state 195, 200, 201, 206, 209, 210, 212, 213, 215
 Crystallization kinetics 12
- d**
- Dark-field microscopy 146
 Data storage 12
 Debye temperature 43
 Deep neural networks (DNNs) 226
 Defect engineering 313–317
 Degenerate four-wave mixing (DFWM) 174, 175, 179
 Degenerate perturbation theory 25–27
 Dense wave division multiplexing (DWDM) optical communication system 192
 Density functional theory (DFT) 20, 95–112
 Density of states (DOS) 20, 36–37, 44
 Deposition rate 34, 47–49
 Detection limit 59, 150, 188
 Detector 163, 176
 Diffusion 67
 Directional coupler 202, 203, 207, 212, 227, 228
 Direct laser writing 244, 245
 Dispersion characteristics 157
 Dispersion compensation 157, 164
 Dispersion engineering 312
 Dispersion-shifted fiber 191
 Doppler effect 141
 Double crucible pulling technology 183–185
 Drawing device 180, 184
 Drawing furnace 180
- Drude 106, 113
 Dynamic tuning
 beam steering 276–284
 chiroptical responses 289, 291–296
 metalenses 284–288
 optical switches 268–272
 perfect absorbers 272–276
 polarization converters 303–306
 tunable wavelength 296–298
- e**
- Ehrlich–Schwoebel (ES) 67, 68
 Elastic scattering 54–56
 Electrical switching 203, 220
 Electroluminescence 131–137
 Electron-beam lithography (EBL) 243, 252, 254, 315
 Electron cloud distribution 154, 155, 157, 160, 161, 167, 169, 188
 Electron density distribution 96
 Electronic band structure 4, 17–33, 44
 Electronic ground state 95–97, 100, 110
 Electronic polarizability 154, 155
 Electron-phonon scattering 130
 Electron transition 31, 149, 159, 168, 173
 Electro-optic effect 150, 157
 Electro-optic modulator 157
 Ellipsometry 113–119
 Emission spectrum 95
 Energy band structure 149
 Energy conservation 174, 176
 Environmental monitoring 151, 164, 188, 258
 Evanescent coupling 206, 208
 Evanescent wave sensing 186
 EXAFS spectroscopy 101
 Exchange-correlation energy 98–100
 Excitons 273–274, 300–303
 External QY 137–138
 Extinction coefficient 201, 207, 229
 Extinction ratio 202, 208, 222–225, 230
 Extrinsic chirality 296, 299–300
 Extrusion die 182
 Extrusion method 182–183

f

Fabry-Pérot (FP) 92, 213
 Face-centered cubic phase 120
 Faraday 74
 Fermi-Dirac distribution 20
 Fermi energy 20, 36–38, 105, 110
 Fermi level 105–110
 Fermi's golden rule 111
 Fiber cladding 157, 180–184
 Fiber core 157, 180–184
 Fiber diameter 180, 182, 184
 Figure of merit (FOM) 119, 286
 Film deposition 67
 First-principles approach 100
 Fluorescence intensity 151
 Fourier Transform Infrared Spectroscopy (FTIR) 162–163
 Four-wave mixing (FWM) 190–193, 232
 Frank-van der Merwe (FM) 68
 Free electron gas model 19–20
 Free-space laser switching 202–203, 208, 223
 Frequency conversion 173, 176
 Fresnel formula 156
 Full width at half maximum (FWHM) 125

g

Gas collisions 75, 76
 Gas detection 150, 158, 165, 188–189
 Gaseous state 70, 81
 Gas sensors 151, 157, 165, 193
 Ge-As-S glass 155, 167, 172, 174
 $\text{Ge}_{0.25}\text{As}_{0.35}\text{S}_{0.4}$ glass 172
 Generalized gradient approximation (GGA) 100
 Generalized Snell's law 277–278
 Germanium (Ge) 147, 154, 159, 160, 173
 Germanium-antimony-tellurium (Ge-Sb-Te) 12, 33, 116, 231, 232
 Germanium sulfide (GeS) 3–4
 Ge-Se glass 154, 160
 Ge-S glass 148, 154, 160, 161, 173
 $\text{Ge}_x\text{S}_{1-x}$ glass 160
 Ge-S-Se glass 160, 167

Ge-S-Te glass 173
 $\text{Ge}_{0.3}\text{S}_{0.5}\text{Te}_{0.2}$ glass 173
 GeTe 200, 202, 208, 215, 218
 Glass transition temperature 6
 Glassy chalcogenides 3, 5
 Graphene 203, 220
 Green's functions 111
 GSST ($\text{Ge}_2\text{Sb}_2\text{Se}_4\text{Te}_1$) 201–203, 221–223, 280, 282–283, 286
 GST ($\text{Ge}_2\text{Sb}_2\text{Te}_5$) 4, 7, 12, 195, 196, 198, 199, 202, 205–214, 220–225, 229, 265, 270–272, 274, 276, 278, 281, 285, 289, 291–300, 304–306
 GST system 7, 12, 13, 91
 Gustave Mie's theory 141

h

Hall coefficient 121
 Hamiltonian matrix 107
 Hartree energy 98
 Hartree-Fock approach 96
 Heteroepitaxial growth 69
 Heterogeneous integration 319
 Heterojunctions, van der Waals 266–268
 Hexagonal phase 103–104, 121, 124
 High refractive index materials 242
 Hohenberg-Kohn theorem 95–97
 Hybrid plasmonic metaswitches 269
 Hydrogen sulfide (H_2S) gas 3, 157, 158, 165
 Hydrolysis 162

i

Indium (In) 154, 160
 Indium tin oxide (ITO) 203, 214, 215, 217, 218, 220, 223
 Inelastic scattering 141
 Infrared absorption 147, 159, 162, 165
 Infrared absorption spectroscopy 165
 Infrared applications 149, 150
 Infrared imaging 152, 163–165, 184
 Infrared penetration characteristics 159–165
 Infrared spectral imaging 165
 Infrared thermal imaging 164–165

- Infrared transmittance 148, 152, 159–165, 167
- Insulating materials 87
- Integrated photonics 195, 199, 200, 206, 210, 212, 225, 227, 232, 241, 252
- Interface passivation 313, 315
- Interfacial energy 67
- Interference fringes 156
- Interference method 156
- Interferometry 157, 187
- Internal QY 137–138
- Irradiation time 168, 170
- j**
- Joint density of states (JDOS) 111–112
- Jones matrix 116
- Joule heating 199, 203, 217
- k**
- Kohn–Sham framework 95
- l**
- Langmuir–Blodgett 69
- Laser-assisted deposition 312, 314
- Laser direct writing 227–229
- Lattice mismatch 67–69
- Lead sulfide (PbS) 2–3
- Light-emitting diodes 129–130, 136–137
- Light Scattering 95, 121, 140–146
- Liquid phase epitaxy 69
- Localized surface plasmon resonance (LSPR) 6, 91, 274
- Logic circuits 77
- Low-dimensional chalcogenides 3
- m**
- Mach–Zehnder interferometer (MZI) 189, 207–209, 222, 226
- Magnetic fields 157, 164
- Magnetic nanoparticle 146
- Magnetron sputtering 214
- Many-body perturbation theory 111
- Many-body system 105
- Melting point 74, 76, 80, 83, 90
- Memory switching 203, 204
- Metal chalcogenides 3, 10
- Metallenses
- basics and design 284–285
- chalcogenide-based 285–288
- reconfigurable 286–288
- Metasurfaces
- beam steering 276–284
- chiral 288–298
- metallenses 284–288
- polarization converters 303–306
- reconfigurable 270, 279, 280, 285–288
- Metavalent bonding 201
- Michelson interferometer 60, 61, 156
- Micro-electromechanical system (MEMS) technology 149
- Micro-Raman spectroscopy 128
- Microring resonator 207–209, 222–224, 230
- Microstructure 147–149, 155, 161, 162, 170, 178
- Mixed solutions 187
- Modulated chemical vapor deposition (MCVD) approach 149
- Molecular beam epitaxy 31
- Molecular dynamics (MD) 101
- Molecular orientation theory 169
- Molybdenum disulfide (MoS_2) 3, 9, 10, 13, 14, 264, 266, 267, 268, 302, 303
- Monochromatic laser beam 144
- Multimode interferometer (MMI) 228
- Multiparametric detection 187–188
- Multivariate chalcogenides 3
- n**
- Nanocomposites 312, 316
- Nanoparticles (NPs) 70, 89, 91
- Nanophotonics 1, 5, 6, 7, 15–16
- Nanophotonics, chalcogenide 263–309
- Near-infrared light 155, 168, 172
- Nearly-free electron model 24–26
- Neuromorphic computing 198, 225, 229
- Non-bridge oxygen atoms 161, 178
- Noninvasive detection 187
- Nonlinear absorption 175, 176
- Nonlinear effects 85

- Nonlinear optical characters 147, 152, 172–179
- Nonlinear optical coefficient 147, 152
- Nonlinear optical effect 152, 175, 189, 192
- Nonlinear optical parameters 176
- Nonlinear optical processes 179, 192
- Nonlinear optical response 312
- Nonlinear optics 8–10, 233, 241, 252–258, 261
- Nonlinear polarizability 174, 176
- Nonlinear refraction 176
- Nonlinear refractive index 152, 172, 177–178, 190
- Non-volatile 195, 196, 198, 202, 206, 213, 219, 225–227, 229
- Nucleic acid detection 187
- Null ellipsometer 64
- O**
- On-chip optical switching 203, 207, 208, 220, 223
- Optical activity 288
- Optical anisotropy 169
- Optical bandgap 119–121
- Optical communication 10–11, 147–153, 157, 164, 172, 175, 185, 190–192
- Optical components 152, 164
- Optical computing (PCM-based) 312, 317–321
- Optical confinement 243, 252, 254
- Optical contrast 109, 111, 118
- Optical fibers 89
- Optical forces 9–10
- Optical Kerr effect 152, 177, 190
- Optical Kerr shutter (OKS) 177
- Optical limiting 152
- Optical loss (origin and mitigation) 312, 315
- Optical modulators 150, 157, 164
- Optical neural networks (ONNs) 210, 226, 227
- Optical parametric oscillation 173
- Optical path 156, 213
- Optical performance 167–168, 179, 181, 183
- Optical polarization device 171
- Optical sensors 151, 157–158
- Optical signal processing 150, 152, 164, 172, 175, 190–192
- Optical signals 149–151, 157, 164, 171, 175, 177, 190–192
- Optical solitons 191
- Optical storage 11–12, 149, 168, 171, 174, 179, 196, 227
- Optical switches 2, 7, 11, 147, 157, 190, 268–272
- Optical tweezers 306–308
basics 306–308
chalcogenide-based 308
- Optical waveguides 187, 188, 189, 190, 192
- Optoelectronic devices 149
- Orientation change 169, 170
- Oxygen atoms 161
all-dielectric 269
hybrid plasmonic 269
phase-change based 270–272
reconfigurable metaswitches 270
- P**
- Particle size distribution 131
- Pauli's exclusion principle 96
- Peierls 102, 107
- Phase-change materials (PCMs) 4, 7, 11, 15–16, 102, 108, 117, 195–229
- Phase-change memory 17, 18, 33, 50, 199, 206, 207, 209, 229
- Phase-change optical storage 196
- Phase-change random access memory (PRAM) 90
- Phase transition
in chalcogenides 265–266
in GST 270–271, 274–275, 291–298
tuning via 267, 270–272, 274–275, 278–284, 291–298, 304–306
- Phosphosilicate glass (PSG) 46
- Photoanisotropy 169–171
- Photodetection 274

- Photodetectors 1–4, 11
 Photoinduced anisotropy 166, 170–171
 Photoinduced bleaching 166–169
 Photoinduced darkening 166–169
 Photoinduced structural changes 166, 169–170
 Photolithography 80
 Photoluminescence 128, 135–136, 140
 Photomultiplier tube (PMT) 144
 Photonic bandgap (PBG) 231–232, 234–238
 Photonic communication 149
 Photonic crystal waveguides (PCWs) 232, 252–258
 Photonic integrated circuit (PIC) 15, 196, 200, 203, 207, 219, 225–226, 228–229
 Photonic memory 197–200, 202, 207, 209–211, 223
 Photonic tensor core 212
 Photon localization 273
 Photosensitivity characteristics 166–171
 Photothermal conversion 15
 Physical adsorption 151, 189
 Physical vapor deposition (PVD) 45, 69, 71, 74, 75, 85, 87
 Picosecond level 150, 193
 Plasma resonance 158, 165, 193, 270–274
 Pockels effect 157
 Polarization beam splitter 171
 Polarization converters 303–306
 metasurface-based 304–306
 traditional methods 303
 Polarization direction 169, 170
 Polarization, valley-specific 300–303
 Polarized light 156, 170, 171
 Polarized optical interference experiments 169
 Polarizer 170, 191
 Polydispersity index (PI) 143
 Polysilicon 46
 Pressure 155
 Protein detection 186–187
 Pulsed laser ablation (PLA) 80, 81
 Pulsed laser deposition (PLD) 69, 80–85
 Pulse-width modulation (PWM) 209–210
 Pump-detection techniques 173
 Pump light 174, 177
- q**
- Quantum computing 8, 15
 Quantum confinement 32, 130, 134
 Quantum dots (QDs) 14, 130–133, 136, 137
 Quantum Hall effect 33
 Quantum sensing 313
 Quantum yields 131
 Quartz crystal 74, 75, 77–80, 85–87
 Quasi-BIC (QBIC) 294–295
- r**
- Raman spectroscopy 34, 35, 45, 56–57, 95, 121–129
 Raman scattering 91, 121–123, 128
 resonance Raman spectroscopy 128
 surface-enhanced Raman scattering (SERS) 122
 tip-enhanced Raman spectroscopy (TERS) 122
 Random-phase approximation (RPA) 111
 Rayleigh scattering 56
 Reconfigurable devices
 beam steering 276–284
 metalenses 284–288
 optical switches 268–272
 perfect absorbers 272–276
 polarization converters 303–306
 Reconfigurable photonic devices 242, 253
 Reflection and refraction, generalized laws 277–278
 Refractive index 147, 153–158, 164, 165, 169–170, 173, 177–179, 187–190
 Refractive index contrast 195, 201, 202, 209, 229
 Refractive index difference 157
 Relaxation process 155

- Remote sensing 163
- RESET process 198, 199, 205
- Resonance absorption 159
- Resonance wavelength 158, 165
- Resonant bonding 200
- Rotary evaporation 48

- S**
- Sb₂S₃ 201–203, 222–224, 227, 228, 282, 285
- Sb₂Se₃ 195, 201, 202, 208, 221–223, 229, 287, 288
- Scalable fabrication 315, 317, 318
- Scanning electron microscopy (SEM) 34, 51, 54–56
- Scanning near-field optical microscopy (SNOM) 122
- Schrödinger equation 21, 23, 26, 30, 97, 98
- Secondary ion mass spectrometry (SIMS) 58–59
- Second harmonic generation (SHG) 6, 8
- Selenium (Se) 33, 41, 147, 153, 154, 159–161, 172
- SET process 198, 199
- Signal light 174, 175, 189
- Silicon (Si) 18, 37, 46, 47, 64
- Silicon dioxide (SiO₂) 46, 70, 72
- Silicon nitride (Si₃N₄) 46
- Silicon on insulator (SOI) 207, 219, 228
- Silicon photonics 196, 199, 202, 203, 229, 277, 313–314, 319
- Single-particle approximations 105
- Slow light effect 242, 254
- Soft X-ray appearance potential spectroscopy (SXAPS) 65
- Sol-gel method 162
- Solid phase epitaxy 69
- Solution chemistry 162
- Spectral analysis 148, 165, 187
- Spectrophotometer method 163
- Spin-flip Raman scattering 128
- Sputtering 69, 85–93
 - direct current 86, 88, 89, 92
 - magnetron 71, 86
 - radio frequency 86–89
- Stark effect 134
- Stokes and anti-Stokes shifts 123
- Stokes–Einstein relation 143, 144
- Stokes emission 129
- Stokes vectors 116
- Stranski–Krastanov (SK) 69
- Stress 128, 161, 170
- Structural color 195, 196, 212–213, 229
- Sulfur (S) 147, 153, 154, 160, 161, 173
- Sulfur glass 147–193
- Sulfur glass fiber 179–185
- Supercontinuum generation 152, 172
- Superlattice 138, 139
- Surface energy 67
- Surface modification 151, 158, 187, 189
- Surface morphology 71, 84
- Surface passivation 129, 313
- Surface plasmon resonance (SPR) 157, 158, 165, 186, 263, 273
- Switching mechanisms 270

- t**
- Tauc–Lorentz dispersion model 120
- Tauc–Lorentz oscillators 118
- Tellurium (Te) 17, 33, 147, 153, 154, 159, 160, 173
- Teraharmonic generation (THG) 176
- Terahertz (THz) applications 285, 289–291
- Terrace–Step–Kink (TSK) 67
- Tetraethyl orthosilicate (TEOS) 70
- Thallium (Tl) 168
- Thermal annealing 167, 168, 202–203, 222
- Thermal crosstalk 225, 229
- Thermal evaporation (TE) 34, 44–46, 48–49, 69, 74–75, 77–80, 149
- Thermal management 264
- Thermal stability 148, 160
- Thermal vibrations 155
- Thermoelectric materials 4, 6

- Thermo-optic effect 225
 Third harmonic 176–177
 Third-order nonlinear optical process
 174, 176
 Third-order nonlinear polarizability (χ^3)
 174–176
 Tight-binding model 24, 28–31
 Topological photonics
 (chalcogenide-based) 318
 Transition metal dichalcogenides
 (TMDCs/TMDs) 3, 83, 264, 266,
 300–303
 Transmission band 147, 151, 159
 Transmission characteristics 158–165
 Transmission electron microscopy (TEM)
 45, 51–54, 63, 146
 Transmittance (T) 159–168
 Trioctylphosphine oxide (TOPO) 131
 Triphenyl-diamine (TPD) 135
 Tunable metasurfaces 15
 Two-dimensional materials 264, 266,
 267, 300–303
 Two-photon absorption 173–174
- U**
 Ultrafast laser pulse measurement
 177
 Ultrafast optics 177
 Unpolarized light 170
 UPS spectroscopy 100
- V**
 Valence alternation pairs (VAPs) 109
 Valence band (VB) 105, 106, 173
 Valence electron concentration (VEC)
 107
 Valence state 147, 154
 Valleytronics 301–303
- Van der Waals epitaxy 69
 Van der Waals heterojunctions 266–268
 Vapor deposition 69–73
 Vector-matrix multiplication (VMM)
 210–212
 Vibrational spectroscopy 60
 Vibration frequencies 152, 159
 Virus nucleic acid 187
 Viscosity 180
 Volmer–Weber (VM) 69
 Von Neumann architecture 197,
 206–208
 Von Neumann bottleneck 196, 207
- W**
 Wafer bonding 313
 Water quality monitoring 188
 Waveguide 195, 197, 199, 203, 206–209,
 211, 219–229, 307–308
 Waveguide-coupled cavity 252
 Wavelength conversion 150, 172, 191,
 192
 Wavelength division multiplexers 157
 Wavelength-division multiplexing (WDM)
 198, 209
 Wave sheet 171
 Weak bonds 155
 Wigner–Seitz cell 105
 Woodpile structure 235
- X**
 X-ray diffraction (XRD) 33, 51, 140
 X-ray photoelectron spectroscopy (XPS)
 44, 100
- Z**
 Z-average 143
 Z-scan technique 173–174, 176





