

Index

a

acoustic absorption
 cellular morphology 120–122
 characterization 118–120
 chemical foaming 133–137
 coating of foam skeletons 137
 fundamentals 112–117
 macro shape and geometry 122–124
 metallic foams 127–128
 noise reduction foams 111
 phase separation 139, 140
 polymer composite foam 129–132
 polymer foams 28–29, 111–141
 resistance of airflow 125
 sound absorption ceramic 125–127
 supercritical CO₂ (scCO₂) foaming
 135, 136
 tortuosity 125
 active and passive noise control 112
 active conductive materials
 carbon-based materials 248–249
 conducting polymers 249–250
 hybrid active conductive materials
 250
 metallic nanomaterials 249
 aerogels 104–106, 140, 163–166, 176,
 208, 209, 266, 302, 332
 airflow resistance measurement 120,
 121
 aluminum ultrafine fibers 64
 ammonium bicarbonate 224, 225
 anisotropic microporous structure 267

architected conductive networks 248
 area contact mode 254, 255
 areal contact mode 254
 articular cartilage 233
 artificial seawater 321, 322
 atactic polypropylene (APP) 53
 atomic force microscope (AFM) 159,
 160, 295
 auxetic foams 38, 48, 66, 199, 200
 azodiisobutyronitrile (AIBN) 197, 301

b

batch foaming 24, 25
 advantages 25
 continuous extrusion 25–26
 injection foaming technique 26–27
 method 97
 microcellular foams 24, 25
 bicinchoninic acid (BCA) 222, 223
 bimodal foams 23, 93–97
 bioceramic materials 218
 biocompatible CFAs 225
 biodegradable artificial polymer 217
 biodegradable polymer scaffold 217
 biomaterial scaffolds 217
 bionic polystyrene surface (BNPPS) 150,
 152
 biphenyltetracarboxylic dianhydride
 (BPDA) 104
 blue energy 304, 307
 Boltzmann constant 6, 9, 15, 85, 318
 Boltzmann's method 97

- bone tissue engineering 230–232
- bulbous cell structure 40
- C**
- carbon-based materials 248–249, 317
- carbon nanostructure (CNS) 263, 264
- Cassie–Baxter model 154–155
- cell coalescence 13–17
- cell density 1, 4, 11, 14, 21–23, 55, 56, 75, 76, 87, 89, 92, 93, 97, 114, 119–121, 125, 136, 191, 195–196, 229
- cell diameter 1, 40, 41, 55, 78, 103, 116, 119, 120
- cell expansion 12, 38, 227
- cell growth kinetics 11, 13, 61
- cell nucleation 61
 - heterogeneous foam nucleation 9–10
 - homogeneous foam nucleation 7–9
 - mixed nucleation theory 10–11
- cell opening, mechanism of 14–17
- cell proliferation assay 223, 224
- cell radius 8
- cell rupture 13, 14
 - mechanism of 14
- cell shape coefficient 40
- cell size, EMI shielding 195, 196
- cell stabilization 61
- cell viability assay 223
- cellular structure, CPCs 188
- cellulose nanofiber (CNF) 139, 162, 164, 267, 291, 302
 - based conductive composite foams 267
- channel strategy
 - 1D water 326, 329
 - 2D 328
 - 3D 328, 330
- charge generation mechanism 30, 284, 286, 295, 302–304
- chemical blowing agent (CBA) 2, 197, 225, 264
- chemical foaming 4, 5, 132, 300, 301
 - of EMI shielding CPFs 197–198
 - flexible sensors 264, 266
 - tissue engineering scaffolds by 225–226
- chemical foaming agents (CFAs) 4, 225
- chemical oxidation 249
- classical nucleation theory 7, 8, 11, 16, 21, 22
- closed-cell foams 37–39, 42, 44, 46–48, 63–64, 67, 97–98, 111
- closed-cells 113
- co-rotating twin-screw extruder 227
- coating of foam skeletons 137
- coaxial electrospinning 235
- composite foams, energy absorption capacity 64–66
- compression method 60
- compression strain-stress 43, 44
- conducting polymers 187, 249–250
- conductive filler 187, 188, 190–193, 197, 198, 200, 201, 251, 252, 254, 267
- conductive foams
 - sensing mechanism of 254–255
- conductive polymer composites (CPCs) 187
 - interface contact resistance 253–254
 - percolation theory 251–252
 - tunneling effect 252–253
- conductive polymer foams (CPFs) 29, 187, 188
 - cell size of 255, 256
 - cell wall thickness of 255–256
 - foaming methods for 196–199
 - interconnections of 257–258
 - sensors
 - substrate materials for 246–247
 - surface microstructure of 256–257
- contact effect 254
- contact-separation mode 283, 285–288, 296
- continuous extrusion foaming 23–26
- cooling cycle 27
- crack effect 254
- cross-linked polyethylene (PE) foams 21, 42, 69, 199
- cubic foam model 78

- current generation mechanism 284–286
 cyclic compression properties 68
 cytoskeleton morphology characterization 224
- d**
- damping factor 52, 53
 decoloration efficiency 321
 deformation mechanism 37, 44, 48–50, 56
 depressurization
 multistage saturation 23
 rate 22–23
 desalination methods 315–317
 dielectric loss, CPFs 191, 192, 208
 dielectric materials 186
 diffraction effect 294
 digital image correlation (DIC) method 56
 digital precision multimeter 189
 dimethyldimethoxysilane (DMDMS) 164
 dioxane/water solvent systems 231
 dip-coating 174, 200, 204, 208, 209, 250
 flexible sensors 267, 268
 drop hammer impact 57, 58
 dynamic compression test 57–59
- e**
- elastic biopolymer 237
 electrical conductivity 185, 189–191, 193, 196, 198, 204, 208, 210, 249, 251
 electrical hysteresis (EH) 260
 electric field 166, 184, 185, 193, 285, 303
 electric field shielding 184
 electrochemical methods 249
 electromagnetic frequency 185, 193
 electromagnetic interference (EMI) 28, 127, 173–171, 183–186, 189, 246
 cause of 183
 electromagnetic pollution 183–186
 electromagnetic radiation 183
 electromagnetic shielding 2, 14, 29, 183–212, 249
 electromagnetic shielding efficiency 184
 electromagnetic waves 81, 183–187, 190, 192–196, 199–202, 204, 205, 210, 285
 electrometer 297
 electrospinning 166, 197, 208, 224, 232, 233, 235, 237, 238, 240, 284, 293, 303, 328
 electrostatic spinning 146, 151–153, 309
 EM wave absorption 29, 186–189, 191, 193, 195, 196, 204, 206
 EMI shielding
 aerogels 208, 209
 cell density 195–196
 cell size 195–196
 chemical foaming of 197–198
 composition 190–191, 192
 conductivity properties 191–193, 194
 conventional materials 186–187
 effectiveness measurement 188–189
 fibrous networks 208–210, 211
 foaming methods 196–199
 gradient cell structure 204–205, 206
 layered foam structure 205–207
 magnetic properties 191–193, 194
 material thickness 193–195
 oriented cell structure 200–201
 and porosity 195–196
 porous materials 210
 re-entrant cell structure 199–200, 201
 resonance 193–195
 segregated cell structure 201–204
 supercritical CO₂ foaming of 198–199
 surface coated/modified foams for 210–212
 EMI shielding effectiveness (SE) 174, 184, 185, 188–189, 192–212
 EMI shielding mechanism 29, 183, 185–186, 195, 196, 199–202, 204, 209
 for porous materials 185–186
 EMI shields' thickness 193
 energy absorbing buffer foam 28
 energy absorbing foams
 cell morphological 39–40

- energy absorbing foams (*contd.*)
- cell size 40–41
 - classification 37–38
 - closed-cell foams 63–64
 - composite foams 64–66
 - dynamic compression test 57–59
 - for house and home 69–70
 - matrix influence 41–42
 - morphology characterization 55–56, 57
 - open cell effect 42
 - open-cell foams 61–63
 - quasi-static compression test 56–57, 58
 - rebound performance and hysteresis testing 59–60
 - relative density 38–39
 - for security and military 70–71
 - special-structured foams 66–68
 - in sports 69
 - for transportation and vehicles 70
- energy absorption mechanism
- closed-cell foam 46–48
 - energy dissipation 51–53
 - matrix material, effect 53–54
 - open cell structure model 43–46
 - other special structural models 48–51
- energy barrier 7–10, 22, 252
- energy conversion 30, 113, 114, 282, 304, 305, 317–320
- energy dissipation 38, 50–54, 114, 121, 132, 140
- etching method 148, 268–269
- ethylene vinyl acetate (EVA) foam 41, 61, 70, 71, 250
- expandable microspheres 3
- f**
- fast water transport 326–328, 330
 - ferromagnetic materials 186
 - fibrous networks 100, 208–210, 211
 - figure of merit (FOM) 296–297
 - finite element methods 12
 - flexible electronic products 246
 - flexible piezoresistive sensors
 - human motion monitoring 270–271
 - tactile perception 272
 - temperature monitoring 272–275
- flexible sensors
- chemical foaming 264–266
 - dip coating 267–268
 - freeze-drying method 266–267
 - physical foaming 263–264, 265
 - skeleton etching method 268–269
 - template sacrificial method 269–270
- flexible strain sensors 245–250
- flexible TENG materials 292
- flow cytometry analysis 223
- fluorescence microscope 223, 224
- fluorinated hybrid aerogel (FHA) 164, 165
- foaming pressure 16, 22, 39, 133, 228
- foaming process
- depressurization rate 22–23
 - multi-stage saturation 23
 - saturation pressure or foaming 22
 - temperature 21–22
- foam injection molding 26, 27, 135
- foam interconnections 257
- foam materials, recovery 52
- four-point probe meter 189
- Fourier transform infrared spectrometer (FT-IR) 160, 294
- free energy barrier 7–10, 22
- freeze-drying method 208, 266–267, 301–303
- flexible sensors 266–267
- Fresnel's formula 83
- fused deposition modeling (FDM) 64
- g**
- gas foaming techniques 298
 - gas-solid interface 81, 83
 - gauge factor (GF) 254
 - geopolymer foam aerogel render (GFAR) 104, 105, 132
 - good metal conductors 186
 - gradient cell structure 199, 204–205, 206

graphene (GR) layer 187, 188, 190, 191,
197, 198, 200, 202, 208
graphene nanoplatelets (GnPs) 204, 205,
265
guarded hot plate (GHP) 85

h

HDPE/graphene nanoplatelets (GnP)
composite foam 204
heat insulator 316
heat loss, suppressing 325–326, 327
heat transfer model 80
Henry's equation 6
Henry's law 6
heterogeneous foam nucleation 9–11
hexaminotriptycene (HMT) 104
hexamethylene diisocyanate (HDI) 225
hierarchical structure
 electrostatic spinning 151–153
 etching method 148
 phase separation method 148–150
 surface treatment method 147–148
 template replicating 150–151
high voltage power supply 308–310
hollow microsphere 3
homogeneous foam nucleation 7–9
homogenous solution 5–6, 137
honeycomb structures 98, 200
horizontal sliding mode 286–288, 296
hot compression 202
human motion monitoring 249, 250,
270–272
HUVECS 227, 235–237
hybrid active conductive materials 250
hydrophilic porous polymer 326, 328
hydroplastic foaming (HPF) 137
hydroxyethyl acrylate (HEA) 150
hysteresis 51, 53, 54, 59–60, 113, 147,
185, 190, 193, 194, 223, 260–262
hysteresis testing 59–60

i

ideal tissue engineering scaffold 221,
222
immiscible polymer 16

indentation method 60
independent friction layer mode
 289–290, 296, 297
inert gas 3, 133
infrared thermal imaging 323
injection foaming 23, 24, 26–27, 61,
98–100
injection foaming technique 26–27
inorganic materials, tissue engineering
 218–219
interface contact resistance 253–254
intrinsic conducting polymer 187
in vitro degradation test 234
isotactic polypropylene (iPP) 53

j

Johnson–Champoux–Allard (JCA) 116,
117, 121

k

Kelvin foam model 47
Kelvin probe force microscopy (KPFM)
295

l

lactic acid (LA) 238
L-ascorbic acid 202
layered foam structure 205–207
light absorption 316, 317, 322–325
 characteristics 323–325
lightweight polyethylene terephthalate
 (PET) bead foam 22, 63, 235, 298
linearity 262
liquid-gas interface 9, 158
loading and unloading process 52, 53
loss modulus 53
low-boiling temperature 3

m

macroscopic and microscopic structures,
 TENGS 283
magnetic dipoles 186
magnetic field 166, 183–185, 190, 193,
194, 285
magnetic fillers 190, 191, 193

- magnetic property 190, 191
 matrix material, effect 53–55
 mechanical foaming 2, 61, 133
 medical tissue engineering repair 29
 melamine foam (MF) 28, 125, 133, 137, 139, 172, 175, 204, 208, 247
 metallic nanomaterials 249
 methyl blue (MB) 321, 322
 methyl orange (MO) 321, 322
 methyltrimethoxysilane 163
 microcellular foaming 1, 2, 16, 23–27, 61, 64, 98
 microcellular foams 1, 2, 16, 23–27, 61, 64, 98
 microcellular injection molding (MIM) 26, 98, 136, 204, 227, 228
 microcellular polyimide (PI) foams 101–103
 microcellular structure 24, 40, 191, 204, 263
 micro energy 304–306
 micrometer-sized patterns 257
 microstructure effect
 surface area to volume ratio 294
 surface morphology and roughness 293–294
 mixed nucleation theory 10–11
 Mohr's theorem formula 49
 MTS assay 223, 227
 Multi Jet Fusion (MJF) technology 63
 multi-walled CNT (MWCNT) 129, 132, 202, 204, 205
 MXene 174, 188, 190, 204–209, 248–250, 328
 layer 200
- n**
- nanocellular structure 40, 100
 nano energy 30, 282, 304–307
 nanofillers 21, 66, 92, 93, 113, 188, 191, 205, 208, 250
 nanoparticles 18, 21, 92–94, 129, 132, 148, 158, 161–162, 164, 166, 168–169, 172, 188, 204, 208, 225, 249, 264, 268, 316, 325, 326
- natural polymers 218, 219
 negative Poisson's ratio (NPR) 38, 39, 49, 50, 66–68, 199
 nervous tissue engineering 237–240
 Newton's formula 319
 nitrogen gas 15, 301
 noise pollution 28, 111
 noise reduction coefficient (NRC) 119, 133, 134
 nucleating agent 9, 18, 21, 92, 93
- o**
- one-step foaming approach 25, 198
 open-cells 113
 effect 42
 foam materials 14
 foams 61–63
 structure model 43–46
 open-cellular foam 38, 332
 oriented cell structure 200–201
 output current, TENG 297
 output power density 297
- p**
- particle leaching method 228
 particle leaching technique 15
 passive radiative cooling (PRC) 174
 PDMS/AIBN mixture 301
 percolation theory 251–252
 percolation threshold 190, 192, 251, 264
 phase inversion 15, 137, 150, 325
 phase separation 301, 303
 and freeze drying 301–303
 method 15, 130, 148–150, 235
 process 5, 7, 15, 137, 162
 phenolic foams chilled water
 piping 103
 p-phenylenediamine (PDA) 104, 200, 208, 324, 325, 328, 330
 physical blowing agent 61, 111, 166, 197, 297
 physical foaming 2, 3
 flexible sensors 263–270

- tissue engineering scaffolds by
226–230
- PI packaging 299
- piezoresistive sensors
hysteresis 260–262
linearity 262
reliability and stability 263, 264
response time and recovery time 259,
261
sensing mechanism of flexible 250,
251, 253
sensitivity 259, 260
strain response range 262, 263
- plasticizing effect 6, 20, 22
- point contact mode 254
- Poisson's ratio numerical model 49
- polyaniline (PANI) 187, 249,
250, 332
- polybutylene adipate terephthalate
(PBAT) 264, 265, 328, 330
- polycaprolactone (PCL) 151, 219, 225,
227, 228, 233, 235, 291
- polydopamine (PDA) layer 104, 200,
208, 325, 328, 330
- poly(ether block amide) (PEBA) 202,
263–265
- polyethylene glycol (PEG) 117, 228
- poly(3,4-ethylenedioxythiophene)
(PEDOT) 249, 250, 267
- polyimide foam (PIF) 103, 124
- polylactic acid (PLA) 15, 117, 163, 219
- poly(lactide-co-trimethylene carbonate)
(PLATMC) 238, 239
- poly-L-lactic acid (PLLA) 174, 224, 240
- polymer
foaming agent vs 20–21
foams 128, 129
nucleating agent and nanoparticles 21
rheological properties of 19
solubility and diffusion of gas 19–20
- polymer foaming
chemical foaming 4–5
mechanical foaming 2
physical foaming 2–4
- polymerization-induced phase separation
(PIPS) 163
- polymer matrix crystallization 19
- polymethyl methacrylate (PMMA) 20,
22, 88–94, 97, 101, 190, 204, 205,
330
- poly(methyl methacrylate)
(PMMA)/MWCNTs composite
foams 20, 22, 88–94, 97, 101, 190,
204, 205, 330
- polypyrrole (PPy) 239, 240, 249, 250,
270, 325, 326, 328
- polytetrafluoroethylene 92, 136,
168, 235
- polyurethane foam 17, 28, 41, 92,
103–104, 121
- porosity measurement 119
- porous films, fabrication 303–304
- porous materials
charge accumulation 290–291
charge separation 291
metal-based EMI shielding 210
TENGS 283–284
- porous polymers
absorber 318
fast water transport of 326–328, 330
flexible sensors 30
foams 30
salt resistance of 328–332
solar steam generation 30
suppressing heat loss in 325–326, 327
- porphyrin-/aniline-based conjugated
microporous polymers (PACMPs)
326, 327
- protein absorption test 222–223
- PVC/nitrile butadiene rubber foam 42
- PVDF/CNT/SiC 196
- pyromellitic dianhydride (PMDA)
103
- q**
QSGS method 97, 98
quasi-static compression 40, 56, 61
quasi-static compression test 56, 58

r

rebound performance 59–60
 recovery time 259–261, 271, 272
 re-entrant cell structure 199–200, 201
 relative density 38–39, 41, 42, 44, 46, 63
 reliability and stability, sensor 263, 264
 representative volumetric element
 numerical model (RVE model)
 252
 resonant cavity (RC) 194, 195
 response time 30, 247, 259–261, 269
 reversible bonds 54

s

salt crystallization 328, 330, 332
 salt granules 15, 324, 329
 salt precipitation 329
 salt resistance 317, 320, 323, 324, 326,
 328–332
 saturation pressure 9, 18, 22, 24, 26, 198
 scanning electron microscopy (SEM) 55,
 64–67, 94–98, 106, 117, 119, 122,
 128, 130, 131, 135, 136, 138–140,
 159, 169, 175, 199, 201–203, 206,
 209, 211, 224, 227, 229–231, 234,
 238, 239, 294, 299, 303, 327
 Schelkunoff theory 185
 second batch foaming method 25
 segregated cell structure 199, 201–204
 selective laser sintering (SLS) method
 232, 233
 self-powered sensors 304, 307–308
 sensitivity, piezoresistive sensors 259,
 260
 series-parallel connections 79
 simulated wastewater 321, 322
 single-electrode mode 283, 286,
 288–290, 296, 297, 308
 single wall carbon nanotube (SWCNT)
 113, 114, 248
 skeleton etching method
 flexible sensors 268–269
 sodium bicarbonate 4, 225, 226
 sodium carbonate 225
 soft elastic materials 54
 soft foam 41, 52
 soft tissue repair 233–234, 237
 solar steam generation (SSG) 30
 desalination methods 315–317
 energy conversion 318–320
 experiment of 320–321
 key elements 317
 light absorption 322
 opportunity and challenge of 332
 porous polymers for 317–318
 salt resistance 323, 324
 simulated wastewater and artificial
 seawater 321, 322
 surface temperature change 323
 water evaporation rate 321, 322
 solidification and curing 17–18
 sound-absorbing materials 111, 114,
 118, 127
 sound absorption 111
 principle and models 113–117
 ceramic 125–127
 circular tube model 115
 coefficient (α) 118–119
 sound absorption coefficient (SAC) 113,
 114, 117–119, 128–132, 134, 136,
 138, 139
 sound vibrations 52
 special-structured foams 66–68
 Split-Hopkinson Pressure Bar
 (SHPB) 59
 spray polyurethane foam 103–104
 Stefan-Boltzmann constant 85, 318
 Stefan-Boltzmann equation 318
 storage modulus 19, 53
 strain response range 262–263
 stress-strain relationship 41, 45, 53, 56,
 59
 structural damping 114, 127
 supercritical carbon dioxide (scCO₂) 4,
 145
 foaming 133–137, 166–169, 297–300
 of EMI shielding CPFs 198–199
 supercritical fluid (SCF) foaming 3–18,
 20, 24–27
 cell coalescence and rupture 13–17

- cell growth 11–13
 - cell nucleation 7–11
 - homogenous solution 5–6
 - solidification and curing 17–18
 - superhydrophobic polymer foams 29, 177, 183
 - absorption capacity 161
 - anti-fouling 171
 - characterizations 159–161
 - electrospinning 166
 - hierarchical structure 147–153
 - lotus leaves 145
 - nanoparticles 161–162
 - nature 146
 - oil absorption 172–173
 - porous material complexes 162, 163
 - self-cleaning 171
 - superhydrophobic aerogels 163–165
 - surface energy 147
 - surface structure 147
 - theoretical basis 153–159
 - water droplets 145
 - surface chemistry characterization 160
 - surface coated/modified foams 210–212
 - surface energy 12, 29, 92, 93, 145–147, 149–152, 157, 158, 160, 166, 168, 172
 - surface plasmonic resonance effect 198
 - surface property testing 222, 223
 - surface temperature change 323, 327
 - surface treatment 146–148, 310
 - surface wettability 148, 153, 159, 160, 332
 - characterization 160
 - synthetic polymers 219, 317
- t**
- tactile perception 30, 270, 272
 - temperature monitoring 272–275
 - template replicating 150
 - template sacrificial method
 - flexible sensors 269–270
 - tensile and compression tests 223
 - tetraethoxysilane (TEOS) 164, 167
 - thermal conductivity measurements 85–86
 - thermal-induced phase separation (TIPS) 301
 - thermal insulation aerogels 104–106
 - thermal insulation polymer foams 28
 - bimodal foams 94–97
 - chilled water piping 103
 - closed-cell foams 97–98
 - composite polymer matrices 91–93
 - gases and solids 78–81
 - heat transfer 78
 - honeycomb structures 98
 - material refractive index 90
 - microcellular polyimide (PI) foams 103
 - nanocellular polymer foams 98–101
 - overview 75–76
 - pore size and porosity 86–89
 - property characterization methods 85–86
 - spray polyurethane foam 104
 - temperature 89
 - thermal insulation aerogels 104–106
 - thermal radiation 81–85
 - thermal management 325
 - thermal radiation 28, 77, 81–85, 89, 318
 - transmission 81
 - thermal resistance 78–80, 104
 - thermodynamic system 7, 8
 - thermoelectric modules 320
 - thermoplastic polymers 4, 63, 69, 197, 224, 247
 - thermoplastic polyurethane (TPU) 20, 41–42, 61–62, 64, 66, 97, 101, 173, 190–191, 202, 210, 219, 227–228, 230–238, 247, 250, 298–300, 308
 - thermoplastic polyurethane/reduced graphene oxide (TPU/RGO) 202, 203
 - thermosetting elastic materials 247
 - 3D folded structure (3D-FS) 49, 50
 - tissue engineering biomaterials 218
 - tissue-engineered implants 222
 - tissue engineering scaffolds

- tissue engineering scaffolds (*contd.*)
- advanced design 221
 - biological performance testing 223–224
 - bone 230–232
 - by chemical foaming 225–226
 - elements of 217–218
 - ideal conditions 221–222
 - inorganic materials of 218–219
 - mechanical performance testing 223
 - microstructure of 220
 - nervous 237–240
 - by physical foaming 226–230
 - process of 219–220
 - soft tissue repair 233–234
 - surface property testing 222–223
 - vascular 234–236
- tissue formation rate 221
- tortuosity (α_{∞}) 119–121, 125–126, 129–132, 137
- TPU/HA composite scaffolds 231
- triboelectric materials 283, 284, 292, 294
- triboelectric nanogenerators (TENGs)
- 30
 - blue energy 307
 - charge and current generation
 - mechanism 284–286
 - development of 281–282
 - flexible materials 292
 - high voltage power supply 308–310
 - horizontal sliding mode 287–288
 - independent friction layer mode 289–290
 - macroscopic and microscopic structures 283
 - micro and nano energy 304–306
 - porous materials 283–284
 - self-powered sensors 307–308
 - single-electrode mode 288–289
 - triboelectric materials 283
 - triboelectric sequence 292
 - vertical contact-separation model 286–287
 - working mode and principle 286–290
- triboelectric sequence 292, 293
- trimethylene carbonate (TMC) 238
- triple-electrode integrated self-supporting (TIS-TENG) 299, 308
- triple-layered vascular grafts (TLVG) 235–237
- tunneling effect 252–253
- two-step foaming method 25, 101, 198
- U**
- ultrafine cellular structure 40
- ultra-high molecular weight polyethylene (UHMWPE) 168–173
- ultrasonic immersing 200
- ultrasound-assisted technique 16
- undamped oscillation 52
- unidirectional freeze-drying method 267
- UV-Vis-NIR spectrophotometer 322
- V**
- vacuum permeability 185
- vascular tissue engineering 223, 234–237
- vector network analyzer (VNA) 188
- vertical contact-separation model 286–287
- vibrating sample magnetometer (VSM) 190
- viscous absorption 112
- voltage, and charge measurement, TENG 297
- Voronoi diagram splitting method 97, 98
- W**
- water-assisted foaming process 39, 225
- water contact angle (WCA) 145, 148, 150, 152, 158, 160, 162, 163, 166, 168, 173–177, 222, 229, 230
- water evaporation rate 320–322
- wave energy 307
- Wenzel model 154, 155
- wet spinning 208
- white-light interferometry (WLI) 160
- wrinkled foams 38, 68
- X**
- X-ray absorption 56

X-ray diffraction analysis (XRD)
294–295
X-ray micro-computed tomography
(μ -CT) 56, 57
X-ray photoelectron spectroscopy (XPS)
160

y

Young's modulus 38, 40, 41, 46, 47, 59,
222, 251, 267





