

Contents

Foreword *xiii*

Preface *xv*

Acknowledgements *xix*

- 1 Review of Processing Techniques in Large-Format Additive Manufacturing of Polymers and Composites** *1*
Ahmed Arabi Hassen, Alex Roschli, Daniel Moreno, Vlastimil Kunc, and Brian Post
 - 1.1 Introduction *1*
 - 1.2 Auxiliary Systems and Equipment Configurations for Enhanced Functionality *6*
 - 1.2.1 Material Drying, Conveyance, and Control Systems *6*
 - 1.2.2 Machining and Postprocessing *7*
 - 1.2.3 Multimaterials Printing *7*
 - 1.2.4 Pick-and-Place System *8*
 - 1.2.5 Heated Enclosures *9*
 - 1.2.6 Integration of Automated Fiber Placement *10*
 - 1.2.7 Coextrusion of Wires *11*
 - 1.2.8 Continuous Fiber Printing *12*
 - 1.2.9 Build Table *12*
 - 1.2.10 Improving Layer Adhesion *14*
 - 1.2.11 Slicing Software and Printing Algorithms *15*
 - 1.3 Cost Efficiency, Industrialization, and Market Adoption *18*
 - 1.3.1 Market Adoption *20*
 - 1.4 Choosing the Optimal Motion Platform for LFAM Systems *21*
 - 1.5 Conclusions *24*
 - References *24*
- 2 Polymer and Composite Materials for Extrusion-Based Additive Manufacturing** *29*
Daniel Moreno Sánchez, Alberto Sanz de León, Ahmed Arabi Hassen, Halil Tekinalp, and Sergio I. Molina
 - 2.1 Introduction *29*
 - 2.2 Polymers Used in LFAM Systems *32*

2.2.1	Thermoplastics and Thermoplastic Composites	32
2.2.2	Thermoset Polymers and Reactive Chemistries	40
2.2.3	Sustainable and Bio-Based Materials	41
2.2.4	Speciality Polymers	47
2.2.4.1	Magnetic Materials	48
2.2.4.2	Dissolvable Materials	48
2.2.4.3	Foamed Materials	50
2.2.4.4	Nano-additivated Materials	50
2.3	Fundamental Materials Aspects for LFAM	51
2.3.1	Influence of the Rheological Behavior	52
2.3.2	Influence of Thermo-Mechanical Behavior	55
2.4	Recommendations for the Development of New Materials for LFAM	57
2.5	Conclusion	59
	References	59
3	Characterization of Polymers and Polymer-Based Composites for Material Extrusion Additive Manufacturing	69
	<i>Alberto Sanz de León and Mirko Maturi</i>	
3.1	Introduction	69
3.2	Rheology of Polymers and Polymer-Based Composites for Material Extrusion	70
3.3	Mechanical Properties of Polymers and Polymer-Based Composites for Material Extrusion	74
3.4	Thermal and Thermo-Mechanical Properties of Polymers and Polymer-Based Composites for Material Extrusion	79
3.5	Microstructural Analysis of Polymers and Polymer-Based Composites for ME	84
	References	87
4	Large-Format Additive Manufacturing with Polymeric Materials. Molds and Dies “Tooling”	93
	<i>Daniel Moreno Nieto, Pedro Burgos Pintos, María de las Nieves Pizarro Ruiz, Sergio I. Molina, and Ahmed Arabi Hassen</i>	
4.1	Introduction	93
4.1.1	The Need for Molds and Dies	95
4.2	Large-Format Additive Manufacturing of Molds and Dies	96
4.3	Design and Operation Requirements for Mold and Dies	113
4.3.1	Vacuum-Assisted Resin Transfer Molding and Lay-Up Tooling	114
4.3.2	Trim Tools and Fixtures	114
4.3.3	Out-of-Autoclave Molds	114
4.3.4	Autoclave Molds	115
4.3.5	Compression Molding Molds	115
4.3.6	Stamping Dies	115
4.3.7	Concrete Casting Molds	116

4.4	Material Selection Criteria for Molds and Dies	116
4.5	Final Parts Materials	118
4.6	Large-Format AM Mold PostProcessing and Machining	120
4.6.1	Release Agents and Mold Coating	121
4.6.2	Machining Strategies	121
4.7	Conclusions	123
	References	124
5	Direct Part Production Through Polymer Large-Format Additive Manufacturing	129
	<i>Eric MacDonald, Lonnie Love, Brian Post, Alex Roschli, Daniel Moreno Sánchez, and Ahmed Arabi Hassen</i>	
5.1	Introduction	129
5.2	Main Application Sectors of Polymeric LFAM	130
5.2.1	Automotive	130
5.2.2	Aerospace	130
5.2.3	Architecture	131
5.2.4	Marine Applications	134
5.2.5	Energy Applications	137
5.2.6	Interior Design and Furniture	138
5.3	Design Considerations for Polymeric LFAM	141
5.3.1	Layer Configuration and Resolution of Printed Parts	141
5.3.2	Deposition Nozzle	142
5.3.3	Layer Time Dependence	143
5.3.4	Geometrical Design Considerations	143
5.3.4.1	Minimum Wall Thicknesses and Slim Elements	144
5.3.4.2	Overhang Areas and Bridges	145
5.3.4.3	Contour Configuration and Filling	147
5.3.5	Topological Optimization	148
5.4	Conclusion and Future Trends	150
	References	150
6	Large-Format Additive Manufacturing with Cement and Clays: Process Review	155
	<i>Leonardo Santana and Jorge Lino Alves</i>	
6.1	Introduction	155
6.2	Contextualization	155
6.3	LFAM Technologies for Cement- and Clay-Based Materials Processing	158
6.3.1	LFAM Technologies Based on Powder Bed and Material Jetting	159
6.3.2	Extrusion-Based LFAM Technologies	163
6.3.3	Other LFAM Technologies	169
6.4	Final Consideration	170
	References	171

- 7 Large-format Additive Manufacturing with Cement and Clays: Materials Review 177**
Jorge Lino Alves and Leonardo Santana
- 7.1 Introduction 177
 - 7.2 Contextualization 177
 - 7.3 Cement- and Clay-Based Materials for LFAM: A Review 180
 - 7.3.1 Cement-Based Materials 180
 - 7.3.2 Clay-Based Materials 187
 - 7.4 Final Consideration 192
- References 192
- 8 Large-Format Additive Manufacturing with Cement and Clays: Characterization Methods 199**
Ana Guerrero, Eloy Asensio, and Fernando Fernández
- 8.1 Introduction 199
 - 8.2 Specific Requirements for 3D Printing Materials 203
 - 8.2.1 Extrudability 203
 - 8.2.2 Buildability 203
 - 8.2.3 Mechanical Behavior 204
 - 8.3 Tests for Evaluating the Specific Requirements of 3D Printing Materials 204
 - 8.3.1 Flow Table 204
 - 8.3.2 Slump Test 205
 - 8.3.3 Squeezing Test 206
 - 8.3.4 V-Funnel Test 207
 - 8.3.5 Open Time 208
 - 8.3.6 Rheometer Testing 208
 - 8.3.7 Density 210
 - 8.3.8 Pastry Bag and Caulking Gun 210
 - 8.3.9 Setting Time 211
 - 8.3.10 Shape Retention Test 214
 - 8.3.11 Visual Inspection 215
 - 8.3.12 Hardened Mechanical Properties 218
 - 8.4 Conclusions 221
- References 221
- 9 Large Format Additive Manufacturing with Cementitious and Geo Materials. General Considerations, Drivers, and Context 227**
Mohammed Alnaggar
- 9.1 Why Large Format Additive Manufacturing in Construction 227
 - 9.1.1 LFAM Copes with the Custom Nature of Construction Projects 227
 - 9.1.2 Social Drivers for Construction LFAM 228
 - 9.1.3 Economic Drivers for Construction LFAM 229
 - 9.1.4 Environmental Impacts of Construction LFAM 229

9.2	Components of a Construction LFAM System	229
9.2.1	Foundation	230
9.2.2	Material	230
9.2.3	Material Delivery System	232
9.2.4	Reinforcement	232
9.2.5	Motion System	234
9.2.5.1	Gantry Motion Systems	235
9.2.5.2	Robotic Motion Systems	236
9.2.5.3	Cable-Driven Motion Systems	236
9.2.6	Process Control Software	237
9.3	Construction LFAM Process Steps	237
9.3.1	Structural Design	237
9.3.2	Acquiring a Construction Permit	239
9.3.3	Site Preparation	239
9.3.4	Construction LFAM Operation	239
9.3.5	Quality Control and Quality Assurance	240
9.3.6	Equipment Removal, Structure Curing, and Site Restoration	241
9.3.7	Building Finishing Up	241
9.4	Concluding Remark and Future Direction	242
	References	242

10 Large Format Additive Manufacturing with Cement and Clay Applications 245

João Teixeira, Manuel Jesus, Elis Ribeiro, Bárbara Rangel, Jorge Lino Alves, and Lino Maia

10.1	Introduction	245
10.2	Applications of LFAM with Cement-Based Materials	246
10.2.1	Artificial Reefs	246
10.2.2	Urban Furniture	247
10.2.3	Buildings	248
10.2.3.1	In Situ Applications	248
10.2.3.2	Off-Site Applications	248
10.3	Applications of LFAM with Clay-Based Materials	250
10.3.1	Art and Design	251
10.3.2	Structures	251
10.4	Exploring the Design Possibilities of LFAM with Cement and Clay for Facade Applications	252
10.5	Opportunities	255
10.6	Challenges	258
10.7	A Showcase of LFAM Capabilities: Panel Concept	259
10.7.1	Project Definition	259
10.7.2	Design for LFAM	259
10.7.3	3D Print Test and Validation	261
10.8	Conclusions	264
	Acknowledgments	264
	References	264

11 LFAM with Metallic Materials—Technology Review 269

E. Aldalur, F. Veiga, and A. Suárez

- 11.1 Introduction 269
- 11.2 AM Technology Classification 271
- 11.3 LFAM with Metallic Material 274
- 11.4 DED 275
 - 11.4.1 L-DED 278
 - 11.4.1.1 Laser Powder-Based DED 279
 - 11.4.1.2 Laser Wire Based-DED 280
 - 11.4.2 EB-DED 281
 - 11.4.3 Arc-DED 282
- 11.5 Cold Spray Additive Manufacturing 285
- 11.6 Friction-Based AM 287
- 11.7 Metallic LFAM Solutions 288
- References 290

12 Large-Format Additive Manufacturing with Metallic Materials – Materials Review 301

Yukinori Yamamoto, Peeyush Nandwana, Vanshika Singh, Wei Tang, Rangasayee Kannan, and Saket Thapliyal

- 12.1 Introduction 301
- 12.2 Deposition Process 301
 - 12.2.1 Solidification 303
 - 12.2.2 As-deposited Microstructure 306
 - 12.2.3 Postprocess Heat Treatment 309
 - 12.2.3.1 Ferrous Alloys 311
 - 12.2.3.2 Nonferrous Materials 315
 - 12.3 Mechanical Properties 317
 - 12.3.1 Room-Temperature Mechanical Properties 317
 - 12.3.2 High-Temperature Mechanical Properties 318
 - 12.3.3 Cryogenic Mechanical Properties 322
 - 12.4 Environmental Compatibility 322
 - 12.4.1 Corrosion Behavior 324
 - 12.4.2 Oxidation Resistance 326
 - 12.5 Combined Technology: Hybrid 327
 - 12.5.1 Role of Microstructure on the Mechanical Performance of 316L Fabricated Using Hybrid Manufacturing 331
 - 12.5.2 Role of Humidity of Build Chamber During Hybrid Manufacturing on Part Performance 334
 - 12.5.3 Utilizing the Machining Component of Hybrid Manufacturing for Localized Microstructure Control 336
- 12.6 Conclusions 341
- References 341

13 LFAM with Metallic Materials: Structure, Microstructure, and Characterization 353

Luis Segovia-Guerrero, Nuria Baladés, and David L. Sales

- 13.1 Introduction 353
- 13.2 Porosity 355
 - 13.2.1 Porosity Characterization 360
- 13.3 Phases 361
- 13.4 Grain Size and Shape 364
 - 13.4.1 Characterization Techniques 370
- 13.5 Residual Stress 371
 - 13.5.1 Characterization Methods of Residual Stress 373
- 13.6 Chemical Composition 377
- 13.7 Dimensional and Tolerance Control in LFAM 379
- 13.8 Conclusion 383
- References 384

14 LFAM with Metallic Materials—Applications 393

F. Veiga, E. Villabona, A. Suárez, P. Rivero, and E. Aldalur

- 14.1 Introduction 393
- 14.2 Industrial Applications of LFAM with Metallic Materials 394
 - 14.2.1 Aerospace 394
 - 14.2.2 Automotive Industry 397
 - 14.2.3 Construction Industry 399
 - 14.2.4 Railways 401
 - 14.2.5 Marine 402
 - 14.2.6 Oil and Gas 406
 - 14.2.7 Artistic and Creative Applications 409
 - 14.2.8 Molds 410
 - 14.2.9 Sports Equipment 412
 - 14.2.10 Other Industrial Applications 413
- 14.3 Advancements in the Application of AI, Design, and Material Innovation to LFAM 416
 - 14.3.1 Integration of AI 416
 - 14.3.2 Advanced Materials and Their Impact 420
 - 14.3.3 New Developments in Design for LFAM 420
- 14.4 Conclusion and Future Trends 424
- References 425

15 Modeling and Simulation of LFAM: Polymers, Metals, and Cements and Clays, a Review 439

Yousub Lee, Komal Chawla, Mohammed Alnaggar, Wen Dong, and Seokpum Kim

- 15.1 Metal Large-Format Additive Manufacturing 439
 - 15.1.1 Advancing Metal Manufacturing: Traditional Castings to Additive Manufacturing for Large-Scale Components 439

15.1.2	Digital Design for Controlling Distortion and Residual Stress	440
15.1.2.1	Tool Path Planning and Thermal Sensors	440
15.1.2.2	Distortion and Interactive Control	444
15.1.2.3	Manipulation of Residual Stress Using Phase Transformation	446
15.1.2.4	Distortion and Residual Stresses in Hybrid Additive and Subtractive Manufacturing	449
15.1.3	Challenges and Concluding Remarks	451
15.2	Polymer Large-Format Additive Manufacturing	452
15.2.1	Advancements and Challenges in Large-Scale Polymer Additive Manufacturing Technology	452
15.2.2	Modeling and Simulation of Manufacturing Process	454
15.2.2.1	Predict the Temperature History, Deformation, and Residual Stresses	455
15.2.2.2	Optimize the Layer Deposition Time	456
15.2.2.3	Predict the Fiber Orientation	458
15.2.2.4	Multiscale Numerical Modeling for Digital Twin	460
15.2.2.5	Challenges and Opportunities	462
15.2.2.6	Conclusions	462
15.3	Cementitious and Geomaterial Large-Scale Additive Manufacturing	463
15.3.1	Modeling of Different LFAM Stages	463
15.3.2	Modeling of Different Chemistry, Physics, and Mechanics Involved in LFAM	466
15.3.3	Data and Information Aspects in Modeling LFAM of Cementitious Materials	467
15.3.4	Concluding Remark and Future Direction	467
	Acknowledgements	468
	References	468
	Index	475