Contents

Preface *xvii*

1 Recent Progress in Theory of Thermoelectric Effect: Focusing on Types I, II, and III Dirac Systems and Film-substrate Systems *1*
Hiroyasu Matsuura and Tomonari Mizoguchi
1.1 Introduction *1*
1.2 Linear Response Theory Based on Kubo–Luttinger and Application to Dirac-electron Systems *2*
1.2.1 Liner Response *2*
1.2.2 Framework of Thermoelectric Theory Based on Kubo–Luttinger Formalism *2*
1.2.3 Application to Dirac-electron Systems *4*
1.3 Film-substrate Systems *9*
1.3.1 Linear Response for Longitudinal and Transverse Thermoelectric Effects *10*
1.3.2 Linear Response of Film-substrate System Based on the Circuit Model *10*
1.3.3 Model Calculation *12*
1.4 Summary *13*
References *13*

2 Carbon Fiber-reinforced Polymer Piezoelectric Composites *17*
Zhenjin Wang
2.1 Introduction *17*
2.2 Research and Development Trends in Piezoelectric Laminated CFRP Composites *18*
2.3 Preparation of the CFRP Composites with Piezoelectric Particle Dispersion *20*
2.3.1 Materials and Test Specimens *21*
2.3.2 Poling and Lamination *22*
2.3.3 Characterization *23*

2.4 Electromechanical Properties of the Piezoelectric CFRP *24*
2.4.1 Piezoelectric Properties *24*
2.4.2 Shock-induced Voltage and Power *24*
2.4.3 Vibration-induced Voltage and Power *26*
2.5 Conclusion *27*
References *27*

3 Energy Harvesting Behavior of Multifunctional Layered Composites *31*
Boyue Chen, Constantinos Soutis, Yu Jia, Yu Shi
3.1 Introduction *31*
3.2 Composite Structural Design for Energy Harvesting *32*
3.2.1 Laminated Composites with Co-cured Piezoelectric Element *32*
3.2.2 Composites with Nonsymmetric Layup as Bistable Oscillators *34*
3.2.3 Sandwich Structures *38*
3.3 Case Studies *39*
3.3.1 Transportation *40*
3.3.2 Wind Farm *41*
3.3.3 Prosthetics *46*
3.4 Summary *52*
References *53*

4 High-performance, Flexible Energy-harvesting Nanogenerators and Sensors for Revolutionizing Healthcare *61*
Ponnusamy Dhivya, Keerthnasre Dhandapani, Mani Ganesh Kumar, Kazuyoshi Tsuchiya and Ando Yutaka
4.1 Overview of Flexible Energy-harvesting Devices *61*
4.1.1 Energy Harvesting from Human Body and Power Demands for Healthcare Devices *62*
4.1.2 Implantable Medical Devices and Their Power Demands *62*
4.2 Flexible Pyroelectric Nanogenerator for Healthcare *63*
4.2.1 Motivation *63*
4.2.2 Investigation of the Pyroelectric Coefficient in Fabricated Flexible BTO/PLLA Nanosheets *64*
4.2.2.1 Fabrication of Freestanding BTO/PLLA Nanosheet *64*
4.2.2.2 Results and Discussion *64*
4.3 Flexible Piezoelectric Nanogenerator for Healthcare *68*
4.3.1 Motivation *68*
4.3.2 Development of Wearable Nano Power Generators Using Nonwoven PVDF Fibers *69*
4.3.2.1 Fabrication of PVDF Nanofibers: Electrospinning *69*
4.3.2.2 Results and Discussion *69*
4.4 Summary and Outlook *73*
References *74*

"ftoc_PrintPDF" — 2026/7/20 — 8:47 — page ix — #3

5 Digital Self-powered Energy Harvester Based on Vibration Estimation and Control *77*
Kanjuro Makihara
5.1 Introduction *77*
5.2 Concept of Self-powered Harvester *78*
5.3 Fabrication of Harvester Prototype *79*
5.3.1 Switching Control Based on LQR Theory *80*
5.4 Performance of Harvester Prototype *81*
5.4.1 Experimental Setup *81*
5.4.2 Experimental Results *82*
5.5 Modified Synchronized Switch Harvesting on an Inductor *83*
5.5.1 Theory of the Strategy *83*
5.5.2 Harvesting Circuit for Measurement *83*
5.5.3 Measurements for Validation *85*
5.5.4 Energy-harvesting Evaluation *85*
5.6 Future Development of Self-powered Harvester *86*
5.7 Conclusions *87*
Acknowledgment *88*
References *88*

6 Nonlinear Finite Element Analysis and Wind Tunnel Experiment of Flutter Energy Harvesting *91*
Keisuke Otsuka
6.1 Introduction *91*
6.2 Flutter Energy Harvesting Experiment *93*
6.2.1 Plate Length h *95*
6.2.2 Angle of Attack θ *96*
6.2.3 Flow Speed *98*
6.3 Flutter Energy Harvesting Simulation *99*
6.3.1 ANCF *99*
6.3.2 Piezoelectricity *100*
6.3.3 Electric Circuit *100*
6.3.4 Electricity Generation Mechanism of Piezoelectric Harvester *100*
6.3.5 Flutter Harvesting Analysis Method *101*
6.3.6 Simulation Results of Free-vibration Harvesting *102*
6.3.7 Simulation Results of Flutter Harvesting *102*
6.4 Conclusions *104*
References *104*

7 Thermoelectric Materials for Flexible Devices *107*
Souichiro Koga, Daichi Shimokawa, Takanobu Watanabe, and Yukio Furukawa
7.1 Introduction *107*
7.2 Doped PBFDO *109*
7.3 Thermoelectric Polymers *112*

7.4 Thermoelectric Generators *112*
7.5 Concluding Remarks *115*
References *115*

8 Origami Thermoelectric Generator *119*
Shingo Terashima and Eiji Iwase
8.1 Introduction *119*
8.2 Design of Origami Structure TEG *120*
8.3 Evaluation Methods of Origami TEG *121*
8.4 Output Characteristics of Origami TEG *122*
8.5 Design of Origami Fin for Origami TEG *125*
8.6 Output Characteristics of Origami TEG with Origami Fin *127*
8.7 Design of Self-folded Origami TEG *130*
8.8 Output Characteristics of Self-folded Origami TEG *132*
References *136*

9 Flexible Thermoelectric Composites for Energy Harvesting *137*
Wei Wang
9.1 Introduction *137*
9.2 Overview of Thermoelectric Energy Harvesting *138*
9.2.1 Principle of the Thermoelectric Effect (Seebeck Effect) *138*
9.2.2 Key Parameters in Thermoelectric Energy Harvesting *138*
9.2.2.1 Seebeck Coefficient (S) *139*
9.2.2.2 Electrical Conductivity (σ) *139*
9.2.2.3 Thermal Conductivity (k) *139*
9.2.2.4 Figure of Merit (ZT) *139*
9.2.2.5 Interplay Between Key Parameters *140*
9.2.2.6 Need for Flexible Thermoelectric Composites *140*
9.3 Advantages of Flexibility in Wearable Electronics, IoT Devices, and Unconventional Surfaces *140*
9.4 Challenges in Developing Flexible Thermoelectric Materials *141*
9.5 Comparison of Rigid Versus Flexible Thermoelectric Materials *142*
9.5.1 Limitations of Rigid Thermoelectric Materials *142*
9.5.2 Advantages of Flexible Thermoelectric Composites *143*
9.5.2.1 Mechanical Flexibility and Durability *143*
9.5.2.2 Low Thermal Conductivity *143*
9.5.2.3 Lightweight and Scalable Fabrication *143*
9.6 Materials for Flexible Thermoelectric Composites *144*
9.6.1 Conductive Polymers *144*
9.6.1.1 Poly(3,4-Ethylenedioxythiophene) PEDOT:PSS *144*
9.6.1.2 PANI and PPy *144*
9.6.2 Advantages and Limitations of Polymer-based Thermoelectric *145*
9.6.2.1 Advantages of Polymer-based Thermoelectric *145*
9.6.2.2 Limitations of Polymer-based Thermoelectric *146*
9.7 Inorganic Nanomaterials *146*

"ftoc_PrintPDF" — 2026/7/20 — 8:47 — page xi — #5

9.7.1 Bismuth Telluride (Bi_2Te_3), Antimony Telluride (Sb_2Te_3), and Their Nanostructures *146*
9.7.2 Carbon-based Materials: Graphene and CNTs *147*
9.7.2.1 Graphene *147*
9.7.2.2 Carbon Nanotubes *148*
9.8 Hybrid Composites *148*
9.8.1 Polymer-inorganic Nanocomposites *148*
9.8.2 Advantages of Polymer-inorganic Nanocomposites *149*
9.8.3 Strategies to Enhance ZT in Hybrid Materials *150*
9.8.4 Examples of Polymer-inorganic Nanocomposites *152*
9.8.4.1 PEDOT:PSS-Bi_2Te_3 Composites *152*
9.8.4.2 PANI–CNT Composites *152*
9.8.4.3 Graphene-polymer Composites *152*
9.9 Emerging Materials *153*
9.9.1 MXenes *153*
9.9.2 Metal-organic Frameworks *154*
9.9.3 2D Materials *154*
9.9.4 Self-healing and Stretchable Thermoelectric Materials *155*
Reference *155*

10 Integration of Si-based Micro-thermoelectric Generator Devices *157*
Takanobu Watanabe
10.1 Introduction *157*
10.2 Device Design of Integrated TEG *159*
10.2.1 Multistage Integration Schemes *159*
10.2.2 Unileg Device Layout *160*
10.2.3 Bileg Device Layout *160*
10.3 Experimental *162*
10.3.1 Device Fabrication Process *162*
10.3.2 Measurement Method *163*
10.4 Results and Discussion *164*
10.5 Summary and Conclusion *167*
Acknowledgments *168*
References *168*

11 Design of Heat Guide Layers in Micro-thermoelectric Generators *171*
Tianzhuo Zhan
11.1 Introduction *171*
11.1.1 Thermoelectric Generators *171*
11.1.2 Parasitic Thermal Resistance in TEGs *172*
11.1.3 Silicon Nanowire Micro-TEGs *174*
11.1.4 Power Enhancement in SiNW-μTEGs by Thinning Substrate *176*
11.2 AlN Heat Guide Layers in SiNW-μTEGs *177*
11.3 Metal/Dielectric Heat Guide Layers in SiNW-μTEGs *185*

11.4 Summary *191*
References *191*

12 Thermoelectric Thin-film Thermoelectric Generator *195*
Koji Miyazaki
12.1 Introduction *195*
12.2 Bi_2Te_3 Thin-film Fabrication *196*
12.3 Thermoelectric Generators with Bi_2Te_3 Thin Films *198*
12.4 Printed Thermoelectric Generators *201*
12.5 Summary *202*
Symbols and Abbreviations *203*
References *203*

13 Frosting and Defrosting During Energy Harvesting from Air by Heat Pump *207*
Aye Aye Thet and Song Mengjie
13.1 Background of Air-source Heat Pump *207*
13.1.1 Heat Pump *207*
13.1.2 Air-source Heat Pump *212*
13.2 Frosting Mechanism *213*
13.2.1 Frost Formation Process and Stages *214*
13.2.2 Solidification of Droplets on Cold Plate Surface *215*
13.2.3 Frosting Models *216*
13.2.3.1 Empirical Models *216*
13.2.3.2 Analytical Models *217*
13.2.3.3 Numerical Models *217*
13.2.4 Limitations and Potential Use *219*
13.2.5 Summary *220*
13.3 Frosting of Air-source Heat Pump *220*
13.3.1 Frosting on Tube-Fin Heat Exchangers *222*
13.3.2 Frosting on Microchannel Heat Exchanger *226*
13.3.3 Characteristics of Heat Pumps During Frosting *227*
13.3.4 Summary *228*
13.4 Anti-frosting Technology of Air-source Heat Pump *228*
13.4.1 Preheating Method *229*
13.4.2 Dehumidity Method *229*
13.4.3 Surface Treatment Method *230*
13.4.4 Summary *232*
13.5 Defrosting of Air-source Heat Pump *232*
13.5.1 Types of Defrosting Air-source Heat Pump *233*
13.5.2 Efficiency *234*
13.5.3 Defrosting Control Strategies for Air-source Heat Pumps *235*
13.5.4 Indoor Air Temperature Fluctuation During Defrosting *236*
13.5.5 Defrosting Models for Air-source Heat Pumps *236*
13.5.6 Summary *238*
13.6 Conclusion and Outlook *238*

"ftoc_PrintPDF" — 2026/7/20 — 8:47 — page xiii — #7

Nomenclatures *239*
Abbreviations *239*
References *239*

14 Magnetostrictive Materials and Composites for Energy-harvesting Applications *247*
Hiroki Kurita
14.1 Introduction *247*
14.2 Magnetic Field-dynamic Field Mutual Interference and Basic Equation *248*
14.3 Fe–Co Alloy Fiber Integrated Composites *249*
14.4 Fe–Co Alloy Clad Plate *251*
14.5 Nitriding *253*
14.6 Notch Introduction *255*
14.7 Directed Energy Deposition *257*
14.8 Laser Powder Bed Fusion Process (LPBF) *258*
14.9 Conclusions *261*
References *261*

15 Mechanics of Magnetostrictive Materials and Composites *265*
Fumio Narita
15.1 Introduction *265*
15.2 Interaction Between the Electromagnetic and Mechanical Fields *266*
15.2.1 Stress and Strain *267*
15.2.2 Energy and Work *268*
15.2.3 Constitutive Equation *269*
15.2.4 One-dimensional Constitutive Equation *271*
15.2.5 Coupled Electromagnetic and Mechanical Field Equations for the Magnetostrictive System Design *272*
15.3 Fiber Composite Materials *273*
15.3.1 Composite Bar *274*
15.3.2 Prototype and Compression Shock Power Generation Experiments *275*
15.4 Laminated Plate *276*
15.4.1 Laminated Beam *276*
15.4.2 Numerical Analysis *278*
15.5 Conclusion *278*
Acknowledgment *279*
References *279*

16 Additive Manufacturing of Magnetostrictive Alloys: Current Trends and Perspectives *281*
Laheurte Pascal and Lohmuller Paul
16.1 Introduction *281*
16.2 Magnetostrictive Materials Processing by AM *282*

16.3 Benefits of AM for the Production of Magnetostrictive Materials *284*
References *286*

17 Energy Harvesting with Spin–Orbit Torque: From Magnetization Switching to Emerging Spintronics *289*
Shutaro Karube
17.1 Introduction *289*
17.2 Spin-current and Spin–Orbit Torque *291*
17.3 Magnetization Switching Driven by Spin–Orbit Torque *295*
17.4 Field-free Magnetization Switching *296*
References *302*

18 Triboelectric Materials for Sensor and Energy-harvesting Applications *307*
Chuang Zhu and Xuqing Liu
18.1 Triboelectric Nanogenerator *307*
18.2 Fiber-based TENG *312*
References *319*

19 Multiscale Optimal Design of Smart Materials *325*
Yasutomo Uetsuji
19.1 Introduction *325*
19.2 Computational Methods *326*
19.3 Application to PE Polycrystals *327*
19.4 Application to ME Composites *330*
19.5 Conclusion *336*
Appendix A *337*
Appendix B *340*
References *341*

20 Application of Numerical Simulation on Devices using Smart Materials *345*
Kotaro Mori
20.1 Introduction *345*
20.1.1 Piezoelectric Materials *345*
20.1.2 Magnetostrictive Materials *346*
20.1.3 Composite Materials *346*
20.1.4 Finite Element Method *347*
20.2 Basic Equations *347*
20.3 Case Study *348*
20.3.1 Piezoelectric Functionally Graded Composites *348*
20.3.1.1 Introduction *348*
20.3.1.2 Numerical Procedure *349*
20.3.1.3 Experimental Procedure *352*
20.3.1.4 Results and Discussion *353*
20.3.1.5 Conclusion *356*

"ftoc_PrintPDF" — 2026/7/20 — 8:47 — page xv — #9

20.3.2 Magnetostrictive/Piezoelectric Laminated Composites *356*
20.3.2.1 Introduction *357*
20.3.2.2 Numerical Procedure *357*
20.3.2.3 Experimental Procedure *359*
20.3.2.4 Results and Discussion *360*
20.3.2.5 Conclusion *362*
20.4 Summary *362*
References *362*

21 Future Outlook *367*
Yu Jia
21.1 Executive Summary and Market Projections *367*
21.2 Technological Road Map and Evolution *368*
21.2.1 Piezoelectric Materials *368*
21.2.2 Triboelectric Nanogenerators *368*
21.2.3 Electromagnetic Transducers *369*
21.2.4 Thermoelectric Energy Generators *369*
21.3 Next-generation Material Platforms *370*
21.3.1 Two-dimensional Materials *370*
21.3.2 Framework Materials: Metal-organic Frameworks and Covalent Organic Frameworks *371*
21.3.3 Lead-free Piezoelectrics *371*
21.3.4 Hybrid Perovskite Materials *371*
21.3.5 Quantum and Smart Materials *371*
21.3.6 Electret, Hydrogel, and Luminescent Materials *371*
21.3.7 Hybrid and Biocompatible Platforms *371*
21.4 Circular Futures: Sustainability, Market Considerations, and Emerging Applications *372*
21.4.1 Designing for Circularity and Closing Loops in Energy Waste *372*
21.4.2 Circular Business Models and Emerging Applications *372*
21.5 Conclusion and Strategic Recommendations *373*
References *374*

Index *377*