



## Contents

**Foreword** *xiii*

**Preface** *xvii*

<b>1</b>	<b>Aromaticity and Antiaromaticity in Nanographenes:</b>	
	<b>An Overview</b>	<i>1</i>
	<i>Albert Artigas and Miquel Solà</i>	
1.1	Introduction	<i>1</i>
1.2	Global and Local Aromaticity	<i>2</i>
1.3	Methods to Quantify Aromaticity	<i>6</i>
1.3.1	Energetic Descriptors of Aromaticity	<i>7</i>
1.3.2	Electronic Descriptors of Aromaticity	<i>9</i>
1.3.3	Geometric Descriptors of Aromaticity	<i>13</i>
1.3.4	Magnetic Descriptors of Aromaticity	<i>14</i>
1.4	The Analysis of Aromaticity in Nanographene Systems	<i>20</i>
1.5	Concluding Remarks	<i>23</i>
	Acknowledgments	<i>24</i>
	References	<i>24</i>
<b>2</b>	<b>Covalent Patterned Functionalization of Graphene</b>	<i>31</i>
	<i>Tao Wei and Andreas Hirsch</i>	
2.1	Introduction	<i>31</i>
2.2	Substrate-Mediated Chemical Patterning	<i>33</i>
2.3	Tip-Induced Patterned Functionalization	<i>35</i>
2.4	Lithography-assisted Molecular Engineering	<i>37</i>
2.5	Laser Writing	<i>44</i>
2.6	Conclusion	<i>50</i>
	References	<i>51</i>
<b>3</b>	<b>Nanographenes by Bottom-up Approach: The Scholl Reaction</b>	<i>55</i>
	<i>Daniel T. Gryko, Wojciech D. Petrykowski, and Krzysztof J. Kochanowski</i>	
3.1	Introduction	<i>55</i>
3.2	Planar Nanographenes	<i>56</i>





3.3	Heterocyclic Analogs of Planar Nanographenes	63
3.4	Nonplanar, Curved, and Twisted Nanographenes	66
3.5	Heterocyclic Analogs of Nonplanar Nanographenes	71
3.6	Surface-assisted (cyclo)Dehydration	74
3.7	Summary and Outlook	76
	Acknowledgment	77
	References	77
<b>4</b>	<b>Racemization Barriers in Chiral Molecular Nanographenes</b>	83
	<i>Jesús M. Fernández-García, Patricia Izquierdo-García, Salvatore Filippone, and Nazario Martín</i>	
4.1	Introduction	83
4.2	Structural Motifs for Chirality in Nanographenes	84
4.2.1	Gaussian Curvature	85
4.2.2	Helicenes	85
4.2.3	Rolling	86
4.2.4	Strain	87
4.3	Classification of Chiral Molecular NGs According to Their Isomerization Barriers	87
4.4	Flexible Nanographenes (<5 kcal mol <sup>-1</sup> )	87
4.5	Nanographenes with Spectroscopically Detectable Chirality (5–20 kcal mol <sup>-1</sup> )	89
4.6	Isolable Nanographenes (20–35 kcal mol <sup>-1</sup> )	90
4.7	Rigid Nanographenes (>35 kcal mol <sup>-1</sup> )	93
4.8	Enantioselective Synthesis of Rigid Molecular Nanographenes	95
4.9	Conclusion	98
	References	99
<b>5</b>	<b>Synthesis of Helicenes</b>	105
	<i>Irena G. Stará and Ivo Starý</i>	
5.1	Introduction	105
5.2	Characteristics of Helicenes	106
5.3	Synthetic Methodologies	107
5.3.1	Photocyclodehydrogenation of 1,2-Diaryl Olefins or Arenes	107
5.3.2	Oxidative Aromatic Coupling: Scholl Reaction	111
5.3.3	Transition Metal-Catalyzed [2 + 2 + 2] Cycloisomerization of π-Electron Systems	111
5.3.4	Diels–Alder Cycloaddition of Aromatic Vinyl ethers with p-Benzoquinone	117
5.3.5	Transition Metal-Catalyzed Hydroarylation of Alkynes	119
5.3.6	Other Synthetic Approaches	120
5.4	Advanced Helicene Architectures	123
5.5	Summary and Outlook	137
	Acknowledgment	137
	References	137



<b>6</b>	<b>Carbon Nanobelt History and Chemistry</b>	<b>149</b>
	<i>Hiroki Shudo, Daiki Imoto, Akiko Yagi, and Kenichiro Itami</i>	
6.1	Introduction	149
6.2	Synthetic Attempts to CNBs	151
6.2.1	Some Synthetic Attempts to Cyclacenes	151
6.2.2	CNBs Observed by Mass Spectroscopy	152
6.2.3	Top-Down Approach to CNBs	152
6.3	Synthesis of CNBs	153
6.4	Synthesis of Related Aromatic Nanobelts	154
6.5	Synthesis of Topological Aromatic Nanobelts	157
6.6	Conclusion	159
	References	159
<b>7</b>	<b>Negatively Curved Nanographenes</b>	<b>163</b>
	<i>Ka Man Cheung and Qian Miao</i>	
7.1	Introduction	163
7.2	Negatively Curved Nanographenes Containing Seven-Membered Rings	164
7.2.1	Incorporation of Seven-Membered Rings at an Early Stage of Synthesis	165
7.2.2	Formation of Seven-Membered Rings at a Late Stage of the Synthesis	168
7.3	Negatively Curved Nanographenes Containing Eight-Membered Rings	174
7.3.1	Incorporation of Eight-Membered Rings at an Early Synthetic Stage	175
7.3.2	Formation of Eight-Membered Rings at the Final Step of Synthesis	179
7.4	Structures and Stereochemical Dynamics and Properties	181
7.5	Negatively Curved Molecular Nanocarbons Beyond Nanographenes and Bottom-up Approaches to Carbon Schwarzites	184
7.6	Conclusion and Outlook	186
	References	188
<b>8</b>	<b>From PAH-based Cyclophanes to Nanographenophanes</b>	<b>193</b>
	<i>Parinaz Salari and Graham J. Bodwell</i>	
8.1	Introduction	193
8.2	Synthetic Considerations	197
8.3	Pentacenophanes ( $C_{22}$ )	199
8.4	Indeno[2,3- <i>b</i> ]triphenylenophanes ( $C_{25}$ )	201
8.5	Dibenzo[ <i>c,l</i> ]chrysenophanes ( $C_{26}$ )	203
8.6	Dibenzo[ <i>f,j</i> ]picenophanes ( $C_{30}$ ) and Tetrabenz[ <i>a,c,h,j</i> ]anthracenes ( $C_{30}$ )	205
8.7	Teropyrenophanes ( $C_{36}$ )	207
8.8	A $\pi$ -Extended Azacorannulenophane ( $C_{36}N$ )	211
8.9	Hexabenzocoronenophanes ( $C_{42}$ )	213
8.10	<i>hept</i> -Hexabenzocoronenophanes ( $C_{43}$ )	217



8.11	Summary and Outlook	218
	References	219
<b>9</b>	<b>Bilayer and Multilayer Nanographenes: Synthesis and Properties</b>	<b>223</b>
	<i>Patricia Izquierdo-García, Juan Lión-Villar, Jesús M. Fernández-García, and Nazario Martín</i>	
9.1	Introduction	223
9.2	Van der Waals Molecular Nanographenes	225
9.3	Bilayers from Fused Radicals	230
9.4	Covalently Linked Bilayers	232
9.5	Conclusions	238
	References	239
<b>10</b>	<b>Large <math>\pi</math>-Extended Carbon Nanorings: From Syntheses to Properties</b>	<b>243</b>
	<i>Jinyi Wang, Dapeng Lu, and Pingwu Du</i>	
10.1	Introduction	243
10.1.1	Carbon Nanorings with Inserted Six-Membered Ring-Based PAHs	244
10.1.1.1	With Inserted Naphthalene(s)	244
10.1.1.2	With Inserted Anthracene(s) or Phenanthrene(s)	247
10.1.1.3	With Inserted Pyrene(s) or Perylene(s)	248
10.1.1.4	With Inserted Other PAHs	249
10.1.2	Carbon Nanorings Consisting Solely of PAHs	252
10.1.2.1	Consisting Solely of Naphthalenes	253
10.1.2.2	Consisting Solely of Anthracenes, Pyrenes, or Chrysenes	254
10.1.2.3	Consisting Solely of Other PAHs	255
10.1.3	CPP-based Oligomers and Polymers	258
10.1.4	Conclusions and Outlook	261
	References	262
<b>11</b>	<b>Nanographenes with Multiple Zigzag Edges</b>	<b>267</b>
	<i>Ya Zou and Jishan Wu</i>	
11.1	Introduction	267
11.2	<i>Peri</i> -Acenes	268
11.3	Triangular Nanographenes	275
11.4	<i>Peri</i> -acenoacenes	278
11.5	Circumarenes	279
11.6	Conclusion	283
	References	285
<b>12</b>	<b>Synthesis of Graphene Nanoribbons, Nanographenes, and Fused Aromatic Networks Through the Formation of Pyrazine Rings</b>	<b>289</b>
	<i>Felix Hernández-Culebras and Aurelio Mateo-Alonso</i>	
12.1	Introduction	289





12.2	Graphene Nanoribbons and Nanographenes	289
12.3	Fused Aromatic Networks	293
12.4	Conclusions	300
	References	300
<b>13</b>	<b>Conjugated Nano hoops: Synthesis, Properties, and Applications</b>	<i>303</i>
	<i>Birgit Esser, Philipp Seitz, Andrej Weber, and Jan S. Wössner</i>	
13.1	Introduction	303
13.2	Synthetic Strategies to Conjugated Nano hoops	303
13.2.1	Pt-, Ni-, or Au-Mediated Macrocyclizations in the Synthesis of Nano hoops	304
13.2.2	Synthesis of Conjugated Nano hoops via Kinked Precursors to $\pi$ -System Panels	307
13.3	Properties of Conjugated Nano hoops	309
13.3.1	Optoelectronic Properties	309
13.3.2	Chirality	311
13.3.3	Host-Guest Chemistry	311
13.3.4	Solid-State Structures	313
13.4	Applications of Conjugated Nano hoops	314
13.4.1	Organic Electronics	314
13.4.2	Bottom-up Synthesis of Carbon Nanotubes	316
13.4.3	Biological Fluorophores	317
13.5	Conclusions	317
	References	318
<b>14</b>	<b>Chiral Polycyclic Aromatic Compounds with Monkey Saddle Topologies</b>	<i>323</i>
	<i>Tobias Kirschbaum and Michael Mastalerz</i>	
14.1	Introduction	323
14.2	Saddle Mathematics	327
14.3	Synthesis	328
14.4	X-Ray Crystal Structures of Monkey Saddle PAHs	331
14.5	NICS and ACID Plots	333
14.6	Inversion Barriers and Chiroptical Properties	334
14.7	Other Monkey Saddle PAHs and Related Systems	337
14.8	Summary and Outlook	339
	References	340
<b>15</b>	<b>On-Surface Synthesis of <math>\pi</math>-Conjugated Polymers</b>	<i>345</i>
	<i>Nazario Martín and David Écija</i>	
15.1	Introduction	345
15.2	Content	345
15.3	Conclusions	358
	References	360



x | *Contents*

<b>16</b>	<b>Merging Organic Chemistry with Surface Science for the Preparation of Nanographenes</b>	<b>363</b>
	<i>Iago Pozo, Dolores Pérez, and Diego Peña</i>	
16.1	Introduction	363
16.2	Scanning Probe Microscopies for the Characterization of Nanographenes Obtained by Solution-Phase Chemistry	364
16.3	Combining Solution-Phase and On-Surface Chemistry for the Synthesis of Nanographenes	366
16.3.1	Surface-Assisted Cyclodehydrogenation Reaction	367
16.3.2	Surface-Assisted Ullmann-Type Reactions	369
16.3.3	Alternative Reactions Used for the On-Surface Preparation of Nanographenes	371
16.3.4	Combining On-Surface Reactions Toward the Preparation of Nanographenes	373
16.4	Concluding Remarks	373
	References	375
<b>17</b>	<b>Chiral Materials from Twistacenes and Helicenes</b>	<b>381</b>
	<i>Si Tong Bao, Qifeng Jiang, Haoyu Jiang, Daniel Čavlović, and Colin Nuckolls</i>	
17.1	Introduction	381
17.1.1	Background	381
17.1.2	The Building Block	381
17.2	Twistacene-based Materials	382
17.2.1	Preparation	382
17.2.2	Properties	383
17.2.3	Organic Photovoltaics and Photodetectors	388
17.2.4	Electrochemical Storage Using hPDIs	389
17.3	Helicene-Based Materials	391
17.3.1	Preparation	391
17.3.2	Chiral Amplification	392
17.4	Future Directions	393
	References	393
<b>18</b>	<b>Nanographene Diradicals</b>	<b>397</b>
	<i>Fabrizia Negri and Juan Casado</i>	
18.1	Introduction	397
18.2	On the Origin of the Diradical State in Monocyclic Conjugated Hydrocarbons: The Case of Cyclobutadiene	400
18.3	Nanographene Diradical Made from Mixtures of Quinoidal Bonding States and Nonbonding States	403
18.3.1	The Zethrene Family	404
18.3.2	The Bisphenalenylene Family	406
18.3.3	On-Surface Diradicals	407
18.3.4	Graphene Nanoribbons and Their Diradical (i.e. Polyradical Character)	409





18.4	The Diradical State in All-Zig-zag Polycyclic Conjugated Hydrocarbons: On the Reversed Aromatic→Quinoidal Way to Open-Shell Nanographenes	410
18.4.1	The Acenoacene Family	411
18.4.2	The Oligorylene Family	413
18.5	The Diradical State as a Result of Zig-zag Versus Arm-chair Structures with “Mobile” Quinoidal Rings with Quinoidal → Aromatic Transformation in the Diradical State	415
18.5.1	The Peri-Acene Family	415
18.5.2	The Circumacene Family	417
18.5.3	The Unique Case of Rhombenes	419
18.6	Conclusions	420
	Acknowledgments	420
	References	420
19	<b>Circularly Polarized Luminescence (CPL) in Nanographenes</b>	425
	<i>Carlos M. Cruz, Sandra Míguez-Lago, Daniel Salvador-Gil, and Araceli G. Campaña</i>	
19.1	Introduction	425
19.2	(1 × HBC)-Based Chiral Nanographenes	428
19.3	(1 × HBC)-Based Heteroatom-Doped Chiral Nanographenes	431
19.4	2 × HBC-Based Chiral Nanographenes	434
19.5	3 × HBC-based Chiral Nanographenes	436
19.6	4 × HBCs-based Chiral Nanographenes and Beyond	438
19.7	Summary Table and Outlook	439
	Acknowledgments	445
	References	445
20	<b>Redox Properties of Nanographenes</b>	449
	<i>Yikun Zhu and Marina A. Petrukhina</i>	
20.1	Introduction	449
20.2	Planar Nanographene Fragments	452
20.3	Contorted Nanographenes with Positive and Negative Curvatures	456
20.3.1	Corannulene-based Nanographenes	457
20.3.2	Cyclooctatetraene-based Nanographenes	463
20.3.3	Bilayer Nanographene	468
	Acknowledgments	470
	References	470
21	<b>Kekulé and Non-Kekulé Nanographenes: A Magnetic Perspective</b>	483
	<i>Fupeng Wu, Muhammad Imran, Ji Ma, and Xinliang Feng</i>	
21.1	Introduction	483
21.2	Stable Open-Shell Kekulé NGs ( $S = 0$ ) as Quantum Units	485





xii | *Contents*

21.3	Concealed Non-Kekulé Nanographenes ( $S = 0$ )	486
21.4	Obvious Non-Kekulé Nanographenes ( $S > 0$ )	488
21.4.1	Spin $\frac{1}{2}$ Non-Kekulé Nanographenes ( $S = \frac{1}{2}$ )	489
21.4.2	High-Spin Non-Kekulé Nanographenes ( $S \geq 1$ )	492
21.5	Engineering of Magnetic Coupling in Non-Kekulé Nanographenes	498
21.5.1	Spin $\frac{1}{2}$ Dimers	498
21.5.2	Triangulene ( $S = 1$ ) Dimers and Trimers	501
21.5.3	[3]Triangulene ( $S = 1$ ) Based Spin Chains	501
21.6	Summary and Outlook	504
	Acknowledgments	505
	References	505

**Index** 511

