

Index

a

absolute inverse-predicted concentrations
120, 121
absorbance 6, 18, 25, 161, 240, 278, 281
active principal ingredient (API) 271
Akaike information coefficient (AIC)
132
analysis of variance (ANOVA) 13, 65–72,
98, 187
analytical validation 55, 227
ANOVA classic algorithm 72–75
a posteriori 136, 192
authentic analyte in surrogate matrix
12–13
Avogadro's constant 152

b

balanced and unbalanced experimental
design 71–72, 125
Beer's law 6, 25
 β -expectation tolerance interval (β -ETI)
114, 118, 119, 124–128, 237, 257,
263, 302
 β - γ content tolerance interval (β - γ -CTI)
125, 128
between-laboratories variance 61, 69
between-series variance 61, 67, 69, 72,
136–138, 279, 281, 296
bias and recovery yield 82–83
Bioanalytical Method Validation 142

c

calibration
direct and inverse 25–28
least-squares regression method
28–34
metrological approach 51–53
misuses of regression 45–48
modes 9–10
nonlinear calibration curve 41–44
ordinary least-squares (OLS) regression
34–37
quantification and 2–3
standard addition method (SAM)
48–51
weighted least-squares (WLS)
regression 37–40
calibrators 3–5, 12, 14, 16, 26–30, 32,
33, 36–38, 43, 52–56, 153, 182,
265
capillary zone electrophoresis (CZE) 273
certified reference material (CRM) 7, 87,
153, 156, 188, 191, 193, 291, 296
check material homogeneity/stability
91, 97–99
chromatographic assays (CC) 142
classic validation procedure 109, 110
coefficient of correlation 45, 46
coefficient of determination 35, 36, 40,
45–47, 52, 132
composed standard uncertainty 151

- conformity assessment 89, 124, 211, 216, 217, 227–231, 250, 263, 296, 297, 301
- constitutional heterogeneity coefficient 234
- control chart 87, 99–102, 114, 125, 128, 144, 147, 160, 186, 191–200
- coverage interval 151
of given concentration 215
of given relative uncertainty 215–216
of limits 216–217
of origin 211–215
- d**
- decision limit and detection capability
definitions 262–264
example of calculation 267–269
initial procedure 265
modified procedure 265–267
- decision rule, defined 227–229
- decision *versus* uncertainty 221–223
- deuterium effect 8
- direct calibration 27, 28
- direct internal calibration 20–23
- distributional heterogeneity 234
- diverse precision parameters 59–60
- Dumas method 284–287
- e**
- education about uncertainty 292
- error of measurement 149
- estimators by statisticians 108
- expanded uncertainty 89, 151, 169–171, 189–191, 206, 229–231, 282, 297
- expected relative uncertainty 260–262
- external calibration (EC) 9–14, 23, 25, 28, 49, 54, 55, 271, 295
- external reference materials (ERM) 87, 188
- f**
- figures-of-merit 108
- fitness-for-purpose 223, 262, 297
- framework for decision-making
decision *versus* uncertainty 221–223
specification limits and reference values 223–226
- fundamental uncertainty 222
- g**
- generic calibration curve 27
- generic cause to effect diagram 182–184
- generic measurement model 181–182, 184, 187, 189, 201
- gold standard method 191, 283
- guard band 225, 229–231, 266, 297
- h**
- harmonization of MU estimation
procedures 293–294
- homogeneity check, procedure 236–237
- H-point standard addition method (HPSAM) 17, 272, 283
- i**
- inconsistencies of validation vocabulary 107–109
- in-sample calibration (ISC) 10, 11, 15–17, 26, 272
- interlaboratory comparison data 200–203
- intermediate precision condition 60, 61, 65, 70–72, 113, 135, 159, 160, 181, 182, 187, 229, 237, 251, 253–254, 264, 275, 290, 298
- intermediate precision variance 61, 69, 127, 182, 188, 298
- internal calibration 10, 18, 21, 23, 26
- internal reference material (IRM) 8, 87, 88, 160, 188, 193, 194
- intra-laboratory standard deviation 160
- inverse calibration 25–29, 33, 35, 36, 258
- isotope dilution mass spectrometry (IDMS) 18–20
- isotope inversion 14
- isotopic pattern deconvolution (IPD) 11, 18–20, 36

k

- Kjeldahl and Dumas method comparison 285–287
- Kragten iterative algorithm 165–169

l

- law of propagation of uncertainty 161–164, 181, 184, 187, 199, 201, 244, 253
- least-squares regression method 28–34, 110
- ligand binding assays (LBAs) 142
- limit of detection (LOD) 106, 170, 257, 298
- limit of quantification (LOQ)
 - assessment of 258
 - definitions of 258
 - expected relative uncertainty 260–262
- linearity, defined 47–48

m

- matrix-matched external calibration (MMEC) 10, 14, 55
- maximum residue limits (MRL) 206, 225, 263, 264
- measurand (Analyte) 1–9, 154–157
- measurement uncertainty (MU) 1, 30, 272
 - accuracy, total error, and uncertainty 171–173
 - expanded uncertainty 169–170
 - general procedure 150–151
 - insight on probability 174–177
 - Kragten iterative algorithm 165–169
 - law of propagation of uncertainty 161–164
 - measurand 154–157
 - principle of 149–150
 - rounding of results 170–171
 - traceability at the International System of units 152–154
 - uncertainty components 157–158
 - uncertainty sources 158–161

- measurement uncertainty and decision calibration model 240–243
- framework for decision-making
 - analytical report role 226–227
 - decision *versus* uncertainty 221–223
 - specification limits and reference values 223–226
- number of replicates 250–251
- replication under intermediate precision condition 253–254
- replication under repeatability condition 251–253
- sample conformity assessment
 - decision rule 227–229
 - guard band concept 229–231
- sampling uncertainty
 - example of copper in wheat flour 237–239
 - and heterogeneity 232–236
 - homogeneity check procedure 236–237
 - uncertainty of corrected results 243–249
- measurement uncertainty in analytical sciences
 - control charts data 191–200
 - coverage interval 211–217
 - interlaboratory comparison data 200–203
 - method accuracy profile data 181–191
 - published procedures 179–181
 - uncertainty functions 203–211
- Metre Convention 149
- method accuracy profile (MAP) 7, 26, 56, 70, 89, 107, 112–122, 156, 181–191, 241, 243, 261, 281–283, 294
- method comparison using uncertainty
 - analyte defined by the operating procedure 283–284
 - Kjeldahl and Dumas method comparison 285–287
- method validation 227
 - accuracy profile 131–145

- method validation (*contd.*)
 - method accuracy profile (MAP) 113–122
 - review of validation procedures 105–113
 - statistical dispersion intervals 122–131
 - metrology 1, 2, 51, 81, 86–89, 108, 149, 150, 188, 212, 257, 294, 295
 - misuses of regression 45–48
 - multiple blank standard deviations 258–259
 - multiple isotopologue reaction
 - monitoring (MIRM) 21
 - multipoint matrix-matched external calibration (MMEC) 55
- n**
- nonlinear calibration curve 41–44, 47
 - normalized response ratio 8
 - n*-way ANOVA 187
- o**
- one-factor ANOVA 187
 - one-way fixed effects ANOVA 64
 - one-way random effects ANOVA 64, 236
 - optical density (OD) 25, 43, 161, 274
 - ordinary least-squares (OLS) 29, 30, 34–37, 67
 - organization of proficiency testing
 - schemes 90–91
- p**
- partial least-squares (PLS) 7, 53, 110, 287
 - performance scores 93–94, 108
 - precision
 - analysis of variance (ANOVA) 64–75
 - ANOVA classic algorithm 72–75
 - balanced and unbalanced experimental design 71–72
 - detect outliers and stragglers 75–78
 - diverse precision parameters 59–60
 - prediction interval 123, 124, 176, 213
 - proficiency testing 89, 160
 - proficiency testing scheme (PTS) 79, 89–91, 98, 200, 236
 - proportion of nonacceptable measures 145–147
- q**
- quality control (QC) 46, 90, 99, 100, 102, 125, 142–144, 147, 160, 191, 193, 226, 227, 271, 273, 300
 - quantification
 - authentic *versus* surrogate 3–6
 - calibration 2–3, 9–10
 - direct internal calibration with labeled calibrant 20–23
 - external calibration (EC) 10–14
 - in-sample calibration (ISC) 15–17
 - isotopic pattern deconvolution (IPD) 18–20
 - signal pretreatment and normalization 6–9
- r**
- random effect factor 73, 125, 187
 - reference materials 18, 56, 87–88, 109, 134, 153, 156, 188, 193, 194, 199, 291, 296, 300
 - reference value
 - of test material 91–93
 - value uncertainty 198–200
 - relative standard deviation (RSD) 20, 69–70, 82, 117, 173, 204, 205, 258
 - relative uncertainty 151, 153, 170, 173, 176, 190, 199, 208–211, 215–217, 224, 230, 231, 238, 239, 242, 245, 248, 249, 260–262, 277, 278, 282, 285
 - repeatability condition 59, 60, 64, 72, 98, 113, 135, 182, 236, 237, 251–253, 275–277, 290, 300
 - repeatability variance 61, 62, 69, 72, 136, 201, 202, 276, 279
 - reproducibility condition 60, 63, 68, 300
 - reproducibility variance 8, 9, 63, 69, 202
 - Resource H β -expectation tolerance interval (Excel) 117
 - risk analysis 222, 225, 292–293
 - robust estimators 78, 92, 95
 - role of replicates 290

S

sample conformity assessment 89, 216, 217, 227–231, 263

sampling uncertainty
 example of copper in wheat flour 237–239
 homogeneity check procedure 236–237
 sampling and heterogeneity 232–236

SARS-CoV-2 virus (COVID-19) 289

scientific uncertainty 222

sensitivity coefficient 164, 168, 182, 201

Shewhart control chart 101, 191–195, 197

signal-to-noise ratio 259, 262, 266

sources of uncertainty in the laboratory
 machine/equipment 186
 manpower 185
 material and handling of items 185
 measurement and other sources 186–187
 method 185–186

stable isotope-labeled (SIL)
 chemicals 8
 molecule 13

standard addition method (SAM) 15, 48, 272
 estimation from method accuracy profile 281–283
 without replication 273–279
 with replication 279–281
 and surrogate samples 88–89

standard deviation of grand mean 72

standard uncertainty 89, 92, 151, 152, 158, 159, 161–163, 165–167, 169, 170, 172, 173, 183, 184, 187–189, 191, 195, 199–202, 206, 208–211, 215, 238, 244, 245, 251–253, 269, 276, 296, 300, 301

statistical dispersion intervals 112–114, 122–131, 141, 143, 195–198, 212, 295, 296, 301, 302

statistical process control (SPC) 99, 123, 193

straight-line computation 28–31

surrogate calibrant in authentic matrix 13–14

surrogate standard 3–5, 13, 14, 20, 21, 56, 296

t

10-step MAP procedure 114, 295

theophylline 26–28, 36, 39, 40, 116–121, 127, 129–133, 136, 138–141, 143–146, 152, 153, 155, 190–192, 208–210, 215, 241–243, 252, 253, 261

total analytical error (TAE) 111, 112, 149, 150, 173, 190

toxicological reference values (TRV) 225

traceability
 International System of units 152–154
 to International Units 290–291

transmittance 25

trueness
 algorithm A 94–97
 bias and recovery yield 82–83
 check material homogeneity/stability 97–99
 control charts 99–102
 evolution of 83–84
 organization of proficiency testing schemes 90–91
 performance score 93–94
 primary operating procedures 86
 reference materials 87–89
 reference value of 91–93
 specificity and sources of bias 84–86

U

uncertainty components 56, 157–158, 160, 164

uncertainty functions 57, 113, 168, 176, 177, 182, 203–211, 215–217, 224, 229, 231, 236, 238, 242, 243, 245, 248, 249, 251–253, 260, 261, 269, 285, 286

uncertainty sources 53, 56, 158–161, 183

upper limit of quantification (ULOQ) 12, 120, 260

V

- validation plans 109–113, 281
- variance of grand mean 70, 189, 279
- variance ratio 71, 126, 127, 136–140, 146, 237
- verification standard solutions 8

W

- weighted least-squares (WLS) 37–40, 110, 133
- World Anti-Doping Agency (WADA) 20

