

Index

a

N-acetylamino-glucose 65
acid hydrolyzed cellulose (AHC) 49
adrenosinergic axis limits 8
adipose-derived stem cells (ADSCs) 13, 16, 23, 73, 86, 121
adipose stem cells (ASCs) 104
Alg@AgNPs 22
alginate 7
electrospinning
 drug delivery 21–23
 tissue regeneration 23–28
hydrogel 8–21
 applications 18–21
 cell and organoid culture 13–14
 drug and cell delivery 8–13
 tissue regeneration 15–18
3D printing
 bio-ink and printing strategies
 improvement 28–29
 bionic matrix ink 29–31
alginate/gelatin composite
 microspheres 11
alginic acid 7, 8
anti-PD-1 antibodies (aPD-1) 10
arginine-glycine-aspartic acid polypeptide (RGD) 11, 16, 45, 66, 76, 109, 127
autologous tumor cell vaccine 8

b

bacterial cellulose (BC) 39, 40, 43, 46, 47, 53, 57
nanofibers 53

bioelectrical stimulation 29
bio-ink
 gelatin-based bio-inks 131, 147
 and printing strategies improvement 28–29
 3D printing technology 28–31
biomimetic ionic skins 46
bioprinting 13, 31, 56, 57, 78, 79, 81, 131, 146, 147
blood vessels 10, 22, 25, 29, 30, 57, 71, 72, 77, 85, 86, 105, 122, 146, 147, 169
bone marrow mesenchymal stem cells (BMSCs) 13, 24, 31, 55, 76, 119, 130, 131
bone marrow stromal stem cells (BMSCs) 31, 119, 131
brown fat-derived stem cells (BADSCs) 104

c

calcium alginate 16, 18, 157
cancer, dual-targeted therapy of 163
carboxymethyl cellulose (CMC) 40, 44, 49, 50, 158, 168
caredhieacid 157
cartilage tissue engineering 47, 89, 128
catechins 157
 electrospinning 158
 hydrogel 157–158
 metal complexes 158–159
C2C12 myoblasts 29
cell migration 29, 53, 67, 76, 91, 92, 143

- cellulose
- electrospinning
 - antibacterial 51–52
 - drug delivery 49–51
 - tissue regeneration 52–55
 - hydrogel
 - cell and organoid culture 44–45
 - drug delivery 39
 - tissue regeneration 45
 - 3D printing
 - bacteria and cell culture 57–59
 - bio-ink 55–57
 - types 39
 - cellulose ($C_6H_{10}O_5)_n$ 39
 - cellulose acetate (CA) 27, 46, 50–54, 58, 59, 92
 - micron fibers 53
 - cellulose-based aerogels 59
 - cellulose-based biodegradable hydrogel
 - material 40
 - cellulose hydrogels 41, 43, 45, 47, 48, 59, 157, 158
 - cellulose nanocrystals (CNCs) 42, 44, 46, 54–57, 59, 75
 - cellulose nanofibers (CNF) 44, 48, 54, 56, 57, 92, 131, 132
 - chitosan 85
 - development history of 85
 - electrospinning
 - drug and cell delivery 91–92
 - tissue regeneration 92–94
 - hydrogel
 - cell and organoid culture 85–6
 - tissue regeneration 86–91
 - 3D printing
 - cell behavior regulation 95
 - drug delivery 95
 - tissue regeneration 95–98
 - coaxial electrospun fibers 169
 - collagen 117, 153
 - electrospinning
 - cell and organoid culture 121
 - tissue regeneration 122
 - hydrogel
 - cell and organoid culture 119
 - cell behavior regulation 119–120
 - drug delivery 117–119
 - tissue regeneration 120–121
 - 3D printing
 - tissue regeneration 122
 - 3D-TIPS elastic scaffolds 122–123
 - types 117
 - collagen alginate (Col/Alg) 23, 119
 - colony stimulating factor 1 receptor (CSF1R) 10
 - controlled drug release 50, 102, 103
 - conventional implantable block hydrogels 17
 - curcumin 173
 - electrospinning 175–176
 - hydrogel 173–175
 - metal complexes 176–177
 - curcumin–iron metal complexes 176
 - d**
 - dental tissue stem cells 16
 - dextran 101–108, 110
 - diabetic foot ulcer (DFU) 10, 13
 - dialdehyde-based bacterial cellulose (DABC) 43
 - diatoms 59
 - DLP-based 3D printing platform 79–80
 - drug delivery systems 21, 59, 70–71, 90, 102, 109, 117, 153, 161, 162, 167–170
 - ductal carcinoma in situ (DCIS) 24
 - e**
 - eggs-box model 7
 - elastic fibers 143
 - elastin electrospun fibers 146
 - electrospinning technology 158, 168
 - drug delivery 21–23
 - tissue regeneration 23–28
 - electrospun fibers 1, 22–23, 50–54, 76, 91, 92, 94, 107–109, 121, 124, 137, 138, 146, 158, 162, 169, 175–176, 183
 - electrospun membranes 25, 51–54, 107, 108, 129, 130, 138

electrospun starch fiber 107, 108
 enzyme-crosslinked alginate 11
 epicatechin gallate (ECG) 157
 extracellular matrix (ECM) 1, 2, 13, 21,
 24, 29, 31, 54, 66, 67, 78, 89, 92, 93,
 103, 104, 117, 119–122, 129–131,
 138, 146, 153, 168, 184

f

fibrin, in peripheral nerve regeneration
 143

g

gelatin 127
 electrospinning
 cell culture 129–130
 tissue regeneration 130–131
 hydrogel
 cell culture and behavior regulation
 127–128
 drug delivery 129
 tissue regeneration 129
 3D printing
 tissue regeneration 131–132
 type 127
 gelatin-based bio-inks 131, 147
 gelatin electrospun membrane 129
 gelatin-hydroxyphenylpropene acid (GH)
 hydrogel 129
 gelatin methacryloyl (GelMA) 28, 57,
 78, 129, 131, 132
 GelMA/HAMA 57
 gene activation matrices (GAMs) 27
 glioblastoma multiforme (GBM) 76,
 78, 79
 D-glucuronic acid 65
 glutathione 117, 118
 glutathione transferase (GST) 117
 glycerol dimethylacrylate (GMA)
 139
 granulocyte-macrophage
 colony-stimulating factor
 (GM-CSF) 8
 GUMS16 27

h

hard frame-soft permeation design 47
 histidine-SA-Zn²⁺ (HSZH) hydrogel 18
 human bone marrow-derived
 mesenchymal stem cells
 (hBMSCs) 47
 human dermal fibroblasts (HDFs) 91,
 122, 176
 human immunodeficiency virus (HIV)
 49, 50
 human induced pluripotent stem cell
 (HiPSCs) 14, 92, 147
 human marrow mesenchymal stem cells
 (HMSCs) 13, 45, 53, 67, 70, 71, 93
 hyaluronan 65, 77
 hyaluronic acid 65, 73
 electrospinning
 drug delivery and antibacterial
 74–75
 tissue regeneration 75–77
 hydrogel
 cell and organoids culture 66–67
 cell behaviors regulation 67–69
 drug delivery 70–71
 tissue regeneration 71–74
 3D printing
 cell and organoid culture 77–78
 tissue regeneration 78–81
 hydrogel
 applications 18–21
 cell and organoid culture 13–14
 drug and cell delivery 8–13
 resveratrol 167–168
 tissue regeneration 15–18
 hydrogen sulfide (H₂S) 25
 hydroxypropyl cellulose (HPC) 44, 49

i

125I-labeled RGDY peptide-modified
 gold nanorods
 (125I-GNR-RGDY) 9
 injectable hydrogels 8, 11, 17, 40, 46, 89,
 96, 102, 105, 128, 129, 144
 intermolecular interaction forces 86

l

layer-by-layer coating (LBL)
technology 92

localized stem cell delivery 13

m

matrix metalloproteinase-2 shock 9
(MMP-2/9) 117, 118

methacrylic acid alginate (MAA) 17

methacryloyl chitosan (CSMA) 15, 43,
44, 96

Michael-type reaction 104

microfluidic electrospray technology 10

microwave ablation (MWA) 21

modulate T-cell exhaustion (MHC I) 11

multicellular carcinoma 44

multifunctional nanocomposite
bioink 31

myocardial infarction (MI) 12, 16, 25,
70, 89, 92, 104, 117, 118, 129

n

nano-cellulose-based nanocomposite
hydrogels 55

nanocellulose-chitosan hydrogels 173

nanofibrillar cellulose (NFC/CNF) 42,
43, 47, 48

natural polymers 184
materials 183, 184

o

O-TMV 11

p

P(AAc-co-CA)x hydrogels 46

PCL-cellulose derivative mixture 54

PGS 130

pH-sensitive bilayer electrospun
nanofiber material 50, 51

plasmid DNA containing the
platelet-derived growth factor-B
(PDGF-B) 23

platelet-rich fibrin (PRF) 13, 144

Poly G 7

poly(N,N-dimethylacrylamide)

(PDMAAm) 120

poly(N-acryl-2-glycine) (PACG) 131

poly-L-lactic acid 107, 129

polyacrylamide (PAM) hydrogels 45, 46,
70, 71

polycaprolactone/gelatin (PCL/Gel)
nanofibers 23

Polyethylene glycol (PEG) 9, 28, 44, 47,
68, 70, 72, 74, 86, 96, 104, 105, 127,
136, 139, 147, 161

Polyethylene glycol acrylate (PEGDA) 9,
15, 17, 102, 174

Polyethylene glycol-tetraacrylate
(PEGTA) 28

Polygalacturonic acid 74

Polyhydroxybutyric acid (PHB) 54

Polylactic acid-glycolic acid copolymer
(PLGA) 91, 121, 146, 158

fibers 91, 146

Polymer-nanoparticle gels 18

Polypeptide natural polymers 184

Polypeptides 153

Electrospinning

Drug delivery 144–145

Tissue regeneration 145–146

Hydrogel

Cell culture and delivery 143–144

Tissue engineering and drug delivery
144

3D printing

Cell and organoid culture 146–147

Tissue regeneration 147–148

Polyphenols 1, 2, 181, 183

Polysaccharides 101, 113, 184

Electrospinning

Drug delivery 107

Tissue regeneration 107–109

Hydrogel

Cell and organoid culture 103–104

Drug delivery 102–103

Tissue regeneration 104–107

3D printing

Drug delivery 109

Tissue regeneration 109–110

- polytetrafluoroethylene (PTFE)
 particles 57
PVA/alginate scaffolds 26, 27
- q**
quaternary ammonium salt (QAS) 40,
 41, 130
quercetin 161
 electrospinning 162
 hydrogel 161
 metal complexes 162–163
 phenolic hydroxyl structure of 161
- r**
refractory keratitis 10
resveratrol 167
 electrospinning 168–169
 hydrogel 167–168
 metal complexes 169–170
rheumatoid arthritis 90, 91
- s**
Schiff base reaction 78, 96, 105, 106
semipermeable membrane 53
silk fibroin 135
 electrospinning
 drug delivery and antibacterial
 137
 tissue regeneration 138
hydrogel 135–137
 drug delivery and cell culture
 135–136
 tissue regeneration 136–137
 types 136
3D printing
 tissue regeneration 138–139
silk protein 135
 modification of 139
silver nanoparticles 22, 51, 52, 74, 158,
 169
silver nanowires (AgNW) 17
- skin regeneration 27, 93, 122, 146
skin wounds 17, 27, 40, 74
sodium alginate-platelet-rich plasma
 hydrogel 17
starch 101–110, 113, 174
stem cell-based tissue engineering 16
stem cell injection therapy 11
stem cell therapy 72, 92, 104
systemic injection 10, 70
- t**
target delivery system 183
thiol-ene addition reaction 104
three-dimensional printing technology
 31, 58, 59
3D printing bioinks 29
3D printing technology
 bio-ink and printing strategies
 improvement 28–29
 bionic matrix ink 29–31
tissue regeneration
 electrospinning technology 23
 hydrogel 15–18
triple-network (TN) hydrogel 17
tumor-associated macrophages
 (TAMs) 10
type I collagen 92, 117, 121, 135, 162
- v**
van der Waals forces 86
- w**
wound healing, defined 25
- y**
Young's modulus 90, 131, 146
- z**
ZnO nanoparticle-modified PVDF/SA
 piezoelectric hydrogel scaffolds
 (ZPFSA) 29

