

Index

a

- Ah-grade pouch-type cells 226
- all climates sodium-ion batteries
 - 87–91
 - at extreme low temperatures 88–90
 - at high temperatures 90–91
- alloy-based anodes 76–78, 84, 152
- alloy electrocatalyst 242–244
- alloying reaction type anodes
 - Bi-based anodes 157–160
 - challenges and strategies 152
 - Ge-based anodes 161–162
 - P-based anodes 152–153
 - Sb-based anodes 155–157
 - Si-based anodes 160–161
 - Sn-based anodes 153–155
- α -MnO₂ 319–320
- amorphous-FePO₄ 121
- anode-free SIBs 84–85
 - electrochemically stable electrolyte 85–87
- anode materials, lithium-ion batteries 9–10
- aqueous potassium-ion batteries (APIBs) 106–107
- aqueous zinc-ion batteries (AZIBs)
 - cathode materials 305
 - halogen-based (iodine/bromine) cathode materials 336
 - manganese-based oxides 319–332
 - organic compounds 343–349
 - Prussian Blue Analogs (PBAs) 332–335
 - vanadium-based compounds 305–306
- development history 298–299
- energy storage mechanism 301–305
- overview of 297–298
- structure and components of 299–301
- zinc metal anode materials 349
- water-induced interface side reactions 352–353
- zinc anode protection strategies 353–358
- zinc deposition and dendrite growth 350–352

b

- bamboo-shaped MoS₂/N-doped carbon hollow tube 173
- β -MnO₂ 320
- Bi₂Te₃ 178, 183–185

- Bi@3D porous carbon framework 158
- Bi₁₂O₁₇Cl₂ bilayer nanosheets 158
- Bi-based anodes 157–160
- Bi-based metal-organic framework precursors 158
- Bi nanospheres 158
- binders, lithium-ion batteries 15–16
- Bi@N-doped carbon nanocages 158
- Bi@N-doped three-dimensional carbon nanospheres 158
- black phosphorus 152, 153, 165
- boron group (B—O, B—F) and silyl group (Si—N, Si—O) 57
- bromine-based cathode materials 340–343
- c**
- carbonate-based electrolytes 281
- carbon-based poly(4,4'-oxydiphenylamine)/MnO₂ organic-inorganic hybrid cathode (C@PODA/MnO₂) 328
- carbon-coated bilayer Bi 158
- carbon matrix potassium vanadium pyrophosphate powder 129
- carbon nanofiber composite materials with core-shell structure (Sb@CNFs) 155
- carbon-S cathodes 283–284
- carbonyl compounds 343, 346–347
- carboxylate organic anode materials 187–188
- cell integration technology, lithium-ion batteries 13
- cell-module-pack loading 13
- cellular carbon microsphere 148
- chromium-based metal oxide 113–114
- cobalt-based metal oxide 118–120
- Co-based metal phosphides 166–168
- Co-based Prussian blue (KCoFe-PBAs) 139
- conductive polymers 327, 328, 337, 343–345
- conversion reaction mechanism 165, 303–304
- conversion reaction-type anode material challenges and strategies 163 metal chalcogenides 170–186 metal oxides 163–164 metal phosphides 164–169
- CoTe₂ 178–181
- covalent organic frameworks (COFs) 290, 348–349
- cycle life, SIBs 27–28
- d**
- defect engineering 34, 234–236
- δ-MnO₂ 321
- deposition-dissolution reaction mechanism 304–305
- diglyme (DGM) electrolyte 41
- Direct Ink Writing (DIW) 73
- dumbbell-shaped hard carbon (SDHC) 149
- e**
- electrocatalyst-enhanced S cathode 285–288, 294
- electrochemical deposition 325, 333
- electrochemically stable electrolyte 85–87
- electrolyte, lithium-ion batteries 13–15
- electrolyte additives 14, 41, 51–65, 192, 252
- electrolyte desolvation strategies 40–43
- electrospinning 69, 73, 169, 312
- element doping 6–7, 89, 173, 178, 184–185, 331

encapsulated lithium polysulfide electrolyte (EPSE) 250
 ϵ -MnO₂ 322
 ether-based electrolytes 43, 48, 280–281
 ether-based solvents 48, 195

f

fast-charging anode materials 66
 alloy-based anodes 76–78
 balancing capacity and cyclability 78–81
 conductive coating and modification 75–76
 nanostructuring 69–75
 porous engineering 67–69
 2D materials 81–84
 Fe-based phosphides 165–166
 FePO₄ 121–122
 FeTe/FeTe₂ 181
 film-forming additives 58–59
 fluoric (C—F) and oxygen-containing groups
 (R—C=O—O—C=O—R', R—O—R') 55–56
 fluorophosphates 57, 124–127

g

γ -MnO₂ 320–321
 Ge-based anodes 161–162
 Ge-based metal phosphides 168–169
 gel polymer electrolytes (GPEs) 289, 292
 graphite//NDD-3//Na₃V₂(PO₄)₂O₂F system 48
 graphitic carbon materials 145–146
 grid-scale SIBs 28

h

H₂O/Zn²⁺ co-insertion/extraction mechanism 302–303

halogen-based (iodine/bromine) cathode materials
 bromine-based cathode materials 340–343
 iodine-based cathode materials 336–340
 heterosite-FePO₄ 121, 122
 hexaazatrinaphthalene (HATN) 142
 hexyl methyl ether (HME) 250
 hierarchical porous C/SiO_x composite material 161
 high-entropy PBA (HEPBA) 137
 highly [002]-oriented mesoporous graphite carbon nanocoil (OGCS) 145
 high pressure lithium nickel-manganate
 LiNi_{0.5}Mn_{1.5}O₄ 9
 hollow Sb₂Se₃@C microtubes 155
 honeycomb ordered superlattice structure 31–33
 H⁺/Zn²⁺ co-insertion/extraction mechanism 302

i

imine compounds 343, 347
 inorganic salt additives 57–58
in situ electrochemical impedance spectroscopy (EIS)
 characterization 258–259
in situ Fourier transform infrared spectroscopy (FT-IR)
 characterization 255–256
in situ Raman characterization 253–254
in situ stress detection technology 261–262
in situ transmission electron microscopy (TEM)
 characterization 260–261

- in situ* ultraviolet–visible spectroscopy (UV–vis) characterization 254–255
- in situ* X-ray absorption spectroscopy (XAS) characterization 257–258
- in situ* X-ray diffraction (XRD) characterization 256–257
- intercalation-type anode materials 144
 - challenges and strategies 144–145
 - graphitic carbon materials 145–146
 - non-graphite carbon materials 146–149
 - titanium-based materials 149–151
- interfacial engineering 33–34
- iodine-based cathode materials 336–340
- ionic electrolytes 189, 192–193
- iron-based Prussian Blue (KFeFe-PBA) 134–137
- k**
 - $K_3M_2(PO_4)_3$ 123–124
 - K-graphite intercalation compounds (K-GICs) 145
 - KMnPO₄ 122–123
 - KVPF@KCO composite cathode 126
- l**
 - λ -MnO₂ 321–322
 - layered metal oxides 110–113
 - challenges and strategies 113
 - chromium-based metal oxide 113–114
 - cobalt-based metal oxide 118–120
 - manganese-based metal oxides 114–118
 - layered oxide cathode materials 4–8, 112
 - honeycomb ordered superlattice structure 31–33
 - structure characteristic and failure mechanism 29–31
 - layered porous carbon-loaded system Sn₄P₃@C 155
 - layered porous nitrogen-doped hard carbon microspheres 149
 - layered vanadium-based compound 306–308
 - liquid electrolytes (LEs) 290–292
 - lithium anode protection 249, 266
 - lithium-ion batteries
 - anode materials 9–10
 - binders 15–16
 - cell technology 10–13
 - battery cells 10–13
 - cell integration technology 13
 - electrolyte 13–15
 - layered oxide cathode materials 4–8
 - polyanion-type cathodes 1–2
 - spinel structure cathodes 8–9
 - lithium manganate 8, 9
 - lithium manganese iron phosphate 3–4
 - lithium–sulfur (Li–S) batteries
 - alloy electrocatalyst 242–244
 - artificial modification layer on lithium anode 252
 - composition and structural manipulation 236–238
 - defect engineering 234–236
 - development history of 225–226
 - electrocatalyst design strategies 230

electrolyte regulation 249–252
 heterojunction construction
 238–242
 lithium anode protection 249
 micro/nanostructure design
 230–233
 MOFs electrocatalysts 244–245
 overview of 226–227
 polyoxometalates (POMs)
 electrocatalysts 245–247
 practical application research of
 262
 high and low-temperature
 electrochemical performance
 265–266
 pouch-type Li–S batteries
 263–264
 problems and challenges of
 229–230
 single-atom (SA) electrocatalysts
 247–248
in situ characterization
 252–262
in situ electrochemical impedance
 spectroscopy (EIS)
 characterization 258–259
in situ Fourier transform infrared
 spectroscopy (FT-IR)
 characterization 255–256
in situ Raman characterization
 253–254
in situ stress detection technology
 261–262
in situ transmission electron
 microscopy (TEM)
 characterization
 260–261
in situ ultraviolet–visible
 spectroscopy (UV–vis)
 characterization 254–255

in situ X-ray absorption
 spectroscopy (XAS)
 characterization 257–258
in situ X-ray diffraction (XRD)
 characterization 256–257
 working principle of 227–228

m

manganese-based metal oxides
 114–118
 manganese-based oxide cathode
 materials
 α -MnO₂ 319–320
 β -MnO₂ 320
 δ -MnO₂ 321
 ϵ -MnO₂ 322
 γ -MnO₂ 320–321
 λ -MnO₂ 321–322
 modification strategy
 composite materials design
 326–328
 defect engineering 328–329
 element doping 331–332
 guest pre-intercalation strategies
 329–331
 micro/nano structural design and
 phase regulation 323–326
 R-MnO₂ 322
 manganese-based PBAs
 (KMnFe-PBAs) 137–138
 manganese monoxide (MnO)
 322–323
 mesoporous titanium niobium oxide
 69
 metal chalcogenides 143, 170–186
 metal-organic frameworks (MOFs)
 142, 168, 231, 244, 245, 337,
 338, 348–349
 metal oxides 163–164
 metal phosphides 153, 164–169

metal selenides 173–177, 180
 metal sulfides 170–173, 178
 metal tellurides 178, 183
 Mn_3O_4 320, 323, 324
 module-less battery 13
 MOFs electrocatalysts 244–245
 monodisperse Co_4W_{18} cluster catalyst 246
 MoP@NP-HCNTs composite 153
 $\text{MoS}_{1.5}\text{Te}_{0.5}\text{@C}$
 nanowires-in-nanotube structures 72

n

NaMH batteries 93
 nano rose-shaped MoS_2 172
 nanostructuring 69–75
 NASICON, tuning voltage and capacity of 33–37
 NASICON-type
 $\text{Na}_{3.5}\text{MnCr}_{0.5}\text{Ti}_{0.5}(\text{PO}_4)_3$
 cathode 37
 NaSO_3CF_3 /diglyme electrolyte 46
 Ni-based metal phosphides 168
 nitrogen-doped carbon nanosheets (N-CNSs) 326
 nitroxide radical compounds 347–348
 N/O-codoped multichambered carbon nanoboxes (MCCBs) 283
 non-graphite carbon materials 146–149

o

O3-type layered metal oxides 112
 olivine structure 9
 organic anode materials
 carboxylate organic anode materials 187–188
 challenges and strategies 187
 framework compounds 188–189

organic cathode materials
 challenges and strategies 139–140
 organic small molecules and polymers 140–143
 organic cathodes 38–40
 organic compounds cathode materials
 carbonyl compounds 346–347
 conductive polymers 343–345
 covalent organic frameworks 348–349
 imine compounds 347
 metal-organic frameworks 348–349
 nitroxide radical compounds 347–348
 organic electrolytes 48–51, 106, 191–192
 organic small molecules and polymers 140–143
 oxygen-defect-abundant $\text{Ti}_n\text{O}_{2n-1}$
 quantum dots 234
 oxyphosphates 33, 129–132

p

P2- $\text{K}_{0.6}\text{CoO}_2$ microspheres 120
 PBA batteries 93
 P-based anodes 152–153
 perylene-3,4,9,10-tetracarboxylic dianhydride (PTCDA) 50
 phosphate-based polyanion cathodes 33–37
 phosphate ester $((\text{RO})_n\text{P}(\text{O})(\text{OH})_{3-n})$
 and nitrogenous group
 $(\text{R}-\text{NH}_2, \text{R}-\text{C}=\text{O}-\text{NH}_2, \text{C}\equiv\text{N})$ 57
 PO_4 polyhedra 33
 poly(1-[3-(methacryloyloxy)propylsulfonyl]-1-(trifluoromethanesulfonyl)imide Na) (PMTFSINa) 289
 polyanionic compounds
 challenges and strategies 121

- fluorophosphates 124–127
 - oxyphosphates 129–132
 - phosphates 121–124
 - pyrophosphates 127–129
 - sulfates and fluorosulfates 132–133
 - polyanion-type cathodes 1–2
 - lithium manganese iron phosphate 3–4
 - polyanion vanadium-based
 - compounds 310–311
 - polymer-S cathodes 284–285
 - polyoxometalates (POMs)
 - electrocatalysts 245–247
 - POM-cyclodextrin cluster-organic
 - supramolecular framework (POM-CD-COSF) 246
 - porous engineering 67–69
 - potassium-ion batteries (PIBs)
 - anode materials 143
 - alloying reaction type anodes 151–162
 - conversion reaction-type anode material 163–186
 - intercalation-type anode materials 144–151
 - organic anode materials 186–189
 - aqueous 106–107
 - brief history of 105–106
 - cathode materials for 109
 - layered metal oxides 110–113
 - organic cathode materials 139–143
 - polyanionic compounds 120–133
 - Prussian Blue Analog 133–139
 - composition and working principle of 107–109
 - electrolyte 189
 - challenges and strategies 189
 - ionic electrolytes 192–193
 - organic electrolytes 191–192
 - solid-state electrolytes 193–194
 - water-based electrolytes 189–190
 - potassium-sulfur (K-S) batteries
 - anodes 197–198
 - composition, working mechanism, and challenges of 194–195
 - electrolytes 198–201
 - sulfur cathode 195–197
 - pouch-type Li-S batteries 263–264
 - Prussian Blue Analogs (PBAs)
 - 37–38, 110, 133–139, 335–335
 - challenges and strategies 134
 - Co-based Prussian blue 139
 - iron-based Prussian Blue 134–137
 - KCuFe-PBA 138
 - KNiFe-PBA 138
 - manganese-based PBAs 137–138
 - Prussian Blue Analogs (PBAs)
 - cathode materials
 - ball milling method 333–334
 - composite material regulation 334
 - co-precipitation method 333
 - electrochemical deposition 333
 - electrostatic spray-assisted co-precipitation 334
 - metal substitution 335
 - new morphology regulation 334
 - single-source method 333
 - structural water regulation 334
 - pyrophosphates 127–129
- r**
- red phosphorus@carbon composite material 152
 - rGO-encapsulated metal-organic frameworks 171
 - R-MnO₂ 322
 - room temperature sodium-sulfur (RT Na-S) batteries
 - anodes 288

room temperature sodium-sulfur
(RT Na-S) batteries (*contd.*)
 carbon-S cathodes 283–284
 challenges of 281–283
 electrocatalyst-enhanced S cathode
 285–288
 electrolytes 290–293
 history of 278–279
 polymer-S cathodes 284–285
 reaction mechanism of 279
 carbonate-based electrolytes
 281
 ether-based electrolytes
 280–281
 separators 288–290

S

saltwater batteries 93
 Sb_2Se_3 nanoparticles 176
 Sb_2Te_3 185–186
 Sb-based anodes 155–157
 Sb graphite composite material
 ($\text{Sb}_7@\text{G}_3$) 156
 Se- and N-codoped 3D macroporous
 carbon (Se/N-3DMPc) 72
 Si-based anodes 160–161
 single-atom (SA) electrocatalysts
 247–248
 sized pyrolyzed polyacrylonitrile
 (S-pPAN) 284–285
 S-microporous carbon composite
 (S/(CNT@MPC)) 283–284
 Sn-based anodes 153–155
 Sn-based metal phosphides 169
 $\text{SnP}_{0.94}$ /graphene oxide
 nanocomposites 155
 Sn@rGO composite 155
 $\text{SnSe}_2/\text{NiSe}_2$ nanocomposite 80
 sodium-ion batteries (SIBs)
 all climates sodium-ion batteries
 87

at extreme low temperatures
 88–90
 at high temperatures 90–91
 anode-free cell design 84
 electrochemically stable
 electrolyte 85–87
 cathode materials 29
 organic cathodes 38–40
 phosphate-based polyanion
 cathodes 33–37
 Prussian Blue Analogs 37–38
 electrolyte additives 51–65
 electrolytes for fast charging 40
 electrode/electrolyte interphase
 43–48
 electrolyte desolvation strategies
 41–43
 organic electrolytes 48–51
 fast-charging anode materials 66
 alloy-based anodes 76–78
 balancing capacity and cyclability
 78–81
 conductive coating and
 modification 75–76
 nanostructuring 69–75
 porous engineering 67–69
 2D materials 81–84
 fundamentals of 27–28
 vs. lithium-ion batteries (LIBs) 25
 motivation for exploring 25–27
 Na-powered progress 91–92
 baseline cost framework study
 93–94
 cost reduction 94
 electrochemical systems 92–93
 solid electrolyte interphase (SEI)
 41–44, 88, 90, 116, 198,
 249–251, 256
 solid-state electrolytes (SSEs) 27, 43,
 193–194, 292–293
 solid-state sodium batteries (SSSBs)
 92, 93

spinel structure cathodes 8–9
 spinel-structured vanadium-based compounds 310
 SSEs. *see* solid-state electrolytes
 sulfates and fluorosulfates 132–133
 sulfonyl ($\text{R}-\text{S}(=\text{O})_2-\text{R}'$) and sulfoxide ($\text{R}-\text{S}(=\text{O})-\text{R}'$) groups 56
 sulfur cathode 195–198, 200, 227, 229
 sulfurized polyacrylonitrile (S-PAN) 226, 264, 292

t

tetrabutylammonium (TBA^+) 59
 tetrahydrofuran (THF)-based electrolyte 45
 3,4,9,10-perylene tetracarboxylic dianhydride (PTCDA) 140
 3,5-bis(trifluoromethyl)thiophenol (BTB) 249
 3D hierarchically structured micro/nanomaterials (3D-HMNs) 69
 3D hierarchical micro/nanoarchitecture (3D-HMN) materials 71
 3D nitrogen-doped hierarchical porous carbon framework (termed 3D-PNCV) 286
 3D printing 73–74
 $\text{Ti}_3\text{C}_2\text{T}_x$ nanosheets 150
 tin telluride 185
 titanium-based materials 149–151
 transition-metal single-atom catalysts (SACs) 286
 transition metal sulfide 81–84
 2D materials 81–84
 two-dimensional selenium-rich $\text{ZnSe}/\text{CoSe}_2/\text{C}$ heterogeneous composite 177

u

ultra-fine Fe_2O_3 nanocrystals (GFe_2O_3) 79
 ultrathin two-dimensional graphene-based mesoporous $\text{SnO}_2/\text{SnSe}_2$ composite material 239

v

vacancies-regulated PBAs 38
 vanadium based compound cathode materials
 layered vanadium-based compound 306–308
 modification strategies 311
 composite materials design 313–314
 constructing micro/nano structures 311–313
 defect introduction 317–319
 ion/molecule pre-intercalation 314–315
 phase/crystal plane regulation 313
 polymer/small molecule pre-intercalation 317
 structural water pre-intercalation 315–317
 polyanion vanadium-based compounds 310–311
 spinel-structured vanadium-based compounds 310
 tunnel structures 308–310

w

water-based electrolytes 189–190

y

yolk-shelled cubic structure $\text{Fe}_3\text{O}_4/\text{FeP}/\text{C}$ nanoreactors 231, 233

Z

ZEBRA battery 92

Zero Emission Battery Research
Activities 92

zinc alloy anodes 355–356

zinc-manganese dry cell batteries
297, 298

zinc metal anode materials 349–358

water-induced interface side

reactions 352–353

zinc anode protection strategies
353–358zinc deposition and dendrite
growth 350–352zinc-nickel secondary batteries
297 Zn^{2+} insertion/extraction mechanism
301–302

ZnTe 178, 181–182















