

Index

a

Abrupt junction 305–307
Acceptor number 262
Activity coefficient 57, 212, 241, 251,
323–324, 338
Activation energy 35, 48–50, 55, 105, 149,
270–272, 274, 282, 367, 376
Activity coefficient 57, 212, 241, 251,
323–324, 338
Adsorption 75, 80, 116, 139, 223–224, 242,
297, 340
Alkaline fuel cells (AFCs) 363
Alternating current (AC) technique 335,
342, 347
Amine carriers 176
Anderson and Stuart model 269, 273–274
Anhydrous proton conductor 368
Anion exchange membrane 189–190,
289–290, 293–301, 309–314, 316–317,
320–321, 363–369
Asymmetrically microporous supports 119,
152, 213–216, 219–222

b

Backward reaction rate constant (k_2) 101,
103, 121, 166, 309–310
Bicontinuous structure 189–191
Binodal curve 18–20, 220–221
Bipolar membrane (BPM) 289, 293–294,
304–307, 364, 369–371, 373–378
Bjerrum length 310–313
Bjerrum plot 123
Bode plot 342, 344–347
Bondi's factor 63
Bound water 125–127, 133–134, 183, 303, 377
Bragg equation 63, 76
Butler-Volmer equation 244–246

c

Carrier 6–7, 93–109, 112–117, 138–140,
166–186, 188–191, 293, 308–310, 325
Carrier-mediated transport 93, 101, 105–106,
121–128, 139, 166, 308–310

Cation exchange membranes (CEMs)
189–190, 255, 293–295, 301–303,
309–316, 321–322, 326–327, 363–365,
367, 369
Cation transport number 278, 280–281, 357
Cell potential 239–240, 242, 373
Chain conformation 32, 60, 75
Chain folding 31
Chain immobilization factor 50, 79
Chain mobility 21–22, 46–47, 60, 71–73,
151–153, 155, 265–266, 279–280, 282
Charge transfer resistance (R_{CT}) 246–247, 250,
257, 284, 335, 347–349, 356–357
Charge transport 235, 247, 257
Chemical activity 15, 66, 117, 163, 165, 241,
315, 323–324, 338
Chemical potential 15, 18, 102, 251, 253, 323
Chemical reaction model 321, 374
Chronoamperometry 335, 340
Co-ions 255, 290, 302, 308, 311, 313, 321–324,
329–330, 373
Cohen and Turnbull theory 54–55, 58, 73
Cohesive energy density (CED) 15–16, 22, 49,
105, 259–260
Composite membranes 83, 87, 115, 121,
173–174, 213–220, 229
Concentration fluctuation model 95, 97,
101–106, 121, 134, 140, 166
Concentration polarization 318–320
Condensed counter-ion model 308–309, 311,
313–314
Conductive polymers 152, 160–161
Conductivity 58, 254, 258, 268–285, 289–293,
308–318, 357, 359–363, 365–367
Conformational entropy 23, 266–267, 269,
271–273
Contact ion-pair 110, 263–264
Crank-shaft model 25
Crystalline polymers 31, 50, 69, 79, 159
Cyclic voltammetry (CV) 335–336,
338–339, 341
Cylindrical volume 49

Molecule and Ion Transport through Polymer Membranes, First Edition. Yong Soo Kang.
© 2026 Wiley-VCH GmbH. All rights reserved, including rights for text and data mining
and training of artificial intelligence technologies or similar technologies. Published 2026 by
Wiley-VCH GmbH.

d

d-spacing 19–20, 61, 63, 76, 78, 151
 Deborah number 81–82
 Desorption 41–42, 68, 108, 118, 119,
 129–130, 242
 Diffuse layer 247–249, 338–339
 Diffusion coefficient (*D*) 27, 41–43, 46–48,
 50–52, 54–60, 149–150, 199–201, 204–212,
 247, 250, 258, 269–270, 272–275, 289–291,
 311–314, 326–327, 339, 341–342, 349
 Diffusion equation 210
 Diffusional activation energy 49
 Diffusional jump distance 49, 51–52, 54,
 105–106
 Diffusional jump frequency 51
 Diffusivity 57, 76, 85, 146, 150–152, 316, 328, 330
 Direct current (DC) method 335–336, 342
 Direct methanol fuel cells (DMFCs) 327,
 363–364
 Donnan potential 308, 321–324
 Donor number 128–129, 176, 262
 Dual-mode sorption 80
 Dual-mode transport model 97–99,
 104–105, 308
 Dual sorption model 67, 80, 97–98, 103,
 107, 112
 Dynamic bond percolation (DBP) model 269,
 272–273
 Dynamic mechanical analysis
 (DMA) 25–26, 77

e

Effective diffusion coefficient model 98
 Einstein-Smoluchowski equation 252
 Elastic modulus 29, 35
 Electric double layer (EDL) 247–248
 Electric double-layer capacitance (*C_D*)
 335, 340
 Electric field enhanced (EFE) 374
 Electric potential 238–239, 306, 338
 Electric potential energy 238
 Electrochemical cell 235, 348
 Electrochemical impedance spectroscopy
 (EIS) 347
 Electrochemical potential 251–252
 Electrochemical water splitting 368
 Electrode polarization 347
 Electrode potential 239
 Electrolysis 321
 Electrolytic cell 236–237
 Electromotive force 242
 Electron acceptor 235
 Electron donor 235
 Electron polarizers 138–139
 Electroneutrality 308, 319
 Electrostatic interaction 260
 Electrostatic potential 299
 Elongation at break 34
 Enthalpy of condensation 64
 Enthalpy of mixing 14–16, 64
 Enthalpy of sorption 64, 69

Equilibrium constant (*K*) 80, 104, 121

Equilibrium sorption 88–89, 208

Exchange current density 245–246

f

Facilitated transport 93–140, 308–309
 Facilitated transport membrane 95, 97,
 101–103
 Facilitated ion transport model 308–309
 Facilitated transport model
 Concentration fluctuation model 101
 Dual-mode transport model 97
 Effective diffusion coefficient model 98
 Limited chain mobility model 99
 Faradaic reaction 336
 Faraday's constant 338, 348
 Fick's first law 42, 86
 Fick's law 41, 63, 79, 80, 86, 88, 202, 213, 216,
 251, 314
 Fick's second law 42
 Fickian behavior 41, 79, 83, 88, 165, 207
 Fickian transport 82, 86, 93, 97,
 Fixed-site carriers 95, 98
 Flory-Huggins equation 66–68
 Flory-Huggins interaction parameter 15, 66
 Flory-Huggins theory 13–14, 17, 67, 85
 Forward reaction rate constant (*k_f*) 95, 101
 Fox equation 29
 Fractional free volume (FFV, *f*) 23, 27, 52, 56,
 62, 78, 86, 151–164, 186, 188
 Free energy of activation 243
 Free volume model 58–59, 269, 271
 Free volume theory 23, 26–28, 52–60, 71, 73,
 75, 85, 159, 265, 269–272
 Freely jointed chain 51,
 Fuel cells 237, 247, 289, 326, 353, 363–368

g

Galvanic cell 236–237, 240
 Gas permeability 71, 73–78, 146, 151–161,
 179, 187–190, 328–329
 Gas permeation unit (GPU) 115, 216
 Glass transition temperature (*T_g*) 21–29,
 33–34, 265–268
 GPU (Gas permeation unit) 115, 216
 Grotthuss mechanism 291–293, 309, 325

h

Half-peak potential 340
 Hansen's solubility parameter 16
 Hard-soft acid and base principle 261
 Hard anion 261–262
 Hard cation 261–262
 Helmholtz layer 247–249
 Hennis and Tripodi model 216–219
 Henry's law 63, 66–69, 98, 107, 205
 Henry's law constant 63
 Hysteresis 165–166
 Hofmann degradation 296
 Hydration effect 315
 Hydrogen bonding 16–17, 64, 137, 292
 Hydrogen evolution reaction (HER) 369

- Hydrogen separation 216, 224–225
Hydrophilic clusters 301, 304
- i**
- Ideal selectivity 120, 146–147, 152
Inner Helmholtz plane (IHP) 248
Interaction parameter 17, 19, 268
Interchain hopping 269
Intercluster hopping 269
Interfacial resistance 341, 347, 357
Interpore 212
Interstitial free volume 60
Interaction rate constant 95
 Backward (k_2) 95, 101, 104
 Forward (k_1) 95, 101, 104
Intrachain hopping 269
Intrapore 212
Ion channels 157, 189, 289, 301, 304,
 308–315, 321, 325–328, 365
Ion cluster 269, 301
Ion conductivity 254, 257, 268–269, 279, 289,
 298, 300, 303–304, 314–316, 347, 354, 362,
 372, 378
Ion exchange capacity (IEC) 315
Ion exchange membrane (IEM) 175, 189–190,
 293, 308, 314, 321, 363, 368
Ion mobility (μ) 268, 276, 285, 289, 291, 335
Ionic conductivity (σ) 58, 254, 265, 274–285,
 289–290, 304, 310, 311, 335, 361
Ionic liquid (IL) 116, 119, 134, 183, 274,
 362, 368
Ionic mobility 250, 265, 291
Iso-entropic state 23
Iso-free volume theory 23, 28, 53
Iso-viscous state 22
- j**
- Jump distance 49, 51–54, 105
Jump frequency 51–52
- k**
- Kinetic diameter 55–56, 105, 148–149
Kinetic glass transition 24
- l**
- Lamella 31
Lattice energy 259–262
Lennard-Jones potential 65
Lewis acid carriers 131–134
Lewis base carriers 128–131
Limited chain mobility model 99
Linear sweep voltammetry 335–336
Lithium-ion battery 254, 290, 353–357
- m**
- Manning's model 312
Mass flux (J_i) 42, 63, 97, 200–201, 213, 217,
 250–252, 339
Master curve 283–284
Mean square displacement 51, 212
Melting temperature (T_m) 33, 293
Microporous 74, 157
Microporous support 214–216
- Microvoid adsorption 80
Microvoid volume 60
Migration 235, 249, 251–254, 281, 305, 314
Mixed-gas selectivity 146
Mixed matrix membrane (MMM)
 147–148, 229
Molten carbonate fuel cells (MCFCs) 363
Mutual diffusion coefficient 57, 212
- n**
- Natural gas purification (sweetening) 227
Negative electrode 237
Nernst equation 240–243, 338–339
Nernst-Planck equation 4, 252–253, 314
Non-Fickian behavior 41, 79, 83, 88, 165
Nonsolvent-induced phase separation
 (NIPS) 220–221
Normal hydrogen electrode (NHE) 239
Nucleation and growth (NG) 19–20, 220
Nyquist plot 344–347
- o**
- Occupied volume 27, 53, 63
Ohm's law 4, 216
Olefin carriers 109, 112, 115
Olefin solubility 111–112, 120
Olefin/paraffin separation 229
Outer Helmholtz plane (OHP) 248
Overpotential 245
Oxygen-heme complex 94, 167
Oxygen evolution reaction (OER) 367, 369
- p**
- Partition coefficient 43, 63
Peak-to-peak separation 340
Peak potential 336
Penetrant jump distance 49
Permeability-selectivity trade-off 147–148, 226
Permeability (P) 43, 70
Permeability coefficient 43, 76–77
Permeance (Q) 115
Permeance units (GPU) 115
Permeation apparatus 203
Permeation coefficient 43
Permeation method 202
Permselectivity 255, 289
Phosphoric acid fuel cell (PAFC) 363
Physical aging 9, 24, 67, 163–166
Plasticization 163–166
p-n junction solar cell 358
Polarizer 116–117, 120
Polymer-in-salt (PIS) 276–280
Polymer electrolyte 109–113, 128–133
Polymer electrolyte membrane (PEM)
 109–113, 128–133
Poly(ILs) 186–188
Poly-ILs 188–189
Polymers with intrinsic microporosity
 (PIM) 157
Positive electrode 237
Positron annihilation lifetime spectroscopy
 (PALS) 30, 55, 62

- Potential
 Chemical 3, 18, 102
 Electrochemical 3, 7, 251–252
 Formal 241, 338
 Reduction 236
 Standard 241
- Potentiostatic intermittent titration technique (PITT) 341–342
- Pressure-decay technique 199
- Pressure cell method 208
- Protic ionic liquid 368
- Protic organic ionic plastic crystal 368
- Proton exchange membrane (PEM) 294–295, 301–303
- Proton-exchange membrane (PEM) fuel cell 363
- Protonation–deprotonation 374
- Pseudo-Fickian 88
- Pulsed-field gradient nuclear magnetic resonance (PFG-NMR) 211–212
- q**
- Quartz crystal microbalance 207
- Quartz spring microbalance 206
- Quasi-solid-state membrane 121, 184
- r**
- Randles-Sevcik equation 339
- Randles (equivalent) circuit 348–349
- Random flight model 51
- Reaction rate constant
 Backward (k_2) 95, 101, 104
 Forward (k_1) 95, 101, 104
- Reduced sorption curve 85, 207
- Reference electrode 238
- Relaxation constant 210
- Relaxation time 29
- Resistance model 216–219
- Reversible interaction 95, 103, 108
- Reversible reaction 95, 103, 108
- s**
- Second Wien effect (SWE) 374
- Secondary relaxations (β - and γ -transitions) 24–26
- Segmental mobility 47, 164, 273–274
- Selectivity 146
- Self-diffusion coefficient 211
- Sensitized solar cells 357–362
- Separation factor (α) 146
- Sigmoid sorption 88–89
- Silver polymer electrolyte membrane (Ag-PEM) 110–115, 169–172
- Size-sieving effect 71
- Soft anion 261–262
- Soft cation 261–262
- Solid electrolyte interphase 356
- Solid polymer electrolyte (SPE) 109–113, 128–133
- Solubility 15, 42–43, 63–69
- Solubility coefficient (S) 34, 63–68
- Solubility parameter 15–16
- Solution-diffusion mechanism 1, 41–43
- Solvation energy 259, 261–263
- Sorption 41, 63–69
- Sorption capacity 135–137
- Sorption isotherms 68, 107–108
- Sorption kinetics 129
- Sorption method 205–208
- Space charge region 293–294, 304–305
- Spherulite 31–32
- Spinodal curve 19–20
- Spinodal decomposition (SD) 19–20
- Standard electrode potential 240
- Standard electrode reduction potential 240
- Standard hydrogen electrode (SHE) 239
- Standard potential 238
- Statistical view of diffusion 51
- Stejskal-Tanner equation 211
- Stokes-Einstein-Sutherland equation 27
- Stokes(-Einstein) radius 291
- Strain softening 36
- Stress-strain behavior 35–36
- Sub-glass transition 25, 268
- Surface-activated nanoparticle 115–121, 138
- Surface polarizer 116–117, 120
- t**
- Tafel equation 246
- Tafel plot 246
- Thermally induced phase separation (TIPS) 220
- Thermally rearranged (TR) polymers 157–158
- Thermodynamic factor (Φ) 57
- Thin film composite membrane 214
- Time-lag method 202–205
- Time-temperature superposition principle 34–35
- Tortuosity effect 50, 79, 316
- Toughness 36
- Trade-off behavior 150, 329
- Transfer coefficient 243–244
- Transference number (t_i) 254–255
- Transient permeation 45
- Transient sorption 44
- Transition state theory 243
- Transport number (T_i) 254–255
- Two-stage sorption 82, 89
- u**
- Ultimate strength 35
- Upper bound curve 148–151
- v**
- van der Waals volume 30, 46, 63
- Viscoelastic property 34–35
- Vogel-Tamman-Fulcher (VTF) equation 282–283
- Vrentas and Duda theory 55, 58
- w**
- Warburg impedance 348–349
- Water absorption 302–304
- Water splitting 368–378
- Water dissociation 370, 374–377
- Williams-Landel-Ferry (WLF) equation 270, 283