

Index

Note: Page numbers in *italics> and **bold** refers to figures and tables respectively.*

a

- ab initio* simulations 133
- accelerated oracle design
 - autodE 94–95
 - automation software for 94–98
 - RMSD-PP-TS 95–97, 96
 - TS-tools 97–98, 97
- accuracy trade-off 85–87
- acquisition function (AF) 231
- activation energy 166–172
- active learning 93–94, 228, 229, 233, 233
- active site determination 117–118
- Adam. *see* adaptive moment estimation (Adam)
- adaptive gradient algorithm 113
- adaptive moment estimation (Adam) 113
- AF. *see* acquisition function (AF)
- AFM. *see* atomic force microscopy (AFM)
- AHO. *see* asymmetric hydrogenation of olefins (AHO)
- AI-assisted catalyst design 222–223
 - design rule extraction via data analysis 223–224
 - design rule extraction via model interpretation 224–228
- AI-assisted catalyst discovery 228–229, 238
 - active learning/sequential learning 228
 - catalyst recommendation 230–232
 - catalyst synthesis and testing 232
 - initial machine learning model 229–230
 - iterative process 232
 - search space determination 230
 - selected use cases from
 - literature 233–234
- AI-assisted catalyst synthesis 235–238
- AIMNet-NSE 136
- algorithm development 47–48
- angular second moment (ASM) 14
- ANN. *see* artificial neural networks (ANN)
- AQME toolkit 138, 138, 142–143, 143
- artificial neural networks (ANN) 112, 116
- ASM. *see* angular second moment (ASM)
- asymmetric catalysis 195–196, 199
- asymmetric hydrogenation of olefins (AHO) 198
- asymmetric synthesis 195
- atom pair FP 203
- atomic force microscopy (AFM) 56
- atom-type embeddings 120–121, 122
- augmented vs. standard connectivity matrix 202
- autodE (open-source Python package) 94–95
- automated analysis of supported catalyst TEM images 71–72, 72
- automatic image analysis, iOk Platform for 62–71

Artificial Intelligence in Catalysis: Experimental and Computational Methodologies, First Edition.
Edited by Valentine P. Ananikov and Mikhail V. Polynski.
© 2025 Wiley-VCH GmbH. Published 2025 by Wiley-VCH GmbH.

- Avalon FP 203
 average steric occupancy (ASO)
 descriptor 173, 174, 206, 207
- b**
- Bag of Bonds (BoB) 168, 180
 Bayer filter. *see* color filter
 Behler-Parrinello Neural Network
 model 118–119
 benchmarking 88–89, 89
 BERT. *see* bidirectional encoder
 representations from transformers
 (BERT)
 bidirectional encoder representations
 from transformers (BERT) 161, 161
 black-box models 225
 BoB. *see* Bag of Bonds (BoB)
 Bravais-Inspired gradient domain machine
 learning (BIGDML) model 126
 Buchwald–Hartwig cross-coupling
 reactions 163, 164
- c**
- Cambridge Structural Database
 (CSD) 137
 Cascade Mask-RCNN neural network 62
 catalyst 55. *see also* catalyst optimization
 cobalt 181
 design and discovery 116–117
 iridium 181
 rhodium 181
 Ru-based NH₃ synthesis 234
 synthesis 232
 testing 232
 used, in asymmetric catalysis 199
 catalyst optimization
 cheminformatics 139–141
 computational chemistry 133, 134
 databases 136–139
 ML protocols, automation of 143–145
 molecular descriptors 135–136
 QM protocols, automation of 141–143
 catalyst recommendation
 acquisition function 231
 expected improvement 231, 232
 model uncertainty 230
 probability of improvement 231, 232
 upper confidence bound 231
 CC. *see* coupled cluster (CC)
 CGR. *see* condensed graph of reaction
 (CGR)
 Chat Bot DLgram 65–68, 66, 67
 limitations of 67–68, 69
 chemical descriptors 163, 164
 chemical reactivity prediction 83
 accelerated oracle design, automation
 software for 94–98
 active learning strategies 93–94
 oracle design 84–91
 search space sampling 91–93, 92
 cheminformatics 139–141
 format conversion and data
 interpretation 140–141
 molecular descriptor generation 141
 multipurpose chemical software 139
 reaction discovery 140
 tools and application 140
 universal toolkits 140
 chemoselectivity 172, 177
 chromaticity 6
 components 21
 CIE-L*a*b* color space 9, 10, 10
 CIE XYZ color space 6–8, 7
 circular substructures (CircuS) 175,
 203, 204
 CircuS. *see* circular substructures (CircuS)
 CNNs. *see* convolutional neural networks
 (CNNs)
 color distributions/histograms 14, 15
 color filter 11
 color matching functions 5
 color spaces 5
 color theory 4, 5
 CIE-L*a*b* 9, 10, 10
 CIE XYZ color space 6–8, 7
 hue, saturation, and value 8, 9
 RGB color spaces 6, 7
 xyY color space 6–8, 7
 CoMFA. *see* comparative molecular field
 analysis (CoMFA)
 comparative molecular field analysis
 (CoMFA) 159, 174, 206

- computational chemistry 133
 current state of 134
 evolution of 134
- computer vision 3, 3, 4
 algorithms and 14
 chemistry, fundamentals in 4–19
 color theory 4–10, 5
 digital photography basics 10–19
 high-throughput digital
 fingerprinting 19–20, 20
 and machine learning in chemistry 19
 neural networks 24–25, 25, 26
 phase separation and partition
 coefficients 27–28, 28
 reaction kinetics 29–31, 30
 segmentation and parallel analysis of
 nerve agents 20–24, 21–23
 single image applications 19
 video analysis applications 27
- condensed graph of reaction (CGR)
 162, 203
 for asymmetric reactions 204
- cone angle (θ), definition of 135
- conformational sampling 140
- ContraScope. *see* substrate scope
 contrastive learning (ContraScope)
- convolution, of computer vision 17–19,
 18, 19
- convolutional layers, of neural
 networks 113
- convolutional neural networks
 (CNNs) 17, 24, 26
- cost-effective molecular simulation 140
- coupled cluster (CC) 105
- cross-validation (CV) 200
- crystallization process 236
- CSD. *see* Cambridge Structural Database
 (CSD)
- CV. *see* cross-validation (CV)
- d**
- data 157
 acquisition 42–43
 analysis 43–45, 44
 cleaning 221
 extraction 217
 generation 216
 HT catalyst testing 219
 HT reactors 219–221
 literature data extraction 217
 preprocessing 43
 robotic assisted high-throughput
 catalyst synthesis 218
 solution-based chemical methods 218
 source 45–46
 thin film deposition methods 218–219
- databases 136–139
 AQME 138, 138
 FAIR principles 136
 ioChem-BD repository 139
 KRAKEN 136–138, 137
 Open Reaction Database 139
 OSCAR 137–138, 137
- decision tree algorithm 223–224
- deep learning (DL) 36–37, 167
- deep machine learning for image
 analysis 57
 comparison of neural networks 62
 STM image analysis 57–60, 58, 58–60
 TEM image analysis 60–62, 61
- delta (Δ) learning 87, 167–168, 172
- dense layers, of neural networks 113
- density functional theory (DFT) 86, 105,
 135, 215
- design rule extraction
 via data analysis 223–224
 via model interpretation 224–228
- DEtection TRansformer (DETR) 77
- DETR. *see* DEtection TRansformer
 (DETR)
- DFT. *see* density functional theory (DFT)
- Diels–Alder cycloadditions 178
- Diels–Alder reaction 166
- differential reaction fingerprint
 (DRFP) 163
- digital camera, work of 10–12, 11
- digital object identifiers (DOIs) 139
- digital photography 10
 algorithms and computer vision 14
 color distributions/histograms 14, 15
 convolution and edge detection
 17–19, 18, 19

- digital photography (*Cont.*)
 digital camera, work of 10–12, 11
 image and video 12–14, 13
 texture analysis 14, 16–17, 16, 17
- dimethyl sulfoxide (DMSO) 19
- directed message-passing neural network (D-MPNN) 176
- DL. *see* deep learning (DL)
- D-MPNN. *see* directed message-passing neural network (D-MPNN)
- DMSO. *see* dimethyl sulfoxide (DMSO)
- DOIs. *see* digital object identifiers (DOIs)
- DRFP. *see* differential reaction fingerprint (DRFP)
- drug-like compound libraries 19–20, 20
- e**
- edge detection, of computer vision 17–19, 18, 19
- EDX. *see* energy-dispersive X-ray spectroscopy (EDX)
- EELS. *see* electron energy loss spectroscopy (EELS)
- EI. *see* expected improvement (EI)
- EI-Q-MS method 40
- electron energy loss spectroscopy (EELS) 77
- electronic lab notebooks (ELNs) 181
- electrospray ionization (ESI) 36, 38
- ELNs. *see* electronic lab notebooks (ELNs)
- enantiomeric excess (*e. e.*) 197
- enantiomeric ratio (*e. r.*) 196
- enantioselectivity
 data 197–198
 prediction of 205
 as target property 196–197
 3D descriptors, models using 204–207
 2D descriptors, models using 201–204
- energetic profile similarity (EPSim) 180, 181
- energetic span model 179
- energy-dispersive X-ray spectroscopy (EDX) 77
- EPSim. *see* energetic profile similarity (EPSim)
- EquiReact 170, 171
- error minimization 114
- ESI. *see* electrospray ionization (ESI)
- ESI-QQQ-MS method 40
- Euclidean distances 23
- experimental condition optimizations 117
- experimental data
 active learning 233
 HTE 160
 ML models 216
 surrogate machine learning models 216
- f**
- face selectivity 178
- false negative (FN) predictions 59
- false positive (FP) predictions 59
- filter-generating networks 121–122
- findable, accessible, interoperable, and reusable (FAIR) principles 136, 181
- fingerprints (FP) 203
- finite impulse response (FIR) filter 27
- Fisher–Tropsch catalysts 214
- fixed-length vectors 46
- format conversion and data interpretation 140–141
- formula assignment 43
- FP. *see* fingerprints (FP)
- g**
- GANs. *see* generative adversarial networks (GANs)
- GAP. *see* Gaussian approximation potential (GAP)
- Gaussian approximation potential (GAP) 106
- Gaussian mixture model (GMM) 224
- Gaussian process regression (GPR) 167, 229–230
- GCNN. *see* graph convolutional neural network (GCNN)
- GDML. *see* gradient-domain machine learning (GDML)
- generative adversarial networks (GANs) 77
- geometric harmonics (GH) 236
- GH. *see* geometric harmonics (GH)

glass-box methods 225
 glassware, neural networks for
 identifying 24–25, 25, 26
 GLCM. *see* gray level co-occurrence
 matrix (GLCM)
 GMM. *see* Gaussian mixture model (GMM)
 GPR. *see* Gaussian process regression
 (GPR)
 gradient descent 113
 gradient-domain machine learning
 (GDML) 106
 framework 124–126, 125
 graph convolutional neural network
 (GCNN) 162
 graph molecular maps 136
 gray-box methods 225
 gray level co-occurrence matrix
 (GLCM) 14, 16–17

h

HAADF-STEM. *see* high-angle
 annular dark-field scanning TEM
 (HAADF-STEM)
 half-wave potential (HWP) 227
 Hammett approach 199, 204
 HDNN. *see* high-dimensional neural
 network architecture (HDNN)
 HER. *see* hydrogen evolution reaction
 (HER)
 Hessian kernel 124–125
 heterogeneous catalysts 213
 TEM images by iOk platform, analysis
 of 71–76
 high-angle annular dark-field scanning
 TEM (HAADF-STEM) 74
 high-dimensional neural network
 architecture (HDNN) 105
 highest occupied molecular orbital and
 lowest unoccupied molecular orbital
 (HOMO–LUMO) 137
 high-resolution TEM images 72–73, 73
 high-throughput digital fingerprinting, of
 drug-like compound libraries
 19–20, 20
 high-throughput experimentation
 (HTE) 160, 161, 165, 197, 214, 215

high-throughput screening
 techniques 133
 HOMO–LUMO. *see* highest occupied
 molecular orbital and lowest
 unoccupied molecular orbital
 (HOMO–LUMO)
 HTE. *see* high-throughput
 experimentation (HTE)
 Hue, Saturation, and Value (HSV) color
 space 8, 9
 HWP. *see* half-wave potential (HWP)
 hydrogen atom transfer (HAT)
 reactions 91–92, 169
 hydrogen evolution reaction (HER) 233
 hyperparameters 222

i

IDPi catalysts 204
 enantioselectivity, prediction of 205
 IJP. *see* inkjet printing (IJP)
 image
 in computer vision 12–14, 13
 convolution 18
 deep machine learning for image
 analysis 57–62
 infrared filter 11
 inkjet printing (IJP) 219
 In Silico Design and Data Analysis
 (ISIDA) 175, 203
 interaction blocks 121–122
 ioChem-BD repository 139
 iOk platform
 analysis of TEM images of
 heterogeneous catalyst by 71–76
 for automatic image analysis
 62–71, 64
 Chat Bot DLgram 65–68, 66, 67
 comparison with other products
 70–71, 70, 70, 71
 No Code ML 68–69
 ParticlesNN web-service 63–65
 ionization source 38
 ISIDA. *see* In Silico Design and Data
 Analysis (ISIDA)
 itemset mining analysis 224
 iterative process 232

j

joint entropy 29–30

k

Kennard–Stone algorithm 173

kernel-based force fields 119–120,
124–126, 125

kernel methods 114–115

kernel ridge regression (KRR) 115

kernel trick 115

KRAKEN database 136–138, 137

kraken library 198

KRR. *see* kernel ridge regression (KRR)

l

large language models (LLMs) 47–48,
118, 146

LFERs. *see* linear free energy
relationships (LFERs)

linear free energy relationships
(LFERs) 159

linear regression with ridge
regularization 137

LLMs. *see* large language models (LLMs)

m

machine learning (ML) 83, 84, 157

activation energy 166–172

active site determination 117–118

algorithms 133

catalyst design and discovery 116–117

in chemical reactions and
catalysis 115, 116

in chemistry 19–31

data 157

data cleaning 221

data generation 216–221

databases 136

experimental condition
optimizations 117

experimental data 216

feature generation/engineering and
selection 221–222

fundamentals of 107–109, 108, 109

generalizability issue 182

mass spectrometry in 36–38, 37

mass spectrometry methods landscape

and potential for 38–41, 39

model development 221–222

model selection and evaluation 222

models 208

model training 157

MT toolkit 140

prediction 157

protocol for solving general problems
in mass spectrometry using
45–48

protocols automation 143–145

QSAR models 159

rate constants 166–172

representations 157

representative mass spectrometry
applications of 41–45, 42

selectivity 172–179

selectivity prediction 116

turnover frequency (TOF) 179–180

uncertainty of predicted catalyst 230

volcano plot 160, 179–180

yield 160–166

machine learning-based force fields
(MLFFs) 119, 105–106

kernel methods 114–115

neural networks 110–113

trends in 118

machine learning interatomic potentials
(MLIPs) 118

MAE. *see* mean absolute error (MAE)

magnetron sputtering (MS) 219

MALDI-TOF technique 40

marginal probability 29

mass spectrometry (MS) 35

algorithm development 47–48

data acquisition 42–43

data analysis 43–45, 44

data preprocessing 43

data source 45–46

landscape and potential for machine
learning applications 38–41, 39

in machine learning era 36–38, 37

metric selection 48

protocol for solving general problems
in 45

- representative mass spectrometry
 - applications of machine learning 41–45, 42
 - sample preparation 41–42
 - spectra representation 46–47
 - mean absolute error (MAE) 89
 - mean squared error (MSE) 26
 - message-passing neural networks (MPNN) 106
 - metric selection 48
 - MFF. *see* multiple fingerprint features (MFF)
 - microscopy 55–56
 - analysis of TEM images of heterogeneous catalyst 71–76
 - deep machine learning for image analysis 57–62
 - iOk platform for automatic image analysis 62–71
 - mikimo* program 180
 - MIL. *see* multi-instance learning (MIL)
 - ML. *see* machine learning (ML)
 - MLFFs. *see* machine learning-based force fields (MLFFs)
 - MLIPs. *see* machine learning interatomic potentials (MLIPs)
 - model interpretation methods
 - design rule extraction via 224–228
 - random forest model 226
 - molecular descriptors 135–136, 141
 - molecular-directed message-passing neural network (D-MPNN) 161, 162
 - molecular fingerprints 135
 - MORFEUS database 138, 138, 141
 - Morgan fingerprints 135, 203
 - MPNN. *see* message-passing neural networks (MPNN)
 - MS. *see* magnetron sputtering (MS); mass spectrometry (MS)
 - MSE. *see* mean squared error (MSE)
 - multi-instance learning (MIL) 206
 - multilayer perceptron 112
 - multiple fingerprint features (MFF) 164, 203
 - multipurpose chemical software 139
 - multivariate linear regressions, based on stereo-electronic descriptor 179
 - mutual information (M.I.) analysis 29
- n**
- natural language processing (NLP) 217
 - nerve agents, segmentation and parallel analysis of 20–24, 21–23
 - neural network potentials (NNP) 86
 - neural networks 62, 110
 - architecture of 112–113
 - force fields 118–119, 120–124, 121
 - for identifying glassware 24–25, 25, 26
 - multilayer perceptron 112
 - optimization algorithms 113
 - perceptron 110–112, 110–111
 - NLP. *see* natural language processing (NLP)
 - NMR. *see* nuclear magnetic resonance (NMR)
 - NNP. *see* neural network potentials (NNP)
 - No Code ML 68
 - advantages of 69
 - limitations of 69
 - nuclear magnetic resonance (NMR) 136
 - nudged elastic band (NEB) approach 94
- o**
- OCM. *see* oxidative coupling of methane (OCM)
 - on-demand descriptor database
 - generators
 - AQME 138, 138
 - MORFEUS 138, 138
 - one-hot encoding representation 168, 169
 - Open Babel (tool) 140–141
 - Open Reaction Database 139
 - optimization algorithms, of neural networks 113
 - oracle design 84, 85
 - accuracy trade-off 85–87
 - benchmarking 88–89, 89
 - optimizing for multiple criteria, implications of 87–88
 - reproducibility 90–91, 90
 - ORR. *see* oxygen reduction reaction (ORR)
 - OSCAR database 137–138, 137

- oxidative coupling of methane (OCM) 224
oxygen reduction reaction (ORR) 227, 228
- p**
- Pacific Northwest National Laboratory (PNNL) 225
PAI. *see* promoter affinity index (PAI)
parallel analysis, of nerve agents 20–24, 21–23
ParticlesNN web-service 63
 advantage of 64–65
 limitation of 64
partition coefficients 27–28, 28
Pd-catalyzed Suzuki–Miyaura reactions 135
perceptron 110–112, 110–111
perceptual uniformity 6
PES. *see* potential energy surface (PES)
phase separation 27–28, 28
photography 14
physicochemical descriptors 165–166
PI. *see* probability of improvement (PI)
PIE. *see* probe interaction energies (PIE)
PNNL. *see* Pacific Northwest National Laboratory (PNNL)
potential energy surface (PES) 86, 105
predictive models 158
probe interaction energies (PIE) 206
promoter affinity index (PAI) 226–227
- q**
- QM protocols automation
 AQME 142–143, 143
 autodE 142
 fully automated 141
 multi-seeding 141
QSAR. *see* quantitative structure-activity relationship (QSAR)
quantitative structure-activity relationship (QSAR) 135, 159
 workflow 199
- r**
- rate constants 166–172
R-CNNs. *see* region-based convolutional neural networks (R-CNNs)
RDKit 136, 141
RDkit-specific FP 203
reaction discovery 140
reaction kinetics 29–31, 30
reaction modeling
 ML application 199
 principles of 198–201
 validation sets 200
reactivity cliff 164, 164
reactivity predictions 158, 196
recurrent layers, of neural networks 113
red, green, blue (RGB)
 array 12
 color spaces 6, 7
region-based convolutional neural networks (R-CNNs) 25
region proposal networks (RPNs) 25
regions of interest (ROI) 3
regioselectivity 172, 178
representer theorem 114–115
reproducibility 90–91, 90
R-Mask CNNs 25
RMSD. *see* root mean square distances (RMSD)
RMSD-PP-TS (open-source Python package) 95–97, 96
RMSE. *see* root mean squared error (RMSE)
RMSProp. *see* root mean square propagation method (RMSProp)
ROBERT program 144, 144, 145
RoboChem 146
ROI. *see* regions of interest (ROI)
root mean squared error (RMSE) 26
root mean square distances (RMSD) 95
root mean square propagation method (RMSProp) 113
RPNs. *see* region proposal networks (RPNs)
- s**
- Sabatier principle 160
SC. *see* single crystals (SC)
scanning electron microscopy (SEM) 56
scanning probe microscopy (SPM) 56

- scanning tunneling microscopy (STM) 56
 image analysis 57–60, 58, **58–60**
- SchNet 106, 119, 120, 121
 atom-type embeddings 120–121, 122
 explicit SchNet model 122–124
 interaction blocks 121–122
- search space
 determination 230
 sampling 91–93, 92
- segmentation, of nerve agents 20–24, 21–23
- selectivity
 ASO descriptor 173
 C–H functionalization 176–177
 ExtraTrees algorithm 172
 face selectivity 178
 multivariate linear regressions based on stereo-electronic descriptors 179
 neural network algorithm 173
 prediction 116
 of reaction 172
 RDKit descriptors 175
 regioselectivity prediction 176
- SEM. *see* scanning electron microscopy (SEM)
- Semiempirical Extended Tight-Binding (xTB) 136, 140
- sequential learning 228
- Shapley additive explanations (SHAP) values 207, 225
- simplified molecular input line entry system (SMILES) 83, 161
- single crystals (SC) 118
- single-interface nanoparticles (SINPs) 236–238
- single site analysis 74–76, 75, **76**, 76
- SINPs. *see* single-interface nanoparticles (SINPs)
- SMILES. *see* simplified molecular input line entry system (SMILES)
- smooth overlap of atomic positions (SOAP) 119
- SOAP. *see* smooth overlap of atomic positions (SOAP)
- space-time yield (STY_{HA}) 226
- spectra representation 46–47
- SPM. *see* scanning probe microscopy (SPM)
- sRGB color space 6
- standard vs. augmented connectivity matrix 202
- stereo-electronic descriptors 172, 174, 178
- STM. *see* scanning tunneling microscopy (STM)
- stochastic gradient descent 113
- substrate scope contrastive learning (ContraScope) 162
- supervised learning 107, 143
- symmetric-gradient domain machine learning (sgDML) model 126
- t**
- telecentric lens system 19
- TEM. *see* transmission electron microscopy (TEM)
- TEP. *see* Tolman’s electronic parameter (TEP)
- texture analysis, of computer vision 14, 16–17, 16, 17
- thermochemistry analysis 139–140
- 3D descriptors, modeling with comparative molecular field analysis 206
 Hammett approach 204
 multi-instance learning 206
 QC calculations 206
 SHapley Additive exPlanations values approach 207
- time-of-flight (TOF) mass analyser 40
- TOF. *see* turnover frequency (TOF)
- Tolman’s electronic parameter (TEP) 135, 135
- TON. *see* turnover number (TON)
- transition state (TS) 158, 168
- transmission electron microscopy (TEM) 56, 107
 automated analysis of 71–72, 72
 of heterogeneous catalyst 71
 high-resolution 72–73, 73
 image analysis 60–62, 61
 single site analysis 74–76, 75, **76**, 76
- tree-based methods 199

- tristimulus color theory 5
- true positive (TP) predictions 59
- TS. *see* transition state (TS)
- TS-tools (open-source Python package) 97–98, 97
- turnover frequency (TOF) 56, 160, 179–180
- turnover number (TON) 56, 179
- 2D descriptors, modeling with
 - cinchona alkaloid-derived phase-transfer catalysts 202
 - fingerprints (FP) 203
 - molecular graphs 201, 202
 - prediction of enantioselectivity 202
- u**
- UCB. *see* upper confidence bound (UCB)
- United States Patent Office (USPTO) 83
- Universal ML toolkits 144
- unsupervised learning 107
- USPTO. *see* United States Patent Office (USPTO)
- v**
- validation. *see also* cross-validation (CV)
 - training and test set separation techniques 201
- Vaska's complex 169
- video, in computer vision 12–14, 13
- visualization 6
- volcano plot 160, 179–180, 181
- w**
- waterfall algorithm 23–24
- white-box algorithm 166
- x**
- xTB. *see* Semiempirical Extended Tight-Binding (xTB)
- xyY color space 6–8, 7
- y**
- yield
 - HTE 160, 161, 165
 - prediction 162–165
 - of reaction 160
- YOLOv5. *see* You Only Look Once (YOLOv5)
- Young-Helmholtz theory 4
- You Only Look Once (YOLOv5) 77
- z**
- zeolite imidazole frameworks (ZIFs) 227
- ZIFs. *see* zeolite imidazole frameworks (ZIFs)

