

Index

a

absorptive glass mat (AGM) batteries 187
 accelerated rate calorimetry (ARC) 103, 322
 accumulator 15
 acid concentration 525
 acid density 524
 acid stratification 225, 249, 254, 521
 causes 223
 removal methods 223–224, 238
 AC load 440
 AC resistance 509
 active balancing 330
 active mass 77, 87, 285
 vs. grids, electrical contact 216
 ionic conductivity 288
 shedding and softening 250
 active masses of batteries 204
 effective surface area and microstructure 207
 electrical conductivity 205–207
 lead sulfate formation 207–209
 manufacturing process 210
 properties 205
 voltage dip at discharging 209–210
 activity coefficient 20
 actual capacity 49
 admittance 510
 ageing 313, 421
 of the anode material 316
 of the cathode material 315
 of the electrolyte 318
 ageing effect 142
 ageing process 106, 131
 agglomerate of spheres model 205
 AGM battery 204, 406
 air cathode 381
 Aktivmaterial 80
 elektrische Leitfähigkeit 79
 alkaline manganese oxide/zinc system 469

alkaline nickel battery 362
 ageing 366
 design 364
 electrolyte 364
 properties 366
 alternating current resistance 157
 aluminum oxide 374
 amount of charge 394
 analytical battery model 131
 anode 15, 16
 anode material 285
 anolyte 15
 aqueous sulfuric acid
 electrolyte 211
 hygroscopic 211
 low-temperature applications 212
 specific conductivity 211
 arcing faults
 protection against 491
 Arrhenius law 34, 97, 316
 Ashtiani category 335
 atomic absorption spectroscopy 172
 atomic emission spectroscopy 172
 atomic force microscopy 171
 Austauschstromdichte 18, 33
 Automotive Safety Integrity Level (ASIL) 335
 autonomous energy system 457

b

balancing 328
 balancing power by battery storage 463
 battery 2
 analysis method 311
 capacitance 135
 capacity 121
 charging station 433
 chemistry 169
 cost 428
 current 440

- battery (*contd.*)
 - design 326
 - environmental impact and disposal 498
 - high-quality polypropylene housings and lids 219
 - with internal oxygen consumption cycle. *See* valve regulated lead acid (VRLA) batteries
 - monitoring 424, 435
 - operating conditions 390
 - property 5
 - simulation tool 321
 - site requirements, installation and transportation 498
 - swap 426
 - technology 9, 179
 - terms 477
- battery cabinets protection 492
- battery explosions. *See* lithium-ion batteries, *See* lead-acid batteries
- battery for portable application 469
 - battery technology 472
 - monitoring 474
 - requirement 470
 - standard 507
- battery for stationary applications
 - standard 506
- battery management system (BMS) 323
 - cooling and heating 331
 - data analysis 331
- battery model 131
 - parameter 133, 140
- Binder 284
- bipolar electrode 81
- bipolar plate 82
- black start 10
- Bode plot 511
- boost processes 401
- Bragg equation 174
- brake energy recovery recuperation 413
- bridging circuit 329
- bridging time 7, 442, 444
- bridging time with constant power 151
- buffer operation 441
- Butler–Volmer equation 25, 28, 41, 57, 60, 281
- Butler–Volmer resistance 31, 38, 62, 99
- block batteries or modules 219
- C**
 - CAEBAT project 321
 - calendar ageing 313
 - capacitor 4, 515
 - capacity 15, 48, 67, 108, 111, 164
 - determination 332
 - measurement 149, 151, 309
 - SoH and SoF 127
 - test 165
 - carbonation 368
 - catalyst 77
 - cathode 15, 16
 - cathode material 282
 - catholyte 15
 - CC/CV charging characteristic 58
 - cell balancing 70, 327
 - cell connector 220
 - cell container 88
 - cell short circuit 71
 - cell voltage 70, 71, 326
 - changeover mode 441
 - charge carrier distribution 15
 - charge factor 54
 - charge throughput 123, 394
 - charge transfer overvoltage 57
 - charge transfer voltage 25, 29, 97
 - charger 391
 - charging current 57, 416, 440
 - charging direction 56
 - charging efficiency 54
 - charging methods 52
 - charging voltage 5, 446
 - cheat device 343
 - chemical ageing process 106
 - chemical reaction 95
 - chronoamperometry 167
 - chronopotentiometry 167
 - circular economy 499
 - classic memory effect 367
 - climate zone 421
 - cold start performance 164
 - cold-test current 151
 - combustion engine 414
 - compressed air storage system 5
 - conducting salt 290, 291
 - conductometer 158
 - constant current charging 58
 - constant current condition 391
 - constant current discharge 51, 151
 - constant current load 152
 - constant current phase 149
 - constant electrode voltage 60
 - constant phase element 166
 - constant resistance load 152
 - constant voltage charging 59
 - constant voltage condition 391
 - consumer battery 470
 - consumer electronics 474
 - convection 94, 100
 - converter 5
 - copper 282
 - copper expanded metal grid 215
 - corrosion 106

- attacks 497
 - of the separator 318
- corrosion resistance
 - current collector
 - negative electrode 213–214
 - positive electrode 214–215
- Coulomb counting 123
- Coulomb efficiency 54
- cryogenic capacity 151
- crystallization overvoltage 25
- current amplitude 96, 149
- current collector 95, 365
 - corrosion resistance. *See* corrosion resistance
 - corrosive conditions 213
 - curing process 217
 - electrical contact, grids vs. active masses 216
 - electrical resistance 215
 - mechanical stability 215–216
 - microcracks/coating defects 213
 - production 216–217
 - properties 213
- current collector 294
- current conductor/collector 299
- current density distribution 84, 521
- current density inhomogeneity 81
- current dependence 150
- current displacement 96
- current inhomogeneity 84, 133, 521
 - in electrodes 221–222
- current interrupt device (CID) 298
- current interrupt method 310
- current path 66, 67, 137
- current ripple 246
- current sensor 165
- current signal 157
- current-voltage characteristic 42
- current-voltage curve 52
- cybersecurity 325
- cycle stability 458
- cyclic ageing 313
- cyclovoltammetry 165, 166

d

- dangerous body currents
 - protection against 492
- DC resistance measurement 158
- dendrite formation 251
- deep discharge 52
- defective cell 65
- definition of end of life 109
- degree of disorder 287
- depth of discharge 49, 126
- design life 113
- determination of the state of charge 123
- diesel fuel 9

- diesel generator 453
- diesel startup 453, 454
- difference in state of charge 522
- differential resistance 155
- differential voltage analysis 168
- diffraction pattern 174
- diffraction pattern 174
- diffraction pattern 174
- diffusion effect 25, 138
- dimethyl sulphoxide 381
- discharge 50
 - characteristic 450
 - current 51, 64, 81
 - curve 139, 308
- discharging and charging of batteries 50
- double-layer capacitor 25, 38, 135, 454
- driverless transport system 434
- drivetrain 12
- dunkelflaute 12

e

- efficiency of batteries 394
- efficiency of the overall system 394
- electrical abuse tests 342
- electrical battery parameter 163
- electrical conductivity
 - of active masses 205–207
 - of aqueous sulfuric acid 211
- electrical contact, grids vs. active masses 216
- electrical parameters 164
- electrical safety 490
 - battery cabinets protection 492
 - fuses 491
 - insulation monitoring 493
 - protection against arcing faults 491
 - protection against dangerous body currents 492
 - protection against short circuits 491
 - protection against sparks 491
 - tools and measuring devices 492
- electric fuel 370
- electricity supply system 2
- electric motor 420
- electric traction battery 305, 417, 472
 - monitoring 424
 - requirements 415
- electric vehicle 335, 339, 413, 418
 - ageing prognosis 421
- electro neutrality 16
- electrocatalyst 77
- electrochemical ageing process 106
- electrochemical analysis methods 165
- electrochemical energy storage system 3
- electrochemical impedance measurement 310
- electrochemical impedance spectroscopy (EIS) 157, 509
- electrochemical kinetics 24

- electrochemical principles, for lead-acid batteries
 - active components
 - electrolyte 189
 - negative electrode, active material of 189–190
 - positive electrode, active material of 189–190
 - electrochemical reaction 76
 - electrochemical thermodynamics 19
 - electrode 14, 16, 521
 - charging and discharging 55
 - potential 29
 - voltage 25, 60
 - electrodes (plates)
 - production 216–217
 - electrode stacks production 218
 - electrolyte 14, 137
 - circulation system 228, 432
 - tightness 88
 - electrolyte capacitor 134
 - electromobility 305, 306, 376, 425
 - standard 505
 - electron conductivity 76, 77
 - electron diffraction 175
 - electrotraction 414
 - elektrochemie 277
 - emergency lighting 450
 - empirical battery model 131
 - end-of-charge voltage 74, 313
 - end of discharge voltage 52, 57, 62, 121, 126
 - end of life 107
 - end of the battery's service life 128
 - endurance 114
 - energy balance 19, 21
 - energy content 9, 416
 - energy storage system 1, 13
 - energy storage technology 3
 - energy throughput 457
 - engine start 454
 - enthalpy of formation 20
 - enthalpy of mixing 95
 - enthalpy of reaction 20
 - enhanced flooded batteries (EFB) 227
 - environmental abuse tests 342
 - environmental impact 7
 - equilibrium voltage 19, 42, 56, 70, 138, 279
 - equivalent circuit diagram 63, 133, 147, 514
 - equivalent circuit model 134
 - equalization charging 241
 - EUCAR hazard level classification 334
 - event-based lifetime prediction methods 115
 - exchange battery 429
 - exchange current density 27, 68
 - exfoliation 317
 - experimental parameter determination 148
 - explosion 347
 - explosion protection
 - for lithium-ion batteries 498
 - lead-acid batteries 494
 - air exchange volume calculation for ventilation 495
 - discharging of gas 495
 - ignition sources 496
 - safety distance to cell openings 496
- f**
- faradaysche Zahl 18
 - fast charging 313
 - Fick's laws 136
 - final charging voltage 62
 - final discharge voltage 49, 447
 - finite element model 134, 148
 - fire causes 493
 - fire protection 493
 - float charge current 395, 446, 448, 449
 - float charge voltage 57
 - flooded battery 408
 - flow battery 372
 - flow cell 15
 - fluctuating load 460
 - fluorinated ethylene carbonate 290
 - flywheel 4
 - forklift truck 429
 - forward reaction 26
 - four-point measurement 167
 - free enthalpy 19, 125
 - FTIR spectroscopy 172
 - fuel cell 6, 15, 414
 - full charge 70
 - full cycles 416
 - full hybrid 413
 - functionality of the battery 111
 - fuses 491
- g**
- galvanostatic 166
 - galvanostatic intermittent titration technique (GITT) 167
 - gasoline engine 405
 - gassing voltage 524, 525
 - gaussche Zahlenebene 514
 - Gaussian number plane 514
 - gel batteries 187, 202
 - gel electrolyte 289
 - German Battery Act 412
 - Gibbs enthalpy 19, 98, 125
 - graphite 285
 - hexagonal 286
 - rhombohedral 286
 - graphite anode 292, 293
 - graphite electrode 169

gravimetry 170
 grid corrosion 214
 grid restriction 461
 grids
 casting process 216
 galvanic process 217
 punching process and expanded metal 217
 GroE cell 228
 guideline 503

h

half cell 14
 hazard reduction measures 490
 heat balance 21, 100
 heat capacity 94
 heat conductivity 100
 heat dissipation 344
 heat exchange with the environment 99
 heat generation 95, 96
 heat transfer 100
 Helmholtz-Schicht 18
 hexamethylsilazane 292
 high-current pulse 50
 high-energy cell 304
 high-performance liquid chromatography 170
 high-temperature battery 374
 safety 375
 high-voltage battery 420
 home energy storage 458
 home energy storage system 456
 host lattice 277
 hybrid capacitor 384
 hybrid electric vehicle 413
 hybrid vehicle 10
 hydrogen electrode 24
 hydrogen fluoride 291
 hydrogen reference electrode 68

i

immittance 510
 impedance 157, 509
 spectroscopy 95, 152, 165, 311, 320, 332
 spectrum 514
 incremental capacity analysis 168
 inductance 38, 514
 industrial trucks 427
 with intensive usage 432
 with low daily operating time 431
 requirements 428
 inelastic scattering 172
 input voltage 420
 instantaneous reserve 463
 intercalation 280, 287, 318
 mechanism 78
 reaction 279

intercell connectors 219
 corrosion 258–260
 interconnected power supply system 462
 internal resistance 50, 110, 111, 155, 164
 measurement 310
 SoH and SoF 128
 test 151
 internal short circuit 341
 investment cost 184
 ion 16
 ionic conductivity 77
 ISO 26262 489

k

kinetic inhibition 252
 Kirchhoff's laws 84, 255
 Kirchhoff's rules 42

l

Lander curve 253, 261
 Lambert-Beer law 172
 large battery storage system 461
 lazy battery effect 367
 lead-acid batteries 179
 aging effects 247
 active mass shedding and softening 250
 battery component changes 247
 dendrite formation 251
 drying out electrolyte 251
 oxygen consumption and formation 251
 passivating layers 250
 premature capacity loss (PLC) 250
 separator corrosion 251
 sulfatation 249
 surface area reduction of active masses 248
 battery heating during discharge 235
 capacity 235
 capacity/state of health determination 264
 charging
 basic information 237
 characteristics evaluation 244
 constant current/constant voltage charging 245
 current amplitude 246
 current interruption during float charge 244
 current ripple 246
 electrolyte circulation 245
 full charge criteria 246
 good and bad charging process 244, 245
 IR-free charging 243
 IU characteristics 239
 IUIa characteristic curve 242
 IUoU characteristics 240
 W, Wa or W0Wa characteristic curve 242

- lead-acid batteries (*contd.*)
 - charging and discharging cells in series 198
 - complete equivalent circuit diagram 190, 191
 - components and characteristics 230
 - constant current discharges 234
 - current inhomogeneity in electrodes 221–222
 - discharge behavior and capacity 229–235
 - economic significance 188
 - electrochemical principles. *See* electrochemical principles, for lead-acid batteries
 - electrochemical reactions during
 - discharging and charging 191
 - end-of-discharge voltage 234, 235
 - environmental impact and disposal 498
 - explosion protection 494
 - air exchange volume calculation for ventilation 495
 - discharging of gas 495
 - ignition sources 496
 - safety distance to cell openings 496
 - explosion risk 258
 - fluctuating capacity values 235
 - grid corrosion effects 254
 - hazards associated with 264
 - intercell connectors corrosion 258
 - main reactions 192
 - monitoring requirements during discharge 236
 - negative grid terminals and group bars
 - corrosion 257
 - operating strategies and design implications 260
 - acid stratification 261
 - charger type 262
 - charging cables resistance 262
 - charging characteristics 262
 - depth of discharge 260
 - discharge current 260
 - end of discharge 260–261
 - full charge 261
 - maintenance requirements 260
 - partially discharged state 261
 - storage time 262
 - trickle/float charge mode 261
 - uniform cell temperature 260
 - overdischarge reactions during discharging 193–194
 - positive grid corrosion 252
 - positive terminals and group bars corrosion 255
 - power output and internal resistance 236
 - problems 267
 - properties 182, 183
 - pulsed discharge 235
 - recycling rate 188, 499
 - requirements 228
 - robust products 267
 - safety 264–267
 - aqueous sulfuric acid 266
 - explosion risk due to oxyhydrogen gas 265
 - lead handling risk 267
 - side reactions 190
 - self-discharge at rest 197
 - side reactions of positive and negative electrodes 194–195
 - combined reaction 195–197
 - exchange current density 195
 - specification 229
 - specific capacity 226
 - state of charge determination 262
 - algorithms using expert rules 264
 - discharge curve comparison 264
 - OCV characteristic curve usage 263
 - voltage measurement 263
 - voltage measurement with side reaction estimation 263
 - stationary applications 228–229
 - technical designs 187
- lead-acid batterySäure-Batterie 41
- lead sulphate crystal 171
- lead starter batteries
 - design aspects 226
- lead sulfate
 - formation 207–209
 - solubility 238
- lifetime prediction 114
- lifetime vector 108
- limitation of the service life 113
- limitations of battery models 133
- linear damage accumulation 116
- lithium 280
 - availability 354
 - dendrite 285
- lithium-air battery 381
- lithium battery
 - layout 304
- lithium dendrite 317
- lithium electrode 24
- lithium hexafluorophosphate 291
- lithium-ion battery 9, 41, 73, 74, 179
 - abuse scenario 342
 - additive 290
 - advantages and disadvantages 277
 - anode material 285
 - capacity 310
 - cathode material 282
 - economic importance 276
 - electrochemical fundamentals 278

electrode 280
 electrolyte 289
 electrolyte ingredients 290
 environmental impact and disposal 498
 explosion protection for 498
 full charge 312
 impedance spectrum 518
 overcharge 282
 performance data 305
 problems 354
 properties 182, 183
 safety 333
 second life concept 499
 side reaction 281
 lithium-ion starter battery 306, 408
 lithium-Ionenbattery 19
 lithium plating 286, 289, 312, 317
 lithium solid-state battery 376
 lithium-sulphur battery 378
 lithium titanate (LTO) 286, 287
 load 391
 load management system 459
 locally resolved equivalent circuit diagram 137
 local resistance 96
 lookup table 141
 loss of lifetime 114
 loss of service life 114

m

magnet field 4
 main reaction current 122
 Mammoth pump principle 223–224
 manganese oxide/zinc system 469
 manufacturer's information on the expected service life 113
 mass transport 35, 79
 phenomena 126, 132, 136
 restriction 56, 79
 materials properties 148
 mechanical abuse tests 342
 mechanical ageing process 106
 memory effect 367
 mercury porosimetry 170
 metal air battery 179
 metal electrode 26
 metal hydride 363
 method of separation 170
 micro-hybrid 418
 micro hybrid battery 401
 mild hybrid battery 415
 Miller indices 174
 modelling for battery systems 321
 modelling quality 517
 module 302, 303
 MSMD model 321

n

Nernst equation 21
 Nernst law 20, 152
 Nernst voltage 20, 65, 225, 281, 524
 neutron diffraction 175
 nickel-cadmium battery 68
 nickel compound 363
 nickel oxide hydroxide 364
 NMR spectroscopy 174
 nominal capacity 48, 72, 121, 128, 460
 nominal discharge current 49
 nominal temperature 151
 nominal voltage 57, 473
 non-electrochemical energy storage system 3
 non-rechargeable battery 469
 Nyquist plot 511

o

off-grid autonomous energy system 456
 ohmic effect 29
 ohmic loss 96
 ohmic resistance 29, 40, 158, 515
 on-board power supply battery 401
 online monitoring system 451
 open-circuit voltage 42, 151, 524
 operating capacity 121
 operating costs 184
 operating limits 128
 operation with shallow cycles 441
 opportunity charging 431
 organic solvent 290
 overcharge protection 291
 overcharging reactions 188
 overdischarge 74
 reactions, during discharging 193–194
 overlithiation 283
 oxygen 381

p

parameter determination by physicochemical methods 148
 partial state of charge operation 404
 partial state of charge (*pSoC*) 236
 passive balancing 329
 percolation theory 206
 Peukert coefficient 310
 Peukert equation 150
 Peukert exponent 150
 photovoltaic system 2
 pinhole 297
 plates 217
 plug-in hybrid 413
 pocket separators 218
 polyethylene 296
 polymer electrolyte 289
 polymer separator 296

polypropylene 296
 polytetrafluoroethylene (PTFE) 284
 polyvinylidene fluoride (PVdF) 284
 post-mortem analysis methods 169
 potential difference 15
 potentiostatic 166
 potentiostatic intermittent titration technique (PITT) 167
 pouch cell 298, 299, 419
 powder neutron diffraction 175
 power consumption 2
 power demand 455
 power failure 8, 440, 444, 453
 power generation 2
 power plant 463
 power supply 455
 powering industrial trucks 427
 practical capacity 49
 premature capacity loss (PCL) 216
 primary cell 15, 469
 primary control power 463
 prismatic cell 302, 419
 product liability 501
 prognosis of capacity 116
 prognosis of internal resistance 116
 propagation test 350
 proportionality factor 20
 propylene carbonate 385
 pro rata warranty 429
 protective extra-low voltage (PELV) 490
 public power supply system 462
 pulse charging 53
 pulse charging method 53
 pulse method 167
 Pulsmethode 167
 pumped water storage system 5

q

quasi-stationary electrochemical analysis method 166

r

radiation source 175
 radiative heat exchange 100
 Ragone diagram 7
 Raman spectroscopy 172, 175
 Randles model 141, 148, 149, 152, 156, 166, 513
 range extender 413
 rapid voltage drop 55
 reactance 510
 reaction rate 27
 reactions density 87
 rechargeable battery 469
 reconstitution mechanism 78

recuperation 418
 recycling 355, 411, 425, 474
 standard 504
 redox flow battery 6, 372
 redox flow cell 15
 redox shuttle 281, 292, 314, 318
 reference electrode 23, 165, 166
 regenerative braking 416
 relaxation behavior 149
 relaxation process 138
 residual bus simulation 417
 residual capacity 49
 resistance 514
 reverse reaction 27
 reversible heat 98
 reversible insufficient mass utilization (RIMU) 244
 rocking chair principle 277
 root-t law 421
 rotational energy 462
 round cell 299, 301, 419
 rupture valve 297, 298
 rupture vent 317, 348

s

safety 333, 489
 component 298
 engineering 353
 limits 336
 requirement 504
 risk 64
 safety extra-low voltage (SELV) 490
 scanning electrochemical microscopy 171
 scanning electron microscopy 170
 scanning near-field optical microscopy 171
 scanning probe technique 171
 scattering behavior of X-rays 174
 sealed batteries 227. *See also* VRLA batteries
 production costs 227
 sealed lead-acid batteries 229
 secondary control power 463
 second life 108, 307
 of electric traction batteries 308
 use 355
 self-discharge 367
 effect 317
 process 197
 reaction 41
 self-heating 351
 Semënov graph 344
 semi-traction battery 227, 436
 separator 15, 80, 296, 365
 AGM material as 218
 function 218
 requirements 218
 service life 108, 114, 447

- Shepherd model 138, 142
 - short circuit 298
 - low resistive 71
 - protection against 491
 - at series connection 71
 - short-circuit current 25, 71, 155
 - short-circuited cell 71
 - shutdown separator 296
 - side reaction 281
 - side reaction current 122
 - simulation 142
 - simulation of ageing 320
 - single cell voltage 424
 - single particle model 132, 289
 - skin effect 96
 - small traction battery 436
 - SoC-dependent battery power for mild hybrid
 - applications 237
 - sodium-air battery 382
 - sodium-sulphur battery 376
 - sodium superoxide 382
 - solid electrolyte 378
 - solid-electrolyte interface (SEI) 279, 293
 - solid permeable interface (SPI) 294
 - solid-state diffusion 312
 - solid state separator 377
 - sparks
 - connecting and disconnecting 497
 - protection against 491
 - specific resistance 96
 - standard 501
 - standby losses 453
 - standby parallel operation 440
 - start-stop system 404
 - starter battery 151, 164, 306, 454
 - in block design without lid 220
 - for vehicles 401
 - starter motor 453
 - starting capability 404
 - starting voltage prediction 411
 - state-of-charge-dependent
 - end-of-discharge criterion 236
 - state of energy (SoE) 126, 331, 394, 415
 - curve 394
 - definition 121
 - determination 423
 - state of function 127
 - state of health 127
 - measurement 129
 - state of safety (SoS) 337
 - definition 337
 - state-of-charge-dependent operational strategy 121
 - stationary application 398
 - stationary battery
 - battery technology 443
 - design 443
 - functional safety 445
 - monitoring 447
 - stationary electrochemical analysis methods 166
 - stationary energy storage systems in the
 - electricity industry 456
 - step discharge 159
 - stress corrosion cracking 256
 - styrene acrylonitrile (SAN) 219
 - subhybrid battery 397, 398
 - sulfatation 249
 - sulphuric acid 521
 - supercapacitor 384
 - superconducting coil 4
 - superconductivity 4
 - susceptance 510
 - switch-on 167
 - system environment 9
- t**
- Tafel approximation 29, 31, 45, 55, 97
 - Tafel plot 31
 - temperature dependence of heat
 - generation 97
 - temperature difference 101
 - temperature gradient 336
 - temperature inhomogeneity 150
 - temperature measurement 327
 - temperature sensor 95
 - terminal voltage 25, 35, 64
 - Thévenet model 140, 143
 - theoretical specific capacity 19
 - theoretical specific energy 23
 - thermal abuse tests 342
 - thermal conductivity 94
 - thermal propagation 144, 320, 348
 - thermal properties of batteries 93
 - thermal properties of cells 93
 - thermal runaway 339, 341, 343, 344
 - thermal shock 342
 - three-phase boundaries 77
 - titration technique 170
 - traction battery 10, 227–228, 420, 429, 442
 - charging characteristic 430
 - standard 505
 - utilization profile 434
 - transfer coefficient 27, 30
 - transfer voltage 31
 - transmission electron microscopy 170
 - transport of goods 427
 - trickle charge current 395, 446
 - trickle charge mode 446
 - trigger cell 349
 - trigger method 351
 - TRIM heater 349

trolley bus system 417
tubular plate electrode 436

U

U-I characteristic 35, 155
ultrabattery 409
ultracapacitor 4, 384, 407
universal battery theorem 125
use of battery models 132
UV/Vis spectroscopy 172

V

valve regulated lead acid (VRLA) batteries
 electrical equivalent circuit diagram
 199, 200
 immobilized electrolyte in gel/fleece
 199
 overdischarge reactions 199
 production 204
 properties 202–204
 voltages of negative electrodes 201
vanadium redox-flow battery 372
vehicle electrical system voltage 420
ventilation systems 265
venting 297, 303, 317
voltage 15
 difference 57
 limit 62, 142
 measurement 123, 424
 pulse 152

response 509
source 38, 134

W

Warburg impedance 166, 513
water refilling system 433
water scavenger 292
water supply system 432
wave-particle duality 174
weighted ampere-hour throughput methods
 114
weighting factor 116
Wickelkern 301
wiring inductance 167, 519
WLTC 418, 421
Wöhler curve 115
wound cell 84

X

X-ray fluorescence spectroscopy 172

Y

Yazami theorem 125

Z

ZEBRA-Batterie 374
zinc-air battery 369
 ageing 371
 design 370
 properties 371